

Occupation and cancer. Follow-up of 15 million people in five Nordic Countries

EERO PUKKALA¹, JAN IVAR MARTINSEN², ELSEBETH LYNGE³, HOLMFRIDUR KOLBRUN GUNNARSDOTTIR⁴, PÄR SPARÉN⁵, LAUFHEY TRYGGVADOTTIR⁶, ELISABETE WEIDERPASS^{2,5,7}, KRISTINA KJÆRHEIM²

Result tables by occupation

No	Occupational category	p.	No	Occupational category	p.
1	Technical workers, etc	2	28	Mechanics	56
2	Laboratory assistants	4	29	Plumbers	58
3	Physicians	6	30	Welders	60
4	Dentists	8	31	Electrical workers	62
5	Nurses	10	32	Wood workers	64
6	Assistant nurses	12	33	Painters	66
7	"Other health workers"	14	34	"Other construction workers"	68
8	Teachers	16	35	Bricklayers	70
9	Religious workers etc	18	36	Printers	72
10	Artistic workers	20	37	Chemical process workers	74
11	Journalists	22	38	Food workers	76
12	Administrators	24	39	Beverage workers	78
13	Clerical workers	26	40	Tobacco workers	80
14	Sales agents	28	41	Glass makers etc	82
15	Shop workers	30	42	Packers	84
16	Farmers	32	43	Engine operators	86
17	Gardeners	34	44	Public safety workers	88
18	Fishermen	36	45	Cooks and stewards	90
19	Forestry workers	38	46	Domestic assistants	92
20	Miners and quarry workers	40	47	Waiters	94
21	Seamen	42	48	Building caretakers	96
22	Transport workers	44	49	Chimney sweeps	98
23	Drivers	46	50	Hairdressers	100
24	Postal workers	48	51	Launderers	102
25	Textile workers	50	52	Military personnel	104
26	Shoe and leather workers	52	53	"Other workers"	106
27	Smelting workers	54	54	Economically inactive	108
				Description of occupations	110

Contact: Prof. Eero Pukkala, email:eero.pukkala@cancer.fi

¹Finnish Cancer Registry, ²Cancer Registry of Norway, ³University of Copenhagen, ⁴Research Center for Occupational Health & Working Life, Reykjavik, Iceland ⁵Karolinska Institute, Stockholm, Sweden. ⁶Icelandic Cancer Registry, ⁷Samfundet Folkhalsan, Helsinki Finland

Technical, chemical, physical and biological workers. Men (N = 572 866). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	74	0.44	78	0.49	1	1.16	43	0.47	290	0.66	486	0.56	0.52-0.62
141	Tongue	46	0.74	59	0.85	[0.56]	0.00	40	0.76	191	0.87	336	0.83	0.75-0.92
142	Salivary glands	25	0.71	47	1.26	1	2.63	16	0.74	147	1.01	236	0.98	0.86-1.11
143-144	Oral cavity	105	0.87	55	0.79	2	2.43	40	0.57	262	0.85	464	0.82	0.74-0.89
145-148	Pharynx	118	0.81	73	0.86	1	0.99	48	0.55	361	0.78	601	0.77	0.71-0.83
145	-oropharynx ²	60	0.73	34	0.90	1	3.45	26	0.67	148	0.75	269	0.75	0.67-0.85
146	-nasopharynx ²	21	1.01	21	1.23	[0.31]	0.00	5	0.37	83	0.92	130	0.92	0.77-1.09
150	Oesophagus	233	0.82	121	0.67	5	1.60	70	0.57	590	0.78	1019	0.76	0.71-0.80
	-adenocarcinoma ²	98	0.85	44	0.93	2	1.52	16	0.50	187	0.83	347	0.82	0.74-0.92
151	Stomach	453	0.79	581	0.79	4	0.45	362	0.66	2298	0.84	3698	0.80	0.78-0.83
151.1	-cardia ²	139	0.76	111	0.82	1	0.56	92	0.82	345	0.86	688	0.83	0.77-0.89
152	Small intestine	52	1.11	58	1.05	2	1.74	32	0.80	324	1.00	468	1.00	0.92-1.10
153	Colon	1514	1.10	855	1.21	12	0.92	956	1.02	4518	1.08	7855	1.09	1.06-1.11
154	Rectum, rectosigma	954	1.00	643	1.13	4	0.85	523	0.91	2915	0.99	5039	1.00	0.97-1.03
155.0	Primary liver	180	0.89	182	0.93	1	0.72	52	0.78	641	0.86	1056	0.87	0.82-0.93
	-hemangiosarcoma ²	-	-	[0.96]	0.00	-	-	[0.15]	0.00	4	1.08	4	0.83	0.23-2.13
155.1	Gall bladder	103	0.99	90	0.87	[0.79]	0.00	35	0.71	281	1.06	509	0.98	0.89-1.06
157	Pancreas	482	0.99	463	0.93	6	1.25	256	0.81	1570	0.95	2777	0.94	0.90-0.97
160	Nose	56	1.15	24	0.78	[0.47]	0.00	15	0.56	111	0.88	206	0.88	0.77-1.01
	-adenocarcinoma ²	-	-	1	0.49	[0.04]	0.00	1	0.26	15	0.69	17	0.61	0.36-0.98
161	Larynx	266	0.83	95	0.50	1	0.47	71	0.52	466	0.81	899	0.74	0.69-0.79
162,163	Lung	3019	0.91	1503	0.58	9	0.41	855	0.61	5154	0.93	10540	0.82	0.80-0.83
	-adenocarcinoma ²	758	1.09	289	0.74	3	0.47	230	0.74	1114	0.96	2394	0.93	0.90-0.97
	-small cell ²	-	-	251	0.60	[4.16]	0.00	152	0.60	463	0.80	866	0.69	0.65-0.74
	-squamous cell ²	963	0.87	422	0.53	[5.00]	0.00	242	0.58	1758	0.90	3385	0.79	0.77-0.82
	-other ²	-	-	541	0.54	6	1.09	185	0.53	1819	0.98	2551	0.79	0.76-0.82
158, 162.2	Mesothelioma ²	136	1.53	98	1.43	[0.59]	0.00	46	0.97	285	1.17	565	1.26	1.16-1.36
170	Breast	32	1.01	24	1.30	2	3.15	10	0.68	103	1.05	171	1.04	0.90-1.21
177	Prostate	2306	1.07	3886	1.17	49	1.16	2373	1.06	17827	1.11	26441	1.11	1.09-1.12
178	Testis	128	1.01	79	1.14	[2.34]	0.00	130	1.19	343	1.04	680	1.06	0.99-1.15
	-seminoma ²	51	0.97	51	1.07	[1.75]	0.00	89	1.17	247	1.04	438	1.06	0.96-1.16
	-non-seminoma ²	78	1.04	27	1.28	[0.59]	0.00	36	1.42	96	1.02	237	1.10	0.97-1.25
179.0	Penis	60	0.95	22	0.79	2	3.16	45	1.26	165	0.82	294	0.89	0.80-1.00
180	Kidney	418	1.02	652	1.10	6	0.67	332	0.91	2239	1.05	3647	1.04	1.01-1.08
180.1	-renal pelvis ²	166	1.04	34	0.99	[0.46]	0.00	43	1.05	247	1.13	490	1.08	0.99-1.18
181	Bladder	1776	1.03	676	0.91	9	0.72	715	0.89	4503	1.07	7679	1.02	1.00-1.05
190	Melanoma	485	1.23	611	1.33	10	2.28	630	1.30	2436	1.24	4172	1.26	1.22-1.30
190.6	-upper limbs ²	68	1.44	103	1.73	1	1.35	75	1.71	380	1.27	627	1.39	1.29-1.51
192	Eye	46	1.03	39	0.96	1	2.58	39	1.24	172	1.02	297	1.04	0.93-1.17
	-melanoma ²	43	1.10	34	0.92	1	3.54	39	1.40	130	0.98	247	1.04	0.92-1.18
193	Brain	447	1.02	476	1.05	3	0.49	322	1.03	1830	1.10	3078	1.07	1.03-1.11
	-glioma ²	42	0.91	248	1.15	1	0.27	185	1.10	983	1.15	1459	1.13	1.08-1.19
	-meningeoma ²	55	0.98	87	0.96	1	0.67	52	0.98	352	1.02	547	1.00	0.92-1.09
194	Thyroid	43	1.14	125	1.16	2	0.61	36	0.66	278	1.04	484	1.03	0.94-1.12
	-follicular ²	-	-	12	0.77	[0.40]	0.00	3	0.48	16	1.02	31	0.81	0.55-1.16
	-papillary ²	-	-	85	1.19	2	0.80	21	0.63	48	1.05	156	1.02	0.87-1.19
195.0	Glandula suprarenalis	9	0.99	14	0.86	[0.20]	0.00	7	1.00	26	0.86	56	0.89	0.67-1.16
195.1	Parathyreoidea	[0.45]	0.00	[0.29]	0.00	[0.02]	0.00	1	3.45	[1.96]	0.00	1	0.33	0.01-1.85
195.2	Thymus	6	1.37	7	1.46	[0.13]	0.00	2	0.56	22	1.59	37	1.39	0.98-1.91
195.3	Hypophysis	2	1.45	[0.45]	0.00	1	1.14	1	2.06	6	1.74	10	1.50	0.72-2.77
195.4	Corpus pineale	-	-	[0.91]	0.00	-	-	[0.23]	0.00	-	-	[1.15]	0.00	0.00-3.21
196	Bone	16	0.99	24	0.86	1	1.83	9	0.55	109	1.20	159	1.05	0.90-1.22
	-chondrosarcoma ²	-	-	11	0.76	1	2.07	[4.45]	0.00	40	0.96	52	0.85	0.64-1.12
197	Soft tissue	60	1.04	94	0.97	[0.99]	0.00	45	1.04	436	1.04	635	1.03	0.95-1.11
	-fibrosarcoma ²	-	-	31	0.97	-	-	4	1.21	68	1.22	103	1.14	0.94-1.38
	-liposarcoma ²	-	-	17	0.76	[0.38]	0.00	14	1.70	72	1.00	103	1.00	0.82-1.21
200,202	Non-Hodgkin lymphoma	422	1.04	598	1.08	10	1.61	332	1.11	1958	1.04	3320	1.05	1.02-1.09
201	Hodgkin lymphoma	64	0.96	89	0.99	2	2.30	42	0.86	291	1.02	488	0.99	0.91-1.08
203	Multiple myeloma	220	0.97	175	1.00	[2.39]	0.00	192	1.13	904	1.01	1491	1.02	0.97-1.07
204	Leukaemia	449	0.95	317	0.98	4	0.87	243	0.98	1397	0.99	2410	0.98	0.94-1.02
	-chronic lymphatic ²	-	-	131	1.00	3	2.05	92	1.02	635	0.96	861	0.98	0.91-1.04
	-acute myeloid ²	121	0.90	85	0.94	[1.55]	0.00	87	0.96	334	1.04	627	0.98	0.91-1.06
	Mycosis fungoides ²	12	0.90	13	0.98	[0.30]	0.00	13	1.78	96	0.88	134	0.93	0.79-1.11
199	Other/unknown site	166	0.79	203	0.74	3	0.92	215	0.64	1770	0.97	2357	0.89	0.86-0.93
140-204	All sites	14472	0.98	13197	0.95	156	0.93	9201	0.90	57315	1.03	94341	0.99	0.99-1.00
	Not included above													
191	Other skin	-	-	448	1.18	5	1.08	526	1.16	2946	1.10	3925	1.12	1.09-1.16
191.6	-upper limbs ²	-	-	30	0.96	[0.41]	0.00	41	1.06	349	1.19	420	1.16	1.05-1.27

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Technical, chemical, physical and biological workers. Women (N = 48 958). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[1.17]	0.00	4	1.33	[0.02]	0.00	1	1.63	6	1.08	11	1.06	0.53-1.90
141	Tongue	5	3.01	3	0.59	[0.05]	0.00	[0.97]	0.00	3	0.42	11	0.73	0.37-1.31
142	Salivary glands	[1.35]	0.00	3	0.82	[0.05]	0.00	1	1.50	9	1.25	13	1.01	0.54-1.72
143-144	Oral cavity	5	1.32	5	1.04	[0.08]	0.00	[1.43]	0.00	8	0.81	18	0.90	0.53-1.43
145-148	Pharynx	3	1.06	2	0.61	[0.05]	0.00	1	0.99	2	0.22	8	0.49	0.21-0.97
145	-oropharynx ²	3	1.83	[1.53]	0.00	[0.02]	0.00	1	1.82	1	0.20	5	0.57	0.18-1.32
146	-nasopharynx ²	[0.45]	0.00	2	2.35	[0.02]	0.00	[0.17]	0.00	1	0.54	3	0.90	0.18-2.62
150	Oesophagus	7	1.35	7	0.87	[0.09]	0.00	[1.37]	0.00	9	0.75	23	0.86	0.54-1.29
	-adenocarcinoma ²	3	2.35	2	2.16	[0.03]	0.00	[0.29]	0.00	3	1.37	8	1.70	0.73-3.35
151	Stomach	12	0.79	38	0.82	[0.42]	0.00	5	0.51	59	0.86	114	0.81	0.68-0.98
151.1	-cardia ²	3	1.18	[4.08]	0.00	[0.05]	0.00	1	0.72	7	1.27	11	0.81	0.40-1.45
152	Small intestine	4	2.01	3	0.67	[0.08]	0.00	1	0.70	13	1.06	21	1.04	0.64-1.58
153	Colon	77	1.06	88	1.22	1	0.94	32	0.94	203	1.03	401	1.06	0.97-1.17
154	Rectum, rectosigma	42	1.30	51	1.15	[0.48]	0.00	10	0.66	112	1.05	215	1.08	0.94-1.23
155.0	Primary liver	6	1.07	5	0.50	1	16.52	2	1.58	14	0.72	28	0.77	0.51-1.11
	-hemangiosarcoma ²	-	-	[0.08]	0.00	[0.00]	0.00	[0.01]	0.00	[0.15]	0.00	[0.25]	0.00	0.00-15.05
155.1	Gall bladder	5	0.60	6	0.36	[0.08]	0.00	3	1.38	21	0.71	35	0.62	0.43-0.86
157	Pancreas	21	0.91	35	0.90	1	2.36	10	1.13	74	1.10	141	1.02	0.86-1.20
160	Nose	1	0.70	1	0.51	[0.05]	0.00	1	1.82	5	1.34	8	1.04	0.45-2.05
	-adenocarcinoma ²	-	-	[0.14]	0.00	-	-	[0.04]	0.00	[0.30]	0.00	[0.49]	0.00	0.00-7.59
161	Larynx	5	1.50	[1.62]	0.00	[0.05]	0.00	[0.68]	0.00	4	0.98	9	0.92	0.42-1.75
162,163	Lung	91	1.06	51	0.91	1	0.42	26	1.05	145	0.96	314	0.98	0.88-1.10
	-adenocarcinoma ²	30	1.09	18	1.06	[0.90]	0.00	13	1.61	58	1.05	119	1.10	0.92-1.31
	-small cell ²	-	-	6	0.62	[0.36]	0.00	3	0.57	17	0.80	26	0.71	0.46-1.04
	-squamous cell ²	17	1.06	9	1.08	[0.35]	0.00	3	0.83	25	0.98	54	1.01	0.76-1.31
	-other ²	-	-	18	0.86	1	1.35	5	0.71	45	0.91	69	0.89	0.69-1.12
158, 162.2	Mesothelioma ²	[1.16]	0.00	2	0.94	[0.00]	0.00	1	3.29	3	1.24	6	1.00	0.37-2.17
170	Breast	248	1.23	771	1.32	8	0.94	156	1.36	1130	1.18	2313	1.24	1.19-1.29
	-ductal ²	-	-	575	1.30	8	1.19	110	1.34	403	1.17	1096	1.25	1.18-1.33
	-lobular ²	-	-	118	1.47	[0.68]	0.00	16	1.73	74	1.00	208	1.27	1.11-1.45
171	Cervix uteri	34	0.96	28	0.96	[1.01]	0.00	21	1.10	89	0.80	172	0.88	0.75-1.02
172	Corpus uteri	54	1.10	100	1.11	[1.12]	0.00	29	1.23	188	1.04	371	1.07	0.97-1.19
173	Choriocarcinoma	[0.04]	0.00	[0.34]	0.00	[0.01]	0.00	1	12.98	[0.52]	0.00	1	1.01	0.03-5.64
175.0	Ovary	63	1.51	63	0.89	1	1.03	26	1.13	219	1.10	372	1.11	1.00-1.23
175.1	Fallopian tube	[1.24]	0.00	5	1.29	[0.05]	0.00	[0.78]	0.00	2	0.39	7	0.63	0.25-1.30
176.0	Vulva	5	1.31	4	0.54	[0.10]	0.00	3	1.12	9	0.54	21	0.68	0.42-1.05
176.1	Vagina	3	1.82	1	0.48	[0.03]	0.00	1	1.72	7	1.36	12	1.26	0.65-2.21
180	Kidney	12	0.83	21	0.58	[0.61]	0.00	6	0.80	49	0.75	88	0.71	0.57-0.87
180.1	-renal pelvis ²	9	1.70	2	1.26	[0.03]	0.00	2	2.47	5	0.77	18	1.27	0.75-2.00
181	Bladder	30	1.15	21	1.19	[0.45]	0.00	8	0.95	67	1.04	126	1.08	0.90-1.28
190	Melanoma	22	0.99	52	1.08	1	1.05	40	1.81	136	1.11	251	1.16	1.03-1.32
190.6	-upper limbs ²	6	1.49	11	1.23	[0.15]	0.00	6	1.88	16	0.68	39	0.98	0.70-1.34
192	Eye	2	1.05	5	1.21	[0.04]	0.00	2	1.72	9	1.11	18	1.18	0.70-1.86
	-melanoma ²	2	1.17	4	1.05	[0.04]	0.00	2	2.01	6	1.00	14	1.11	0.61-1.87
193	Brain	32	1.36	80	1.15	1	1.06	11	0.78	130	1.18	254	1.16	1.03-1.32
	-glioma ²	2	1.05	22	1.07	1	2.90	4	0.82	45	1.23	74	1.15	0.90-1.45
	-meningeoma ²	8	1.40	38	1.25	[0.52]	0.00	4	0.70	59	1.24	109	1.21	1.01-1.46
194	Thyroid	3	0.82	46	0.97	2	1.76	10	1.59	42	1.11	103	1.07	0.88-1.30
	-follicular ²	-	-	1	0.24	[0.13]	0.00	1	1.27	[2.14]	0.00	2	0.28	0.03-1.00
	-papillary ²	-	-	43	1.08	2	2.13	8	1.79	10	0.94	63	1.13	0.87-1.45
195.0	Glandula suprarenalis	[0.42]	0.00	[1.59]	0.00	[0.02]	0.00	1	3.50	2	1.12	3	0.73	0.15-2.13
195.1	Parathyreoidea	[0.03]	0.00	[0.06]	0.00	-	-	[0.03]	0.00	1	2.60	1	2.00	0.05-11.16
195.2	Thymus	[0.19]	0.00	3	4.70	-	-	[0.08]	0.00	1	1.35	4	2.41	0.66-6.18
195.3	Hypophysis	[0.05]	0.00	[0.03]	0.00	[0.11]	0.00	[0.02]	0.00	[0.15]	0.00	[0.36]	0.00	0.00-10.26
195.4	Corpus pineale	-	-	[0.22]	0.00	-	-	[0.02]	0.00	-	-	[0.24]	0.00	0.00-15.43
196	Bone	1	1.64	2	0.97	[0.07]	0.00	[0.48]	0.00	7	1.78	10	1.40	0.67-2.57
	-chondrosarcoma ²	-	-	1	1.00	[0.04]	0.00	[0.15]	0.00	7	3.70	8	2.60	1.12-5.12
197	Soft tissue	4	1.71	7	0.71	[0.11]	0.00	2	1.40	13	0.66	26	0.78	0.51-1.14
	-fibrosarcoma ²	-	-	[2.44]	0.00	[0.00]	0.00	[0.09]	0.00	4	1.81	4	0.84	0.23-2.16
	-liposarcoma ²	-	-	2	0.84	[0.03]	0.00	[0.21]	0.00	1	0.34	3	0.54	0.11-1.58
200,202	Non-Hodgkin lymphoma	22	1.24	57	1.12	[0.57]	0.00	11	1.08	62	0.81	152	0.98	0.83-1.15
201	Hodgkin lymphoma	1	0.54	9	1.38	[0.08]	0.00	1	0.94	7	0.70	18	0.92	0.55-1.46
203	Multiple myeloma	8	0.92	16	1.05	[0.23]	0.00	5	1.11	33	1.02	62	1.02	0.78-1.30
204	Leukaemia	12	0.71	24	0.99	[0.45]	0.00	5	0.79	53	1.04	94	0.95	0.77-1.16
	-chronic lymphatic ²	-	-	7	0.95	[0.11]	0.00	[1.90]	0.00	21	1.13	28	1.00	0.67-1.45
	-acute myeloid ²	3	0.52	7	0.80	[0.22]	0.00	5	1.86	20	1.26	35	1.05	0.73-1.46
	Mycosis fungoides ²	1	2.72	[0.90]	0.00	[0.03]	0.00	[0.16]	0.00	[3.43]	0.00	1	0.20	0.01-1.14
199	Other/unknown site	9	0.74	25	0.89	[0.52]	0.00	8	0.77	93	0.93	135	0.89	0.75-1.05
140-204	All sites	796	1.09	1651	1.11	17	0.72	441	1.14	3039	1.05	5944	1.08	1.05-1.10
	Not included above													
	Ovary borderline ²	-	-	18	0.92	1	1.69	3	0.57	32	0.86	54	0.86	0.65-1.13
191	Other skin	-	-	24	0.86	[0.49]	0.00	13	1.26	77	1.00	114	0.99	0.82-1.18
191.6	-upper limbs ²	-	-	1	0.43	[0.06]	0.00	[1.16]	0.00	11	1.16	12	0.92	0.48-1.61

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Laboratory assistants. Men (N = 10 652). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	1	0.30	3	0.81	[0.17]	0.00	3	0.62	2	1.51	9	0.68	0.31-1.28
141	Tongue	2	1.65	4	2.21	[0.11]	0.00	1	0.42	2	1.30	9	1.28	0.58-2.42
142	Salivary glands	[0.70]	0.00	1	1.06	[0.07]	0.00	1	0.98	1	1.23	3	0.85	0.17-2.47
143-144	Oral cavity	6	2.55	1	0.54	[0.15]	0.00	3	0.93	1	0.55	11	1.17	0.58-2.09
145-148	Pharynx	2	0.71	1	0.44	[0.18]	0.00	4	1.02	4	1.24	11	0.89	0.44-1.59
145	-oropharynx ²	2	1.26	1	0.97	[0.06]	0.00	2	1.24	2	1.12	7	1.15	0.46-2.37
146	-nasopharynx ²	[0.41]	0.00	[0.45]	0.00	[0.05]	0.00	[0.66]	0.00	2	3.88	2	0.96	0.12-3.46
150	Oesophagus	6	1.06	3	0.67	[0.57]	0.00	9	1.50	2	0.53	20	0.98	0.60-1.51
	-adenocarcinoma ²	1	0.44	1	0.83	[0.24]	0.00	3	2.12	[1.54]	0.00	5	0.75	0.24-1.75
151	Stomach	5	0.43	9	0.50	3	1.77	30	1.01	10	1.24	57	0.83	0.63-1.07
151.1	-cardia ²	1	0.27	3	0.90	1	2.87	9	1.61	2	0.91	16	1.06	0.60-1.72
152	Small intestine	1	1.06	2	1.46	[0.21]	0.00	1	0.54	2	1.15	6	0.98	0.36-2.14
153	Colon	23	0.85	14	0.82	2	0.81	59	1.29	13	0.75	111	1.01	0.84-1.22
154	Rectum, rectosigma	21	1.11	11	0.79	2	2.16	33	1.18	17	1.28	84	1.12	0.89-1.38
155.0	Primary liver	8	1.96	7	1.48	[0.26]	0.00	1	0.30	[2.85]	0.00	16	1.05	0.60-1.70
	-hemangiosarcoma ²	-	-	[0.02]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.05]	0.00	0.00-77.43
155.1	Gall bladder	2	0.95	2	0.82	[0.14]	0.00	1	0.41	1	1.27	6	0.75	0.28-1.64
157	Pancreas	10	1.01	15	1.24	3	3.24	19	1.18	6	0.91	53	1.16	0.87-1.52
160	Nose	1	1.04	[0.76]	0.00	[0.08]	0.00	[1.33]	0.00	[0.62]	0.00	1	0.27	0.01-1.48
	-adenocarcinoma ²	-	-	[0.05]	0.00	[0.01]	0.00	[0.19]	0.00	[0.10]	0.00	[0.34]	0.00	0.00-10.92
161	Larynx	4	0.63	3	0.64	[0.38]	0.00	4	0.61	[2.68]	0.00	11	0.53	0.27-0.96
162,163	Lung	70	1.04	55	0.89	3	0.71	51	0.75	17	0.70	196	0.87	0.75-1.00
	-adenocarcinoma ²	17	1.22	9	0.94	[1.23]	0.00	10	0.71	6	0.83	42	0.91	0.66-1.23
	-small cell ²	-	-	9	0.90	1	1.20	11	0.92	2	0.59	23	0.88	0.56-1.32
	-squamous cell ²	18	0.79	16	0.85	[0.97]	0.00	13	0.62	5	0.76	52	0.74	0.56-0.97
	-other ²	-	-	21	0.90	1	0.96	13	0.79	4	0.57	39	0.81	0.58-1.11
158, 162.2	Mesothelioma ²	1	0.56	3	1.70	1	8.64	2	0.93	2	1.27	9	1.22	0.56-2.32
170	Breast	[0.62]	0.00	[0.47]	0.00	[0.12]	0.00	1	1.42	[0.46]	0.00	1	0.42	0.01-2.34
177	Prostate	41	0.96	82	1.04	8	1.00	118	1.07	84	1.13	333	1.06	0.95-1.18
178	Testis	1	0.43	1	0.52	[0.50]	0.00	3	0.68	6	1.54	11	0.84	0.42-1.51
	-seminoma ²	[0.97]	0.00	1	0.77	[0.36]	0.00	1	0.32	6	2.17	8	0.95	0.41-1.86
	-non-seminoma ²	1	0.73	[0.59]	0.00	[0.14]	0.00	1	1.00	[1.14]	0.00	2	0.47	0.06-1.70
179.0	Penis	[1.22]	0.00	2	2.80	[0.12]	0.00	2	1.16	1	0.86	5	1.01	0.33-2.36
180	Kidney	3	0.37	16	1.08	3	1.81	12	0.69	8	0.78	42	0.80	0.58-1.08
180.1	-renal pelvis ²	2	0.63	2	2.40	[0.08]	0.00	5	2.51	[0.99]	0.00	9	1.27	0.58-2.41
181	Bladder	48	1.40	14	0.80	3	1.27	42	1.07	17	0.93	124	1.11	0.93-1.32
190	Melanoma	13	1.72	11	0.92	3	3.79	33	1.61	18	1.15	78	1.38	1.09-1.72
190.6	-upper limbs ²	[0.90]	0.00	1	0.65	1	8.11	1	0.54	6	2.33	9	1.28	0.59-2.44
192	Eye	[0.87]	0.00	1	0.97	[0.07]	0.00	4	2.72	1	0.99	6	1.35	0.49-2.93
	-melanoma ²	[0.76]	0.00	1	1.05	[0.05]	0.00	3	2.31	1	1.42	5	1.33	0.43-3.10
193	Brain	7	0.81	13	1.09	2	1.82	15	1.07	13	1.06	50	1.04	0.78-1.38
	-glioma ²	1	1.08	11	1.92	2	2.95	8	1.08	7	1.06	29	1.36	0.91-1.95
	-meningeoma ²	3	2.73	1	0.42	[0.25]	0.00	2	0.86	4	1.87	10	1.22	0.59-2.25
194	Thyroid	1	1.34	2	0.70	2	3.31	1	0.40	2	1.17	8	0.95	0.41-1.88
	-follicular ²	-	-	[0.39]	0.00	[0.08]	0.00	[0.29]	0.00	[0.15]	0.00	[0.91]	0.00	0.00-4.06
	-papillary ²	-	-	1	0.51	2	4.43	1	0.70	1	1.84	5	1.15	0.37-2.67
195.0	Glandula suprarenalis	[0.18]	0.00	[0.41]	0.00	[0.03]	0.00	[0.32]	0.00	[0.20]	0.00	[1.15]	0.00	0.00-3.21
195.1	Parathyreoidea	[0.01]	0.00	[0.01]	0.00	[0.00]	0.00	[0.01]	0.00	[0.01]	0.00	[0.05]	0.00	0.00-78.92
195.2	Thymus	[0.09]	0.00	[0.12]	0.00	[0.02]	0.00	1	6.64	1	9.69	2	4.10	0.50-14.81
195.3	Hypophysis	[0.03]	0.00	[0.01]	0.00	[0.18]	0.00	[0.02]	0.00	[0.01]	0.00	[0.26]	0.00	0.00-14.38
195.4	Corpus pineale	-	-	[0.02]	0.00	-	-	[0.01]	0.00	-	-	[0.03]	0.00	0.00-115.05
196	Bone	[0.32]	0.00	[0.73]	0.00	[0.10]	0.00	3	4.02	[0.63]	0.00	3	1.19	0.24-3.47
	-chondrosarcoma ²	-	-	[0.38]	0.00	[0.09]	0.00	1	5.03	[0.31]	0.00	1	1.03	0.03-5.73
197	Soft tissue	2	1.78	3	1.22	1	4.52	1	0.48	1	0.42	8	0.97	0.42-1.90
	-fibrosarcoma ²	-	-	[0.79]	0.00	-	-	[0.18]	0.00	[0.23]	0.00	[1.21]	0.00	0.00-3.05
	-liposarcoma ²	-	-	[0.59]	0.00	[0.07]	0.00	1	2.67	[0.43]	0.00	1	0.68	0.02-3.80
200,202	Non-Hodgkin lymphoma	5	0.63	12	0.86	1	0.84	12	0.92	6	0.54	36	0.76	0.53-1.05
201	Hodgkin lymphoma	4	3.08	3	1.25	[0.18]	0.00	1	0.43	2	1.10	10	1.25	0.60-2.30
203	Multiple myeloma	6	1.33	4	0.95	[0.48]	0.00	4	0.47	3	0.77	17	0.79	0.46-1.26
204	Leukaemia	14	1.47	6	0.75	[0.83]	0.00	12	0.98	3	0.40	35	0.92	0.64-1.28
	-chronic lymphatic ²	-	-	[3.16]	0.00	[0.25]	0.00	6	1.36	1	0.30	7	0.63	0.25-1.29
	-acute myeloid ²	3	1.10	5	2.23	[0.30]	0.00	3	0.68	1	0.53	12	1.04	0.54-1.81
	Mycosis fungoides ²	[0.26]	0.00	[0.33]	0.00	[0.05]	0.00	[0.35]	0.00	[0.33]	0.00	[1.32]	0.00	0.00-2.78
199	Other/unknown site	4	0.96	8	1.21	1	1.62	11	0.64	8	0.90	32	0.85	0.58-1.20
140-204	All sites	293	0.99	313	0.93	37	1.16	498	1.00	254	0.95	1395	0.98	0.93-1.03
Not included above														
191	Other skin	-	-	7	0.81	1	1.19	27	1.23	10	1.12	45	1.11	0.81-1.49
191.6	-upper limbs ²	-	-	[0.74]	0.00	[0.08]	0.00	4	2.12	2	1.63	6	1.53	0.56-3.33

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Laboratory assistants. Women (N = 26 048). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.82]	0.00	1	0.54	[0.03]	0.00	[0.77]	0.00	1	0.64	2	0.40	0.05-1.44
141	Tongue	1	0.81	2	0.72	[0.06]	0.00	1	0.86	1	0.41	5	0.65	0.21-1.52
142	Salivary glands	[0.97]	0.00	3	1.53	[0.07]	0.00	2	2.46	1	0.44	6	0.98	0.36-2.14
143-144	Oral cavity	2	0.72	3	1.14	[0.12]	0.00	2	1.10	2	0.74	9	0.90	0.41-1.71
145-148	Pharynx	3	1.33	1	0.58	[0.07]	0.00	[1.22]	0.00	[3.18]	0.00	4	0.47	0.13-1.21
145	-oropharynx ²	3	2.28	1	1.29	[0.03]	0.00	[0.62]	0.00	[2.22]	0.00	4	0.81	0.22-2.06
146	-nasopharynx ²	[0.34]	0.00	[0.45]	0.00	[0.04]	0.00	[0.21]	0.00	[0.50]	0.00	[1.54]	0.00	0.00-2.40
150	Oesophagus	2	0.54	7	1.46	[0.14]	0.00	1	0.55	[2.35]	0.00	10	0.78	0.37-1.44
	-adenocarcinoma ²	[0.89]	0.00	1	1.80	[0.04]	0.00	[0.35]	0.00	[0.46]	0.00	1	0.43	0.01-2.42
151	Stomach	11	1.08	26	0.98	[0.69]	0.00	15	1.06	12	1.01	64	1.01	0.77-1.28
151.1	-cardia ²	5	2.84	1	0.42	[0.08]	0.00	[1.89]	0.00	1	0.75	7	0.94	0.38-1.94
152	Small intestine	1	0.71	4	1.59	[0.13]	0.00	[1.77]	0.00	1	0.32	6	0.67	0.25-1.46
153	Colon	49	0.99	42	1.01	2	1.22	40	0.88	30	0.74	163	0.91	0.78-1.06
154	Rectum, rectosigma	14	0.63	22	0.86	1	1.39	15	0.75	28	1.09	80	0.85	0.67-1.06
155.0	Primary liver	2	0.52	9	1.52	[0.10]	0.00	[1.75]	0.00	4	0.99	15	0.96	0.54-1.58
	-hemangiosarcoma ²	-	-	[0.05]	0.00	[0.00]	0.00	[0.01]	0.00	[0.04]	0.00	[0.11]	0.00	0.00-33.39
155.1	Gall bladder	4	0.75	11	1.08	[0.13]	0.00	4	1.29	4	0.88	23	0.99	0.63-1.48
157	Pancreas	15	0.96	21	0.91	2	3.18	17	1.36	6	0.45	61	0.94	0.72-1.20
160	Nose	[1.01]	0.00	[1.13]	0.00	[0.08]	0.00	1	1.39	[1.00]	0.00	1	0.25	0.01-1.41
	-adenocarcinoma ²	-	-	[0.08]	0.00	-	-	[0.07]	0.00	[0.08]	0.00	[0.23]	0.00	0.00-15.84
161	Larynx	2	0.79	1	1.01	[0.09]	0.00	[0.82]	0.00	2	1.67	5	0.89	0.29-2.07
162,163	Lung	60	0.91	36	1.09	5	1.38	24	0.82	37	0.71	162	0.88	0.76-1.03
	-adenocarcinoma ²	21	0.94	13	1.34	1	0.72	9	0.97	13	0.61	57	0.89	0.67-1.15
	-small cell ²	-	-	5	0.86	[0.58]	0.00	6	0.96	4	0.51	15	0.74	0.41-1.21
	-squamous cell ²	12	1.01	7	1.36	1	1.86	4	0.88	6	0.86	30	1.03	0.70-1.47
	-other ²	-	-	11	0.90	3	2.68	5	0.60	14	0.89	33	0.88	0.61-1.24
158, 162.2	Mesothelioma ²	[0.81]	0.00	4	3.10	[0.00]	0.00	[0.37]	0.00	1	1.55	5	1.60	0.52-3.74
170	Breast	192	1.21	358	1.18	15	1.25	167	1.29	457	1.20	1189	1.21	1.14-1.28
	-ductal ²	-	-	283	1.25	11	1.16	101	1.12	211	1.15	606	1.19	1.10-1.29
	-lobular ²	-	-	35	0.87	2	2.00	18	1.85	47	1.23	102	1.14	0.94-1.39
171	Cervix uteri	21	0.76	15	1.00	3	2.29	14	0.66	38	1.00	91	0.88	0.71-1.08
172	Corpus uteri	31	0.88	57	1.04	1	0.57	35	1.24	44	0.89	168	0.99	0.85-1.15
173	Choriocarcinoma	[0.04]	0.00	[0.15]	0.00	[0.01]	0.00	[0.07]	0.00	[0.29]	0.00	[0.56]	0.00	0.00-6.59
175.0	Ovary	37	1.18	49	1.24	[1.42]	0.00	22	0.80	52	0.76	160	0.95	0.82-1.11
175.1	Fallopian tube	2	2.11	1	0.45	[0.06]	0.00	[0.86]	0.00	2	0.97	5	0.81	0.26-1.89
176.0	Vulva	3	1.18	5	1.21	[0.14]	0.00	2	0.56	2	0.50	12	0.83	0.43-1.45
176.1	Vagina	1	0.87	2	1.73	[0.04]	0.00	1	1.34	[1.27]	0.00	4	0.92	0.25-2.34
180	Kidney	9	0.89	16	0.74	[0.91]	0.00	6	0.61	10	0.68	41	0.72	0.52-0.97
180.1	-renal pelvis ²	3	0.82	1	1.06	1	20.23	2	1.86	1	0.78	8	1.14	0.49-2.25
181	Bladder	17	0.93	17	1.60	[0.68]	0.00	10	0.87	14	0.98	58	1.05	0.79-1.35
190	Melanoma	31	1.78	21	0.84	1	0.81	27	1.13	59	1.10	139	1.15	0.97-1.36
190.6	-upper limbs ²	4	1.29	1	0.21	[0.20]	0.00	5	1.38	6	0.60	16	0.74	0.42-1.21
192	Eye	1	0.70	3	1.29	[0.06]	0.00	2	1.45	2	0.77	8	1.03	0.44-2.02
	-melanoma ²	1	0.78	3	1.39	[0.06]	0.00	1	0.84	[1.72]	0.00	5	0.78	0.25-1.82
193	Brain	17	0.95	37	1.02	2	1.48	27	1.69	42	0.99	125	1.10	0.92-1.31
	-glioma ²	1	0.66	10	0.95	1	1.95	6	1.10	10	0.73	28	0.89	0.59-1.28
	-meningeoma ²	1	0.22	13	0.81	1	1.37	10	1.59	22	1.15	47	1.01	0.74-1.34
194	Thyroid	6	2.19	20	0.88	1	0.70	5	0.73	20	1.37	52	1.08	0.80-1.41
	-follicular ²	-	-	2	0.85	[0.16]	0.00	2	2.22	2	2.00	6	1.36	0.50-2.95
	-papillary ²	-	-	17	0.93	1	0.85	3	0.65	7	1.18	28	0.93	0.62-1.34
195.0	Glandula suprarenalis	1	3.09	[0.86]	0.00	[0.02]	0.00	1	3.20	3	4.56	5	2.29	0.74-5.35
195.1	Parathyreoidea	[0.02]	0.00	[0.03]	0.00	-	-	[0.03]	0.00	[0.09]	0.00	[0.18]	0.00	0.00-20.74
195.2	Thymus	[0.15]	0.00	1	3.02	-	-	1	10.24	1	3.79	3	3.58	0.74-10.46
195.3	Hypophysis	[0.04]	0.00	[0.02]	0.00	[0.14]	0.00	[0.02]	0.00	[0.04]	0.00	[0.26]	0.00	0.00-14.46
195.4	Corpus pineale	-	-	[0.11]	0.00	-	-	[0.02]	0.00	-	-	[0.13]	0.00	0.00-28.38
196	Bone	[0.47]	0.00	1	0.92	[0.09]	0.00	[0.55]	0.00	[1.38]	0.00	1	0.28	0.01-1.55
	-chondrosarcoma ²	-	-	[0.53]	0.00	[0.06]	0.00	[0.16]	0.00	[0.76]	0.00	[1.52]	0.00	0.00-2.43
197	Soft tissue	1	0.57	7	1.31	1	6.20	1	0.58	8	1.28	18	1.18	0.70-1.86
	-fibrosarcoma ²	-	-	4	2.78	[0.01]	0.00	[0.11]	0.00	[0.47]	0.00	4	1.98	0.54-5.06
	-liposarcoma ²	-	-	[1.23]	0.00	1	23.85	[0.24]	0.00	3	2.97	4	1.58	0.43-4.06
200,202	Non-Hodgkin lymphoma	20	1.54	26	0.92	5	6.19	10	0.83	27	1.24	88	1.16	0.93-1.43
201	Hodgkin lymphoma	[1.39]	0.00	4	1.23	[0.09]	0.00	2	1.58	5	1.56	11	1.20	0.60-2.14
203	Multiple myeloma	6	1.00	11	1.22	[0.36]	0.00	3	0.48	4	0.59	24	0.84	0.54-1.26
204	Leukaemia	9	0.77	26	1.89	1	1.52	6	0.73	12	0.84	54	1.11	0.83-1.45
	-chronic lymphatic ²	-	-	7	1.62	1	5.71	[2.61]	0.00	2	0.45	10	0.87	0.42-1.60
	-acute myeloid ²	6	1.44	9	1.83	[0.30]	0.00	4	1.18	5	1.04	24	1.36	0.87-2.03
	Mycosis fungoides ²	[0.27]	0.00	[0.44]	0.00	[0.03]	0.00	1	5.19	1	2.80	2	1.54	0.19-5.57
199	Other/unknown site	7	0.83	15	0.92	[0.79]	0.00	13	0.88	21	0.86	56	0.86	0.65-1.12
140-204	All sites	551	1.02	894	1.10	40	1.17	479	1.03	954	1.02	2918	1.05	1.01-1.08
	Not included above													
	Ovary borderline ²	-	-	9	0.94	1	1.34	3	0.56	7	0.38	20	0.59	0.36-0.91
191	Other skin	-	-	13	0.81	1	1.34	15	1.07	16	1.07	45	0.98	0.72-1.32
191.6	-upper limbs ²	-	-	[1.34]	0.00	[0.09]	0.00	2	1.32	1	0.49	3	0.60	0.12-1.77

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Physicians. Men (N = 39 249). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	1	0.07	[8.94]	0.00	[0.38]	0.00	5	0.37	10	0.52	16	0.28	0.16-0.46
141	Tongue	3	0.63	4	1.00	[0.20]	0.00	8	1.26	12	1.13	27	1.04	0.68-1.51
142	Salivary glands	1	0.34	1	0.46	[0.15]	0.00	8	2.91	8	1.16	18	1.21	0.72-1.91
143-144	Oral cavity	9	0.95	5	1.22	[0.31]	0.00	4	0.46	14	0.97	32	0.87	0.59-1.22
145-148	Pharynx	7	0.62	2	0.41	[0.34]	0.00	10	0.96	15	0.67	34	0.69	0.48-0.96
145	-oropharynx ²	5	0.79	[2.20]	0.00	[0.10]	0.00	6	1.37	6	0.59	17	0.73	0.43-1.17
146	-nasopharynx ²	[1.63]	0.00	1	1.02	[0.09]	0.00	3	1.73	2	0.47	6	0.69	0.25-1.50
150	Oesophagus	14	0.62	3	0.29	[1.26]	0.00	8	0.49	17	0.49	42	0.49	0.36-0.67
	-adenocarcinoma ²	4	0.43	1	0.36	[0.50]	0.00	[3.66]	0.00	6	0.55	11	0.41	0.20-0.73
151	Stomach	35	0.72	13	0.31	3	0.82	51	0.58	63	0.52	165	0.54	0.47-0.63
151.1	-cardia ²	9	0.61	3	0.38	[0.71]	0.00	13	0.83	15	0.81	40	0.70	0.50-0.95
152	Small intestine	5	1.29	2	0.63	[0.41]	0.00	8	1.60	18	1.20	33	1.20	0.83-1.69
153	Colon	139	1.20	57	1.40	6	1.11	139	1.11	202	1.08	543	1.14	1.05-1.24
154	Rectum, rectosigma	74	0.92	23	0.69	3	1.54	53	0.69	125	0.95	278	0.86	0.76-0.97
155.0	Primary liver	13	0.79	15	1.32	2	3.37	12	1.28	22	0.66	64	0.90	0.70-1.15
	-hemangiosarcoma ²	-	-	[0.06]	0.00	-	-	[0.01]	0.00	[0.16]	0.00	[0.23]	0.00	0.00-15.79
155.1	Gall bladder	10	1.13	6	1.01	1	3.06	11	1.56	8	0.69	36	1.07	0.75-1.47
157	Pancreas	45	1.11	37	1.29	1	0.51	45	0.98	74	1.00	202	1.06	0.92-1.21
160	Nose	3	0.75	[1.75]	0.00	[0.19]	0.00	5	1.37	4	0.70	12	0.78	0.40-1.37
	-adenocarcinoma ²	-	-	[0.12]	0.00	[0.02]	0.00	1	2.04	1	1.05	2	1.27	0.15-4.59
161	Larynx	17	0.66	4	0.37	1	1.29	13	0.76	12	0.47	47	0.59	0.43-0.78
162,163	Lung	144	0.53	45	0.30	6	0.67	82	0.46	178	0.73	455	0.53	0.49-0.58
	-adenocarcinoma ²	45	0.82	9	0.40	2	0.78	20	0.56	41	0.76	117	0.69	0.58-0.83
	-small cell ²	-	-	6	0.25	2	1.08	13	0.43	12	0.47	33	0.40	0.28-0.57
	-squamous cell ²	41	0.45	19	0.42	1	0.48	23	0.43	62	0.74	146	0.53	0.45-0.62
	-other ²	-	-	11	0.19	1	0.44	16	0.37	63	0.77	91	0.49	0.40-0.60
158, 162.2	Mesothelioma ²	4	0.56	2	0.50	[0.23]	0.00	2	0.36	5	0.44	13	0.46	0.24-0.79
170	Breast	4	1.50	1	0.92	1	3.90	1	0.51	4	0.89	11	1.05	0.52-1.88
177	Prostate	217	1.16	240	1.24	23	1.22	332	1.05	771	1.07	1583	1.10	1.05-1.16
178	Testis	16	1.72	4	1.00	[0.59]	0.00	18	1.55	29	1.48	67	1.48	1.15-1.88
	-seminoma ²	3	0.78	2	0.73	[0.43]	0.00	12	1.49	26	1.85	43	1.48	1.07-1.99
	-non-seminoma ²	13	2.37	2	1.65	[0.15]	0.00	5	1.86	3	0.53	23	1.52	0.96-2.27
179.0	Penis	4	0.76	2	1.25	[0.25]	0.00	1	0.20	4	0.42	11	0.51	0.25-0.91
180	Kidney	29	0.87	41	1.19	4	1.19	35	0.75	95	0.99	204	0.95	0.83-1.09
180.1	-renal pelvis ²	17	1.28	2	1.02	[0.19]	0.00	7	1.33	13	1.33	39	1.28	0.91-1.75
181	Bladder	121	0.82	51	1.20	6	1.16	107	0.99	220	1.17	505	1.03	0.94-1.12
190	Melanoma	39	1.25	43	1.60	[1.36]	0.00	94	1.74	149	1.52	325	1.54	1.38-1.71
190.6	-upper limbs ²	7	1.88	5	1.44	[0.21]	0.00	7	1.43	30	1.98	49	1.78	1.32-2.36
192	Eye	3	0.82	5	2.13	[0.13]	0.00	4	1.01	10	1.25	22	1.22	0.76-1.84
	-melanoma ²	3	0.94	4	1.85	[0.11]	0.00	2	0.57	7	1.14	16	1.06	0.61-1.72
193	Brain	57	1.66	38	1.44	3	1.46	48	1.31	93	1.13	239	1.32	1.16-1.49
	-glioma ²	5	1.41	19	1.52	3	2.41	23	1.20	42	1.00	92	1.17	0.94-1.44
	-meningeoma ²	16	3.56	5	0.95	[0.49]	0.00	6	0.99	23	1.40	50	1.53	1.13-2.01
194	Thyroid	1	0.33	5	0.80	2	1.69	5	0.73	12	0.92	25	0.82	0.53-1.22
	-follicular ²	-	-	[0.90]	0.00	[0.18]	0.00	2	2.45	[0.85]	0.00	2	0.73	0.09-2.63
	-papillary ²	-	-	5	1.20	1	1.14	2	0.52	2	0.74	10	0.86	0.41-1.58
195.0	Glandula suprarenalis	3	4.07	[0.93]	0.00	[0.05]	0.00	[0.81]	0.00	1	0.69	4	1.00	0.27-2.57
195.1	Parathyreoidea	1	23.40	[0.02]	0.00	[0.01]	0.00	[0.03]	0.00	[0.09]	0.00	1	5.19	0.13-28.90
195.2	Thymus	1	2.85	[0.28]	0.00	1	26.46	1	2.53	[0.66]	0.00	3	1.75	0.36-5.10
195.3	Hypophysis	1	9.24	[0.03]	0.00	[0.35]	0.00	[0.06]	0.00	[0.15]	0.00	1	1.43	0.04-7.98
195.4	Corpus pineale	-	-	[0.05]	0.00	-	-	[0.03]	0.00	-	-	[0.08]	0.00	0.00-48.10
196	Bone	1	0.77	1	0.61	[0.18]	0.00	2	1.02	8	1.80	12	1.26	0.65-2.21
	-chondrosarcoma ²	-	-	[0.85]	0.00	[0.16]	0.00	[0.53]	0.00	3	1.46	3	0.84	0.17-2.44
197	Soft tissue	4	0.85	4	0.71	[0.38]	0.00	6	1.05	21	1.06	35	0.97	0.67-1.35
	-fibrosarcoma ²	-	-	1	0.54	-	-	[0.46]	0.00	3	1.19	4	0.83	0.23-2.12
	-liposarcoma ²	-	-	[1.31]	0.00	[0.12]	0.00	2	2.05	6	1.77	8	1.38	0.60-2.72
200,202	Non-Hodgkin lymphoma	40	1.21	36	1.12	4	1.78	47	1.32	107	1.21	234	1.22	1.08-1.39
201	Hodgkin lymphoma	7	1.34	6	1.16	[0.30]	0.00	6	0.96	14	1.01	33	1.07	0.74-1.51
203	Multiple myeloma	17	0.91	13	1.30	[1.02]	0.00	25	1.04	33	0.82	88	0.94	0.75-1.16
204	Leukaemia	27	0.68	16	0.86	3	1.73	41	1.20	61	0.94	148	0.93	0.79-1.09
	-chronic lymphatic ²	-	-	3	0.40	1	1.75	10	0.80	38	1.27	52	1.03	0.77-1.35
	-acute myeloid ²	13	1.17	8	1.54	1	1.72	18	1.45	9	0.60	49	1.11	0.82-1.47
	Mycosis fungoides ²	1	0.88	[0.77]	0.00	[0.10]	0.00	2	2.13	9	1.85	12	1.54	0.80-2.69
199	Other/unknown site	14	0.81	5	0.31	[1.35]	0.00	39	0.78	56	0.68	114	0.68	0.57-0.82
140-204	All sites	1094	0.89	733	0.92	70	1.03	1278	0.93	2484	0.98	5659	0.94	0.92-0.97
	Not included above													
191	Other skin	-	-	32	1.47	[1.96]	0.00	126	1.98	206	1.75	364	1.77	1.60-1.97
191.6	-upper limbs ²	-	-	4	2.24	[0.19]	0.00	20	3.71	28	2.12	52	2.52	1.89-3.31

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Physicians. Women (N = 14 376). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.41]	0.00	1	1.49	[0.00]	0.00	[0.31]	0.00	1	0.79	2	0.75	0.09-2.72
141	Tongue	[0.55]	0.00	1	0.78	[0.01]	0.00	[0.48]	0.00	2	1.14	3	0.74	0.15-2.15
142	Salivary glands	[0.46]	0.00	1	1.10	[0.01]	0.00	[0.34]	0.00	2	1.17	3	0.88	0.18-2.56
143-144	Oral cavity	[1.26]	0.00	1	0.86	[0.03]	0.00	1	1.34	3	1.33	5	0.92	0.30-2.14
145-148	Pharynx	3	3.27	[0.80]	0.00	[0.01]	0.00	[0.50]	0.00	1	0.45	4	0.89	0.24-2.29
145	-oropharynx ²	2	3.74	[0.38]	0.00	[0.01]	0.00	[0.24]	0.00	1	0.73	3	1.18	0.24-3.46
146	-nasopharynx ²	[0.14]	0.00	[0.22]	0.00	[0.01]	0.00	[0.09]	0.00	[0.41]	0.00	[0.87]	0.00	0.00-4.22
150	Oesophagus	7	4.10	[1.83]	0.00	[0.03]	0.00	1	1.32	[2.51]	0.00	8	1.17	0.50-2.30
	-adenocarcinoma ²	1	2.36	[0.22]	0.00	[0.01]	0.00	[0.14]	0.00	[0.47]	0.00	1	0.79	0.02-4.38
151	Stomach	3	0.60	7	0.63	[0.15]	0.00	1	0.16	4	0.29	15	0.42	0.30-1.25
151.1	-cardia ²	[0.83]	0.00	[0.95]	0.00	[0.01]	0.00	[0.79]	0.00	1	0.83	1	0.26	0.01-1.46
152	Small intestine	1	1.52	2	1.81	[0.02]	0.00	1	1.40	2	0.73	6	1.14	0.42-2.49
153	Colon	21	0.85	17	0.98	[0.36]	0.00	21	1.13	50	1.20	109	1.07	0.88-1.29
154	Rectum, rectosigma	7	0.65	12	1.12	1	7.32	7	0.86	26	1.10	53	0.99	0.74-1.30
155.0	Primary liver	[1.85]	0.00	2	0.85	1	37.51	[0.71]	0.00	3	0.74	6	0.67	0.24-1.45
	-hemangiosarcoma ²	-	-	[0.02]	0.00	[0.00]	0.00	[0.00]	0.00	[0.03]	0.00	[0.06]	0.00	0.00-61.69
155.1	Gall bladder	4	1.48	4	1.02	[0.03]	0.00	1	0.76	[5.75]	0.00	9	0.66	0.30-1.25
157	Pancreas	7	0.93	9	0.99	[0.14]	0.00	3	0.58	12	0.86	31	0.86	0.59-1.22
160	Nose	[0.48]	0.00	[0.48]	0.00	[0.02]	0.00	[0.31]	0.00	[0.84]	0.00	[2.11]	0.00	0.00-1.74
	-adenocarcinoma ²	-	-	[0.04]	0.00	-	-	[0.03]	0.00	[0.07]	0.00	[0.14]	0.00	0.00-27.32
161	Larynx	1	0.91	[0.39]	0.00	[0.01]	0.00	[0.32]	0.00	[0.97]	0.00	1	0.36	0.01-2.00
162,163	Lung	24	0.86	13	0.97	[0.65]	0.00	5	0.45	20	0.54	62	0.68	0.52-0.88
	-adenocarcinoma ²	8	0.90	6	1.44	[0.23]	0.00	2	0.56	9	0.64	25	0.81	0.52-1.19
	-small cell ²	-	-	1	0.42	[0.10]	0.00	[2.32]	0.00	3	0.55	4	0.39	0.11-1.00
	-squamous cell ²	6	1.16	3	1.51	[0.11]	0.00	1	0.60	4	0.68	14	0.94	0.52-1.58
	-other ²	-	-	3	0.61	[0.22]	0.00	2	0.63	4	0.34	9	0.45	0.20-0.85
158, 162.2	Mesothelioma ²	[0.38]	0.00	2	3.94	[0.00]	0.00	[0.14]	0.00	1	1.83	3	1.91	0.39-5.57
170	Breast	108	1.61	211	1.41	1	0.57	66	1.23	316	1.28	702	1.35	1.25-1.45
	-ductal ²	-	-	152	1.34	1	0.74	44	1.19	119	1.17	316	1.25	1.12-1.39
	-lobular ²	-	-	38	1.84	[0.15]	0.00	7	1.80	34	1.58	79	1.71	1.36-2.13
171	Cervix uteri	5	0.43	5	0.68	[0.18]	0.00	2	0.22	21	0.78	33	0.59	0.41-0.83
172	Corpus uteri	24	1.44	25	1.13	[0.29]	0.00	17	1.50	44	1.06	110	1.19	0.99-1.44
173	Choriocarcinoma	[0.01]	0.00	[0.09]	0.00	[0.00]	0.00	1	32.86	[0.15]	0.00	1	3.47	0.09-19.31
175.0	Ovary	9	0.66	18	1.02	[0.25]	0.00	15	1.32	40	0.82	82	0.90	0.71-1.11
175.1	Fallopian tube	[0.41]	0.00	2	2.05	[0.01]	0.00	[0.33]	0.00	1	0.74	3	0.98	0.20-2.86
176.0	Vulva	2	1.53	[1.77]	0.00	[0.02]	0.00	[1.51]	0.00	4	1.11	6	0.73	0.27-1.59
176.1	Vagina	[0.55]	0.00	[0.50]	0.00	[0.01]	0.00	[0.31]	0.00	[1.14]	0.00	[2.51]	0.00	0.00-1.47
180	Kidney	3	0.63	7	0.80	[0.16]	0.00	1	0.25	11	0.78	22	0.69	0.43-1.05
180.1	-renal pelvis ²	[1.75]	0.00	1	2.74	[0.01]	0.00	[0.43]	0.00	2	1.48	3	0.77	0.16-2.24
181	Bladder	8	0.91	6	1.45	[0.14]	0.00	2	0.43	8	0.58	24	0.76	0.49-1.13
190	Melanoma	13	1.74	22	1.79	[0.16]	0.00	13	1.35	33	1.00	81	1.30	1.03-1.61
190.6	-upper limbs ²	5	3.67	6	2.60	[0.03]	0.00	1	0.69	2	0.32	14	1.23	0.67-2.06
192	Eye	1	1.59	1	0.98	[0.01]	0.00	1	1.77	1	0.52	4	0.97	0.26-2.47
	-melanoma ²	1	1.76	1	1.06	[0.01]	0.00	[0.49]	0.00	1	0.73	3	0.89	0.18-2.59
193	Brain	13	1.68	23	1.30	[0.21]	0.00	9	1.38	22	0.78	67	1.11	0.86-1.41
	-glioma ²	2	3.27	9	1.70	[0.08]	0.00	6	2.69	10	1.09	27	1.55	1.02-2.25
	-meningeoma ²	6	3.17	9	1.16	[0.11]	0.00	3	1.20	10	0.81	28	1.14	0.76-1.64
194	Thyroid	[1.21]	0.00	18	1.47	1	4.99	2	0.70	2	0.21	23	0.88	0.56-1.32
	-follicular ²	-	-	[1.02]	0.00	[0.03]	0.00	[0.37]	0.00	[0.61]	0.00	[2.03]	0.00	0.00-1.82
	-papillary ²	-	-	18	1.73	1	6.21	1	0.53	[3.20]	0.00	20	1.28	0.78-1.98
195.0	Glandula suprarenalis	[0.14]	0.00	[0.40]	0.00	[0.00]	0.00	[0.13]	0.00	[0.45]	0.00	[1.11]	0.00	0.00-3.31
195.1	Parathyreoidea	[0.01]	0.00	[0.02]	0.00	-	-	[0.01]	0.00	[0.09]	0.00	[0.13]	0.00	0.00-29.03
195.2	Thymus	[0.06]	0.00	1	6.44	-	-	[0.04]	0.00	1	5.28	2	4.48	0.54-16.19
195.3	Hypophysis	[0.02]	0.00	[0.01]	0.00	[0.02]	0.00	[0.01]	0.00	[0.03]	0.00	[0.09]	0.00	0.00-42.23
195.4	Corpus pineale	-	-	[0.06]	0.00	-	-	[0.01]	0.00	-	-	[0.06]	0.00	0.00-57.25
196	Bone	1	4.97	1	1.90	[0.01]	0.00	[0.23]	0.00	[0.97]	0.00	2	1.03	0.12-3.72
	-chondrosarcoma ²	-	-	1	3.83	[0.01]	0.00	[0.07]	0.00	[0.49]	0.00	1	1.21	0.03-6.71
197	Soft tissue	1	1.29	4	1.61	[0.02]	0.00	[0.74]	0.00	6	1.28	11	1.26	0.63-2.26
	-fibrosarcoma ²	-	-	2	3.33	[0.00]	0.00	[0.05]	0.00	[0.47]	0.00	2	1.78	0.22-6.44
	-liposarcoma ²	-	-	2	3.31	[0.01]	0.00	[0.10]	0.00	2	2.78	4	2.80	0.76-7.16
200,202	Non-Hodgkin lymphoma	7	1.18	12	0.96	1	7.18	7	1.47	21	1.19	48	1.17	0.86-1.56
201	Hodgkin lymphoma	1	1.64	[1.68]	0.00	[0.02]	0.00	[0.57]	0.00	[2.35]	0.00	1	0.19	0.00-1.07
203	Multiple myeloma	3	1.04	[3.60]	0.00	1	14.61	1	0.39	11	1.61	16	1.00	0.57-1.63
204	Leukaemia	4	0.71	3	0.51	[0.12]	0.00	6	1.72	16	1.37	29	1.08	0.72-1.55
	-chronic lymphatic ²	-	-	[1.73]	0.00	[0.04]	0.00	2	1.86	7	1.72	9	1.30	0.60-2.47
	-acute myeloid ²	3	1.59	2	0.93	[0.05]	0.00	3	2.10	8	2.12	16	1.72	0.98-2.80
	Mycosis fungoides ²	[0.12]	0.00	1	4.34	[0.00]	0.00	[0.08]	0.00	1	1.63	2	1.91	0.23-6.89
199	Other/unknown site	3	0.75	3	0.46	[0.14]	0.00	2	0.31	18	0.81	26	0.66	0.43-0.97
140-204	All sites	266	1.10	438	1.19	6	1.06	186	0.97	704	1.01	1600	1.06	1.01-1.12
Not included above														
	Ovary borderline ²	-	-	4	0.79	[0.10]	0.00	[2.14]	0.00	4	0.38	8	0.45	0.19-0.89
191	Other skin	-	-	7	1.10	[0.14]	0.00	13	2.22	30	1.89	50	1.77	1.31-2.33
191.6	-upper limbs ²	-	-	1	1.82	[0.02]	0.00	3	4.87	2	0.98	6	1.86	0.68-4.05

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Dentists. Men (N = 13 539). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	1	0.24	[2.00]	0.00	[0.08]	0.00	6	0.98	6	0.59	13	0.58	0.31-0.99
141	Tongue	1	0.65	3	3.72	[0.05]	0.00	3	1.07	9	1.84	16	1.59	0.91-2.57
142	Salivary glands	4	4.61	[0.45]	0.00	[0.04]	0.00	1	0.81	2	0.61	7	1.19	0.48-2.45
143-144	Oral cavity	4	1.35	2	2.45	[0.10]	0.00	1	0.26	8	1.16	15	1.02	0.57-1.68
145-148	Pharynx	4	1.11	[1.00]	0.00	[0.10]	0.00	1	0.21	6	0.58	11	0.56	0.28-0.99
145	-oropharynx ²	4	1.95	[0.44]	0.00	[0.03]	0.00	[1.92]	0.00	2	0.45	6	0.68	0.25-1.48
146	-nasopharynx ²	[0.50]	0.00	[0.20]	0.00	[0.03]	0.00	[0.79]	0.00	1	0.50	1	0.28	0.01-1.58
150	Oesophagus	5	0.73	[2.23]	0.00	1	3.29	4	0.54	10	0.58	20	0.59	0.36-0.91
	-adenocarcinoma ²	1	0.36	[0.55]	0.00	[0.13]	0.00	[1.67]	0.00	2	0.39	3	0.29	0.06-0.86
151	Stomach	9	0.67	2	0.21	[0.81]	0.00	16	0.40	30	0.47	57	0.45	0.34-0.58
151.1	-cardia ²	6	1.38	[1.73]	0.00	[0.17]	0.00	[6.99]	0.00	8	0.90	14	0.63	0.35-1.06
152	Small intestine	2	1.80	[0.65]	0.00	[0.11]	0.00	[2.23]	0.00	7	0.97	9	0.80	0.36-1.51
153	Colon	38	1.16	8	0.93	2	1.56	63	1.12	106	1.11	217	1.12	0.98-1.28
154	Rectum, rectosigma	24	1.05	4	0.57	[0.43]	0.00	40	1.17	66	1.00	134	1.02	0.86-1.21
155.0	Primary liver	8	1.68	1	0.41	[0.13]	0.00	3	0.72	16	0.94	28	0.98	0.65-1.42
	-hemangiosarcoma ²	-	-	[0.01]	0.00	-	-	[0.01]	0.00	[0.08]	0.00	[0.10]	0.00	0.00-38.31
155.1	Gall bladder	1	0.41	1	0.76	[0.09]	0.00	2	0.64	6	0.97	10	0.76	0.36-1.40
157	Pancreas	14	1.22	3	0.49	[0.48]	0.00	18	0.88	33	0.87	68	0.89	0.69-1.13
160	Nose	[1.17]	0.00	1	2.75	[0.05]	0.00	2	1.22	[2.85]	0.00	3	0.49	0.10-1.45
	-adenocarcinoma ²	-	-	[0.02]	0.00	[0.00]	0.00	[0.23]	0.00	[0.48]	0.00	[0.74]	0.00	0.00-5.02
161	Larynx	8	1.04	[2.28]	0.00	[0.22]	0.00	4	0.52	14	1.09	26	0.85	0.55-1.24
162,163	Lung	36	0.46	9	0.27	[2.08]	0.00	55	0.68	59	0.47	159	0.50	0.43-0.58
	-adenocarcinoma ²	11	0.66	2	0.44	[0.62]	0.00	13	0.81	9	0.35	35	0.55	0.38-0.76
	-small cell ²	-	-	1	0.20	[0.41]	0.00	9	0.66	6	0.48	16	0.51	0.29-0.82
	-squamous cell ²	6	0.23	3	0.30	[0.46]	0.00	12	0.50	23	0.52	44	0.42	0.31-0.56
	-other ²	-	-	3	0.23	[0.52]	0.00	10	0.51	21	0.49	34	0.45	0.31-0.63
158, 162.2	Mesothelioma ²	1	0.47	[0.79]	0.00	[0.06]	0.00	1	0.40	2	0.37	4	0.37	0.10-0.94
170	Breast	[0.76]	0.00	[0.23]	0.00	[0.06]	0.00	3	3.45	2	0.89	5	1.20	0.39-2.80
177	Prostate	62	1.21	48	1.19	1	0.24	184	1.29	441	1.20	736	1.22	1.13-1.31
178	Testis	6	1.83	[0.83]	0.00	[0.17]	0.00	5	1.03	2	0.27	13	0.78	0.42-1.34
	-seminoma ²	2	1.47	[0.56]	0.00	[0.13]	0.00	5	1.48	2	0.38	9	0.84	0.38-1.59
	-non-seminoma ²	4	2.06	[0.25]	0.00	[0.04]	0.00	[1.09]	0.00	[2.10]	0.00	4	0.74	0.20-1.89
179.0	Penis	2	1.31	[0.33]	0.00	[0.06]	0.00	3	1.34	1	0.22	6	0.69	0.25-1.50
180	Kidney	10	1.02	8	1.14	1	1.11	20	0.97	50	1.05	89	1.03	0.83-1.27
180.1	-renal pelvis ²	5	1.31	[0.42]	0.00	[0.04]	0.00	2	0.85	8	1.61	15	1.29	0.72-2.13
181	Bladder	48	1.16	8	0.87	[1.23]	0.00	48	1.00	110	1.16	214	1.10	0.96-1.26
190	Melanoma	21	2.15	8	1.50	[0.42]	0.00	41	1.75	66	1.52	136	1.65	1.40-1.95
190.6	-upper limbs ²	3	2.54	[0.69]	0.00	[0.07]	0.00	2	0.95	12	1.83	17	1.60	0.93-2.56
192	Eye	2	1.83	[0.49]	0.00	[0.04]	0.00	3	1.73	6	1.60	11	1.55	0.77-2.77
	-melanoma ²	2	2.10	[0.45]	0.00	[0.02]	0.00	3	1.96	5	1.68	10	1.69	0.81-3.11
193	Brain	12	1.13	6	1.13	[0.61]	0.00	16	1.01	49	1.32	83	1.19	0.95-1.48
	-glioma ²	1	0.88	5	2.03	[0.38]	0.00	7	0.85	24	1.27	37	1.19	0.84-1.64
	-meningeoma ²	1	0.73	[1.06]	0.00	[0.15]	0.00	3	1.15	11	1.43	15	1.16	0.65-1.92
194	Thyroid	1	1.10	1	0.78	[0.34]	0.00	4	1.36	6	1.01	12	1.05	0.54-1.83
	-follicular ²	-	-	[0.19]	0.00	[0.04]	0.00	[0.33]	0.00	[0.35]	0.00	[0.92]	0.00	0.00-4.02
	-papillary ²	-	-	1	1.19	[0.27]	0.00	2	1.22	[1.01]	0.00	3	0.80	0.16-2.34
195.0	Glandula suprarenalis	[0.22]	0.00	[0.20]	0.00	[0.02]	0.00	[0.35]	0.00	[0.67]	0.00	[1.46]	0.00	0.00-2.52
195.1	Parathyreoidea	[0.01]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	[0.05]	0.00	[0.08]	0.00	0.00-47.28
195.2	Thymus	[0.10]	0.00	[0.06]	0.00	[0.01]	0.00	[0.17]	0.00	[0.30]	0.00	[0.64]	0.00	0.00-5.77
195.3	Hypophysis	[0.03]	0.00	[0.00]	0.00	[0.08]	0.00	[0.02]	0.00	[0.07]	0.00	[0.22]	0.00	0.00-16.97
195.4	Corpus pineale	-	-	[0.01]	0.00	-	-	[0.01]	0.00	-	-	[0.02]	0.00	0.00-178.85
196	Bone	[0.39]	0.00	[0.33]	0.00	[0.05]	0.00	1	1.14	[1.99]	0.00	1	0.27	0.01-1.53
	-chondrosarcoma ²	-	-	[0.17]	0.00	[0.05]	0.00	[0.25]	0.00	[0.90]	0.00	[1.38]	0.00	0.00-2.68
197	Soft tissue	[1.40]	0.00	2	1.72	[0.09]	0.00	2	0.79	13	1.39	17	1.17	0.68-1.88
	-fibrosarcoma ²	-	-	[0.39]	0.00	-	-	[0.22]	0.00	2	1.59	2	1.07	0.13-3.88
	-liposarcoma ²	-	-	1	3.79	[0.04]	0.00	2	4.57	2	1.25	5	2.14	0.69-4.99
200,202	Non-Hodgkin lymphoma	11	1.12	7	1.07	1	1.67	15	0.99	36	0.86	70	0.94	0.74-1.19
201	Hodgkin lymphoma	2	1.22	1	0.93	[0.08]	0.00	3	1.09	7	1.08	13	1.08	0.57-1.85
203	Multiple myeloma	4	0.74	2	0.93	[0.25]	0.00	6	0.56	22	1.10	34	0.88	0.61-1.23
204	Leukaemia	14	1.23	6	1.49	[0.46]	0.00	23	1.50	31	0.98	74	1.18	0.92-1.48
	-chronic lymphatic ²	-	-	1	0.60	[0.15]	0.00	6	1.07	15	1.02	22	1.00	0.62-1.51
	-acute myeloid ²	3	0.94	2	1.80	[0.14]	0.00	9	1.62	5	0.70	19	1.11	0.67-1.73
	Mycosis fungoides ²	1	3.23	[0.16]	0.00	[0.03]	0.00	[0.41]	0.00	2	0.77	3	0.86	0.18-2.51
199	Other/unknown site	[4.98]	0.00	1	0.29	[0.31]	0.00	15	0.67	40	0.98	56	0.78	0.59-1.01
140-204	All sites	341	0.96	132	0.78	6	0.36	612	1.00	1264	1.00	2355	0.97	0.94-1.01
Not included above														
191	Other skin	-	-	2	0.41	[0.44]	0.00	30	1.08	88	1.47	120	1.29	1.08-1.54
191.6	-upper limbs ²	-	-	[0.39]	0.00	[0.04]	0.00	3	1.27	14	2.12	17	1.81	1.05-2.90

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Dentists. Women (N = 8 702). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.35]	0.00	[1.17]	0.00	[0.00]	0.00	[0.26]	0.00	1	1.00	1	0.36	0.01-2.00
141	Tongue	[0.49]	0.00	3	2.41	[0.01]	0.00	2	4.91	1	0.79	6	1.76	0.65-3.83
142	Salivary glands	[0.40]	0.00	[0.88]	0.00	[0.00]	0.00	1	3.51	2	1.60	3	1.06	0.22-3.11
143-144	Oral cavity	[1.12]	0.00	2	1.57	[0.01]	0.00	1	1.54	2	1.12	5	1.04	0.34-2.42
145-148	Pharynx	2	2.47	2	2.55	[0.01]	0.00	[0.41]	0.00	2	1.28	6	1.68	0.62-3.65
145	-oropharynx ²	2	4.25	2	6.56	[0.00]	0.00	[0.19]	0.00	1	1.22	5	2.80	0.91-6.52
146	-nasopharynx ²	[0.13]	0.00	[0.21]	0.00	[0.00]	0.00	[0.08]	0.00	1	2.97	1	1.32	0.03-7.37
150	Oesophagus	2	1.32	[3.13]	0.00	[0.01]	0.00	2	2.99	2	0.88	6	0.79	0.29-1.72
	-adenocarcinoma ²	[0.38]	0.00	[0.28]	0.00	[0.00]	0.00	[0.11]	0.00	1	2.44	1	0.84	0.02-4.68
151	Stomach	1	0.22	15	0.99	[0.05]	0.00	2	0.33	14	1.06	32	0.82	0.56-1.16
151.1	-cardia ²	1	1.33	[1.42]	0.00	[0.01]	0.00	1	1.39	3	2.99	5	1.28	0.42-2.99
152	Small intestine	1	1.70	3	2.56	[0.01]	0.00	[0.59]	0.00	5	2.27	9	1.97	0.90-3.74
153	Colon	23	1.06	21	0.96	1	8.14	21	1.28	38	1.04	104	1.08	0.89-1.30
154	Rectum, rectosigma	10	1.04	21	1.61	[0.05]	0.00	9	1.27	19	0.98	59	1.20	0.91-1.55
155.0	Primary liver	4	2.41	2	0.59	[0.01]	0.00	[0.65]	0.00	3	0.83	9	0.97	0.44-1.83
	-hemangiosarcoma ²	-	-	[0.02]	0.00	-	-	[0.00]	0.00	[0.03]	0.00	[0.05]	0.00	0.00-70.42
155.1	Gall bladder	2	0.82	1	0.17	[0.01]	0.00	1	0.82	2	0.35	6	0.39	0.14-0.85
157	Pancreas	3	0.44	9	0.69	[0.05]	0.00	9	1.92	9	0.71	30	0.81	0.55-1.15
160	Nose	[0.43]	0.00	1	1.80	[0.01]	0.00	[0.27]	0.00	1	1.50	2	1.04	0.13-3.75
	-adenocarcinoma ²	-	-	[0.04]	0.00	-	-	[0.02]	0.00	[0.05]	0.00	[0.12]	0.00	0.00-31.94
161	Larynx	[0.96]	0.00	1	2.21	[0.01]	0.00	[0.27]	0.00	1	1.41	2	0.83	0.10-3.01
162,163	Lung	11	0.45	10	0.63	[0.27]	0.00	5	0.54	20	0.78	46	0.61	0.45-0.81
	-adenocarcinoma ²	5	0.64	5	1.17	[0.10]	0.00	3	1.04	7	0.77	20	0.83	0.51-1.28
	-small cell ²	-	-	1	0.39	[0.05]	0.00	1	0.52	3	0.85	5	0.62	0.20-1.45
	-squamous cell ²	1	0.22	[2.41]	0.00	[0.04]	0.00	[1.42]	0.00	4	0.90	5	0.39	0.13-0.90
	-other ²	-	-	4	0.61	[0.08]	0.00	1	0.39	6	0.71	11	0.62	0.31-1.12
158, 162.2	Mesothelioma ²	1	2.96	1	1.69	[0.00]	0.00	[0.11]	0.00	[0.43]	0.00	2	1.36	0.16-4.92
170	Breast	102	1.74	184	1.57	1	1.31	53	1.26	198	1.24	538	1.42	1.31-1.55
	-ductal ²	-	-	131	1.54	1	1.66	31	1.10	70	1.30	233	1.39	1.23-1.58
	-lobular ²	-	-	23	1.59	[0.06]	0.00	5	1.80	20	1.72	48	1.66	1.22-2.20
171	Cervix uteri	3	0.29	5	0.72	[0.07]	0.00	4	0.54	9	0.48	21	0.48	0.30-0.74
172	Corpus uteri	15	1.02	44	1.85	[0.13]	0.00	9	0.97	30	0.95	98	1.24	1.00-1.51
173	Choriocarcinoma	[0.01]	0.00	[0.05]	0.00	[0.00]	0.00	[0.02]	0.00	[0.08]	0.00	[0.17]	0.00	0.00-22.17
175.0	Ovary	12	1.00	18	1.07	[0.10]	0.00	4	0.43	32	0.95	66	0.92	0.71-1.17
175.1	Fallopian tube	1	2.78	3	3.47	[0.00]	0.00	[0.26]	0.00	1	1.18	5	2.15	0.70-5.01
176.0	Vulva	1	0.86	2	0.90	[0.01]	0.00	[1.32]	0.00	2	0.65	5	0.64	0.21-1.50
176.1	Vagina	[0.49]	0.00	[0.57]	0.00	[0.00]	0.00	[0.27]	0.00	[0.94]	0.00	[2.28]	0.00	0.00-1.62
180	Kidney	2	0.47	4	0.38	[0.06]	0.00	1	0.29	10	0.84	17	0.56	0.33-0.90
180.1	-renal pelvis ²	1	0.64	[0.52]	0.00	[0.00]	0.00	[0.37]	0.00	1	0.84	2	0.55	0.07-1.99
181	Bladder	6	0.77	6	1.02	[0.05]	0.00	3	0.72	6	0.51	21	0.71	0.44-1.08
190	Melanoma	8	1.23	20	1.97	[0.07]	0.00	14	1.94	32	1.60	74	1.69	1.32-2.12
190.6	-upper limbs ²	2	1.68	4	2.18	[0.01]	0.00	1	0.89	6	1.56	13	1.62	0.86-2.77
192	Eye	[0.55]	0.00	[1.00]	0.00	[0.00]	0.00	[0.46]	0.00	2	1.45	2	0.59	0.07-2.13
	-melanoma ²	[0.50]	0.00	[0.93]	0.00	[0.00]	0.00	[0.40]	0.00	2	1.91	2	0.70	0.08-2.52
193	Brain	3	0.44	7	0.48	[0.09]	0.00	7	1.38	17	0.93	34	0.76	0.53-1.06
	-glioma ²	1	1.86	3	0.76	[0.03]	0.00	4	2.29	6	0.99	14	1.14	0.62-1.91
	-meningeoma ²	2	1.20	3	0.49	[0.05]	0.00	2	1.06	7	0.89	14	0.79	0.43-1.33
194	Thyroid	[1.07]	0.00	7	0.83	[0.08]	0.00	[2.18]	0.00	10	1.57	17	0.94	0.55-1.51
	-follicular ²	-	-	2	1.93	[0.01]	0.00	[0.29]	0.00	1	2.87	3	1.78	0.37-5.20
	-papillary ²	-	-	5	0.79	[0.06]	0.00	[1.32]	0.00	3	1.85	8	0.86	0.37-1.69
195.0	Glandula suprarenalis	[0.12]	0.00	[0.35]	0.00	[0.00]	0.00	[0.10]	0.00	[0.30]	0.00	[0.87]	0.00	0.00-4.24
195.1	Parathyreoida	[0.01]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.07]	0.00	[0.10]	0.00	0.00-37.10
195.2	Thymus	[0.06]	0.00	[0.14]	0.00	-	-	1	34.99	[0.12]	0.00	1	2.91	0.07-16.23
195.3	Hypophysis	[0.01]	0.00	[0.01]	0.00	[0.01]	0.00	[0.01]	0.00	[0.03]	0.00	[0.07]	0.00	0.00-54.19
195.4	Corpus pineale	-	-	[0.04]	0.00	-	-	[0.01]	0.00	-	-	[0.05]	0.00	0.00-80.90
196	Bone	[0.18]	0.00	[0.46]	0.00	[0.01]	0.00	[0.19]	0.00	1	1.48	1	0.66	0.02-3.69
	-chondrosarcoma ²	-	-	[0.22]	0.00	[0.00]	0.00	[0.05]	0.00	[0.32]	0.00	[0.59]	0.00	0.00-6.21
197	Soft tissue	2	2.92	3	1.27	[0.01]	0.00	1	1.62	3	0.88	9	1.27	0.58-2.42
	-fibrosarcoma ²	-	-	[0.69]	0.00	[0.00]	0.00	[0.05]	0.00	2	4.94	2	1.76	0.21-6.36
	-liposarcoma ²	-	-	2	3.92	[0.00]	0.00	[0.09]	0.00	[0.51]	0.00	2	1.81	0.22-6.54
200,202	Non-Hodgkin lymphoma	5	0.95	19	1.46	[0.05]	0.00	3	0.79	14	1.04	41	1.15	0.83-1.57
201	Hodgkin lymphoma	1	1.85	2	1.44	[0.00]	0.00	3	6.23	1	0.58	7	1.68	0.68-3.47
203	Multiple myeloma	[2.59]	0.00	5	1.03	[0.03]	0.00	1	0.43	8	1.35	14	0.89	0.49-1.49
204	Leukaemia	4	0.80	6	0.86	[0.04]	0.00	2	0.65	7	0.77	19	0.79	0.47-1.23
	-chronic lymphatic ²	-	-	[2.45]	0.00	[0.01]	0.00	[0.96]	0.00	2	0.59	2	0.29	0.04-1.06
	-acute myeloid ²	2	1.19	3	1.26	[0.01]	0.00	[1.25]	0.00	3	1.08	8	0.99	0.43-1.94
	Mycosis fungoides ²	1	9.28	[0.20]	0.00	[0.00]	0.00	[0.06]	0.00	[0.66]	0.00	1	0.98	0.02-5.44
199	Other/unknown site	2	0.56	10	1.07	[0.05]	0.00	4	0.67	14	0.77	30	0.81	0.54-1.15
140-204	All sites	225	1.05	440	1.22	2	0.87	163	1.03	519	1.04	1349	1.09	1.03-1.15
	Not included above													
	Ovary borderline ²	-	-	3	0.86	[0.04]	0.00	1	0.67	6	1.03	10	0.92	0.44-1.70
191	Other skin	-	-	4	0.38	[0.05]	0.00	11	2.12	26	1.76	41	1.35	0.97-1.83
191.6	-upper limbs ²	-	-	1	1.30	[0.01]	0.00	6	11.03	3	1.69	10	3.23	1.55-5.95

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Nurses. Men (N = 5 257). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	1	5.29	[0.29]	0.00	[0.00]	0.00	1	2.61	[0.52]	0.00	2	1.44	0.17-5.21
141	Tongue	[0.08]	0.00	[0.32]	0.00	[0.00]	0.00	[0.44]	0.00	[1.00]	0.00	[1.85]	0.00	0.00-2.00
142	Salivary glands	[0.04]	0.00	[0.15]	0.00	[0.00]	0.00	[0.15]	0.00	1	1.92	1	1.16	0.03-6.48
143-144	Oral cavity	[0.15]	0.00	[0.32]	0.00	[0.00]	0.00	1	2.09	1	1.04	2	1.05	0.13-3.78
145-148	Pharynx	[0.19]	0.00	[0.38]	0.00	[0.00]	0.00	1	1.50	[2.13]	0.00	1	0.30	0.01-1.65
145	-oropharynx ²	[0.11]	0.00	[0.20]	0.00	[0.00]	0.00	1	2.77	[1.31]	0.00	1	0.50	0.01-2.80
146	-nasopharynx ²	[0.03]	0.00	[0.08]	0.00	[0.00]	0.00	[0.09]	0.00	[0.40]	0.00	[0.59]	0.00	0.00-6.20
150	Oesophagus	[0.33]	0.00	[0.55]	0.00	[0.00]	0.00	[0.64]	0.00	3	1.74	3	0.92	0.19-2.70
	-adenocarcinoma ²	[0.14]	0.00	[0.18]	0.00	[0.00]	0.00	[0.19]	0.00	1	1.23	1	0.76	0.02-4.21
151	Stomach	2	3.45	[1.82]	0.00	[0.02]	0.00	2	0.92	5	1.36	9	1.09	0.50-2.07
151.1	-cardia ²	[0.20]	0.00	[0.39]	0.00	[0.00]	0.00	[0.58]	0.00	1	0.85	1	0.42	0.01-2.36
152	Small intestine	[0.05]	0.00	1	4.78	[0.00]	0.00	[0.26]	0.00	[0.99]	0.00	1	0.66	0.02-3.69
153	Colon	1	0.67	2	0.96	[0.02]	0.00	5	1.10	10	1.30	18	1.14	0.67-1.80
154	Rectum, rectosigma	[1.03]	0.00	3	1.83	[0.01]	0.00	1	0.34	5	0.83	9	0.77	0.35-1.46
155.0	Primary liver	2	9.17	[0.49]	0.00	[0.00]	0.00	[0.31]	0.00	[1.40]	0.00	2	0.83	0.10-2.99
	-hemangiosarcoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.01]	0.00	[0.01]	0.00	0.00-315.34
155.1	Gall bladder	[0.11]	0.00	[0.27]	0.00	[0.00]	0.00	[0.23]	0.00	1	3.50	1	1.12	0.03-6.23
157	Pancreas	[0.51]	0.00	[1.33]	0.00	[0.01]	0.00	1	0.67	2	0.67	3	0.47	0.10-1.38
160	Nose	[0.05]	0.00	[0.11]	0.00	[0.00]	0.00	[0.16]	0.00	1	3.01	1	1.54	0.04-8.58
	-adenocarcinoma ²	-	-	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	[0.05]	0.00	[0.07]	0.00	0.00-50.24
161	Larynx	[0.38]	0.00	[0.51]	0.00	[0.01]	0.00	[0.78]	0.00	[1.22]	0.00	[2.89]	0.00	0.00-1.28
162,163	Lung	[3.48]	0.00	1	0.20	1	23.30	4	0.56	4	0.42	10	0.40	0.19-0.73
	-adenocarcinoma ²	[0.83]	0.00	1	1.01	[0.01]	0.00	2	1.02	1	0.30	4	0.57	0.15-1.45
	-small cell ²	-	-	[0.85]	0.00	[0.01]	0.00	[1.37]	0.00	[1.28]	0.00	[3.51]	0.00	0.00-1.05
	-squamous cell ²	[1.12]	0.00	[1.38]	0.00	[0.01]	0.00	1	0.55	2	0.96	3	0.47	0.10-1.37
	-other ²	-	-	[1.84]	0.00	1	81.98	1	0.55	1	0.35	3	0.46	0.10-1.35
158, 162.2	Mesothelioma ²	[0.10]	0.00	[0.23]	0.00	[0.00]	0.00	[0.30]	0.00	1	1.52	1	0.78	0.02-4.33
170	Breast	[0.04]	0.00	[0.07]	0.00	[0.00]	0.00	1	12.43	[0.25]	0.00	1	2.29	0.06-12.75
177	Prostate	[2.23]	0.00	11	1.42	[0.03]	0.00	11	1.21	26	1.04	48	1.09	0.80-1.45
178	Testis	1	5.12	[0.55]	0.00	[0.03]	0.00	1	0.70	4	0.92	6	0.91	0.34-1.99
	-seminoma ²	[0.08]	0.00	[0.37]	0.00	[0.02]	0.00	1	1.01	2	0.64	3	0.66	0.14-1.92
	-non-seminoma ²	1	8.79	[0.18]	0.00	[0.01]	0.00	[0.37]	0.00	2	1.59	3	1.56	0.32-4.55
179.0	Penis	[0.07]	0.00	[0.12]	0.00	[0.00]	0.00	[0.21]	0.00	[0.77]	0.00	[1.17]	0.00	0.00-3.14
180	Kidney	1	2.17	3	1.51	[0.03]	0.00	[2.18]	0.00	3	0.60	7	0.72	0.29-1.49
180.1	-renal pelvis ²	[0.18]	0.00	1	10.07	[0.00]	0.00	[0.20]	0.00	1	2.26	2	2.18	0.26-7.87
181	Bladder	1	0.53	2	1.12	[0.03]	0.00	1	0.27	7	0.88	11	0.72	0.36-1.29
190	Melanoma	[0.52]	0.00	1	0.46	[0.02]	0.00	6	1.35	10	0.92	17	0.94	0.55-1.51
190.6	-upper limbs ²	[0.06]	0.00	[0.28]	0.00	[0.00]	0.00	1	2.43	2	1.14	3	1.19	0.25-3.48
192	Eye	[0.05]	0.00	[0.16]	0.00	[0.00]	0.00	[0.22]	0.00	[0.67]	0.00	[1.10]	0.00	0.00-3.35
	-melanoma ²	[0.05]	0.00	[0.15]	0.00	[0.00]	0.00	[0.19]	0.00	[0.44]	0.00	[0.82]	0.00	0.00-4.48
193	Brain	[0.54]	0.00	3	1.31	[0.03]	0.00	1	0.38	12	1.36	16	1.12	0.64-1.81
	-glioma ²	[0.06]	0.00	1	0.88	[0.02]	0.00	1	0.65	9	1.97	11	1.51	0.75-2.69
	-meningioma ²	[0.07]	0.00	[0.40]	0.00	[0.00]	0.00	[0.43]	0.00	1	0.70	1	0.43	0.01-2.38
194	Thyroid	[0.04]	0.00	1	1.70	[0.01]	0.00	[0.48]	0.00	[1.27]	0.00	1	0.42	0.01-2.33
	-follicular ²	-	-	[0.06]	0.00	[0.00]	0.00	[0.05]	0.00	[0.13]	0.00	[0.23]	0.00	0.00-15.77
	-papillary ²	-	-	1	2.20	[0.01]	0.00	[0.35]	0.00	[0.56]	0.00	1	0.73	0.02-4.05
195.0	Glandula suprarenalis	[0.01]	0.00	[0.06]	0.00	[0.00]	0.00	[0.06]	0.00	[0.13]	0.00	[0.26]	0.00	0.00-14.42
195.1	Parathyreoidea	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	[0.01]	0.00	0.00-315.33
195.2	Thymus	[0.00]	0.00	[0.02]	0.00	[0.00]	0.00	[0.03]	0.00	1	18.09	1	8.86	0.22-49.38
195.3	Hypophysis	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-240.44
195.4	Corpus pineale	-	-	[0.00]	0.00	-	-	[0.00]	0.00	-	-	[0.01]	0.00	0.00-494.07
196	Bone	[0.02]	0.00	[0.13]	0.00	[0.00]	0.00	[0.13]	0.00	[0.48]	0.00	[0.76]	0.00	0.00-4.88
	-chondrosarcoma ²	-	-	[0.07]	0.00	[0.00]	0.00	[0.03]	0.00	[0.24]	0.00	[0.35]	0.00	0.00-10.65
197	Soft tissue	[0.07]	0.00	2	4.79	[0.01]	0.00	[0.29]	0.00	2	1.22	4	1.65	0.45-4.23
	-fibrosarcoma ²	-	-	[0.13]	0.00	-	-	[0.01]	0.00	1	6.99	1	3.52	0.09-19.61
	-liposarcoma ²	-	-	[0.11]	0.00	[0.00]	0.00	[0.06]	0.00	1	3.33	1	2.15	0.05-11.99
200,202	Non-Hodgkin lymphoma	[0.47]	0.00	3	1.35	[0.03]	0.00	4	1.61	9	1.38	16	1.36	0.78-2.21
201	Hodgkin lymphoma	[0.08]	0.00	1	1.95	[0.01]	0.00	[0.42]	0.00	2	1.52	3	1.29	0.27-3.76
203	Multiple myeloma	[0.25]	0.00	1	2.06	[0.01]	0.00	1	1.19	3	1.58	5	1.43	0.46-3.34
204	Leukaemia	[0.52]	0.00	[1.07]	0.00	[0.01]	0.00	1	0.71	1	0.23	2	0.28	0.03-0.99
	-chronic lymphatic ²	-	-	[0.34]	0.00	[0.00]	0.00	[0.45]	0.00	1	0.64	1	0.43	0.01-2.37
	-acute myeloid ²	[0.15]	0.00	[0.30]	0.00	[0.01]	0.00	1	1.89	[1.07]	0.00	1	0.49	0.01-2.71
	Mycosis fungoides ²	[0.01]	0.00	[0.04]	0.00	[0.00]	0.00	[0.04]	0.00	[0.17]	0.00	[0.27]	0.00	0.00-13.49
199	Other/unknown site	[0.23]	0.00	1	1.31	[0.01]	0.00	[1.40]	0.00	5	1.18	6	0.90	0.33-1.96
140-204	All sites	9	0.55	36	0.92	1	2.55	43	0.79	119	0.94	208	0.87	0.76-1.00
Not included above														
191	Other skin	-	-	1	1.07	[0.01]	0.00	2	1.03	10	2.42	13	1.85	0.99-3.17
191.6	-upper limbs ²	-	-	1	10.63	[0.00]	0.00	[0.17]	0.00	4	6.23	5	5.50	1.79-12.83

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Nurses. Women (N = 149 072). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	6	0.83	12	1.28	[0.13]	0.00	5	0.83	21	1.24	44	1.11	0.81-1.49
141	Tongue	9	0.93	9	0.64	[0.35]	0.00	8	0.86	12	0.56	38	0.69	0.49-0.95
142	Salivary glands	8	1.00	7	0.70	1	3.53	8	1.24	22	1.03	46	1.00	0.73-1.33
143-144	Oral cavity	20	0.90	19	1.44	[0.67]	0.00	11	0.76	22	0.73	72	0.89	0.70-1.13
145-148	Pharynx	16	1.00	3	0.34	1	2.92	8	0.83	20	0.74	48	0.78	0.57-1.03
145	-oropharynx ²	9	0.97	2	0.50	1	6.33	5	1.00	14	0.98	31	0.95	0.64-1.35
146	-nasopharynx ²	6	2.39	1	0.44	[0.18]	0.00	3	1.84	6	1.06	16	1.30	0.74-2.11
150	Oesophagus	20	0.66	13	0.54	[0.82]	0.00	5	0.35	35	0.92	73	0.68	0.53-0.85
	-adenocarcinoma ²	9	1.20	1	0.36	[0.25]	0.00	1	0.36	8	1.17	19	0.94	0.57-1.47
151	Stomach	85	0.94	120	0.90	3	0.80	102	0.97	164	0.75	474	0.86	0.78-0.94
151.1	-cardia ²	11	0.74	15	1.27	[0.38]	0.00	14	0.97	13	0.77	53	0.91	0.68-1.19
152	Small intestine	16	1.37	14	1.09	1	1.61	16	1.14	35	0.94	82	1.07	0.85-1.33
153	Colon	428	0.98	210	1.00	4	0.46	352	0.98	620	1.01	1614	0.99	0.94-1.04
154	Rectum, rectosigma	176	0.91	141	1.09	2	0.56	139	0.88	287	0.87	745	0.92	0.85-0.99
155.0	Primary liver	29	0.88	20	0.67	1	1.67	10	0.75	66	1.09	126	0.92	0.77-1.09
	-hemangiosarcoma ²	-	-	[0.28]	0.00	[0.02]	0.00	[0.09]	0.00	1	2.16	1	1.17	0.03-6.54
155.1	Gall bladder	31	0.63	26	0.51	1	1.33	14	0.59	63	0.66	135	0.61	0.52-0.73
157	Pancreas	129	0.95	111	0.95	4	1.20	84	0.87	199	0.93	527	0.93	0.86-1.02
160	Nose	8	0.95	4	0.70	1	2.41	4	0.72	11	0.98	28	0.89	0.59-1.29
	-adenocarcinoma ²	-	-	[0.42]	0.00	-	-	[0.48]	0.00	1	1.13	1	0.56	0.01-3.12
161	Larynx	8	0.42	[4.98]	0.00	[0.40]	0.00	3	0.46	2	0.17	13	0.30	0.16-0.52
162,163	Lung	351	0.72	121	0.73	10	0.56	143	0.60	306	0.70	931	0.69	0.65-0.74
	-adenocarcinoma ²	123	0.80	40	0.81	2	0.30	49	0.65	119	0.75	333	0.75	0.68-0.84
	-small cell ²	-	-	9	0.31	2	0.69	23	0.45	33	0.54	67	0.46	0.36-0.59
	-squamous cell ²	69	0.77	24	0.92	1	0.36	19	0.52	62	0.82	175	0.76	0.65-0.88
	-other ²	-	-	48	0.77	5	0.90	42	0.63	92	0.63	187	0.67	0.58-0.77
158, 162.2	Mesothelioma ²	6	0.88	2	0.30	[0.03]	0.00	4	1.37	7	0.96	19	0.80	0.48-1.26
170	Breast	1324	1.13	2024	1.31	60	1.17	1153	1.13	3121	1.14	7682	1.18	1.15-1.20
	-ductal ²	-	-	1481	1.28	49	1.22	810	1.13	1052	1.12	3392	1.19	1.15-1.23
	-lobular ²	-	-	319	1.55	4	0.94	89	1.11	242	1.19	654	1.32	1.23-1.43
171	Cervix uteri	101	0.50	47	0.62	6	1.18	102	0.65	214	0.68	470	0.62	0.57-0.68
172	Corpus uteri	326	1.14	315	1.14	7	0.84	210	0.94	587	1.09	1445	1.08	1.03-1.14
173	Choriocarcinoma	[0.21]	0.00	2	2.62	[0.03]	0.00	[0.49]	0.00	[1.41]	0.00	2	0.69	0.08-2.48
175.0	Ovary	258	1.09	195	0.98	9	1.34	206	0.97	565	0.98	1233	1.00	0.95-1.06
175.1	Fallopian tube	10	1.42	24	2.12	[0.23]	0.00	9	1.30	17	1.16	60	1.49	1.14-1.92
176.0	Vulva	20	0.86	7	0.34	[0.62]	0.00	25	0.92	37	0.71	89	0.72	0.58-0.88
176.1	Vagina	14	1.45	10	1.69	[0.19]	0.00	1	0.17	5	0.32	30	0.80	0.54-1.15
180	Kidney	68	0.81	100	0.92	6	1.36	58	0.75	183	0.91	415	0.87	0.79-0.96
180.1	-renal pelvis ²	29	0.94	9	1.90	[0.30]	0.00	8	0.95	20	1.00	66	1.02	0.79-1.30
181	Bladder	141	0.91	67	1.25	2	0.56	85	0.94	209	1.05	504	1.00	0.92-1.10
190	Melanoma	143	1.10	160	1.25	6	1.22	196	1.03	410	1.20	915	1.15	1.08-1.23
190.6	-upper limbs ²	20	0.86	29	1.22	1	1.24	25	0.86	84	1.27	159	1.11	0.95-1.29
192	Eye	6	0.54	19	1.60	[0.23]	0.00	15	1.41	17	0.72	57	0.99	0.75-1.29
	-melanoma ²	6	0.60	16	1.46	[0.21]	0.00	11	1.20	15	0.84	48	1.00	0.74-1.32
193	Brain	156	1.16	219	1.18	7	1.19	125	0.99	321	1.02	828	1.08	1.01-1.16
	-glioma ²	11	1.03	53	0.99	1	0.45	48	1.13	113	1.08	226	1.06	0.93-1.21
	-meningeoma ²	42	1.28	103	1.26	5	1.58	48	0.95	135	1.00	333	1.09	0.98-1.22
194	Thyroid	25	1.16	138	1.19	8	1.39	57	1.08	101	0.93	329	1.08	0.97-1.20
	-follicular ²	-	-	11	0.92	2	2.87	7	1.00	6	1.00	26	1.01	0.66-1.49
	-papillary ²	-	-	116	1.23	6	1.29	36	0.98	27	0.96	185	1.13	0.98-1.31
195.0	Glandula suprarenalis	2	0.83	4	0.90	[0.11]	0.00	2	0.82	3	0.59	11	0.76	0.38-1.36
195.1	Parathyreoidea	[0.20]	0.00	[0.15]	0.00	-	-	[0.26]	0.00	2	1.76	2	1.15	0.14-4.15
195.2	Thymus	3	2.76	2	1.20	-	-	[0.80]	0.00	4	1.90	9	1.59	0.73-3.02
195.3	Hypophysis	[0.28]	0.00	[0.10]	0.00	1	1.71	[0.19]	0.00	[0.45]	0.00	1	0.62	0.02-3.46
195.4	Corpus pineale	-	-	1	1.81	-	-	[0.17]	0.00	-	-	1	1.39	0.04-7.75
196	Bone	5	1.42	7	1.27	[0.38]	0.00	7	1.59	14	1.21	33	1.30	0.89-1.82
	-chondrosarcoma ²	-	-	4	1.48	[0.23]	0.00	1	0.75	6	1.10	11	1.13	0.56-2.02
197	Soft tissue	11	0.81	26	0.95	[0.69]	0.00	9	0.68	52	0.90	98	0.87	0.71-1.06
	-fibrosarcoma ²	-	-	8	1.09	[0.03]	0.00	[0.75]	0.00	7	1.02	15	1.00	0.56-1.65
	-liposarcoma ²	-	-	6	0.95	[0.17]	0.00	3	1.58	7	0.81	16	0.94	0.54-1.53
200,202	Non-Hodgkin lymphoma	106	1.02	149	1.04	4	1.08	97	1.00	246	1.07	602	1.04	0.96-1.13
201	Hodgkin lymphoma	14	1.30	11	0.67	[0.35]	0.00	10	1.08	28	0.95	63	0.95	0.73-1.22
203	Multiple myeloma	49	0.95	49	1.08	[1.86]	0.00	56	1.16	96	0.95	250	1.01	0.89-1.14
204	Leukaemia	105	1.05	53	0.76	4	1.33	59	0.94	156	1.02	377	0.97	0.88-1.07
	-chronic lymphatic ²	-	-	15	0.69	1	1.12	16	0.78	66	1.16	98	0.98	0.80-1.20
	-acute myeloid ²	39	1.17	20	0.80	2	1.56	20	0.76	48	1.01	129	0.97	0.82-1.15
	Mycosis fungoides ²	3	1.41	1	0.43	[0.11]	0.00	1	0.66	10	0.91	15	0.88	0.49-1.45
199	Other/unknown site	51	0.71	63	0.76	3	0.80	87	0.77	263	0.85	467	0.81	0.74-0.88
140-204	All sites	4157	0.97	4543	1.10	154	0.99	3491	0.96	8553	1.00	20898	1.01	0.99-1.02
Not included above														
	Ovary borderline ²	-	-	49	1.01	3	1.03	34	0.79	91	0.90	177	0.91	0.78-1.05
191	Other skin	-	-	83	1.02	8	2.16	123	1.10	279	1.14	493	1.12	1.02-1.22
191.6	-upper limbs ²	-	-	4	0.58	1	2.12	14	1.15	35	1.18	54	1.10	0.83-1.43

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Assistant nurses. Men (N = 13 385). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	4	1.01	1	4.68	[0.04]	0.00	1	0.40	4	0.59	10	0.75	0.36-1.37
141	Tongue	1	0.65	[0.32]	0.00	[0.03]	0.00	[1.01]	0.00	5	1.24	6	0.87	0.32-1.88
142	Salivary glands	2	2.37	1	7.02	[0.02]	0.00	[0.46]	0.00	2	0.79	5	1.25	0.41-2.92
143-144	Oral cavity	3	1.02	[0.32]	0.00	[0.03]	0.00	3	2.10	2	0.39	8	0.81	0.35-1.60
145-148	Pharynx	[3.60]	0.00	1	2.64	[0.04]	0.00	1	0.60	8	0.93	10	0.70	0.34-1.29
145	-oropharynx ²	[2.05]	0.00	[0.21]	0.00	[0.01]	0.00	[0.63]	0.00	2	0.49	2	0.29	0.03-1.04
146	-nasopharynx ²	[0.50]	0.00	1	13.18	[0.02]	0.00	1	3.37	3	1.74	5	1.91	0.62-4.46
150	Oesophagus	4	0.59	[0.50]	0.00	[0.13]	0.00	3	1.07	13	1.10	20	0.91	0.55-1.40
	-adenocarcinoma ²	2	0.72	[0.17]	0.00	[0.06]	0.00	[0.58]	0.00	2	0.55	4	0.55	0.15-1.41
151	Stomach	11	0.82	5	3.34	1	2.52	17	1.07	56	1.30	90	1.21	0.97-1.49
151.1	-cardia ²	4	0.92	2	5.80	[0.09]	0.00	4	1.47	11	1.73	21	1.51	0.94-2.31
152	Small intestine	1	0.90	1	5.05	[0.05]	0.00	2	2.44	5	0.94	9	1.20	0.55-2.27
153	Colon	38	1.17	1	0.56	[0.57]	0.00	21	0.97	54	0.86	114	0.95	0.79-1.15
154	Rectum, rectosigma	21	0.93	2	1.40	[0.21]	0.00	11	0.84	36	0.80	70	0.85	0.66-1.08
155.0	Primary liver	3	0.62	[0.40]	0.00	[0.06]	0.00	1	0.61	14	1.21	18	0.98	0.58-1.54
	-hemangiosarcoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.06]	0.00	[0.06]	0.00	0.00-57.87
155.1	Gall bladder	1	0.41	[0.22]	0.00	[0.03]	0.00	3	2.46	6	1.48	10	1.26	0.60-2.31
157	Pancreas	9	0.78	1	0.87	[0.23]	0.00	12	1.48	31	1.20	53	1.13	0.84-1.48
160	Nose	2	1.72	[0.10]	0.00	[0.02]	0.00	[0.64]	0.00	4	1.90	6	1.49	0.55-3.25
	-adenocarcinoma ²	-	-	[0.00]	0.00	[0.00]	0.00	[0.08]	0.00	1	2.97	1	2.36	0.06-13.13
161	Larynx	6	0.78	[0.47]	0.00	[0.09]	0.00	1	0.34	14	1.57	21	1.04	0.65-1.60
162,163	Lung	61	0.78	1	0.25	[0.97]	0.00	24	0.76	84	1.01	170	0.86	0.74-1.00
	-adenocarcinoma ²	8	0.47	[0.89]	0.00	[0.29]	0.00	4	0.69	11	0.61	23	0.55	0.35-0.82
	-small cell ²	-	-	[0.72]	0.00	[0.18]	0.00	3	0.57	6	0.75	9	0.63	0.29-1.20
	-squamous cell ²	24	0.92	[1.06]	0.00	[0.23]	0.00	10	1.02	40	1.41	74	1.13	0.89-1.42
	-other ²	-	-	1	0.76	[0.25]	0.00	5	0.67	27	0.94	33	0.88	0.60-1.23
158, 162.2	Mesothelioma ²	[2.15]	0.00	1	4.58	[0.02]	0.00	[0.91]	0.00	5	1.35	6	0.86	0.31-1.86
170	Breast	1	1.34	[0.06]	0.00	[0.03]	0.00	[0.33]	0.00	1	0.63	2	0.73	0.09-2.63
177	Prostate	44	0.88	8	1.33	2	1.26	55	1.01	213	0.93	322	0.94	0.85-1.05
178	Testis	2	0.63	[0.56]	0.00	[0.36]	0.00	4	2.40	7	0.66	13	0.80	0.42-1.36
	-seminoma ²	[1.32]	0.00	[0.38]	0.00	[0.25]	0.00	2	1.74	5	0.67	7	0.66	0.27-1.36
	-non-seminoma ²	2	1.06	[0.18]	0.00	[0.10]	0.00	1	2.63	2	0.65	5	0.89	0.29-2.08
179.0	Penis	3	2.01	[0.11]	0.00	[0.03]	0.00	1	1.22	3	0.84	7	1.16	0.47-2.40
180	Kidney	8	0.82	2	1.07	1	2.22	4	0.50	44	1.30	59	1.10	0.83-1.41
180.1	-renal pelvis ²	6	1.58	[0.09]	0.00	[0.02]	0.00	1	1.09	2	0.59	9	1.10	0.50-2.09
181	Bladder	50	1.22	1	0.70	[0.57]	0.00	28	1.48	80	1.28	159	1.28	1.09-1.49
190	Melanoma	9	0.94	2	0.94	[0.29]	0.00	12	1.48	32	0.85	55	0.95	0.72-1.24
190.6	-upper limbs ²	2	1.74	[0.28]	0.00	[0.04]	0.00	1	1.36	4	0.69	7	0.88	0.35-1.80
192	Eye	[1.07]	0.00	[0.15]	0.00	[0.02]	0.00	1	1.51	4	1.33	5	1.02	0.33-2.38
	-melanoma ²	[0.93]	0.00	[0.14]	0.00	[0.01]	0.00	1	1.71	3	1.32	4	1.01	0.28-2.59
193	Brain	6	0.56	3	1.32	[0.34]	0.00	3	0.51	35	1.07	47	0.90	0.66-1.20
	-glioma ²	2	1.75	1	0.87	[0.21]	0.00	1	0.33	17	1.01	21	0.94	0.58-1.44
	-meningeoma ²	[1.36]	0.00	1	2.50	[0.07]	0.00	1	1.06	13	2.09	15	1.67	0.93-2.75
194	Thyroid	[0.91]	0.00	1	1.69	[0.17]	0.00	[1.10]	0.00	7	1.37	8	1.01	0.44-2.00
	-follicular ²	-	-	[0.05]	0.00	[0.02]	0.00	[0.13]	0.00	[0.34]	0.00	[0.54]	0.00	0.00-6.85
	-papillary ²	-	-	1	2.15	[0.13]	0.00	[0.58]	0.00	3	2.34	4	1.63	0.44-4.18
195.0	Glandula suprarenalis	[0.22]	0.00	[0.06]	0.00	[0.00]	0.00	1	7.36	1	1.83	2	2.07	0.25-7.49
195.1	Parathyreoidea	[0.01]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	1	26.02	1	18.20	0.46-101.40
195.2	Thymus	[0.10]	0.00	[0.02]	0.00	[0.01]	0.00	[0.06]	0.00	1	4.25	1	2.35	0.06-13.11
195.3	Hypophysis	[0.03]	0.00	[0.00]	0.00	[0.06]	0.00	[0.01]	0.00	[0.05]	0.00	[0.15]	0.00	0.00-24.24
195.4	Corpus pineale	-	-	[0.00]	0.00	-	-	[0.00]	0.00	-	-	[0.01]	0.00	0.00-553.70
196	Bone	1	2.55	[0.13]	0.00	[0.04]	0.00	[0.32]	0.00	2	1.11	3	1.12	0.23-3.27
	-chondrosarcoma ²	-	-	[0.07]	0.00	[0.03]	0.00	[0.08]	0.00	[0.84]	0.00	[1.02]	0.00	0.00-3.61
197	Soft tissue	1	0.73	[0.40]	0.00	[0.10]	0.00	2	2.05	5	0.67	8	0.77	0.33-1.52
	-fibrosarcoma ²	-	-	[0.12]	0.00	-	-	[0.09]	0.00	[0.97]	0.00	[1.18]	0.00	0.00-3.13
	-liposarcoma ²	-	-	[0.11]	0.00	[0.03]	0.00	[0.15]	0.00	[1.32]	0.00	[1.60]	0.00	0.00-2.30
200,202	Non-Hodgkin lymphoma	5	0.51	4	1.87	[0.37]	0.00	4	0.72	29	0.92	42	0.85	0.61-1.15
201	Hodgkin lymphoma	1	0.62	[0.51]	0.00	[0.07]	0.00	[1.04]	0.00	7	1.24	8	0.90	0.39-1.78
203	Multiple myeloma	7	1.30	[0.42]	0.00	[0.11]	0.00	4	0.95	14	1.01	25	1.04	0.67-1.54
204	Leukaemia	6	0.53	2	2.10	[0.22]	0.00	8	1.36	18	0.77	34	0.82	0.57-1.14
	-chronic lymphatic ²	-	-	2	7.21	[0.06]	0.00	4	1.87	9	0.90	15	1.20	0.67-1.98
	-acute myeloid ²	1	0.31	[0.28]	0.00	[0.08]	0.00	2	0.95	3	0.57	6	0.55	0.20-1.19
	Mycosis fungoides ²	[0.31]	0.00	[0.04]	0.00	[0.01]	0.00	[0.16]	0.00	2	1.08	2	0.84	0.10-3.05
199	Other/unknown site	5	1.00	[0.62]	0.00	[0.15]	0.00	12	1.34	35	1.25	52	1.22	0.91-1.60
140-204	All sites	320	0.91	38	1.12	4	0.50	240	1.02	884	1.02	1486	0.99	0.94-1.04
Not included above														
191	Other skin	-	-	2	3.12	[0.21]	0.00	11	1.01	57	1.50	70	1.41	1.10-1.78
191.6	-upper limbs ²	-	-	[0.08]	0.00	[0.02]	0.00	1	1.08	1	0.23	2	0.37	0.04-1.34

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Assistant nurses. Women (N = 202 975). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	12	2.44	11	0.96	[0.18]	0.00	7	1.17	34	1.17	64	1.24	0.95-1.58
141	Tongue	4	0.56	17	1.24	[0.49]	0.00	7	0.77	30	0.77	58	0.84	0.64-1.08
142	Salivary glands	6	1.05	3	0.31	[0.36]	0.00	8	1.28	32	0.83	49	0.81	0.60-1.07
143-144	Oral cavity	16	1.00	13	0.97	[1.00]	0.00	15	1.05	46	0.88	90	0.93	0.75-1.14
145-148	Pharynx	16	1.29	2	0.24	1	2.36	5	0.53	53	1.08	77	0.97	0.76-1.21
145	-oropharynx ²	6	0.83	1	0.30	1	5.13	4	0.80	34	1.24	46	1.07	0.78-1.42
146	-nasopharynx ²	5	2.59	[2.27]	0.00	[0.23]	0.00	[1.56]	0.00	11	1.12	16	1.01	0.58-1.64
150	Oesophagus	20	0.91	19	0.67	1	0.79	9	0.63	54	0.85	103	0.80	0.66-0.97
	-adenocarcinoma ²	4	0.74	1	0.33	1	2.74	3	1.06	13	1.14	22	0.96	0.60-1.45
151	Stomach	61	0.97	141	0.95	2	0.37	86	0.85	399	1.12	689	1.03	0.95-1.11
151.1	-cardia ²	9	0.85	13	0.97	[0.50]	0.00	9	0.63	33	1.15	64	0.95	0.73-1.21
152	Small intestine	12	1.43	12	0.94	[0.82]	0.00	22	1.56	71	1.10	117	1.16	0.97-1.39
153	Colon	302	1.00	219	0.97	13	1.05	379	1.04	995	0.97	1908	0.99	0.94-1.03
154	Rectum, rectosigma	121	0.90	128	0.93	3	0.59	145	0.91	576	1.02	973	0.97	0.91-1.04
155.0	Primary liver	31	1.32	38	1.12	[0.85]	0.00	10	0.73	84	0.83	163	0.94	0.81-1.10
	-hemangiosarcoma ²	-	-	[0.29]	0.00	[0.04]	0.00	[0.09]	0.00	[0.83]	0.00	[1.25]	0.00	0.00-2.96
155.1	Gall bladder	25	0.74	49	0.83	1	0.90	19	0.80	101	0.65	195	0.72	0.62-0.82
157	Pancreas	94	0.98	131	1.00	4	0.85	90	0.92	342	0.96	661	0.97	0.89-1.04
160	Nose	7	1.16	5	0.82	[0.53]	0.00	3	0.56	21	1.08	36	0.96	0.67-1.33
	-adenocarcinoma ²	-	-	1	2.31	-	-	1	2.06	2	1.29	4	1.62	0.44-4.15
161	Larynx	13	0.89	1	0.19	1	2.12	2	0.30	24	1.09	41	0.84	0.60-1.13
162,163	Lung	447	1.19	163	0.91	17	0.69	241	0.99	814	1.00	1682	1.03	0.98-1.08
	-adenocarcinoma ²	149	1.23	52	1.03	4	0.45	88	1.16	302	1.01	595	1.07	0.99-1.16
	-small cell ²	-	-	34	1.10	2	0.52	46	0.87	109	0.94	191	0.94	0.81-1.08
	-squamous cell ²	78	1.13	20	0.69	3	0.77	44	1.15	143	1.05	288	1.04	0.93-1.17
	-other ²	-	-	57	0.83	7	0.88	58	0.85	260	0.99	382	0.94	0.85-1.04
158, 162.2	Mesothelioma ²	1	0.21	5	0.72	1	18.60	8	2.62	14	1.10	29	1.05	0.70-1.50
170	Breast	809	0.92	1300	0.94	63	0.91	923	0.94	4965	0.96	8060	0.95	0.93-0.97
	-ductal ²	-	-	965	0.95	52	0.95	646	0.92	1804	0.96	3467	0.95	0.92-0.98
	-lobular ²	-	-	155	0.89	4	0.72	73	0.92	378	0.93	610	0.92	0.85-1.00
171	Cervix uteri	166	1.08	61	0.81	5	0.69	140	0.96	607	1.05	979	1.02	0.96-1.09
172	Corpus uteri	178	0.85	258	0.89	8	0.74	229	1.03	915	0.95	1588	0.93	0.89-0.98
173	Choriocarcinoma	[0.18]	0.00	1	1.57	[0.06]	0.00	[0.46]	0.00	3	1.06	4	0.96	0.26-2.46
175.0	Ovary	180	1.00	191	0.96	11	1.21	199	0.96	1043	0.99	1624	0.98	0.94-1.03
175.1	Fallopian tube	5	0.92	18	1.66	1	3.11	11	1.58	20	0.72	55	1.07	0.81-1.40
176.0	Vulva	16	1.01	13	0.58	1	1.04	24	0.89	81	0.93	135	0.88	0.75-1.05
176.1	Vagina	6	0.87	7	1.13	[0.25]	0.00	3	0.52	37	1.39	53	1.16	0.87-1.52
180	Kidney	47	0.77	85	0.72	5	0.81	72	0.93	342	0.99	551	0.91	0.83-0.98
180.1	-renal pelvis ²	28	1.25	7	1.28	1	2.14	7	0.81	32	0.95	75	1.06	0.84-1.33
181	Bladder	137	1.25	64	1.05	6	1.16	90	0.98	356	1.06	653	1.08	1.00-1.17
190	Melanoma	91	0.95	117	0.99	5	0.71	161	0.86	590	0.90	964	0.91	0.85-0.96
190.6	-upper limbs ²	16	0.91	16	0.74	[1.05]	0.00	25	0.87	112	0.89	169	0.87	0.75-1.01
192	Eye	9	1.09	14	1.18	[0.27]	0.00	12	1.14	45	1.06	80	1.09	0.86-1.36
	-melanoma ²	9	1.22	13	1.18	[0.23]	0.00	10	1.10	34	1.08	66	1.12	0.86-1.42
193	Brain	110	1.08	174	1.02	4	0.47	112	0.90	619	1.05	1019	1.03	0.96-1.09
	-glioma ²	5	0.61	58	1.19	2	0.66	34	0.83	188	0.96	287	0.97	0.86-1.08
	-meningeoma ²	21	0.85	70	0.94	1	0.22	51	1.02	283	1.11	426	1.04	0.95-1.15
194	Thyroid	11	0.71	119	1.21	12	1.43	49	0.96	202	1.00	393	1.05	0.95-1.16
	-follicular ²	-	-	17	1.38	2	2.00	4	0.59	10	0.87	33	1.04	0.72-1.47
	-papillary ²	-	-	95	1.26	10	1.45	43	1.21	54	0.95	202	1.15	1.01-1.33
195.0	Glandula suprarenalis	2	1.09	4	0.96	[0.17]	0.00	4	1.69	6	0.63	16	0.89	0.51-1.44
195.1	Parathyreoidea	[0.14]	0.00	[0.14]	0.00	-	-	[0.25]	0.00	[2.03]	0.00	[2.56]	0.00	0.00-1.44
195.2	Thymus	2	2.44	2	1.25	-	-	1	1.26	4	1.03	9	1.26	0.58-2.40
195.3	Hypophysis	[0.21]	0.00	[0.10]	0.00	[0.95]	0.00	[0.19]	0.00	1	1.35	1	0.46	0.01-2.54
195.4	Corpus pineale	-	-	[0.47]	0.00	-	-	[0.16]	0.00	-	-	[0.63]	0.00	0.00-5.89
196	Bone	4	1.52	6	1.13	[0.54]	0.00	2	0.47	15	0.71	27	0.79	0.52-1.16
	-chondrosarcoma ²	-	-	1	0.38	[0.34]	0.00	1	0.78	7	0.69	9	0.63	0.29-1.19
197	Soft tissue	10	0.99	22	0.83	1	1.11	11	0.87	97	0.94	141	0.92	0.78-1.08
	-fibrosarcoma ²	-	-	6	0.77	[0.05]	0.00	1	1.48	12	1.03	19	0.94	0.57-1.47
	-liposarcoma ²	-	-	3	0.51	1	4.79	2	1.13	13	0.83	19	0.81	0.49-1.26
200,202	Non-Hodgkin lymphoma	67	0.89	149	1.03	6	1.13	100	1.02	449	1.12	771	1.06	0.99-1.14
201	Hodgkin lymphoma	4	0.50	14	0.92	1	1.29	10	1.18	50	0.95	79	0.93	0.74-1.16
203	Multiple myeloma	37	1.01	53	1.04	3	1.20	44	0.90	164	0.97	301	0.98	0.87-1.09
204	Leukaemia	79	1.12	73	0.99	3	0.71	58	0.94	283	1.05	496	1.04	0.95-1.13
	-chronic lymphatic ²	-	-	26	1.07	1	0.80	24	1.16	90	0.93	141	0.99	0.84-1.16
	-acute myeloid ²	30	1.23	26	0.99	1	0.54	19	0.74	96	1.14	172	1.06	0.91-1.23
	Mycosis fungoides ²	2	1.28	2	0.93	1	5.56	3	1.96	22	1.26	30	1.31	0.89-1.88
199	Other/unknown site	52	1.02	76	0.82	2	0.39	90	0.81	492	0.94	712	0.91	0.84-0.98
140-204	All sites	3127	1.00	3810	0.94	191	0.88	3412	0.95	15098	0.98	25638	0.97	0.96-0.98
Not included above														
	Ovary borderline ²	-	-	46	1.10	8	1.84	41	0.98	241	1.22	336	1.17	1.05-1.31
191	Other skin	-	-	90	0.97	7	1.31	101	0.90	373	0.94	571	0.94	0.87-1.02
191.6	-upper limbs ²	-	-	6	0.79	[0.68]	0.00	11	0.89	43	0.88	60	0.86	0.66-1.11

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Other health and medical workers. Men (N = 29 221). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total			
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI	
140	Lip	2	0.16	6	0.62	[0.10]	0.00	1	0.19	15	0.86	24	0.54	0.34-0.80	
141	Tongue	1	0.24	2	0.55	[0.06]	0.00	4	1.61	8	0.93	15	0.79	0.44-1.31	
142	Salivary glands	6	2.42	1	0.49	[0.05]	0.00	2	1.87	5	0.87	14	1.23	0.67-2.06	
143-144	Oral cavity	4	0.49	3	0.82	[0.08]	0.00	4	1.20	9	0.76	20	0.74	0.45-1.14	
145-148	Pharynx	9	0.92	6	1.32	[0.09]	0.00	6	1.49	15	0.82	36	0.98	0.69-1.36	
145	-oropharynx ²	7	1.28	3	1.55	[0.03]	0.00	4	2.41	6	0.76	20	1.18	0.72-1.82	
146	-nasopharynx ²	[1.45]	0.00	2	2.14	[0.02]	0.00	1	1.46	4	1.09	7	1.03	0.42-2.13	
150	Oesophagus	10	0.50	8	0.79	[0.35]	0.00	5	0.80	14	0.49	37	0.57	0.40-0.78	
	-adenocarcinoma ²	3	0.37	1	0.40	[0.14]	0.00	3	2.23	3	0.36	10	0.49	0.24-0.90	
151	Stomach	38	0.89	37	0.83	[1.03]	0.00	30	0.87	84	0.77	189	0.81	0.71-0.94	
151.1	-cardia ²	13	0.99	10	1.26	[0.20]	0.00	7	1.16	15	0.99	45	1.06	0.77-1.42	
152	Small intestine	2	0.59	4	1.31	[0.12]	0.00	3	1.58	15	1.21	24	1.15	0.74-1.71	
153	Colon	85	0.86	36	0.91		2	1.39	44	0.93	171	1.07	338	0.97	0.88-1.08
154	Rectum, rectosigma	70	1.01	47	1.45		1	1.87	25	0.86	96	0.86	239	0.99	0.87-1.12
155.0	Primary liver	15	1.03	12	1.05	[0.17]	0.00	7	1.96	25	0.87	59	1.01	0.77-1.30	
	-hemangiosarcoma ²	-	-	[0.05]	0.00	-	-	[0.01]	0.00	[0.15]	0.00	[0.20]	0.00	0.00-18.44	
155.1	Gall bladder	13	1.67	3	0.50	[0.08]	0.00	2	0.75	10	0.96	28	1.04	0.69-1.50	
157	Pancreas	41	1.14	21	0.74	[0.53]	0.00	25	1.42	69	1.07	156	1.06	0.90-1.24	
160	Nose	3	0.87	2	1.15	[0.05]	0.00	[1.45]	0.00	4	0.82	9	0.78	0.36-1.48	
	-adenocarcinoma ²	-	-	[0.11]	0.00	[0.00]	0.00	[0.19]	0.00	[0.81]	0.00	[1.12]	0.00	0.00-3.28	
161	Larynx	13	0.58	10	0.91	[0.21]	0.00	7	1.05	22	1.01	52	0.84	0.63-1.10	
162,163	Lung	210	0.87	93	0.59		1	0.41	62	0.90	199	0.95	565	0.83	0.76-0.90
	-adenocarcinoma ²	45	0.93	15	0.68		1	1.43	7	0.52	50	1.18	118	0.93	0.77-1.11
	-small cell ²	-	-	14	0.56	[0.49]	0.00	9	0.77	17	0.84	40	0.70	0.50-0.95	
	-squamous cell ²	73	0.89	32	0.65	[0.58]	0.00	20	0.95	72	0.97	197	0.87	0.75-1.00	
	-other ²	-	-	32	0.52	[0.62]	0.00	24	1.46	60	0.83	116	0.77	0.64-0.92	
158, 162.2	Mesothelioma ²	5	0.79	2	0.55	[0.06]	0.00	1	0.48	6	0.67	14	0.67	0.36-1.12	
170	Breast	3	1.34	1	1.00	[0.07]	0.00	1	1.34	6	1.58	11	1.40	0.70-2.50	
177	Prostate	198	1.26	207	1.12		5	1.00	121	1.03	609	1.02	1140	1.08	1.01-1.14
178	Testis	11	1.40	2	0.56	[0.21]	0.00	5	1.05	11	0.71	29	0.91	0.61-1.31	
	-seminoma ²	3	0.92	[2.47]	0.00	[0.16]	0.00	3	0.91	8	0.73	14	0.69	0.38-1.17	
	-non-seminoma ²	8	1.72	2	1.83	[0.06]	0.00	1	0.89	3	0.68	14	1.23	0.67-2.07	
179.0	Penis	4	0.90	1	0.66	[0.07]	0.00	4	2.13	9	1.13	18	1.13	0.67-1.79	
180	Kidney	25	0.85	30	0.92		2	2.17	19	1.05	83	1.02	159	0.98	0.84-1.14
180.1	-renal pelvis ²	20	1.74	2	1.02	[0.05]	0.00	1	0.50	8	0.96	31	1.30	0.88-1.85	
181	Bladder	121	0.97	33	0.76		1	0.72	43	1.05	172	1.08	370	1.00	0.90-1.11
190	Melanoma	27	1.03	29	1.20	[0.41]	0.00	23	1.11	97	1.27	176	1.19	1.03-1.38	
190.6	-upper limbs ²	2	0.64	2	0.64	[0.06]	0.00	3	1.58	19	1.65	26	1.32	0.86-1.93	
192	Eye	3	0.96	6	2.71	[0.04]	0.00	[1.55]	0.00	6	0.90	15	1.11	0.62-1.82	
	-melanoma ²	3	1.10	6	2.98	[0.03]	0.00	[1.36]	0.00	5	0.96	14	1.23	0.67-2.07	
193	Brain	35	1.16	34	1.41	[0.59]	0.00	23	1.60	84	1.26	176	1.30	1.12-1.50	
	-glioma ²	6	1.87	14	1.24	[0.35]	0.00	11	1.46	42	1.25	73	1.30	1.02-1.64	
	-meningeoma ²	4	1.04	8	1.66	[0.14]	0.00	6	2.59	19	1.40	37	1.50	1.05-2.06	
194	Thyroid	4	1.51	5	0.88	[0.32]	0.00	4	1.49	14	1.30	27	1.22	0.80-1.77	
	-follicular ²	-	-	1	1.16	[0.05]	0.00	2	6.43	3	4.78	6	3.24	1.19-7.04	
	-papillary ²	-	-	3	0.82	[0.23]	0.00	1	0.66	[2.01]	0.00	4	0.54	0.15-1.38	
195.0	Glandula suprarenalis	[0.66]	0.00	2	2.14	[0.02]	0.00	[0.33]	0.00	1	0.85	3	0.96	0.20-2.82	
195.1	Parathyreoidea	[0.04]	0.00	[0.02]	0.00	[0.00]	0.00	[0.01]	0.00	[0.08]	0.00	[0.14]	0.00	0.00-26.06	
195.2	Thymus	1	3.13	[0.26]	0.00	[0.01]	0.00	[0.15]	0.00	[0.51]	0.00	1	0.80	0.02-4.43	
195.3	Hypophysis	[0.09]	0.00	[0.02]	0.00	[0.10]	0.00	[0.02]	0.00	[0.12]	0.00	[0.36]	0.00	0.00-10.26	
195.4	Corpus pineale	-	-	[0.05]	0.00	-	-	[0.01]	0.00	-	-	[0.06]	0.00	0.00-62.76	
196	Bone	2	1.78	6	4.02	[0.05]	0.00	4	5.17	4	1.09	16	2.25	1.29-3.66	
	-chondrosarcoma ²	-	-	3	3.84	[0.04]	0.00	2	9.79	3	1.80	8	2.97	1.28-5.85	
197	Soft tissue	5	1.24	4	0.76	[0.11]	0.00	1	0.44	17	1.03	27	0.96	0.63-1.40	
	-fibrosarcoma ²	-	-	2	1.12	-	-	[0.20]	0.00	[2.25]	0.00	2	0.47	0.06-1.70	
	-liposarcoma ²	-	-	[1.19]	0.00	[0.04]	0.00	[0.37]	0.00	5	1.78	5	1.13	0.37-2.65	
200,202	Non-Hodgkin lymphoma	31	1.09	32	1.07	[0.64]	0.00	13	0.97	62	0.86	138	0.95	0.81-1.13	
201	Hodgkin lymphoma	4	0.88	7	1.46	[0.09]	0.00	4	1.60	8	0.68	23	0.97	0.62-1.46	
203	Multiple myeloma	18	1.11	8	0.80	[0.26]	0.00	8	0.87	46	1.34	80	1.14	0.91-1.42	
204	Leukaemia	36	1.05	13	0.71	[0.46]	0.00	15	1.14	54	0.99	118	0.98	0.82-1.17	
	-chronic lymphatic ²	-	-	4	0.52	[0.15]	0.00	3	0.63	15	0.61	22	0.59	0.37-0.89	
	-acute myeloid ²	10	1.02	3	0.59	[0.16]	0.00	6	1.26	13	1.06	32	1.00	0.68-1.41	
	Mycosis fungoides ²	[0.97]	0.00	1	1.36	[0.02]	0.00	1	2.74	2	0.45	4	0.61	0.17-1.57	
199	Other/unknown site	14	0.93	12	0.76		1	2.66	10	0.52	79	1.15	116	0.97	0.81-1.17
140-204	All sites	1026	0.96	730	0.93		13	0.70	527	1.01	2131	1.00	4427	0.98	0.95-1.01
Not included above															
191	Other skin	-	-	24	1.08		1	1.80	23	0.99	118	1.15	166	1.12	0.96-1.30
191.6	-upper limbs ²	-	-	3	1.70	[0.05]	0.00	1	0.50	10	0.89	14	0.93	0.51-1.57	

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Other health and medical workers. Women (N = 109 332). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	2	0.48	7	0.82	[0.04]	0.00	8	1.35	18	1.82	35	1.23	0.86-1.71
141	Tongue	6	1.08	10	0.90	[0.09]	0.00	6	0.66	12	0.91	34	0.87	0.60-1.22
142	Salivary glands	2	0.43	4	0.50	[0.08]	0.00	5	0.79	9	0.69	20	0.63	0.38-0.97
143-144	Oral cavity	8	0.63	9	0.84	[0.18]	0.00	12	0.83	15	0.86	44	0.79	0.58-1.06
145-148	Pharynx	4	0.44	3	0.44	[0.10]	0.00	4	0.42	17	1.02	28	0.66	0.44-0.96
145	-oropharynx ²	[5.27]	0.00	1	0.35	[0.05]	0.00	[4.65]	0.00	11	1.14	12	0.53	0.28-0.93
146	-nasopharynx ²	[1.44]	0.00	[1.85]	0.00	[0.05]	0.00	2	1.19	2	0.61	4	0.48	0.13-1.23
150	Oesophagus	19	1.10	13	0.62	[0.22]	0.00	10	0.68	18	0.87	60	0.81	0.62-1.04
	-adenocarcinoma ²	5	1.16	3	1.30	[0.06]	0.00	4	1.47	3	0.79	15	1.14	0.64-1.87
151	Stomach	42	0.81	111	0.97	2	1.99	106	0.91	101	0.87	362	0.90	0.82-1.00
151.1	-cardia ²	7	0.82	12	1.17	[0.11]	0.00	13	0.85	13	1.36	45	1.03	0.75-1.38
152	Small intestine	5	0.75	11	1.09	[0.18]	0.00	14	1.01	22	1.02	52	0.99	0.74-1.30
153	Colon	239	0.95	182	1.04	1	0.42	376	1.03	325	0.96	1123	0.99	0.93-1.05
154	Rectum, rectosigma	102	0.92	121	1.13	[1.02]	0.00	175	1.10	182	0.97	580	1.03	0.95-1.11
155.0	Primary liver	22	1.17	27	1.05	[0.16]	0.00	19	1.35	23	0.69	91	0.99	0.79-1.21
	-hemangiosarcoma ²	-	-	[0.22]	0.00	[0.01]	0.00	[0.08]	0.00	[0.28]	0.00	[0.58]	0.00	0.00-6.38
155.1	Gall bladder	20	0.71	44	0.99	[0.20]	0.00	23	0.90	43	0.86	130	0.88	0.74-1.04
157	Pancreas	93	1.20	98	0.98	[0.92]	0.00	92	0.91	120	1.03	403	1.02	0.92-1.12
160	Nose	6	1.23	2	0.42	[0.12]	0.00	5	0.88	3	0.46	16	0.73	0.42-1.18
	-adenocarcinoma ²	-	-	[0.34]	0.00	-	-	1	1.92	[0.53]	0.00	1	0.72	0.02-4.03
161	Larynx	9	0.83	[4.07]	0.00	[0.12]	0.00	8	1.24	10	1.37	27	0.94	0.62-1.36
162,163	Lung	185	0.67	108	0.78	[4.99]	0.00	189	0.83	243	0.88	725	0.79	0.73-0.84
	-adenocarcinoma ²	74	0.85	27	0.68	[1.87]	0.00	71	1.00	95	0.93	267	0.88	0.78-1.00
	-small cell ²	-	-	24	1.00	[0.78]	0.00	39	0.81	32	0.81	95	0.85	0.68-1.03
	-squamous cell ²	32	0.62	17	0.77	[0.76]	0.00	16	0.45	37	0.82	102	0.66	0.54-0.80
	-other ²	-	-	40	0.76	[1.57]	0.00	53	0.83	79	0.89	172	0.83	0.72-0.97
158, 162.2	Mesothelioma ²	4	1.03	4	0.75	[0.01]	0.00	2	0.70	5	1.17	15	0.92	0.51-1.52
170	Breast	835	1.25	1367	1.18	19	1.21	1008	1.05	2019	1.13	5248	1.14	1.11-1.17
	-ductal ²	-	-	1016	1.18	14	1.13	732	1.09	764	1.12	2526	1.14	1.09-1.18
	-lobular ²	-	-	192	1.27	1	0.78	71	1.00	184	1.27	448	1.22	1.11-1.33
171	Cervix uteri	56	0.48	41	0.66	1	0.60	116	0.76	161	0.81	375	0.70	0.64-0.78
172	Corpus uteri	215	1.29	263	1.18	2	0.86	219	1.01	288	0.90	987	1.06	1.00-1.13
173	Choriocarcinoma	[0.12]	0.00	[0.59]	0.00	[0.01]	0.00	1	2.10	2	1.92	3	1.34	0.28-3.91
175.0	Ovary	153	1.13	163	1.03	4	2.09	219	1.05	354	0.98	893	1.03	0.97-1.10
175.1	Fallopian tube	2	0.49	10	1.16	[0.08]	0.00	11	1.70	10	1.04	33	1.15	0.79-1.61
176.0	Vulva	9	0.67	12	0.69	1	5.12	20	0.71	26	0.89	68	0.77	0.60-0.97
176.1	Vagina	2	0.36	8	1.65	[0.05]	0.00	7	1.18	13	1.45	30	1.18	0.80-1.69
180	Kidney	40	0.83	68	0.75	2	1.59	71	0.91	124	1.09	305	0.92	0.82-1.03
180.1	-renal pelvis ²	15	0.84	2	0.48	[0.08]	0.00	11	1.29	17	1.54	45	1.08	0.79-1.45
181	Bladder	89	1.00	55	1.19	[1.00]	0.00	90	0.97	129	1.15	363	1.07	0.96-1.18
190	Melanoma	92	1.24	121	1.23	[1.60]	0.00	207	1.19	270	1.17	690	1.19	1.11-1.28
190.6	-upper limbs ²	23	1.70	22	1.22	[0.25]	0.00	34	1.26	43	0.97	122	1.18	0.99-1.41
192	Eye	5	0.79	10	1.06	[0.07]	0.00	12	1.15	20	1.38	47	1.15	0.85-1.54
	-melanoma ²	5	0.88	10	1.15	[0.06]	0.00	8	0.88	13	1.23	36	1.06	0.74-1.46
193	Brain	76	0.99	121	0.85	1	0.55	110	0.92	178	0.87	486	0.89	0.82-0.98
	-glioma ²	8	1.32	29	0.71	1	1.50	37	0.92	60	0.89	135	0.87	0.73-1.03
	-meningeoma ²	18	0.96	53	0.85	[0.98]	0.00	45	0.97	68	0.77	184	0.85	0.73-0.98
194	Thyroid	10	0.82	104	1.20	[1.90]	0.00	47	0.95	67	0.96	228	1.04	0.91-1.18
	-follicular ²	-	-	11	1.14	[0.22]	0.00	5	0.77	3	0.73	19	0.93	0.56-1.45
	-papillary ²	-	-	80	1.16	[1.56]	0.00	28	0.86	22	1.05	130	1.05	0.88-1.25
195.0	Glandula suprarenalis	2	1.45	4	1.19	[0.03]	0.00	1	0.44	4	1.22	11	1.07	0.53-1.92
195.1	Parathyreoidea	[0.11]	0.00	[0.12]	0.00	-	-	[0.24]	0.00	3	4.50	3	2.63	0.54-7.68
195.2	Thymus	1	1.60	1	0.75	-	-	[0.73]	0.00	1	0.74	3	0.75	0.15-2.18
195.3	Hypophysis	[0.16]	0.00	[0.08]	0.00	[0.20]	0.00	[0.18]	0.00	[0.25]	0.00	[0.87]	0.00	0.00-4.25
195.4	Corpus pineale	-	-	1	2.44	-	-	[0.14]	0.00	-	-	1	1.81	0.05-10.07
196	Bone	[2.00]	0.00	1	0.23	[0.12]	0.00	4	0.95	8	1.10	13	0.72	0.39-1.24
	-chondrosarcoma ²	-	-	[2.13]	0.00	[0.07]	0.00	1	0.80	2	0.56	3	0.43	0.09-1.25
197	Soft tissue	6	0.77	29	1.35	[0.21]	0.00	12	0.92	33	0.94	80	1.03	0.81-1.28
	-fibrosarcoma ²	-	-	9	1.50	[0.01]	0.00	[0.82]	0.00	1	0.26	10	0.94	0.45-1.73
	-liposarcoma ²	-	-	5	1.02	[0.05]	0.00	[1.79]	0.00	4	0.74	9	0.74	0.34-1.41
200,202	Non-Hodgkin lymphoma	70	1.17	124	1.08	[1.11]	0.00	87	0.94	140	1.03	421	1.04	0.95-1.15
201	Hodgkin lymphoma	9	1.47	16	1.23	[0.14]	0.00	10	1.06	23	1.28	58	1.24	0.94-1.61
203	Multiple myeloma	33	1.12	39	1.00	[0.51]	0.00	44	0.87	51	0.92	167	0.95	0.82-1.11
204	Leukaemia	64	1.12	72	1.24	1	1.10	51	0.79	94	1.04	282	1.04	0.93-1.17
	-chronic lymphatic ²	-	-	24	1.30	1	4.08	17	0.81	36	1.11	78	1.08	0.85-1.35
	-acute myeloid ²	15	0.79	21	1.02	[0.41]	0.00	20	0.76	24	0.84	80	0.84	0.67-1.05
	Mycosis fungoides ²	2	1.63	2	1.10	[0.04]	0.00	4	2.71	8	1.44	16	1.58	0.90-2.56
199	Other/unknown site	42	1.03	73	1.03	3	2.75	106	0.87	162	0.92	386	0.94	0.85-1.04
140-204	All sites	2449	1.00	3476	1.07	37	0.80	3521	0.99	5354	1.02	14837	1.02	1.00-1.04
	Not included above													
	Ovary borderline ²	-	-	38	1.03	2	2.04	30	0.80	70	0.98	140	0.96	0.81-1.13
191	Other skin	-	-	74	1.04	2	1.86	125	1.11	153	1.16	354	1.12	1.01-1.24
191.6	-upper limbs ²	-	-	4	0.68	[0.13]	0.00	12	0.99	20	1.22	36	1.04	0.73-1.44

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Teachers. Men (N = 206 019). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	33	0.44	26	0.38	1	0.74	31	0.44	45	0.42	136	0.42	0.36-0.50
141	Tongue	17	0.61	18	0.66	1	1.30	14	0.37	46	0.77	96	0.63	0.51-0.76
142	Salivary glands	19	1.21	21	1.39	[0.55]	0.00	18	1.15	43	1.12	101	1.18	0.97-1.44
143-144	Oral cavity	31	0.58	24	0.87	2	1.74	29	0.58	64	0.78	150	0.70	0.60-0.82
145-148	Pharynx	48	0.74	19	0.57	3	2.30	25	0.40	80	0.63	175	0.61	0.52-0.70
145	-oropharynx ²	27	0.73	9	0.64	[0.39]	0.00	8	0.29	38	0.67	82	0.60	0.48-0.75
146	-nasopharynx ²	5	0.55	4	0.60	2	5.53	10	1.02	15	0.64	36	0.73	0.51-1.01
150	Oesophagus	75	0.61	24	0.32	2	0.44	43	0.48	128	0.65	272	0.55	0.49-0.62
	-adenocarcinoma ²	25	0.49	8	0.42	[1.85]	0.00	13	0.60	55	0.88	101	0.65	0.53-0.79
151	Stomach	170	0.69	213	0.69	12	0.90	343	0.76	460	0.69	1198	0.71	0.67-0.75
151.1	-cardia ²	67	0.85	35	0.62	4	1.53	63	0.75	91	0.87	260	0.80	0.71-0.90
152	Small intestine	23	1.13	33	1.47	1	0.65	24	0.84	95	1.13	176	1.12	0.97-1.30
153	Colon	597	0.99	297	1.00	22	1.13	685	1.00	1094	1.03	2695	1.01	0.97-1.05
154	Rectum, rectosigma	358	0.86	223	0.92	7	0.99	371	0.88	646	0.86	1605	0.87	0.83-0.92
155.0	Primary liver	55	0.63	72	0.86	4	1.89	26	0.52	126	0.67	283	0.69	0.61-0.78
	-hemangiosarcoma ²	-	-	[0.44]	0.00	-	-	[0.08]	0.00	1	1.11	1	0.70	0.02-3.91
155.1	Gall bladder	38	0.84	45	1.03	1	0.86	31	0.83	68	1.04	183	0.95	0.82-1.10
157	Pancreas	191	0.91	163	0.77	5	0.70	202	0.83	377	0.90	938	0.86	0.81-0.92
160	Nose	21	0.99	6	0.48	[0.66]	0.00	11	0.55	22	0.68	60	0.69	0.53-0.89
	-adenocarcinoma ²	-	-	[0.93]	0.00	[0.06]	0.00	1	0.35	9	1.67	10	1.08	0.52-1.99
161	Larynx	75	0.53	32	0.41	1	0.35	46	0.48	99	0.68	253	0.55	0.48-0.62
162, 163	Lung	769	0.54	371	0.33	17	0.52	428	0.43	834	0.59	2419	0.49	0.47-0.51
	-adenocarcinoma ²	183	0.60	71	0.43	4	0.43	114	0.55	214	0.68	586	0.58	0.54-0.63
	-small cell ²	-	-	53	0.30	3	0.47	63	0.37	75	0.49	194	0.38	0.33-0.44
	-squamous cell ²	247	0.52	101	0.30	5	0.66	99	0.34	242	0.50	694	0.44	0.40-0.47
	-other ²	-	-	146	0.34	5	0.61	115	0.47	303	0.65	569	0.50	0.46-0.54
158, 162.2	Mesothelioma ²	14	0.36	14	0.49	[0.85]	0.00	13	0.40	39	0.59	80	0.48	0.38-0.60
170	Breast	11	0.79	9	1.18	[0.93]	0.00	13	1.19	34	1.33	67	1.14	0.88-1.44
177	Prostate	1023	1.09	1638	1.12	80	1.22	1822	1.08	4485	1.07	9048	1.09	1.06-1.11
178	Testis	68	1.15	32	1.35	1	0.36	67	0.88	109	1.09	277	1.06	0.94-1.19
	-seminoma ²	29	1.18	23	1.40	1	0.48	46	0.87	84	1.18	183	1.10	0.95-1.27
	-non-seminoma ²	40	1.14	9	1.29	[0.73]	0.00	17	0.96	25	0.88	91	1.02	0.82-1.26
179.0	Penis	26	0.93	8	0.73	2	2.23	17	0.62	37	0.69	90	0.75	0.60-0.92
180	Kidney	151	0.85	197	0.79	15	1.20	217	0.83	510	0.94	1090	0.88	0.83-0.93
180.1	-renal pelvis ²	60	0.86	11	0.77	1	1.49	24	0.83	52	0.93	148	0.87	0.74-1.02
181	Bladder	611	0.80	258	0.82	17	0.92	473	0.81	938	0.87	2297	0.84	0.80-0.87
190	Melanoma	259	1.46	268	1.47	5	0.91	401	1.20	815	1.48	1748	1.40	1.34-1.47
190.6	-upper limbs ²	31	1.45	36	1.56	[0.87]	0.00	38	1.26	132	1.55	237	1.48	1.30-1.68
192	Eye	26	1.30	16	0.96	1	1.91	21	0.93	44	0.99	108	1.04	0.86-1.25
	-melanoma ²	24	1.38	14	0.92	[0.41]	0.00	17	0.85	35	1.02	90	1.03	0.83-1.27
193	Brain	193	1.00	175	0.99	7	0.87	242	1.11	475	1.04	1092	1.04	0.98-1.10
	-glioma ²	23	1.14	86	1.03	3	0.61	131	1.13	229	0.97	472	1.03	0.94-1.12
	-meningeoma ²	31	1.24	43	1.20	2	1.05	39	1.07	114	1.24	229	1.20	1.05-1.36
194	Thyroid	20	1.21	45	1.11	4	0.89	48	1.20	82	1.15	199	1.15	1.00-1.32
	-follicular ²	-	-	5	0.80	[0.63]	0.00	6	1.32	2	0.43	13	0.81	0.43-1.38
	-papillary ²	-	-	30	1.15	2	0.60	33	1.39	12	0.84	77	1.14	0.90-1.43
195.0	Glandula suprarenalis	2	0.51	7	1.08	1	4.45	4	0.84	4	0.49	18	0.77	0.45-1.21
195.1	Parathyreoidea	[0.20]	0.00	[0.09]	0.00	[0.04]	0.00	[0.18]	0.00	[0.54]	0.00	[1.05]	0.00	0.00-3.51
195.2	Thymus	1	0.54	1	0.50	1	6.24	[2.40]	0.00	1	0.27	4	0.40	0.11-1.01
195.3	Hypophysis	[0.61]	0.00	[0.18]	0.00	[1.30]	0.00	1	2.79	1	1.20	2	0.61	0.07-2.20
195.4	Corpus pineale	-	-	[0.35]	0.00	-	-	[0.19]	0.00	-	-	[0.53]	0.00	0.00-6.94
196	Bone	5	0.70	11	1.02	[0.71]	0.00	13	1.12	22	0.91	51	0.94	0.70-1.23
	-chondrosarcoma ²	-	-	7	1.26	[0.63]	0.00	5	1.51	11	0.98	23	1.11	0.71-1.67
197	Soft tissue	25	0.98	45	1.16	2	1.38	37	1.16	111	1.01	220	1.06	0.93-1.21
	-fibrosarcoma ²	-	-	13	1.00	-	-	4	1.64	15	1.09	32	1.09	0.75-1.54
	-liposarcoma ²	-	-	14	1.57	[0.49]	0.00	9	1.54	22	1.17	45	1.32	0.96-1.77
200,202	Non-Hodgkin lymphoma	187	1.05	248	1.11	17	1.98	207	0.99	518	1.03	1177	1.05	0.99-1.11
201	Hodgkin lymphoma	28	0.95	39	1.17	1	0.84	31	0.86	64	0.85	163	0.93	0.80-1.08
203	Multiple myeloma	102	1.03	73	0.99	4	1.10	143	1.12	215	0.95	537	1.01	0.93-1.10
204	Leukaemia	233	1.13	122	0.92	7	1.08	179	0.96	374	1.02	915	1.02	0.95-1.08
	-chronic lymphatic ²	-	-	54	0.98	3	1.43	72	1.06	188	1.10	317	1.07	0.96-1.20
	-acute myeloid ²	73	1.25	37	1.00	2	0.91	59	0.87	80	0.95	251	1.00	0.89-1.14
	Mycosis fungoides ²	9	1.57	4	0.72	[0.39]	0.00	3	0.58	29	1.09	45	1.03	0.75-1.38
199	Other/unknown site	75	0.82	87	0.74	6	1.24	171	0.66	387	0.82	726	0.77	0.72-0.83
140-204	All sites	5393	0.83	4914	0.84	250	1.01	6453	0.86	13521	0.94	30531	0.88	0.87-0.89
	Not included above	-	-	-	-	-	-	-	-	-	-	-	-	-
191	Other skin	-	-	163	1.00	5	0.72	405	1.21	817	1.24	1390	1.19	1.13-1.26
191.6	-upper limbs ²	-	-	13	0.98	[0.64]	0.00	32	1.11	92	1.23	137	1.17	0.99-1.38

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Teachers. Women (N = 283 968). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	15	1.68	14	0.70	[0.22]	0.00	7	0.62	36	0.95	72	0.92	0.72-1.16
141	Tongue	13	1.04	33	1.32	1	1.70	18	1.02	58	1.15	123	1.16	0.97-1.38
142	Salivary glands	7	0.69	15	0.84	[0.52]	0.00	10	0.82	52	1.07	84	0.94	0.75-1.17
143-144	Oral cavity	26	0.92	28	1.15	1	0.89	17	0.62	58	0.85	130	0.87	0.73-1.03
145-148	Pharynx	13	0.61	10	0.64	[0.60]	0.00	10	0.55	43	0.69	76	0.64	0.51-0.80
145	-oropharynx ²	9	0.72	6	0.93	[0.30]	0.00	7	0.77	26	0.78	48	0.78	0.57-1.03
146	-nasopharynx ²	3	0.92	4	0.97	[0.31]	0.00	1	0.31	8	0.61	16	0.67	0.38-1.08
150	Oesophagus	40	1.06	36	0.70	[1.39]	0.00	26	0.94	60	0.70	162	0.79	0.68-0.93
	-adenocarcinoma ²	10	1.08	4	0.74	[0.40]	0.00	3	0.59	16	1.06	33	0.93	0.64-1.31
151	Stomach	80	0.73	193	0.73	4	0.62	152	0.67	332	0.66	761	0.69	0.64-0.74
151.1	-cardia ²	14	0.77	21	0.87	[0.67]	0.00	21	0.73	33	0.89	89	0.82	0.66-1.00
152	Small intestine	16	1.10	26	1.12	1	0.95	19	0.73	88	1.05	150	1.01	0.86-1.18
153	Colon	563	1.06	432	1.07	11	0.73	678	1.00	1338	0.98	3022	1.01	0.97-1.05
154	Rectum, rectosigma	218	0.93	216	0.88	3	0.49	282	0.95	729	0.99	1448	0.95	0.90-1.00
155.0	Primary liver	31	0.78	50	0.83	[0.99]	0.00	16	0.62	99	0.72	196	0.74	0.65-0.85
	-hemangiosarcoma ²	-	-	1	2.01	[0.04]	0.00	[0.15]	0.00	[1.09]	0.00	1	0.56	0.01-3.13
155.1	Gall bladder	43	0.74	95	0.91	[1.28]	0.00	34	0.71	147	0.67	319	0.74	0.67-0.83
157	Pancreas	167	1.02	217	0.93	8	1.41	144	0.77	435	0.90	971	0.91	0.85-0.97
160	Nose	12	1.14	8	0.74	[0.71]	0.00	8	0.74	27	1.05	55	0.94	0.71-1.22
	-adenocarcinoma ²	-	-	[0.76]	0.00	-	-	3	3.31	3	1.47	6	1.62	0.59-3.52
161	Larynx	8	0.32	3	0.32	[0.70]	0.00	6	0.50	17	0.62	34	0.46	0.32-0.64
162,163	Lung	373	0.59	186	0.59	12	0.39	215	0.51	559	0.55	1345	0.55	0.53-0.58
	-adenocarcinoma ²	131	0.63	85	0.96	8	0.70	84	0.62	243	0.65	551	0.67	0.62-0.73
	-small cell ²	-	-	19	0.35	[4.91]	0.00	34	0.38	54	0.38	107	0.37	0.30-0.44
	-squamous cell ²	59	0.51	18	0.36	1	0.21	23	0.36	66	0.39	167	0.41	0.35-0.48
	-other ²	-	-	64	0.53	3	0.31	64	0.54	196	0.59	327	0.56	0.50-0.62
158, 162.2	Mesothelioma ²	8	0.96	15	1.24	[0.05]	0.00	4	0.77	15	0.93	42	1.00	0.72-1.36
170	Breast	1971	1.27	3467	1.35	109	1.16	2231	1.16	7537	1.18	15315	1.22	1.20-1.24
	-ductal ²	-	-	2519	1.33	90	1.22	1569	1.18	2553	1.14	6731	1.22	1.19-1.25
	-lobular ²	-	-	495	1.50	11	1.40	191	1.35	624	1.28	1321	1.36	1.29-1.44
171	Cervix uteri	151	0.57	75	0.55	8	0.81	175	0.55	436	0.63	845	0.59	0.55-0.63
172	Corpus uteri	414	1.14	607	1.21	15	1.03	457	1.10	1295	1.06	2788	1.11	1.07-1.15
173	Choriocarcinoma	2	6.18	[1.18]	0.00	[0.06]	0.00	[1.07]	0.00	4	1.18	6	1.00	0.37-2.17
175.0	Ovary	365	1.19	395	1.12	7	0.59	407	1.00	1264	0.96	2438	1.02	0.98-1.06
175.1	Fallopian tube	10	1.09	16	0.82	1	2.30	17	1.35	30	0.88	74	0.98	0.77-1.23
176.0	Vulva	21	0.75	31	0.77	1	0.87	53	0.99	88	0.76	194	0.81	0.71-0.93
176.1	Vagina	10	0.83	9	0.81	[0.35]	0.00	8	0.72	25	0.71	52	0.74	0.56-0.98
180	Kidney	75	0.72	205	1.00	4	0.52	120	0.82	380	0.84	784	0.86	0.80-0.92
180.1	-renal pelvis ²	29	0.77	18	1.89	[0.52]	0.00	16	1.03	49	1.12	112	1.04	0.87-1.26
181	Bladder	144	0.75	97	0.90	2	0.33	152	0.89	415	0.94	810	0.88	0.82-0.94
190	Melanoma	253	1.47	283	1.31	19	2.04	497	1.43	1025	1.29	2077	1.35	1.29-1.41
190.6	-upper limbs ²	54	1.76	58	1.46	3	1.91	76	1.44	200	1.31	391	1.41	1.28-1.56
192	Eye	11	0.77	17	0.81	[0.46]	0.00	20	0.98	63	1.18	111	1.01	0.84-1.22
	-melanoma ²	8	0.62	15	0.77	[0.42]	0.00	16	0.91	50	1.25	89	0.99	0.79-1.21
193	Brain	191	1.09	341	1.09	16	1.50	251	1.07	786	1.08	1585	1.09	1.03-1.14
	-glioma ²	11	0.78	93	1.05	6	1.49	90	1.13	298	1.24	498	1.17	1.07-1.27
	-meningeoma ²	56	1.28	164	1.20	8	1.40	103	1.13	331	1.05	662	1.12	1.03-1.20
194	Thyroid	29	1.05	184	0.99	14	1.29	100	0.99	239	0.96	566	0.99	0.91-1.07
	-follicular ²	-	-	16	0.75	1	0.78	15	1.14	9	0.66	41	0.83	0.59-1.12
	-papillary ²	-	-	158	1.09	12	1.36	70	1.05	54	0.83	294	1.03	0.92-1.15
195.0	Glandula suprarenalis	3	0.96	7	0.93	[0.19]	0.00	1	0.22	11	0.94	22	0.81	0.51-1.23
195.1	Parathyreoidea	[0.25]	0.00	[0.25]	0.00	-	-	2	4.30	3	1.20	5	1.44	0.47-3.36
195.2	Thymus	2	1.42	4	1.39	-	-	2	1.42	5	1.07	13	1.26	0.67-2.15
195.3	Hypophysis	[0.37]	0.00	[0.20]	0.00	1	0.94	[0.33]	0.00	1	1.08	2	0.69	0.08-2.51
195.4	Corpus pineale	-	-	1	1.13	-	-	[0.29]	0.00	-	-	1	0.85	0.02-4.74
196	Bone	5	1.09	7	0.73	2	2.81	6	0.72	40	1.49	60	1.20	0.91-1.54
	-chondrosarcoma ²	-	-	3	0.64	1	2.30	1	0.40	23	1.84	28	1.39	0.92-2.01
197	Soft tissue	15	0.85	57	1.19	2	1.57	23	0.89	129	1.00	226	1.02	0.89-1.16
	-fibrosarcoma ²	-	-	17	1.25	[0.05]	0.00	2	1.15	11	0.71	30	0.97	0.65-1.38
	-liposarcoma ²	-	-	8	0.75	[0.34]	0.00	3	0.82	17	0.86	28	0.81	0.54-1.17
200,202	Non-Hodgkin lymphoma	124	0.94	259	1.00	7	1.06	184	1.06	505	0.98	1079	0.99	0.94-1.05
201	Hodgkin lymphoma	13	0.94	29	1.03	[0.69]	0.00	16	0.82	52	0.78	110	0.85	0.71-1.03
203	Multiple myeloma	67	1.06	98	1.09	1	0.32	104	1.11	226	1.02	496	1.05	0.97-1.15
204	Leukaemia	128	1.04	153	1.16	5	0.89	125	1.00	331	0.96	742	1.02	0.95-1.09
	-chronic lymphatic ²	-	-	45	1.04	1	0.63	44	1.12	121	0.96	211	1.00	0.88-1.15
	-acute myeloid ²	35	0.84	64	1.38	3	1.24	46	0.90	107	1.02	255	1.03	0.91-1.17
	Mycosis fungoides ²	4	1.46	5	1.26	[0.21]	0.00	3	1.05	17	0.70	29	0.85	0.57-1.23
199	Other/unknown site	66	0.75	122	0.74	6	0.89	198	0.86	518	0.75	910	0.77	0.72-0.82
140-204	All sites	5435	1.00	8093	1.11	267	0.95	6808	0.99	19518	1.00	40121	1.02	1.01-1.03
	Not included above													
	Ovary borderline ²	-	-	74	0.95	4	0.72	66	0.85	194	0.82	338	0.85	0.76-0.95
191	Other skin	-	-	166	0.97	8	1.23	268	1.28	625	1.18	1067	1.16	1.10-1.24
191.6	-upper limbs ²	-	-	10	0.73	[0.80]	0.00	33	1.46	87	1.36	130	1.29	1.08-1.53

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Religious, juridical and other social science related workers. Men (N = 159 131). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	14	0.43	9	0.26	[0.94]	0.00	15	0.39	44	0.53	82	0.43	0.34-0.54
141	Tongue	11	1.10	17	1.02	[0.51]	0.00	15	0.82	44	0.91	87	0.93	0.74-1.15
142	Salivary glands	5	0.77	12	1.40	[0.38]	0.00	6	0.76	34	1.11	57	1.06	0.80-1.37
143-144	Oral cavity	18	0.89	12	0.72	[0.70]	0.00	25	1.01	54	0.86	109	0.87	0.72-1.05
145-148	Pharynx	22	0.92	29	1.41	1	1.18	19	0.64	93	0.91	164	0.93	0.80-1.08
145	-oropharynx ²	12	0.91	9	0.95	[0.26]	0.00	8	0.64	39	0.82	68	0.82	0.64-1.04
146	-nasopharynx ²	1	0.28	2	0.49	1	4.04	3	0.61	18	0.92	25	0.77	0.50-1.14
150	Oesophagus	39	0.78	28	0.68	2	0.64	19	0.41	102	0.68	190	0.66	0.57-0.76
	-adenocarcinoma ²	12	0.60	8	0.72	2	1.63	6	0.58	36	0.77	64	0.71	0.55-0.91
151	Stomach	84	0.75	102	0.60	5	0.54	158	0.63	372	0.70	721	0.67	0.63-0.72
151.1	-cardia ²	26	0.78	21	0.67	1	0.57	33	0.75	68	0.85	149	0.78	0.67-0.92
152	Small intestine	9	1.03	13	1.02	1	0.96	15	1.06	70	1.07	108	1.06	0.88-1.28
153	Colon	308	1.18	192	1.22	19	1.49	394	1.11	962	1.20	1875	1.18	1.13-1.24
154	Rectum, rectosigma	195	1.07	146	1.13	6	1.28	224	1.04	527	0.93	1098	1.00	0.94-1.06
155.0	Primary liver	22	0.59	41	0.94	1	0.69	16	0.61	163	1.13	243	0.96	0.85-1.09
	-hemangiosarcoma ²	-	-	[0.19]	0.00	-	-	[0.04]	0.00	1	1.32	1	1.01	0.03-5.64
155.1	Gall bladder	26	1.26	27	1.16	[0.77]	0.00	21	1.06	44	0.87	118	1.03	0.86-1.23
157	Pancreas	87	0.94	106	0.95	5	1.06	99	0.76	308	0.95	605	0.91	0.84-0.99
160	Nose	6	0.67	9	1.28	[0.46]	0.00	12	1.14	19	0.75	46	0.88	0.65-1.18
	-adenocarcinoma ²	-	-	[0.42]	0.00	[0.04]	0.00	[1.41]	0.00	2	0.49	2	0.34	0.04-1.21
161	Larynx	47	0.83	27	0.63	1	0.53	31	0.64	78	0.70	184	0.70	0.61-0.81
162,163	Lung	377	0.61	296	0.51	22	1.03	253	0.50	783	0.75	1731	0.62	0.60-0.65
	-adenocarcinoma ²	98	0.82	65	0.76	6	0.97	63	0.63	201	0.88	433	0.80	0.73-0.88
	-small cell ²	-	-	43	0.47	3	0.72	48	0.56	66	0.62	160	0.55	0.48-0.65
	-squamous cell ²	129	0.61	84	0.48	9	1.77	62	0.40	249	0.70	533	0.59	0.54-0.64
	-other ²	-	-	104	0.46	4	0.73	55	0.45	267	0.75	430	0.61	0.55-0.67
158, 162.2	Mesothelioma ²	7	0.44	13	0.83	[0.53]	0.00	6	0.38	25	0.51	51	0.53	0.40-0.70
170	Breast	3	0.50	6	1.41	[0.60]	0.00	6	1.07	17	0.86	32	0.89	0.61-1.25
177	Prostate	474	1.10	873	1.22	65	1.51	1000	1.13	3423	1.13	5835	1.14	1.11-1.17
178	Testis	17	0.92	26	1.42	3	1.62	42	1.22	140	1.38	228	1.30	1.15-1.49
	-seminoma ²	7	0.91	17	1.36	2	1.46	31	1.30	100	1.38	157	1.33	1.14-1.56
	-non-seminoma ²	10	0.92	9	1.59	1	2.09	9	1.11	40	1.37	69	1.27	0.99-1.61
179.0	Penis	8	0.67	5	0.75	2	3.26	19	1.36	36	0.84	70	0.92	0.72-1.17
180	Kidney	85	1.14	130	0.97	10	1.21	111	0.83	415	0.99	751	0.98	0.91-1.05
180.1	-renal pelvis ²	23	0.77	7	0.90	[0.46]	0.00	17	1.14	45	1.07	92	0.97	0.78-1.19
181	Bladder	277	0.84	158	0.96	5	0.41	277	0.91	762	0.95	1479	0.92	0.87-0.96
190	Melanoma	103	1.56	174	1.59	7	1.89	214	1.38	622	1.40	1120	1.44	1.36-1.53
190.6	-upper limbs ²	10	1.28	25	1.75	4	6.77	26	1.84	112	1.63	177	1.68	1.45-1.94
192	Eye	6	0.74	8	0.85	[0.36]	0.00	13	1.14	32	0.89	59	0.91	0.69-1.17
	-melanoma ²	5	0.71	8	0.93	[0.28]	0.00	13	1.30	22	0.80	48	0.90	0.66-1.19
193	Brain	59	0.80	137	1.25	9	1.70	106	1.00	417	1.11	728	1.08	1.01-1.17
	-glioma ²	7	0.92	66	1.26	6	1.89	61	1.11	221	1.15	361	1.16	1.05-1.29
	-meningeoma ²	7	0.72	29	1.35	2	1.54	17	0.98	70	0.94	125	1.01	0.85-1.20
194	Thyroid	7	1.03	24	0.90	5	1.70	22	1.11	58	0.98	116	1.00	0.84-1.20
	-follicular ²	-	-	2	0.55	[0.42]	0.00	1	0.43	4	1.02	7	0.68	0.27-1.40
	-papillary ²	-	-	19	1.04	5	2.31	13	1.16	12	0.88	49	1.08	0.80-1.43
195.0	Glandula suprarenalis	[1.65]	0.00	[3.86]	0.00	[0.16]	0.00	3	1.27	9	1.37	12	0.82	0.43-1.44
195.1	Parathyreoidea	[0.10]	0.00	[0.08]	0.00	[0.02]	0.00	1	12.72	[0.43]	0.00	1	1.41	0.04-7.88
195.2	Thymus	[0.78]	0.00	2	1.84	[0.11]	0.00	1	0.88	3	1.03	6	0.99	0.36-2.16
195.3	Hypophysis	[0.23]	0.00	[0.11]	0.00	2	2.50	[0.19]	0.00	[0.62]	0.00	2	1.03	0.12-3.73
195.4	Corpus pineale	-	-	[0.22]	0.00	-	-	[0.07]	0.00	-	-	[0.29]	0.00	0.00-12.86
196	Bone	1	0.35	7	1.05	[0.45]	0.00	8	1.41	23	1.13	39	1.08	0.77-1.48
	-chondrosarcoma ²	-	-	3	0.85	[0.40]	0.00	1	0.66	12	1.26	16	1.07	0.61-1.74
197	Soft tissue	18	1.73	27	1.19	1	1.12	22	1.34	84	0.95	152	1.09	0.93-1.28
	-fibrosarcoma ²	-	-	10	1.36	-	-	2	1.47	10	0.89	22	1.10	0.69-1.67
	-liposarcoma ²	-	-	11	2.05	[0.31]	0.00	3	1.09	19	1.24	33	1.39	0.96-1.95
200,202	Non-Hodgkin lymphoma	75	1.03	108	0.84	7	1.24	106	1.05	398	1.02	694	0.99	0.92-1.07
201	Hodgkin lymphoma	10	0.89	26	1.16	[0.75]	0.00	14	0.78	54	0.85	104	0.90	0.74-1.09
203	Multiple myeloma	54	1.29	46	1.17	1	0.43	66	0.97	186	1.07	353	1.09	0.98-1.21
204	Leukaemia	95	1.06	90	1.21	6	1.42	99	1.01	300	1.05	590	1.07	0.99-1.16
	-chronic lymphatic ²	-	-	32	1.08	3	2.14	36	1.02	136	1.06	207	1.07	0.93-1.22
	-acute myeloid ²	22	0.88	33	1.59	1	0.70	41	1.16	74	1.14	171	1.16	1.00-1.34
	Mycosis fungoides ²	5	1.95	5	1.67	[0.24]	0.00	4	1.48	27	1.25	41	1.36	0.98-1.85
199	Other/unknown site	26	0.67	44	0.71	2	0.62	109	0.77	318	0.89	499	0.83	0.76-0.91
140-204	All sites	2519	0.91	2994	0.96	188	1.15	3572	0.92	11046	1.01	20319	0.97	0.96-0.99
	Not included above													
191	Other skin	-	-	97	1.15	3	0.63	221	1.25	663	1.32	984	1.28	1.21-1.37
191.6	-upper limbs ²	-	-	5	0.71	[0.43]	0.00	11	0.72	58	1.03	74	0.94	0.73-1.17

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Religious, juridical and other social science related workers. Women (N = 134 833). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	1	0.83	5	0.77	[0.03]	0.00	3	1.05	8	0.64	17	0.74	0.43-1.18
141	Tongue	1	0.60	11	0.82	[0.09]	0.00	1	0.23	18	1.04	31	0.84	0.57-1.19
142	Salivary glands	[1.37]	0.00	12	1.26	[0.08]	0.00	5	1.69	11	0.66	28	0.91	0.61-1.32
143-144	Oral cavity	4	1.05	11	0.90	[0.18]	0.00	5	0.74	20	0.90	40	0.89	0.63-1.21
145-148	Pharynx	4	1.44	10	1.15	[0.09]	0.00	3	0.68	17	0.77	34	0.89	0.62-1.25
145	-oropharynx ²	3	1.85	5	1.15	[0.04]	0.00	2	0.89	12	0.91	22	1.03	0.64-1.56
146	-nasopharynx ²	[0.44]	0.00	3	1.35	[0.04]	0.00	[0.78]	0.00	2	0.47	5	0.64	0.21-1.50
150	Oesophagus	5	0.98	16	0.87	[0.23]	0.00	6	0.87	22	0.87	49	0.87	0.65-1.16
	-adenocarcinoma ²	[1.28]	0.00	1	0.44	[0.07]	0.00	1	0.75	3	0.65	5	0.52	0.17-1.22
151	Stomach	11	0.73	88	0.79	[1.03]	0.00	61	1.14	101	0.69	261	0.80	0.71-0.90
151.1	-cardia ²	1	0.40	14	1.44	[0.10]	0.00	4	0.57	6	0.50	25	0.79	0.51-1.17
152	Small intestine	4	2.02	13	1.12	[0.16]	0.00	4	0.62	30	1.12	51	1.08	0.81-1.42
153	Colon	68	0.93	185	1.05	5	2.13	186	1.09	393	0.95	837	1.00	0.93-1.07
154	Rectum, rectosigma	32	0.99	109	0.99	1	1.06	65	0.87	216	0.93	423	0.94	0.85-1.03
155.0	Primary liver	2	0.36	19	0.81	[0.16]	0.00	10	1.53	28	0.68	59	0.77	0.58-0.99
	-hemangiosarcoma ²	-	-	1	4.59	[0.01]	0.00	[0.04]	0.00	[0.34]	0.00	1	1.67	0.04-9.31
155.1	Gall bladder	4	0.49	34	0.88	1	4.85	9	0.77	34	0.56	82	0.69	0.55-0.85
157	Pancreas	18	0.80	87	0.94	[0.89]	0.00	47	1.00	126	0.88	278	0.91	0.81-1.02
160	Nose	[1.44]	0.00	2	0.41	[0.11]	0.00	[2.67]	0.00	7	0.84	9	0.52	0.24-0.98
	-adenocarcinoma ²	-	-	[0.36]	0.00	-	-	[0.24]	0.00	[0.66]	0.00	[1.26]	0.00	0.00-2.93
161	Larynx	3	0.91	4	0.98	[0.10]	0.00	[3.01]	0.00	3	0.33	10	0.51	0.25-0.95
162,163	Lung	48	0.57	92	0.66	2	0.43	70	0.65	292	0.84	504	0.74	0.68-0.81
	-adenocarcinoma ²	20	0.74	25	0.57	[1.70]	0.00	26	0.77	110	0.84	181	0.76	0.66-0.88
	-small cell ²	-	-	12	0.49	[0.75]	0.00	15	0.66	35	0.72	62	0.64	0.49-0.82
	-squamous cell ²	8	0.51	21	1.04	[0.73]	0.00	10	0.61	40	0.73	79	0.74	0.58-0.92
	-other ²	-	-	34	0.68	2	1.35	18	0.60	107	0.96	161	0.83	0.71-0.97
158, 162.2	Mesothelioma ²	[1.14]	0.00	3	0.56	[0.01]	0.00	[1.35]	0.00	7	1.33	10	0.76	0.37-1.41
170	Breast	230	1.14	1918	1.19	20	1.47	570	1.21	2822	1.18	5560	1.19	1.16-1.22
	-ductal ²	-	-	1422	1.16	14	1.31	394	1.20	1144	1.18	2974	1.17	1.13-1.22
	-lobular ²	-	-	287	1.27	3	2.61	44	1.24	237	1.17	571	1.23	1.13-1.33
171	Cervix uteri	26	0.74	55	0.73	1	0.71	46	0.61	184	0.69	312	0.69	0.62-0.77
172	Corpus uteri	61	1.23	278	1.22	5	2.29	132	1.29	433	1.12	909	1.18	1.10-1.26
173	Choriocarcinoma	[0.04]	0.00	[0.92]	0.00	[0.01]	0.00	[0.26]	0.00	3	2.05	3	1.12	0.23-3.26
175.0	Ovary	39	0.95	219	1.18	2	1.10	89	0.90	487	1.04	836	1.05	0.98-1.12
175.1	Fallopian tube	[1.23]	0.00	10	0.95	[0.06]	0.00	3	0.96	9	0.73	22	0.81	0.51-1.22
176.0	Vulva	3	0.77	17	0.93	1	5.72	13	0.97	23	0.62	57	0.78	0.59-1.01
176.1	Vagina	1	0.61	6	1.15	[0.05]	0.00	2	0.72	3	0.27	12	0.57	0.30-1.00
180	Kidney	7	0.49	94	1.05	1	0.85	25	0.68	117	0.84	244	0.87	0.77-0.99
180.1	-renal pelvis ²	3	0.57	5	1.35	1	11.51	1	0.25	4	0.30	14	0.53	0.29-0.89
181	Bladder	27	1.03	44	1.05	2	2.16	33	0.77	126	0.92	232	0.93	0.82-1.06
190	Melanoma	29	1.29	147	1.13	1	0.75	104	1.21	376	1.19	657	1.18	1.09-1.27
190.6	-upper limbs ²	5	1.22	25	1.03	1	4.38	21	1.60	70	1.17	122	1.20	1.00-1.43
192	Eye	1	0.53	9	0.84	[0.07]	0.00	5	0.99	15	0.81	30	0.83	0.56-1.18
	-melanoma ²	1	0.59	9	0.91	[0.06]	0.00	4	0.92	10	0.75	24	0.82	0.52-1.21
193	Brain	32	1.37	223	1.18	2	1.27	52	0.90	285	1.05	594	1.09	1.01-1.19
	-glioma ²	3	1.63	72	1.29	[0.59]	0.00	20	1.02	100	1.13	195	1.17	1.02-1.35
	-meningeoma ²	8	1.40	87	1.04	2	2.39	17	0.75	128	1.07	242	1.04	0.92-1.18
194	Thyroid	2	0.55	134	1.01	3	1.93	35	1.42	83	0.88	257	1.00	0.89-1.13
	-follicular ²	-	-	7	0.66	[0.18]	0.00	[3.24]	0.00	11	1.90	18	0.91	0.54-1.44
	-papillary ²	-	-	123	1.09	2	1.58	25	1.51	22	0.69	172	1.06	0.91-1.23
195.0	Glandula suprarenalis	[0.41]	0.00	10	2.33	[0.03]	0.00	2	1.79	4	0.93	16	1.58	0.90-2.56
195.1	Parathyreoidea	[0.03]	0.00	[0.14]	0.00	-	-	[0.11]	0.00	2	2.46	2	1.83	0.22-6.60
195.2	Thymus	[0.19]	0.00	[1.67]	0.00	-	-	1	2.82	1	0.56	2	0.50	0.06-1.80
195.3	Hypophysis	[0.05]	0.00	[0.09]	0.00	[0.15]	0.00	1	12.22	[0.32]	0.00	1	1.45	0.04-8.05
195.4	Corpus pineale	-	-	1	1.63	-	-	[0.07]	0.00	-	-	1	1.46	0.04-8.16
196	Bone	[0.60]	0.00	6	1.09	[0.10]	0.00	3	1.49	5	0.53	14	0.79	0.43-1.33
	-chondrosarcoma ²	-	-	4	1.50	[0.06]	0.00	[0.61]	0.00	1	0.21	5	0.62	0.20-1.44
197	Soft tissue	4	1.71	24	0.92	[0.18]	0.00	6	0.95	52	1.13	86	1.06	0.85-1.31
	-fibrosarcoma ²	-	-	2	0.33	[0.01]	0.00	[0.40]	0.00	3	0.64	5	0.45	0.15-1.05
	-liposarcoma ²	-	-	5	0.78	[0.05]	0.00	2	2.31	12	1.70	19	1.32	0.80-2.06
200,202	Non-Hodgkin lymphoma	24	1.35	150	1.14	1	1.01	46	1.04	162	0.95	383	1.05	0.95-1.16
201	Hodgkin lymphoma	[1.84]	0.00	11	0.63	[0.10]	0.00	2	0.44	22	0.92	35	0.73	0.51-1.02
203	Multiple myeloma	4	0.46	40	1.11	[0.47]	0.00	24	1.02	65	0.95	133	0.97	0.82-1.15
204	Leukaemia	25	1.49	57	0.94	2	2.36	29	0.95	126	1.09	239	1.07	0.94-1.21
	-chronic lymphatic ²	-	-	21	1.20	[0.25]	0.00	13	1.33	47	1.18	81	1.20	0.96-1.50
	-acute myeloid ²	5	0.88	19	0.86	1	2.75	10	0.80	36	0.98	71	0.92	0.72-1.16
	Mycosis fungoides ²	1	2.72	2	0.84	[0.03]	0.00	[0.72]	0.00	6	0.89	9	0.88	0.40-1.66
199	Other/unknown site	16	1.33	59	0.89	1	0.97	60	1.07	181	0.83	317	0.90	0.81-1.00
140-204	All sites	700	0.96	4233	1.09	51	1.22	1763	1.03	6925	1.02	13672	1.04	1.02-1.06
Not included above														
	Ovary borderline ²	-	-	55	1.01	2	2.52	24	1.25	93	0.92	174	0.99	0.86-1.15
191	Other skin	-	-	60	0.95	[0.99]	0.00	74	1.38	171	1.05	305	1.08	0.97-1.21
191.6	-upper limbs ²	-	-	5	0.92	[0.12]	0.00	3	0.52	23	1.14	31	0.99	0.67-1.40

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Artistic workers. Men (N = 41 316). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total			
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI	
140	Lip	3	0.31	3	0.22	[0.26]	0.00	4	0.35	10	0.37	20	0.32	0.20-0.50	
141	Tongue	9	2.79	9	1.69		1	7.11	9	1.74	28	2.07	56	2.05	1.55-2.66
142	Salivary glands	[1.99]	0.00	1	0.34	[0.10]	0.00	3	1.31	13	1.44	17	1.04	0.61-1.67	
143-144	Oral cavity	9	1.40	14	2.59	[0.19]	0.00	7	0.98	30	1.59	60	1.58	1.20-2.03	
145-148	Pharynx	19	2.47	14	2.11		1	4.50	20	2.34	62	2.17	116	2.24	1.87-2.69
145	-oropharynx ²	10	2.34	8	2.81		1	15.11	9	2.61	40	3.26	68	2.97	2.31-3.76
146	-nasopharynx ²	1	0.87	1	0.74	[0.06]	0.00	2	1.37	4	0.71	8	0.83	0.36-1.63	
150	Oesophagus	10	0.64	14	0.96	[0.82]	0.00	17	1.25	68	1.47	109	1.20	0.99-1.45	
	-adenocarcinoma ²	1	0.16	4	1.09	[0.32]	0.00	3	0.98	16	1.17	24	0.89	0.57-1.32	
151	Stomach	33	0.93	50	0.80		2	0.81	48	0.67	116	0.70	249	0.74	0.65-0.83
151.1	-cardia ²	11	1.05	12	1.08		1	2.11	11	0.85	23	0.95	58	0.98	0.74-1.27
152	Small intestine	2	0.73	6	1.38	[0.28]	0.00	3	0.73	24	1.22	35	1.12	0.78-1.56	
153	Colon	82	1.03	71	1.25		5	1.42	121	1.16	275	1.09	554	1.11	1.02-1.21
154	Rectum, rectosigma	59	1.06	59	1.27		1	0.78	78	1.23	164	0.92	361	1.05	0.94-1.16
155.0	Primary liver	15	1.28	22	1.37		2	5.07	10	1.29	65	1.45	114	1.41	1.17-1.69
	-hemangiosarcoma ²	-	-	1	13.16	-	-	[0.01]	0.00	[0.22]	0.00	1	3.26	0.08-18.18	
155.1	Gall bladder	9	1.40	8	0.94	[0.20]	0.00	4	0.70	16	1.00	37	1.00	0.71-1.38	
157	Pancreas	28	0.96	43	1.06		1	0.78	42	1.11	118	1.17	232	1.10	0.97-1.26
160	Nose	3	1.09	4	1.63	[0.13]	0.00	2	0.65	3	0.39	12	0.74	0.38-1.30	
	-adenocarcinoma ²	-	-	1	5.92	[0.01]	0.00	[0.42]	0.00	[1.33]	0.00	1	0.52	0.01-2.89	
161	Larynx	17	0.97	19	1.22	[0.52]	0.00	16	1.10	40	1.14	92	1.11	0.89-1.36	
162,163	Lung	160	0.82	142	0.65		8	1.36	146	0.95	391	1.16	847	0.93	0.87-1.00
	-adenocarcinoma ²	20	0.53	25	0.79		2	1.19	40	1.32	94	1.33	181	1.05	0.91-1.22
	-small cell ²	-	-	32	0.92		1	0.85	27	1.03	47	1.36	107	1.10	0.91-1.34
	-squamous cell ²	60	0.90	33	0.49		3	2.18	37	0.79	138	1.17	271	0.90	0.80-1.02
	-other ²	-	-	52	0.61		1	0.67	34	0.92	112	0.99	199	0.84	0.73-0.96
158, 162.2	Mesothelioma ²	6	1.20	4	0.74		1	6.92	5	1.08	9	0.61	25	0.84	0.54-1.24
170	Breast	4	2.22	3	2.05	[0.16]	0.00	6	3.68	5	0.83	18	1.63	0.97-2.57	
177	Prostate	164	1.27	302	1.12		15	1.25	273	1.06	1036	1.08	1790	1.10	1.05-1.15
178	Testis	4	0.65	11	2.12		2	4.14	11	1.23	32	1.45	60	1.40	1.07-1.80
	-seminoma ²	2	0.78	9	2.53		2	5.63	8	1.28	21	1.33	42	1.47	1.06-1.99
	-non-seminoma ²	2	0.55	2	1.27	[0.13]	0.00	2	0.99	11	1.75	17	1.25	0.73-2.00	
179.0	Penis	1	0.28	3	1.38	[0.16]	0.00	1	0.25	12	0.97	17	0.76	0.44-1.22	
180	Kidney	26	1.11	45	0.95		4	1.81	46	1.18	135	1.04	256	1.06	0.94-1.20
180.1	-renal pelvis ²	10	1.10	1	0.36	[0.13]	0.00	8	1.79	22	1.64	41	1.37	0.98-1.86	
181	Bladder	95	0.95	65	1.07		5	1.48	98	1.09	331	1.30	594	1.17	1.08-1.27
190	Melanoma	22	1.07	36	1.01		2	2.10	63	1.45	127	1.04	250	1.13	0.99-1.27
190.6	-upper limbs ²	4	1.63	7	1.54	[0.14]	0.00	6	1.52	20	1.09	37	1.25	0.88-1.73	
192	Eye	2	0.80	[3.26]	0.00	[0.09]	0.00	4	1.21	12	1.16	18	0.92	0.55-1.46	
	-melanoma ²	2	0.91	[2.98]	0.00	[0.07]	0.00	3	1.03	11	1.35	16	0.98	0.56-1.59	
193	Brain	27	1.14	31	0.88		5	3.62	32	1.06	89	0.86	184	0.95	0.82-1.09
	-glioma ²	5	1.97	14	0.84		3	3.62	18	1.15	49	0.92	89	1.00	0.80-1.23
	-meningeoma ²	3	1.00	3	0.43		2	6.02	3	0.60	22	1.04	33	0.90	0.62-1.27
194	Thyroid	1	0.47	12	1.45		1	1.29	5	0.91	12	0.72	31	0.93	0.63-1.32
	-follicular ²	-	-	2	1.60	[0.11]	0.00	1	1.54	1	1.04	4	1.34	0.37-3.44	
	-papillary ²	-	-	9	1.68		1	1.74	2	0.66	5	1.71	17	1.43	0.83-2.29
195.0	Glandula suprarenalis	2	3.70	[1.32]	0.00	[0.04]	0.00	[0.68]	0.00	1	0.54	3	0.68	0.14-1.98	
195.1	Parathyreoidea	[0.03]	0.00	[0.02]	0.00	[0.01]	0.00	[0.02]	0.00	[0.12]	0.00	[0.21]	0.00	0.00-17.94	
195.2	Thymus	[0.25]	0.00	[0.38]	0.00	[0.03]	0.00	[0.32]	0.00	[0.83]	0.00	[1.80]	0.00	0.00-2.05	
195.3	Hypophysis	[0.07]	0.00	[0.03]	0.00	[0.23]	0.00	[0.05]	0.00	[0.21]	0.00	[0.60]	0.00	0.00-6.17	
195.4	Corpus pineale	-	-	[0.07]	0.00	-	-	[0.02]	0.00	-	-	[0.09]	0.00	0.00-43.23	
196	Bone	[0.91]	0.00	2	0.91		1	8.36	1	0.61	3	0.53	7	0.67	0.27-1.37
	-chondrosarcoma ²	-	-	1	0.88	[0.11]	0.00	1	2.30	1	0.39	3	0.70	0.15-2.06	
197	Soft tissue	2	0.62	3	0.39	[0.26]	0.00	7	1.48	30	1.17	42	1.01	0.73-1.37	
	-fibrosarcoma ²	-	-	1	0.39	-	-	[0.42]	0.00	4	1.16	5	0.78	0.25-1.82	
	-liposarcoma ²	-	-	1	0.57	[0.08]	0.00	1	1.23	10	2.25	12	1.69	0.87-2.95	
200,202	Non-Hodgkin lymphoma	19	0.84	46	1.06		2	1.32	23	0.81	125	1.09	215	1.02	0.89-1.16
201	Hodgkin lymphoma	[3.63]	0.00	8	1.15	[0.20]	0.00	2	0.39	22	1.22	32	0.94	0.65-1.33	
203	Multiple myeloma	16	1.23	16	1.12		1	1.55	15	0.76	45	0.83	93	0.91	0.74-1.12
204	Leukaemia	28	1.01	30	1.14	[1.14]	0.00	34	1.21	83	0.97	175	1.04	0.89-1.20	
	-chronic lymphatic ²	-	-	15	1.38	[0.37]	0.00	13	1.27	42	1.06	70	1.14	0.89-1.45	
	-acute myeloid ²	8	1.02	7	0.95	[0.38]	0.00	7	0.69	21	1.08	43	0.95	0.69-1.28	
	Mycosis fungoides ²	1	1.28	1	0.95		1	15.32	1	1.27	5	0.73	9	0.94	0.43-1.78
199	Other/unknown site	8	0.67	16	0.71	[0.88]	0.00	34	0.83	99	0.90	157	0.84	0.72-0.99	
140-204	All sites	858	1.00	1119	0.99	60	1.34	1191	1.05	3636	1.08	6864	1.05	1.02-1.07	
	Not included above														
191	Other skin	-	-	30	0.97	[1.29]	0.00	71	1.38	154	0.97	255	1.05	0.93-1.19	
191.6	-upper limbs ²	-	-	2	0.79	[0.12]	0.00	7	1.59	21	1.20	30	1.22	0.82-1.74	

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Artistic workers. Women (N = 22 492). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	1	1.53	[1.41]	0.00	[0.03]	0.00	[0.86]	0.00	2	0.83	3	0.56	0.12-1.64
141	Tongue	4	4.77	3	1.41	[0.07]	0.00	2	1.54	4	1.26	13	1.73	0.92-2.96
142	Salivary glands	[0.71]	0.00	1	0.66	[0.06]	0.00	1	1.11	2	0.64	4	0.63	0.17-1.62
143-144	Oral cavity	2	1.02	1	0.50	[0.15]	0.00	3	1.45	11	2.56	17	1.62	0.95-2.60
145-148	Pharynx	1	0.77	2	1.49	[0.08]	0.00	5	3.79	7	1.74	15	1.86	1.04-3.07
145	-oropharynx ²	1	1.34	1	1.64	[0.03]	0.00	3	4.80	4	1.81	9	2.13	0.98-4.05
146	-nasopharynx ²	[0.21]	0.00	1	2.85	[0.05]	0.00	1	4.09	1	1.20	3	1.78	0.37-5.21
150	Oesophagus	5	1.87	1	0.26	[0.18]	0.00	3	1.38	8	1.51	17	1.20	0.70-1.93
	-adenocarcinoma ²	1	1.51	[0.41]	0.00	[0.05]	0.00	[0.39]	0.00	[0.95]	0.00	1	0.40	0.01-2.25
151	Stomach	7	0.83	10	0.48	[0.84]	0.00	17	0.92	28	0.92	62	0.79	0.60-1.01
151.1	-cardia ²	3	2.23	1	0.54	[0.08]	0.00	3	1.31	2	0.84	9	1.13	0.52-2.15
152	Small intestine	[1.05]	0.00	2	1.05	[0.14]	0.00	1	0.52	5	0.94	8	0.77	0.33-1.52
153	Colon	33	0.82	35	1.11	3	1.58	44	0.82	80	0.94	195	0.92	0.80-1.06
154	Rectum, rectosigma	18	1.03	16	0.83	[0.80]	0.00	19	0.82	50	1.07	103	0.96	0.79-1.17
155.0	Primary liver	4	1.34	3	0.66	[0.14]	0.00	3	1.43	12	1.42	22	1.21	0.76-1.83
	-hemangiosarcoma ²	-	-	[0.04]	0.00	[0.01]	0.00	[0.01]	0.00	[0.07]	0.00	[0.12]	0.00	0.00-30.57
155.1	Gall bladder	2	0.43	9	1.16	[0.17]	0.00	5	1.30	6	0.46	22	0.75	0.47-1.13
157	Pancreas	9	0.73	16	0.91	[0.69]	0.00	23	1.52	26	0.88	74	0.98	0.77-1.23
160	Nose	[0.74]	0.00	2	2.39	[0.09]	0.00	[0.85]	0.00	1	0.62	3	0.72	0.15-2.12
	-adenocarcinoma ²	-	-	[0.06]	0.00	-	-	[0.08]	0.00	1	7.83	1	3.77	0.10-21.00
161	Larynx	2	1.27	1	1.39	[0.09]	0.00	1	1.13	2	1.13	6	1.19	0.44-2.60
162,163	Lung	28	0.70	26	1.07	3	0.77	27	0.88	81	1.25	165	1.01	0.87-1.17
	-adenocarcinoma ²	10	0.82	4	0.56	1	0.69	10	1.06	28	1.18	53	0.98	0.73-1.28
	-small cell ²	-	-	5	1.20	[0.63]	0.00	4	0.63	9	0.99	18	0.89	0.53-1.41
	-squamous cell ²	7	0.93	3	0.81	[0.60]	0.00	5	1.06	13	1.19	28	1.02	0.68-1.48
	-other ²	-	-	14	1.51	2	1.66	8	0.93	31	1.46	55	1.36	1.03-1.78
158, 162.2	Mesothelioma ²	1	1.63	2	2.13	[0.01]	0.00	[0.38]	0.00	3	2.89	6	2.01	0.74-4.38
170	Breast	130	1.32	300	1.30	10	0.90	166	1.22	515	1.24	1121	1.26	1.18-1.33
	-ductal ²	-	-	220	1.28	7	0.81	115	1.25	197	1.32	539	1.27	1.17-1.39
	-lobular ²	-	-	43	1.39	2	2.12	13	1.38	48	1.50	106	1.45	1.20-1.75
171	Cervix uteri	20	1.17	13	1.11	1	0.96	14	0.61	51	1.07	99	0.98	0.80-1.20
172	Corpus uteri	30	1.21	50	1.29	5	2.74	31	1.03	96	1.23	212	1.22	1.07-1.40
173	Choriocarcinoma	[0.02]	0.00	[0.12]	0.00	[0.01]	0.00	[0.07]	0.00	[0.23]	0.00	[0.43]	0.00	0.00-8.48
175.0	Ovary	31	1.53	36	1.23	[1.44]	0.00	29	0.97	91	1.06	187	1.12	0.97-1.30
175.1	Fallopian tube	[0.59]	0.00	4	2.50	[0.05]	0.00	4	4.64	6	2.71	14	2.64	1.44-4.42
176.0	Vulva	5	2.31	1	0.31	[0.15]	0.00	1	0.23	4	0.55	11	0.64	0.32-1.15
176.1	Vagina	1	1.16	[0.89]	0.00	[0.04]	0.00	[0.86]	0.00	[2.23]	0.00	1	0.20	0.01-1.14
180	Kidney	6	0.80	18	1.14	[0.96]	0.00	7	0.62	25	0.88	56	0.87	0.66-1.13
180.1	-renal pelvis ²	1	0.37	4	5.62	[0.06]	0.00	[1.22]	0.00	3	1.08	8	1.07	0.46-2.10
181	Bladder	11	0.80	12	1.50	1	1.33	14	1.04	34	1.22	72	1.13	0.88-1.42
190	Melanoma	8	0.74	17	0.89	1	0.97	29	1.22	40	0.75	95	0.88	0.71-1.08
190.6	-upper limbs ²	2	1.03	2	0.57	[0.16]	0.00	3	0.80	10	0.99	17	0.87	0.51-1.39
192	Eye	1	1.07	3	1.74	[0.04]	0.00	3	2.01	2	0.57	9	1.17	0.54-2.23
	-melanoma ²	[0.84]	0.00	3	1.88	[0.04]	0.00	2	1.55	1	0.39	6	0.94	0.35-2.05
193	Brain	7	0.62	23	0.83	3	2.33	18	1.09	49	1.03	100	0.96	0.79-1.16
	-glioma ²	[0.90]	0.00	8	1.00	[0.48]	0.00	7	1.25	20	1.26	35	1.13	0.79-1.58
	-meningeoma ²	[2.72]	0.00	9	0.74	3	4.39	6	0.96	22	1.07	40	0.94	0.67-1.29
194	Thyroid	2	1.05	16	0.89	[1.18]	0.00	9	1.28	21	1.27	48	1.08	0.79-1.43
	-follicular ²	-	-	2	1.16	[0.14]	0.00	[0.95]	0.00	1	1.08	3	0.80	0.17-2.34
	-papillary ²	-	-	12	0.81	[0.94]	0.00	6	1.35	3	0.65	21	0.85	0.53-1.30
195.0	Glandula suprarenalis	[0.20]	0.00	[0.65]	0.00	[0.02]	0.00	[0.31]	0.00	[0.77]	0.00	[1.96]	0.00	0.00-1.88
195.1	Parathyreoidea	1	57.31	[0.02]	0.00	-	-	[0.03]	0.00	[0.16]	0.00	1	4.24	0.11-23.64
195.2	Thymus	[0.09]	0.00	[0.25]	0.00	-	-	[0.10]	0.00	[0.32]	0.00	[0.76]	0.00	0.00-4.86
195.3	Hypophysis	[0.02]	0.00	[0.02]	0.00	1	8.04	[0.02]	0.00	[0.06]	0.00	1	3.99	0.10-22.22
195.4	Corpus pineale	-	-	[0.08]	0.00	-	-	[0.02]	0.00	-	-	[0.10]	0.00	0.00-35.93
196	Bone	[0.30]	0.00	[0.83]	0.00	[0.08]	0.00	[0.60]	0.00	2	1.16	2	0.57	0.07-2.04
	-chondrosarcoma ²	-	-	[0.40]	0.00	[0.06]	0.00	[0.18]	0.00	2	2.43	2	1.37	0.17-4.97
197	Soft tissue	[1.17]	0.00	3	0.74	[0.14]	0.00	3	1.55	7	0.82	13	0.82	0.44-1.41
	-fibrosarcoma ²	-	-	1	0.94	[0.01]	0.00	[0.14]	0.00	1	1.03	2	0.92	0.11-3.31
	-liposarcoma ²	-	-	[0.94]	0.00	[0.03]	0.00	[0.26]	0.00	3	2.34	3	1.19	0.25-3.48
200,202	Non-Hodgkin lymphoma	9	0.98	17	0.80	1	1.29	12	0.94	35	1.06	74	0.96	0.76-1.21
201	Hodgkin lymphoma	2	2.15	1	0.39	[0.07]	0.00	[1.46]	0.00	4	0.91	7	0.74	0.30-1.53
203	Multiple myeloma	8	1.72	[6.74]	0.00	[0.39]	0.00	6	0.80	14	1.00	28	0.84	0.56-1.22
204	Leukaemia	7	0.78	10	0.95	[0.65]	0.00	7	0.72	26	1.18	50	0.96	0.72-1.27
	-chronic lymphatic ²	-	-	4	1.21	[0.20]	0.00	1	0.32	8	1.00	13	0.89	0.47-1.52
	-acute myeloid ²	[2.96]	0.00	2	0.54	[0.27]	0.00	5	1.27	7	1.02	14	0.79	0.43-1.32
	Mycosis fungoides ²	[0.18]	0.00	[0.35]	0.00	[0.02]	0.00	1	4.69	3	1.95	4	1.73	0.47-4.43
199	Other/unknown site	4	0.62	10	0.80	[0.83]	0.00	14	0.75	30	0.69	58	0.71	0.54-0.92
140-204	All sites	378	1.02	666	1.09	31	0.92	523	1.02	1383	1.10	2981	1.07	1.03-1.11
Not included above														
	Ovary borderline ²	-	-	9	1.21	1	1.65	4	0.79	13	0.81	27	0.93	0.61-1.35
191	Other skin	-	-	7	0.54	1	1.20	22	1.30	32	0.96	62	0.97	0.74-1.24
191.6	-upper limbs ²	-	-	[1.05]	0.00	[0.10]	0.00	3	1.69	4	0.98	7	1.00	0.40-2.05

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Journalists. Men (N = 20 127). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	2	0.44	1	0.15	1	6.78	3	0.62	5	0.39	12	0.41	0.21-0.72
141	Tongue	1	0.62	7	2.73	[0.08]	0.00	3	1.26	13	2.04	24	1.84	1.18-2.75
142	Salivary glands	1	1.06	[1.42]	0.00	[0.06]	0.00	[1.02]	0.00	6	1.41	7	0.91	0.36-1.87
143-144	Oral cavity	5	1.60	5	1.93	[0.11]	0.00	3	0.94	15	1.70	28	1.57	1.04-2.27
145-148	Pharynx	9	2.39	8	2.50	[0.13]	0.00	5	1.29	20	1.47	42	1.71	1.23-2.31
145	-oropharynx ²	6	2.85	5	3.71	[0.04]	0.00	2	1.23	10	1.70	23	2.09	1.33-3.14
146	-nasopharynx ²	1	1.81	1	1.53	[0.04]	0.00	[0.64]	0.00	1	0.37	3	0.65	0.13-1.91
150	Oesophagus	12	1.59	4	0.57	1	2.11	6	1.01	27	1.26	50	1.18	0.87-1.55
	-adenocarcinoma ²	4	1.31	1	0.57	[0.19]	0.00	3	2.22	4	0.63	12	0.95	0.49-1.66
151	Stomach	7	0.44	16	0.52	[1.43]	0.00	15	0.49	57	0.72	95	0.60	0.49-0.74
151.1	-cardia ²	[4.94]	0.00	6	1.09	[0.28]	0.00	3	0.54	11	0.99	20	0.73	0.44-1.13
152	Small intestine	[1.27]	0.00	3	1.41	[0.17]	0.00	2	1.10	11	1.20	16	1.10	0.63-1.79
153	Colon	51	1.37	34	1.24	2	1.02	40	0.89	139	1.19	266	1.16	1.03-1.31
154	Rectum, rectosigma	24	0.93	27	1.19	[0.71]	0.00	26	0.94	72	0.88	149	0.94	0.80-1.10
155.0	Primary liver	13	2.36	15	1.90	[0.22]	0.00	5	1.51	41	1.95	74	1.95	1.53-2.45
	-hemangiosarcoma ²	-	-	[0.04]	0.00	-	-	[0.01]	0.00	[0.10]	0.00	[0.15]	0.00	0.00-25.10
155.1	Gall bladder	2	0.69	5	1.20	[0.12]	0.00	[2.46]	0.00	11	1.45	18	1.04	0.62-1.65
157	Pancreas	9	0.67	21	1.05	1	1.35	17	1.05	58	1.22	106	1.08	0.90-1.31
160	Nose	[1.30]	0.00	1	0.83	[0.07]	0.00	1	0.75	4	1.10	6	0.80	0.29-1.73
	-adenocarcinoma ²	-	-	[0.08]	0.00	[0.01]	0.00	[0.18]	0.00	1	1.64	1	1.14	0.03-6.33
161	Larynx	10	1.18	9	1.16	2	6.53	3	0.47	26	1.59	50	1.27	0.95-1.68
162,163	Lung	85	0.94	76	0.69	6	1.80	59	0.89	169	1.08	395	0.93	0.84-1.02
	-adenocarcinoma ²	21	1.14	12	0.77	1	1.03	9	0.67	35	1.09	78	0.97	0.76-1.20
	-small cell ²	-	-	13	0.74	2	3.04	17	1.48	18	1.17	50	1.11	0.82-1.47
	-squamous cell ²	24	0.78	28	0.82	1	1.28	11	0.55	62	1.13	126	0.90	0.75-1.07
	-other ²	-	-	23	0.55	2	2.37	14	0.87	54	1.01	93	0.83	0.67-1.01
158, 162.2	Mesothelioma ²	[2.40]	0.00	2	0.77	[0.08]	0.00	[2.06]	0.00	1	0.15	3	0.22	0.04-0.63
170	Breast	1	1.18	[0.70]	0.00	[0.09]	0.00	1	1.41	12	4.28	14	2.72	1.49-4.56
177	Prostate	66	1.12	133	1.04	8	1.21	114	1.04	441	1.00	762	1.03	0.96-1.10
178	Testis	5	1.63	1	0.42	[0.32]	0.00	6	1.31	16	1.46	28	1.31	0.87-1.90
	-seminoma ²	1	0.78	1	0.61	[0.23]	0.00	6	1.88	11	1.40	19	1.34	0.81-2.09
	-non-seminoma ²	4	2.22	[0.71]	0.00	[0.08]	0.00	[1.07]	0.00	5	1.59	9	1.32	0.60-2.51
179.0	Penis	3	1.79	3	2.84	[0.10]	0.00	2	1.15	17	2.91	25	2.40	1.55-3.54
180	Kidney	9	0.81	25	1.08	2	1.53	16	0.93	80	1.32	132	1.17	0.98-1.38
180.1	-renal pelvis ²	6	1.38	3	2.21	[0.07]	0.00	[1.93]	0.00	4	0.65	13	0.94	0.50-1.60
181	Bladder	45	0.96	29	0.97	2	1.06	34	0.88	128	1.09	238	1.02	0.89-1.15
190	Melanoma	17	1.68	15	0.88	1	1.69	31	1.52	89	1.56	153	1.45	1.24-1.70
190.6	-upper limbs ²	3	2.52	2	0.91	[0.09]	0.00	2	1.07	17	1.97	24	1.72	1.10-2.56
192	Eye	4	3.38	2	1.28	[0.06]	0.00	2	1.35	5	1.02	13	1.41	0.75-2.42
	-melanoma ²	3	2.91	2	1.41	[0.04]	0.00	1	0.77	4	1.03	10	1.30	0.63-2.40
193	Brain	11	0.95	20	1.19	1	1.19	19	1.37	46	0.93	97	1.05	0.85-1.28
	-glioma ²	1	0.81	9	1.14	[0.50]	0.00	10	1.37	24	0.94	44	1.04	0.75-1.39
	-meningeoma ²	1	0.68	6	1.77	1	4.79	5	2.18	9	0.90	22	1.27	0.79-1.92
194	Thyroid	[1.01]	0.00	2	0.51	[0.47]	0.00	2	0.79	10	1.25	14	0.88	0.48-1.48
	-follicular ²	-	-	1	1.64	[0.06]	0.00	1	3.41	[0.46]	0.00	2	1.40	0.17-5.07
	-papillary ²	-	-	1	0.40	[0.35]	0.00	[1.45]	0.00	[1.44]	0.00	1	0.17	0.00-0.97
195.0	Glandula suprarenalis	[0.25]	0.00	1	1.54	[0.02]	0.00	[0.31]	0.00	1	1.13	2	0.94	0.11-3.40
195.1	Parathyreoidea	[0.01]	0.00	[0.01]	0.00	[0.00]	0.00	[0.01]	0.00	[0.06]	0.00	[0.10]	0.00	0.00-38.82
195.2	Thymus	[0.12]	0.00	1	5.43	[0.02]	0.00	[0.15]	0.00	1	2.56	2	2.33	0.28-8.42
195.3	Hypophysis	[0.04]	0.00	[0.02]	0.00	[0.12]	0.00	[0.02]	0.00	1	10.46	1	3.40	0.09-18.94
195.4	Corpus pineale	-	-	[0.03]	0.00	-	-	[0.01]	0.00	-	-	[0.04]	0.00	0.00-85.70
196	Bone	1	2.34	3	2.86	[0.07]	0.00	1	1.35	2	0.74	7	1.40	0.56-2.88
	-chondrosarcoma ²	-	-	2	3.66	[0.06]	0.00	[0.20]	0.00	2	1.62	4	1.96	0.53-5.01
197	Soft tissue	2	1.31	2	0.54	[0.15]	0.00	1	0.48	18	1.49	23	1.18	0.75-1.77
	-fibrosarcoma ²	-	-	[1.23]	0.00	-	-	[0.18]	0.00	5	3.03	5	1.63	0.53-3.81
	-liposarcoma ²	-	-	2	2.41	[0.05]	0.00	[0.36]	0.00	2	0.95	4	1.20	0.33-3.07
200,202	Non-Hodgkin lymphoma	10	0.93	19	0.91	1	1.11	22	1.69	45	0.84	97	0.98	0.79-1.19
201	Hodgkin lymphoma	[1.73]	0.00	2	0.60	[0.11]	0.00	2	0.86	11	1.27	15	0.93	0.52-1.53
203	Multiple myeloma	6	0.98	5	0.72	[0.36]	0.00	7	0.82	26	1.04	44	0.93	0.68-1.25
204	Leukaemia	14	1.08	15	1.18	[0.64]	0.00	13	1.06	39	0.98	81	1.03	0.82-1.28
	-chronic lymphatic ²	-	-	6	1.13	[0.21]	0.00	4	0.91	17	0.93	27	0.96	0.63-1.40
	-acute myeloid ²	4	1.09	3	0.85	[0.22]	0.00	4	0.90	10	1.12	21	1.01	0.62-1.54
	Mycosis fungoides ²	[0.36]	0.00	2	3.82	[0.04]	0.00	[0.35]	0.00	2	0.59	4	0.86	0.23-2.20
199	Other/unknown site	7	1.25	8	0.73	[0.49]	0.00	12	0.68	75	1.48	102	1.20	0.98-1.45
140-204	All sites	416	1.03	525	0.96	28	1.10	474	0.96	1740	1.11	3183	1.05	1.01-1.09
	Not included above													
191	Other skin	-	-	12	0.79	3	4.20	21	0.96	77	1.07	113	1.03	0.85-1.24
191.6	-upper limbs ²	-	-	1	0.82	1	15.25	[1.89]	0.00	7	0.87	9	0.81	0.37-1.53

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Journalists. Women (N = 10 429). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.13]	0.00	1	1.01	[0.01]	0.00	[0.23]	0.00	2	1.79	3	1.22	0.25-3.55
141	Tongue	[0.19]	0.00	1	0.75	[0.02]	0.00	2	5.73	1	0.67	4	1.18	0.32-3.03
142	Salivary glands	[0.15]	0.00	1	1.05	[0.02]	0.00	[0.24]	0.00	1	0.68	2	0.71	0.09-2.55
143-144	Oral cavity	1	2.40	4	3.15	[0.03]	0.00	4	7.35	3	1.50	12	2.82	1.46-4.92
145-148	Pharynx	1	3.14	1	1.20	[0.02]	0.00	2	5.51	3	1.59	7	2.04	0.82-4.21
145	-oropharynx ²	1	5.46	[0.36]	0.00	[0.01]	0.00	[0.18]	0.00	2	1.88	3	1.66	0.34-4.86
146	-nasopharynx ²	[0.05]	0.00	1	4.59	[0.01]	0.00	[0.06]	0.00	[0.38]	0.00	1	1.38	0.03-7.68
150	Oesophagus	1	1.75	[2.55]	0.00	[0.04]	0.00	2	3.67	3	1.25	6	0.98	0.36-2.14
	-adenocarcinoma ²	[0.14]	0.00	[0.28]	0.00	[0.01]	0.00	[0.10]	0.00	[0.43]	0.00	[0.96]	0.00	0.00-3.83
151	Stomach	1	0.59	7	0.52	[0.21]	0.00	5	1.18	6	0.44	19	0.57	0.34-0.89
151.1	-cardia ²	1	3.55	2	1.64	[0.02]	0.00	[0.56]	0.00	2	1.84	5	1.58	0.51-3.68
152	Small intestine	[0.22]	0.00	3	2.46	[0.03]	0.00	[0.53]	0.00	4	1.63	7	1.57	0.63-3.24
153	Colon	15	1.88	17	0.82	[0.46]	0.00	10	0.74	32	0.82	74	0.91	0.71-1.14
154	Rectum, rectosigma	4	1.12	10	0.79	1	5.12	5	0.84	20	0.94	40	0.92	0.65-1.25
155.0	Primary liver	[0.63]	0.00	2	0.66	[0.03]	0.00	[0.51]	0.00	3	0.78	5	0.62	0.20-1.45
	-hemangiosarcoma ²	-	-	[0.03]	0.00	[0.00]	0.00	[0.00]	0.00	[0.03]	0.00	[0.06]	0.00	0.00-60.44
155.1	Gall bladder	[0.92]	0.00	4	0.76	[0.04]	0.00	[0.92]	0.00	4	0.68	8	0.62	0.27-1.22
157	Pancreas	2	0.78	5	0.43	[0.17]	0.00	6	1.63	12	0.89	25	0.79	0.51-1.17
160	Nose	[0.16]	0.00	1	1.81	[0.02]	0.00	[0.21]	0.00	1	1.34	2	1.18	0.14-4.28
	-adenocarcinoma ²	-	-	[0.04]	0.00	-	-	[0.02]	0.00	[0.06]	0.00	[0.12]	0.00	0.00-31.80
161	Larynx	1	2.74	[0.48]	0.00	[0.02]	0.00	[0.25]	0.00	[0.83]	0.00	1	0.51	0.01-2.87
162,163	Lung	11	1.14	33	2.06	1	1.01	8	0.91	38	1.23	91	1.37	1.10-1.68
	-adenocarcinoma ²	2	0.64	13	2.82	[0.38]	0.00	6	2.16	11	0.96	32	1.43	0.98-2.02
	-small cell ²	-	-	3	1.09	[0.16]	0.00	1	0.54	4	0.92	8	0.88	0.38-1.73
	-squamous cell ²	4	2.24	2	0.80	[0.15]	0.00	1	0.75	6	1.18	13	1.20	0.64-2.05
	-other ²	-	-	15	2.43	1	3.33	[2.47]	0.00	17	1.70	33	1.74	1.20-2.44
158, 162.2	Mesothelioma ²	[0.13]	0.00	1	1.59	[0.00]	0.00	1	9.20	[0.48]	0.00	2	1.48	0.18-5.35
170	Breast	34	1.51	181	1.29	5	1.63	53	1.36	277	1.38	550	1.36	1.25-1.48
	-ductal ²	-	-	136	1.31	4	1.67	37	1.36	94	1.27	271	1.30	1.16-1.47
	-lobular ²	-	-	30	1.64	[0.27]	0.00	5	1.70	32	2.01	67	1.79	1.39-2.28
171	Cervix uteri	3	0.75	8	1.10	1	3.41	6	0.94	23	1.03	41	1.01	0.73-1.38
172	Corpus uteri	8	1.48	36	1.40	[0.49]	0.00	9	1.06	41	1.13	94	1.23	0.99-1.51
173	Choriocarcinoma	[0.00]	0.00	1	14.50	[0.00]	0.00	[0.02]	0.00	[0.11]	0.00	1	4.77	0.12-26.59
175.0	Ovary	2	0.43	24	1.29	[0.39]	0.00	6	0.73	39	0.96	71	0.98	0.76-1.23
175.1	Fallopian tube	[0.14]	0.00	1	0.98	[0.01]	0.00	[0.26]	0.00	1	0.93	2	0.80	0.10-2.89
176.0	Vulva	1	2.40	2	0.97	[0.04]	0.00	1	0.95	4	1.20	8	1.16	0.50-2.28
176.1	Vagina	[0.18]	0.00	[0.58]	0.00	[0.01]	0.00	[0.22]	0.00	1	0.98	1	0.50	0.01-2.77
180	Kidney	[1.60]	0.00	10	0.95	[0.24]	0.00	2	0.68	11	0.85	23	0.81	0.52-1.22
180.1	-renal pelvis ²	1	1.72	1	2.08	[0.01]	0.00	1	3.16	3	2.39	6	2.27	0.83-4.94
181	Bladder	[2.86]	0.00	3	0.56	[0.18]	0.00	3	0.88	9	0.71	15	0.61	0.34-1.01
190	Melanoma	2	0.81	12	1.02	[0.29]	0.00	15	2.10	27	1.05	56	1.18	0.89-1.53
190.6	-upper limbs ²	1	2.24	4	1.85	[0.05]	0.00	1	0.92	8	1.63	14	1.62	0.89-2.72
192	Eye	1	4.75	[1.11]	0.00	[0.01]	0.00	2	4.86	[1.64]	0.00	3	0.89	0.18-2.60
	-melanoma ²	1	5.28	[1.03]	0.00	[0.01]	0.00	2	5.64	[1.20]	0.00	3	1.08	0.22-3.15
193	Brain	2	0.76	19	1.12	[0.34]	0.00	5	1.04	23	1.01	49	1.03	0.76-1.36
	-glioma ²	[0.22]	0.00	5	1.03	[0.13]	0.00	2	1.23	8	1.06	15	1.04	0.58-1.72
	-meningeoma ²	1	1.58	11	1.48	[0.18]	0.00	1	0.53	13	1.31	26	1.30	0.85-1.90
194	Thyroid	[0.41]	0.00	6	0.57	[0.32]	0.00	1	0.49	9	1.14	16	0.76	0.43-1.23
	-follicular ²	-	-	1	0.89	[0.04]	0.00	[0.27]	0.00	1	2.24	2	1.07	0.13-3.86
	-papillary ²	-	-	4	0.48	[0.26]	0.00	[1.38]	0.00	2	0.88	6	0.49	0.18-1.06
195.0	Glandula suprarenalis	[0.05]	0.00	1	2.48	[0.01]	0.00	[0.09]	0.00	1	2.71	2	2.17	0.26-7.84
195.1	Parathyreoidea	[0.00]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.08]	0.00	[0.10]	0.00	0.00-36.10
195.2	Thymus	[0.02]	0.00	[0.16]	0.00	-	-	[0.03]	0.00	[0.15]	0.00	[0.35]	0.00	0.00-10.42
195.3	Hypophysis	[0.01]	0.00	[0.01]	0.00	[0.03]	0.00	[0.01]	0.00	[0.03]	0.00	[0.08]	0.00	0.00-43.48
195.4	Corpus pineale	-	-	[0.05]	0.00	-	-	[0.17]	0.00	-	-	[0.06]	0.00	0.00-66.38
196	Bone	[0.07]	0.00	[0.52]	0.00	[0.02]	0.00	[0.01]	0.00	[0.82]	0.00	[1.59]	0.00	0.00-23.31
	-chondrosarcoma ²	-	-	[0.25]	0.00	[0.02]	0.00	[0.05]	0.00	[0.39]	0.00	[0.71]	0.00	0.00-5.21
197	Soft tissue	1	3.84	3	1.18	[0.04]	0.00	1	1.95	4	1.00	9	1.23	0.56-2.33
	-fibrosarcoma ²	-	-	2	2.85	[0.00]	0.00	[0.03]	0.00	[0.44]	0.00	2	1.70	0.21-6.14
	-liposarcoma ²	-	-	1	1.73	[0.01]	0.00	[0.07]	0.00	[0.60]	0.00	1	0.79	0.02-4.42
200,202	Non-Hodgkin lymphoma	2	1.02	9	0.66	[0.19]	0.00	4	1.11	19	1.24	34	0.98	0.68-1.37
201	Hodgkin lymphoma	[0.21]	0.00	2	1.29	[0.02]	0.00	[0.38]	0.00	1	0.49	3	0.71	0.15-2.09
203	Multiple myeloma	1	1.04	5	1.10	[0.10]	0.00	2	1.08	10	1.57	18	1.30	0.77-2.06
204	Leukaemia	[1.86]	0.00	12	1.76	[0.16]	0.00	[2.44]	0.00	10	0.98	22	1.02	0.64-1.55
	-chronic lymphatic ²	-	-	2	0.91	[0.05]	0.00	[0.77]	0.00	3	0.82	5	0.75	0.24-1.74
	-acute myeloid ²	[0.65]	0.00	7	2.91	[0.07]	0.00	[1.01]	0.00	5	1.56	12	1.63	0.84-2.86
	Mycosis fungoides ²	[0.04]	0.00	[0.21]	0.00	[0.01]	0.00	[0.06]	0.00	1	1.51	1	1.02	0.03-5.68
199	Other/unknown site	4	3.01	6	0.71	[0.20]	0.00	3	0.68	13	0.65	26	0.76	0.50-1.11
140-204	All sites	95	1.17	434	1.12	8	0.90	158	1.14	657	1.11	1352	1.12	1.06-1.18
Not included above														
	Ovary borderline ²	-	-	3	0.68	[0.17]	0.00	1	0.62	3	0.38	7	0.50	0.20-1.03
191	Other skin	-	-	4	0.46	[0.21]	0.00	2	0.48	32	2.11	38	1.35	0.95-1.85
191.6	-upper limbs ²	-	-	[0.70]	0.00	[0.02]	0.00	[0.45]	0.00	4	2.15	4	1.32	0.36-3.37

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Administrators and managers. Men (N = 306 715). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	74	0.38	39	0.36	1	0.37	71	0.50	94	0.49	279	0.44	0.39-0.49
141	Tongue	71	1.12	40	1.01	2	1.66	72	1.17	93	1.20	278	1.14	1.02-1.29
142	Salivary glands	38	0.97	30	1.35	[1.04]	0.00	33	1.21	55	1.00	156	1.08	0.92-1.26
143-144	Oral cavity	132	1.04	31	0.77	1	0.57	81	0.95	131	1.15	376	1.02	0.92-1.13
145-148	Pharynx	160	1.07	51	1.03	4	2.19	104	1.04	179	1.09	498	1.07	0.98-1.17
145	-oropharynx ²	104	1.25	21	1.02	1	1.99	46	1.14	55	0.86	227	1.09	0.96-1.24
146	-nasopharynx ²	15	0.68	18	1.79	[0.49]	0.00	12	0.69	36	1.05	81	0.96	0.76-1.19
150	Oesophagus	308	1.00	80	0.70	7	0.87	157	0.96	311	1.06	863	0.97	0.91-1.04
	-adenocarcinoma ²	120	0.96	26	0.91	[3.00]	0.00	26	0.74	72	0.93	244	0.90	0.80-1.03
151	Stomach	545	0.81	368	0.73	25	1.03	713	0.78	832	0.69	2483	0.75	0.72-0.78
151.1	-cardia ²	173	0.85	70	0.79	7	1.61	128	0.81	131	0.89	509	0.84	0.77-0.92
152	Small intestine	48	0.90	47	1.40	1	0.41	55	1.13	143	1.18	294	1.13	1.01-1.27
153	Colon	1875	1.19	615	1.36	33	0.97	1502	1.19	1946	1.17	5971	1.20	1.17-1.23
154	Rectum, rectosigma	1153	1.05	398	1.08	12	0.97	839	1.09	1210	1.05	3612	1.07	1.03-1.10
155.0	Primary liver	261	1.14	147	1.13	1	0.25	114	1.20	351	1.15	874	1.15	1.07-1.23
	-hemangiosarcoma ²	-	-	[0.58]	0.00	-	-	[0.15]	0.00	[1.45]	0.00	[2.18]	0.00	0.00-1.69
155.1	Gall bladder	103	0.84	69	0.98	2	0.97	74	1.05	127	1.09	375	0.98	0.89-1.09
157	Pancreas	569	1.01	319	0.98	11	0.89	457	0.98	728	1.07	2084	1.02	0.97-1.06
160	Nose	54	0.99	25	1.31	2	1.70	43	1.16	40	0.81	164	1.02	0.87-1.19
	-adenocarcinoma ²	-	-	2	1.56	[0.12]	0.00	8	1.62	9	1.09	19	1.30	0.78-2.03
161	Larynx	323	0.92	108	0.88	6	1.28	156	0.91	254	1.14	847	0.97	0.91-1.04
162,163	Lung	3415	0.90	1000	0.56	49	0.86	1523	0.84	1992	0.92	7979	0.83	0.81-0.85
	-adenocarcinoma ²	765	1.02	200	0.80	16	1.00	284	0.82	383	0.94	1648	0.93	0.89-0.98
	-small cell ²	-	-	150	0.54	6	0.52	242	0.79	160	0.83	558	0.71	0.65-0.77
	-squamous cell ²	1127	0.87	290	0.52	17	1.25	436	0.78	667	0.83	2537	0.79	0.76-0.82
	-other ²	-	-	360	0.51	9	0.62	398	0.91	782	1.01	1549	0.80	0.76-0.84
158, 162.2	Mesothelioma ²	87	0.89	34	0.82	1	0.77	37	0.69	55	0.64	214	0.76	0.67-0.87
170	Breast	36	1.00	15	1.35	[1.47]	0.00	15	0.76	51	1.33	117	1.10	0.91-1.31
177	Prostate	2816	1.11	2851	1.31	137	1.12	3603	1.14	7249	1.16	16656	1.17	1.15-1.19
178	Testis	121	1.04	46	1.39	[1.93]	0.00	110	1.10	130	1.39	407	1.18	1.07-1.30
	-seminoma ²	46	0.95	28	1.22	[1.46]	0.00	74	1.06	90	1.35	238	1.14	1.00-1.29
	-non-seminoma ²	75	1.08	16	1.64	[0.47]	0.00	25	1.11	40	1.51	156	1.21	1.04-1.42
179.0	Penis	74	1.05	14	0.85	1	0.64	54	1.11	72	0.95	215	1.01	0.88-1.15
180	Kidney	469	1.02	416	1.14	26	1.29	479	1.02	911	1.11	2301	1.08	1.04-1.12
180.1	-renal pelvis ²	201	1.11	21	0.95	[1.23]	0.00	50	0.94	93	1.09	365	1.06	0.96-1.18
181	Bladder	2035	1.02	517	1.03	29	0.90	1192	1.09	1849	1.12	5622	1.07	1.04-1.10
190	Melanoma	588	1.43	362	1.37	12	1.64	761	1.52	944	1.47	2667	1.46	1.41-1.52
190.6	-upper limbs ²	73	1.49	42	1.23	3	2.86	72	1.57	151	1.60	341	1.52	1.37-1.69
192	Eye	47	0.96	28	1.15	1	1.17	51	1.30	57	0.92	184	1.05	0.91-1.21
	-melanoma ²	41	0.96	24	1.09	1	1.34	46	1.33	41	0.81	153	1.02	0.87-1.19
193	Brain	535	1.15	276	1.08	15	1.31	404	1.15	640	1.10	1870	1.12	1.07-1.18
	-glioma ²	56	1.16	126	1.07	13	1.94	205	1.14	330	1.14	730	1.14	1.06-1.22
	-meningeoma ²	56	0.93	57	1.09	2	0.68	61	1.05	137	1.08	313	1.05	0.94-1.17
194	Thyroid	46	1.11	75	1.26	7	1.02	64	0.97	104	1.05	296	1.09	0.97-1.22
	-follicular ²	-	-	15	1.55	3	2.57	5	0.64	4	0.84	27	1.15	0.76-1.68
	-papillary ²	-	-	50	1.34	4	0.81	35	0.98	13	1.02	102	1.13	0.93-1.37
195.0	Glandula suprarenalis	12	1.18	8	0.79	1	3.10	7	0.88	15	1.38	43	1.09	0.79-1.47
195.1	Parathyreoidea	[0.57]	0.00	[0.17]	0.00	[0.06]	0.00	[0.26]	0.00	1	1.37	1	0.56	0.01-3.10
195.2	Thymus	6	1.21	2	0.71	[0.19]	0.00	5	1.38	5	1.08	18	1.11	0.66-1.75
195.3	Hypophysis	[1.47]	0.00	[0.28]	0.00	2	1.07	[0.68]	0.00	1	0.76	3	0.53	0.11-1.56
195.4	Corpus pineale	-	-	1	1.95	-	-	1	4.80	-	-	2	2.77	0.34-10.01
196	Bone	17	0.98	19	1.19	3	3.36	15	0.78	34	1.06	88	1.03	0.83-1.27
	-chondrosarcoma ²	-	-	5	0.60	3	3.49	5	0.96	11	0.78	24	0.84	0.54-1.26
197	Soft tissue	66	1.04	70	1.23	1	0.52	59	1.04	164	1.06	360	1.08	0.97-1.19
	-fibrosarcoma ²	-	-	16	0.82	-	-	2	0.40	23	0.99	41	0.86	0.62-1.17
	-liposarcoma ²	-	-	18	1.41	[0.62]	0.00	7	0.74	27	1.03	52	1.06	0.79-1.39
200,202	Non-Hodgkin lymphoma	451	1.01	370	1.12	17	1.30	367	1.09	704	1.02	1909	1.05	1.01-1.10
201	Hodgkin lymphoma	57	0.82	41	0.83	2	1.43	59	0.97	107	0.99	266	0.92	0.82-1.04
203	Multiple myeloma	270	1.06	117	1.02	3	0.49	217	0.89	350	0.99	957	0.99	0.93-1.05
204	Leukaemia	564	1.04	220	1.06	15	1.45	366	1.06	523	0.98	1688	1.03	0.98-1.08
	-chronic lymphatic ²	-	-	89	1.01	6	1.62	131	1.04	246	0.99	472	1.01	0.93-1.11
	-acute myeloid ²	151	0.99	67	1.17	4	1.23	144	1.17	115	0.99	481	1.06	0.97-1.16
	Mycosis fungoides ²	14	0.90	11	1.30	[0.56]	0.00	8	0.86	60	1.22	93	1.12	0.91-1.37
199	Other/unknown site	243	1.03	156	0.85	7	0.84	435	0.85	673	0.97	1514	0.93	0.88-0.97
140-204	All sites	17050	1.01	9072	1.01	436	1.03	14314	1.04	23185	1.07	64057	1.04	1.03-1.05
	Not included above													
191	Other skin	-	-	345	1.30	17	1.32	874	1.38	1410	1.29	2646	1.32	1.27-1.37
191.6	-upper limbs ²	-	-	23	1.11	[1.19]	0.00	60	1.10	120	1.05	203	1.06	0.93-1.22

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Administrators and managers. Women (N = 58 282). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	2	0.53	5	1.58	1	38.52	1	0.35	6	1.08	15	0.97	0.54-1.60
141	Tongue	4	0.80	3	0.66	[0.06]	0.00	6	1.38	4	0.54	17	0.80	0.46-1.27
142	Salivary glands	4	0.95	2	0.62	[0.04]	0.00	2	0.68	8	1.12	16	0.91	0.52-1.48
143-144	Oral cavity	11	0.95	4	0.92	[0.14]	0.00	9	1.31	7	0.71	31	0.95	0.64-1.34
145-148	Pharynx	14	1.78	5	1.69	[0.06]	0.00	2	0.46	10	1.08	31	1.27	0.86-1.80
145	-oropharynx ²	7	1.55	1	0.75	[0.02]	0.00	2	0.98	5	1.01	15	1.17	0.65-1.92
146	-nasopharynx ²	1	0.78	1	1.31	[0.04]	0.00	[0.83]	0.00	[1.96]	0.00	2	0.41	0.05-1.48
150	Oesophagus	18	1.12	6	0.69	[0.17]	0.00	7	0.95	19	1.53	50	1.12	0.83-1.48
	-adenocarcinoma ²	5	1.26	2	2.22	[0.05]	0.00	1	0.77	4	1.87	12	1.43	0.74-2.50
151	Stomach	31	0.62	37	0.80	[0.77]	0.00	50	0.78	63	0.84	181	0.77	0.67-0.89
151.1	-cardia ²	5	0.62	7	1.67	[0.07]	0.00	4	0.51	4	0.73	20	0.78	0.48-1.21
152	Small intestine	6	0.96	3	0.73	[0.11]	0.00	11	1.73	14	1.17	34	1.18	0.82-1.65
153	Colon	262	1.11	62	0.91	[1.68]	0.00	190	1.08	236	1.19	750	1.11	1.03-1.19
154	Rectum, rectosigma	106	1.02	39	0.93	[0.67]	0.00	71	0.93	110	1.03	326	0.99	0.89-1.10
155.0	Primary liver	19	1.06	6	0.60	1	7.81	5	0.72	13	0.65	44	0.80	0.58-1.07
	-hemangiosarcoma ²	-	-	1	12.79	[0.01]	0.00	[0.03]	0.00	[0.16]	0.00	1	3.71	0.09-20.65
155.1	Gall bladder	20	0.73	9	0.52	[0.16]	0.00	10	0.76	31	0.98	70	0.78	0.61-0.99
157	Pancreas	78	1.06	43	1.11	[0.62]	0.00	65	1.28	77	1.10	263	1.12	1.00-1.27
160	Nose	3	0.67	1	0.55	[0.08]	0.00	[2.85]	0.00	2	0.53	6	0.46	0.17-1.01
	-adenocarcinoma ²	-	-	[0.13]	0.00	-	-	[0.25]	0.00	[0.29]	0.00	[0.67]	0.00	0.00-5.52
161	Larynx	15	1.55	[1.56]	0.00	[0.07]	0.00	2	0.70	6	1.56	23	1.28	0.81-1.92
162,163	Lung	285	1.16	71	1.35	3	0.91	88	0.91	134	0.94	581	1.07	0.99-1.16
	-adenocarcinoma ²	86	1.15	13	0.85	2	1.69	22	0.72	42	0.80	165	0.95	0.81-1.10
	-small cell ²	-	-	13	1.46	[0.56]	0.00	16	0.82	18	0.94	47	0.98	0.72-1.30
	-squamous cell ²	57	1.22	13	1.63	[0.52]	0.00	16	1.10	23	0.97	109	1.17	0.97-1.41
	-other ²	-	-	32	1.58	1	0.96	25	0.92	51	1.07	109	1.13	0.94-1.37
158, 162.2	Mesothelioma ²	2	0.55	3	1.51	[0.01]	0.00	3	2.42	[2.30]	0.00	8	0.87	0.38-1.72
170	Breast	784	1.35	689	1.40	8	1.05	563	1.26	1123	1.19	3167	1.28	1.24-1.33
	-ductal ²	-	-	517	1.41	7	1.18	373	1.22	400	1.18	1297	1.28	1.21-1.35
	-lobular ²	-	-	105	1.60	[0.65]	0.00	46	1.48	105	1.46	256	1.51	1.34-1.71
171	Cervix uteri	100	0.97	25	0.98	[0.64]	0.00	74	1.05	118	1.12	317	1.04	0.93-1.16
172	Corpus uteri	179	1.18	105	1.29	4	2.69	116	1.20	181	1.06	585	1.17	1.08-1.27
173	Choriocarcinoma	[0.09]	0.00	1	4.07	[0.00]	0.00	1	4.63	[0.51]	0.00	2	1.89	0.23-6.82
175.0	Ovary	139	1.13	62	0.99	2	1.76	106	1.10	192	1.00	501	1.05	0.97-1.15
175.1	Fallopian tube	7	1.94	3	0.89	[0.03]	0.00	2	0.72	5	1.02	17	1.16	0.68-1.86
176.0	Vulva	9	0.71	9	1.28	[0.11]	0.00	12	0.83	13	0.75	43	0.83	0.60-1.12
176.1	Vagina	13	2.52	2	1.02	[0.03]	0.00	2	0.71	4	0.78	21	1.39	0.86-2.12
180	Kidney	44	0.97	33	0.97	[0.78]	0.00	30	0.81	46	0.71	153	0.84	0.72-0.98
180.1	-renal pelvis ²	19	1.15	4	2.51	[0.06]	0.00	3	0.75	8	1.26	34	1.19	0.82-1.66
181	Bladder	97	1.19	16	0.91	1	1.44	48	1.08	89	1.38	251	1.20	1.06-1.36
190	Melanoma	76	1.19	54	1.33	2	3.18	89	1.16	126	1.06	347	1.15	1.04-1.28
190.6	-upper limbs ²	10	0.85	10	1.35	[0.09]	0.00	15	1.25	24	1.06	59	1.09	0.83-1.41
192	Eye	4	0.71	7	1.90	[0.03]	0.00	2	0.41	10	1.28	23	1.05	0.66-1.57
	-melanoma ²	3	0.59	6	1.76	[0.02]	0.00	1	0.24	5	0.86	15	0.81	0.45-1.33
193	Brain	66	0.97	60	1.02	1	1.05	56	1.06	123	1.14	306	1.06	0.95-1.19
	-glioma ²	7	1.31	19	1.13	[0.36]	0.00	20	1.13	38	1.08	84	1.11	0.89-1.38
	-meningeoma ²	18	1.10	31	1.21	1	2.01	25	1.24	54	1.15	129	1.18	0.99-1.40
194	Thyroid	4	0.36	31	0.81	1	1.39	22	0.95	28	0.75	86	0.78	0.62-0.96
	-follicular ²	-	-	3	0.82	[0.09]	0.00	3	0.98	2	0.97	8	0.90	0.39-1.77
	-papillary ²	-	-	26	0.83	1	1.75	16	1.09	8	0.76	51	0.89	0.66-1.17
195.0	Glandula suprarenalis	2	1.61	[1.38]	0.00	[0.02]	0.00	3	3.07	1	0.58	6	1.12	0.41-2.45
195.1	Parathyreoidea	[0.10]	0.00	[0.04]	0.00	-	-	[0.11]	0.00	[0.35]	0.00	[0.60]	0.00	0.00-6.11
195.2	Thymus	[0.56]	0.00	[0.52]	0.00	-	-	[0.33]	0.00	[0.69]	0.00	[2.11]	0.00	0.00-1.75
195.3	Hypophysis	[0.14]	0.00	[0.03]	0.00	[0.08]	0.00	[0.08]	0.00	[0.15]	0.00	[0.49]	0.00	0.00-7.57
195.4	Corpus pineale	-	-	[0.18]	0.00	-	-	[0.06]	0.00	-	-	[0.25]	0.00	0.00-15.04
196	Bone	1	0.56	1	0.55	[0.05]	0.00	3	1.54	1	0.26	6	0.63	0.23-1.37
	-chondrosarcoma ²	-	-	[0.86]	0.00	[0.03]	0.00	2	3.39	[1.89]	0.00	2	0.59	0.07-2.14
197	Soft tissue	6	0.86	5	0.58	[0.10]	0.00	9	1.42	21	1.09	41	0.99	0.71-1.35
	-fibrosarcoma ²	-	-	1	0.44	[0.01]	0.00	[0.45]	0.00	1	0.45	2	0.40	0.05-1.46
	-liposarcoma ²	-	-	1	0.50	[0.02]	0.00	2	2.40	5	1.70	8	1.38	0.60-2.72
200,202	Non-Hodgkin lymphoma	58	1.07	43	0.94	2	3.27	32	0.78	59	0.79	194	0.90	0.78-1.03
201	Hodgkin lymphoma	3	0.54	2	0.37	1	22.44	8	1.69	14	1.39	28	1.09	0.72-1.57
203	Multiple myeloma	35	1.26	12	0.81	[0.35]	0.00	24	0.96	30	0.92	101	1.00	0.83-1.22
204	Leukaemia	51	0.96	25	1.09	1	2.07	25	0.78	48	0.95	150	0.94	0.80-1.11
	-chronic lymphatic ²	-	-	10	1.36	[0.17]	0.00	11	1.06	20	1.10	41	1.14	0.81-1.54
	-acute myeloid ²	15	0.85	7	0.87	1	5.60	8	0.62	16	1.04	47	0.87	0.64-1.15
	Mycosis fungoides ²	[1.10]	0.00	1	1.30	[0.01]	0.00	1	1.43	3	0.82	5	0.80	0.26-1.87
199	Other/unknown site	40	1.05	17	0.62	2	3.03	62	0.97	82	0.83	203	0.89	0.77-1.02
140-204	All sites	2481	1.12	1507	1.14	32	1.25	1816	1.08	3057	1.07	8893	1.10	1.08-1.12
	Not included above													
	Ovary borderline ²	-	-	14	0.88	1	2.77	23	1.38	29	0.81	67	0.97	0.75-1.23
191	Other skin	-	-	28	0.97	[0.69]	0.00	64	1.14	110	1.40	202	1.23	1.07-1.41
191.6	-upper limbs ²	-	-	3	1.30	[0.09]	0.00	4	0.69	16	1.71	23	1.31	0.83-1.97

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Clerical workers. Men (N = 244 257). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	33	0.40	46	0.60	2	0.66	45	0.43	113	0.57	239	0.52	0.45-0.59
141	Tongue	23	0.78	20	0.81	2	1.42	61	1.33	89	1.04	195	1.04	0.90-1.20
142	Salivary glands	32	1.84	15	1.03	1	0.85	17	0.82	65	1.08	130	1.14	0.96-1.36
143-144	Oral cavity	52	0.90	27	1.08	5	2.72	52	0.81	139	1.12	275	1.01	0.89-1.13
145-148	Pharynx	81	1.16	32	1.03	3	1.46	58	0.76	205	1.12	379	1.04	0.94-1.15
145	-oropharynx ²	45	1.15	17	1.36	1	1.68	18	0.60	90	1.23	171	1.10	0.95-1.28
146	-nasopharynx ²	15	1.48	4	0.63	[0.57]	0.00	12	0.91	30	0.80	61	0.90	0.69-1.16
150	Oesophagus	100	0.73	67	0.89	13	1.41	111	0.89	312	0.99	603	0.91	0.84-0.99
	-adenocarcinoma ²	37	0.67	12	0.69	4	1.18	17	0.61	86	0.99	156	0.82	0.70-0.96
151	Stomach	245	0.83	293	0.84	29	1.04	501	0.77	1067	0.86	2135	0.83	0.80-0.87
151.1	-cardia ²	73	0.81	41	0.68	3	0.60	87	0.75	136	0.85	340	0.79	0.71-0.87
152	Small intestine	22	0.94	21	0.97	5	1.80	39	1.05	155	1.18	242	1.12	0.99-1.27
153	Colon	767	1.13	337	1.13	48	1.26	1051	1.11	1992	1.13	4195	1.13	1.09-1.16
154	Rectum, rectosigma	438	0.92	269	1.10	16	1.15	580	1.01	1300	1.06	2603	1.03	0.99-1.07
155.0	Primary liver	110	1.09	90	1.03	6	1.33	55	0.78	332	1.04	593	1.02	0.94-1.10
	-hemangiosarcoma ²	-	-	1	2.73	-	-	[0.14]	0.00	3	2.03	4	2.01	0.55-5.16
155.1	Gall bladder	45	0.83	43	0.91	2	0.89	51	0.99	138	1.15	279	1.02	0.90-1.14
157	Pancreas	250	1.01	215	0.99	19	1.36	336	0.98	739	1.03	1559	1.01	0.96-1.06
160	Nose	25	1.06	13	1.03	2	1.46	23	0.83	42	0.79	105	0.89	0.73-1.07
	-adenocarcinoma ²	-	-	1	1.20	[0.13]	0.00	3	0.78	2	0.22	6	0.43	0.16-0.95
161	Larynx	131	0.85	61	0.74	5	0.96	115	0.87	261	1.08	573	0.93	0.86-1.01
162,163	Lung	1412	0.85	936	0.75	64	1.00	1177	0.84	2432	1.04	6021	0.90	0.88-0.92
	-adenocarcinoma ²	310	0.92	162	0.98	14	0.78	247	0.90	496	1.09	1229	0.98	0.93-1.04
	-small cell ²	-	-	134	0.70	16	1.26	219	0.91	168	0.76	537	0.81	0.74-0.88
	-squamous cell ²	465	0.83	283	0.73	19	1.23	331	0.77	862	1.01	1960	0.87	0.83-0.91
	-other ²	-	-	357	0.72	14	0.85	279	0.83	906	1.11	1556	0.93	0.89-0.98
158, 162.2	Mesothelioma ²	28	0.64	26	1.01	1	0.71	23	0.55	67	0.71	145	0.70	0.59-0.82
170	Breast	16	1.04	11	1.53	2	1.19	20	1.36	49	1.19	98	1.22	0.99-1.49
177	Prostate	1102	1.03	1614	1.14	143	1.06	2480	1.06	7119	1.07	12458	1.07	1.05-1.09
178	Testis	81	1.37	25	1.24	6	1.54	74	0.96	128	1.10	314	1.14	1.02-1.27
	-seminoma ²	34	1.38	17	1.22	6	2.11	53	0.99	91	1.09	201	1.13	0.98-1.30
	-non-seminoma ²	48	1.38	8	1.33	[1.05]	0.00	16	0.93	37	1.12	109	1.18	0.98-1.43
179.0	Penis	32	1.04	14	1.32	1	0.56	38	1.06	92	1.12	177	1.10	0.95-1.27
180	Kidney	208	1.03	263	1.11	27	1.17	371	1.05	941	1.06	1810	1.06	1.01-1.11
180.1	-renal pelvis ²	89	1.14	16	1.09	[1.40]	0.00	43	1.05	114	1.23	262	1.15	1.02-1.30
181	Bladder	885	1.04	362	1.08	43	1.19	797	0.97	2041	1.16	4128	1.09	1.06-1.12
190	Melanoma	240	1.30	201	1.23	10	1.11	525	1.37	1038	1.41	2014	1.37	1.31-1.43
190.6	-upper limbs ²	34	1.54	17	0.81	1	0.77	67	1.93	167	1.53	286	1.52	1.35-1.71
192	Eye	27	1.23	17	1.07	[1.01]	0.00	34	1.15	67	0.99	145	1.06	0.90-1.25
	-melanoma ²	23	1.20	15	1.05	[0.85]	0.00	31	1.19	59	1.08	128	1.11	0.93-1.32
193	Brain	206	0.98	175	1.10	15	1.11	261	0.97	677	1.04	1334	1.02	0.97-1.08
	-glioma ²	27	1.20	93	1.28	9	1.14	135	0.97	355	1.08	619	1.08	1.00-1.17
	-meningeoma ²	28	1.05	33	1.00	3	0.88	41	0.92	130	0.94	235	0.96	0.84-1.09
194	Thyroid	25	1.35	58	1.56	10	1.27	49	1.01	122	1.13	264	1.20	1.06-1.35
	-follicular ²	-	-	9	1.42	2	1.52	7	1.23	4	0.73	22	1.17	0.73-1.77
	-papillary ²	-	-	35	1.56	7	1.23	24	0.91	11	0.72	77	1.10	0.87-1.38
195.0	Glandula suprarenalis	4	0.86	2	0.30	[0.35]	0.00	4	0.65	9	0.75	19	0.64	0.38-1.00
195.1	Parathyreoidea	[0.23]	0.00	[0.10]	0.00	[0.06]	0.00	[0.21]	0.00	3	3.65	3	2.10	0.43-6.13
195.2	Thymus	4	1.87	[1.80]	0.00	[0.23]	0.00	1	0.36	4	0.77	9	0.74	0.34-1.41
195.3	Hypophysis	[0.65]	0.00	[0.15]	0.00	3	1.36	[0.47]	0.00	1	0.70	4	0.81	0.22-2.09
195.4	Corpus pineale	-	-	[0.32]	0.00	-	-	[0.13]	0.00	-	-	[0.45]	0.00	0.00-8.14
196	Bone	11	1.39	11	1.07	3	2.82	15	1.02	37	1.03	77	1.10	0.87-1.38
	-chondrosarcoma ²	-	-	6	1.15	3	3.11	5	1.27	20	1.25	34	1.30	0.90-1.82
197	Soft tissue	27	0.97	28	0.76	1	0.41	47	1.10	182	1.08	285	1.02	0.91-1.15
	-fibrosarcoma ²	-	-	8	0.62	-	-	8	2.06	27	1.11	43	1.05	0.76-1.41
	-liposarcoma ²	-	-	7	0.87	1	1.31	8	1.08	35	1.21	51	1.13	0.84-1.48
200,202	Non-Hodgkin lymphoma	189	0.96	223	1.06	13	0.85	252	1.01	755	1.00	1432	1.00	0.95-1.06
201	Hodgkin lymphoma	29	0.90	31	0.99	1	0.57	44	0.96	120	1.01	225	0.98	0.86-1.12
203	Multiple myeloma	99	0.89	66	0.87	10	1.48	170	0.95	377	1.00	722	0.96	0.90-1.04
204	Leukaemia	237	1.00	160	1.16	15	1.28	299	1.18	592	1.03	1303	1.07	1.01-1.13
	-chronic lymphatic ²	-	-	78	1.31	4	0.96	106	1.14	273	1.02	461	1.09	0.99-1.19
	-acute myeloid ²	72	1.07	30	0.79	7	1.87	110	1.21	142	1.12	361	1.10	1.00-1.22
	Mycosis fungoides ²	5	0.77	5	0.92	1	1.73	9	1.27	44	0.85	64	0.90	0.69-1.15
199	Other/unknown site	96	0.94	98	0.80	8	0.84	320	0.86	707	0.95	1229	0.91	0.86-0.96
140-204	All sites	7123	0.97	5910	0.99	536	1.12	10114	0.99	24553	1.06	48236	1.02	1.01-1.03
	Not included above													
191	Other skin	-	-	195	1.11	12	0.81	520	1.13	1372	1.23	2099	1.19	1.14-1.24
191.6	-upper limbs ²	-	-	15	1.11	[1.34]	0.00	36	0.91	135	1.12	186	1.06	0.92-1.23

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Clerical workers. Women (N = 780 242). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	34	0.97	46	0.76	[0.68]	0.00	24	0.68	108	1.17	212	0.94	0.83-1.08
141	Tongue	67	1.34	98	1.19	1	0.52	58	1.08	149	1.27	373	1.22	1.10-1.35
142	Salivary glands	45	1.10	58	0.99	2	1.34	42	1.11	145	1.23	292	1.14	1.02-1.28
143-144	Oral cavity	133	1.17	78	0.99	3	0.82	80	0.92	186	1.12	480	1.07	0.98-1.17
145-148	Pharynx	99	1.15	65	1.24	1	0.56	62	1.09	177	1.21	404	1.17	1.07-1.29
145	-oropharynx ²	63	1.26	29	1.27	[0.80]	0.00	34	1.24	100	1.28	226	1.26	1.11-1.44
146	-nasopharynx ²	14	1.04	15	1.11	1	1.01	8	0.78	34	1.10	72	1.04	0.82-1.31
150	Oesophagus	162	1.05	123	0.78	4	0.88	89	0.99	276	1.31	654	1.06	0.98-1.14
	-adenocarcinoma ²	30	0.79	14	0.82	[1.37]	0.00	8	0.49	54	1.42	106	0.96	0.79-1.16
151	Stomach	389	0.87	712	0.85	22	1.07	535	0.73	984	0.83	2642	0.82	0.79-0.85
151.1	-cardia ²	86	1.14	57	0.75	3	1.54	69	0.73	85	0.93	300	0.88	0.79-0.99
152	Small intestine	62	1.04	76	1.01	2	0.61	77	0.93	210	1.01	427	1.00	0.91-1.09
153	Colon	2297	1.06	1424	1.11	57	1.21	2398	1.06	3709	1.10	9885	1.08	1.06-1.10
154	Rectum, rectosigma	1028	1.07	898	1.15	20	1.01	1093	1.12	1871	1.03	4910	1.08	1.05-1.11
155.0	Primary liver	145	0.87	178	0.95	2	0.62	75	0.86	334	1.00	734	0.94	0.88-1.01
	-hemangiosarcoma ²	-	-	2	1.24	[0.14]	0.00	1	2.03	1	0.38	4	0.82	0.22-2.11
155.1	Gall bladder	203	0.84	276	0.85	7	1.68	150	0.95	392	0.75	1028	0.82	0.77-0.87
157	Pancreas	699	1.03	756	1.04	19	1.07	599	0.95	1252	1.07	3325	1.03	1.00-1.07
160	Nose	37	0.86	44	1.28	3	1.40	38	1.09	69	1.11	191	1.08	0.94-1.25
	-adenocarcinoma ²	-	-	2	0.83	-	-	4	1.23	5	1.11	11	1.03	0.52-1.85
161	Larynx	94	0.92	35	1.16	2	0.98	47	1.21	65	0.94	243	1.00	0.89-1.14
162,163	Lung	2652	1.01	1255	1.25	79	0.82	1427	1.04	2964	1.18	8377	1.10	1.08-1.13
	-adenocarcinoma ²	933	1.11	369	1.27	26	0.73	455	1.08	1095	1.21	2878	1.16	1.11-1.20
	-small cell ²	-	-	200	1.16	11	0.71	313	1.08	388	1.08	912	1.09	1.02-1.16
	-squamous cell ²	455	0.94	188	1.20	12	0.80	207	0.95	504	1.15	1366	1.04	0.99-1.10
	-other ²	-	-	498	1.30	30	0.99	392	1.03	977	1.19	1897	1.17	1.12-1.23
158, 162.2	Mesothelioma ²	42	1.22	44	1.13	[0.19]	0.00	18	1.05	42	1.03	146	1.11	0.94-1.30
170	Breast	7672	1.25	10490	1.20	343	1.24	6903	1.21	17656	1.17	43064	1.20	1.19-1.21
	-ductal ²	-	-	7792	1.21	270	1.24	4645	1.19	5673	1.14	18380	1.18	1.17-1.20
	-lobular ²	-	-	1404	1.23	42	1.84	559	1.39	1275	1.16	3280	1.23	1.19-1.27
171	Cervix uteri	975	0.90	446	0.99	27	0.97	815	0.85	1746	1.02	4009	0.95	0.92-0.98
172	Corpus uteri	1762	1.18	1824	1.13	36	0.82	1429	1.09	3353	1.08	8404	1.11	1.09-1.13
173	Choriocarcinoma	2	1.63	2	0.48	[0.20]	0.00	2	0.70	5	0.66	11	0.68	0.34-1.22
175.0	Ovary	1404	1.12	1245	1.07	26	0.73	1342	1.05	3448	1.08	7465	1.08	1.05-1.10
175.1	Fallopian tube	54	1.43	87	1.35	2	1.57	38	0.99	90	1.08	271	1.20	1.07-1.35
176.0	Vulva	120	1.06	111	0.86	4	1.09	159	0.92	260	0.93	654	0.94	0.87-1.01
176.1	Vagina	42	0.85	34	0.95	3	3.19	31	0.86	109	1.26	219	1.05	0.92-1.20
180	Kidney	420	0.97	621	0.95	24	1.00	458	0.95	1034	0.92	2557	0.94	0.90-0.98
180.1	-renal pelvis ²	173	1.09	41	1.37	3	1.80	68	1.30	137	1.23	422	1.19	1.08-1.31
181	Bladder	893	1.14	374	1.12	20	1.04	640	1.12	1335	1.21	3262	1.16	1.12-1.20
190	Melanoma	790	1.17	851	1.17	29	1.05	1327	1.30	2156	1.16	5153	1.20	1.16-1.23
190.6	-upper limbs ²	137	1.11	159	1.19	4	0.96	205	1.26	442	1.23	947	1.21	1.13-1.29
192	Eye	47	0.81	73	1.05	1	0.92	70	1.10	133	1.01	324	1.00	0.90-1.12
	-melanoma ²	39	0.75	69	1.08	1	1.04	63	1.15	103	1.03	275	1.01	0.90-1.14
193	Brain	758	1.07	1107	1.05	27	0.83	705	0.99	1769	1.02	4366	1.03	1.00-1.06
	-glioma ²	56	0.98	297	0.99	15	1.25	243	1.00	589	1.01	1200	1.00	0.95-1.06
	-meningioma ²	187	1.07	511	1.11	8	0.46	268	0.99	747	1.02	1721	1.04	0.99-1.09
194	Thyroid	97	0.89	585	0.90	36	1.12	274	0.94	546	0.93	1538	0.92	0.88-0.97
	-follicular ²	-	-	58	0.83	6	1.58	38	0.96	25	0.80	127	0.88	0.74-1.05
	-papillary ²	-	-	473	0.92	28	1.07	181	0.98	148	1.06	830	0.96	0.89-1.02
195.0	Glandula suprarenalis	7	0.54	27	1.06	[0.64]	0.00	9	0.67	32	1.13	75	0.93	0.73-1.16
195.1	Parathyreoidea	[0.99]	0.00	1	1.24	-	-	[1.40]	0.00	6	0.92	7	0.72	0.29-1.49
195.2	Thymus	5	0.87	12	1.25	-	-	4	0.93	12	1.05	33	1.06	0.73-1.49
195.3	Hypophysis	2	1.33	[0.64]	0.00	4	1.16	2	1.92	1	0.41	9	0.99	0.45-1.88
195.4	Corpus pineale	-	-	2	0.64	-	-	[0.84]	0.00	-	-	2	0.51	0.06-1.83
196	Bone	20	1.08	36	1.11	3	1.42	31	1.22	48	0.76	138	0.97	0.82-1.15
	-chondrosarcoma ²	-	-	16	1.03	2	1.48	11	1.50	20	0.68	49	0.91	0.68-1.21
197	Soft tissue	87	1.23	146	0.92	1	0.28	91	1.14	311	0.99	636	1.01	0.94-1.10
	-fibrosarcoma ²	-	-	42	0.97	[0.18]	0.00	10	1.94	39	1.02	91	1.05	0.84-1.28
	-liposarcoma ²	-	-	38	1.06	[0.84]	0.00	8	0.72	36	0.77	82	0.87	0.69-1.07
200,202	Non-Hodgkin lymphoma	563	1.05	902	1.06	25	1.24	564	1.03	1269	1.00	3323	1.03	1.00-1.07
201	Hodgkin lymphoma	66	1.18	80	0.85	3	1.19	46	0.78	177	1.12	372	1.01	0.91-1.11
203	Multiple myeloma	231	0.89	269	0.95	18	1.85	287	0.92	569	1.03	1374	0.97	0.92-1.02
204	Leukaemia	492	0.98	422	1.00	19	1.18	389	0.98	913	1.08	2235	1.03	0.98-1.07
	-chronic lymphatic ²	-	-	146	1.07	7	1.47	115	0.89	357	1.13	625	1.06	0.98-1.15
	-acute myeloid ²	158	0.92	132	0.89	5	0.72	183	1.12	288	1.11	766	1.02	0.95-1.10
	Mycosis fungoides ²	13	1.18	24	1.82	[0.64]	0.00	7	0.79	48	0.80	92	0.98	0.79-1.21
199	Other/unknown site	321	0.89	478	0.93	21	1.05	624	0.83	1613	0.94	3057	0.91	0.88-0.94
140-204	All sites	23863	1.08	26565	1.10	900	1.06	23079	1.07	51572	1.09	125979	1.09	1.08-1.09
Not included above														
	Ovary borderline ²	-	-	285	1.05	16	0.96	234	1.10	560	1.04	1095	1.05	0.99-1.12
191	Other skin	-	-	488	0.93	29	1.42	787	1.14	1519	1.16	2823	1.11	1.07-1.15
191.6	-upper limbs ²	-	-	46	1.08	1	0.39	60	0.81	192	1.19	299	1.07	0.95-1.19

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Sale and agents. Men (N = 328 568). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	27	0.62	51	0.48	2	1.32	65	0.51	157	0.55	302	0.54	0.48-0.60
141	Tongue	16	1.01	40	1.08	1	1.42	58	1.12	165	1.30	280	1.21	1.07-1.35
142	Salivary glands	3	0.33	17	0.80	1	1.72	26	1.10	107	1.22	154	1.08	0.92-1.27
143-144	Oral cavity	42	1.36	33	0.88	1	1.01	89	1.21	235	1.29	400	1.23	1.12-1.36
145-148	Pharynx	35	0.94	48	1.03	1	0.93	100	1.17	339	1.25	523	1.18	1.09-1.29
145	-oropharynx ²	20	0.95	17	0.89	[0.30]	0.00	45	1.37	163	1.48	245	1.34	1.18-1.52
146	-nasopharynx ²	5	0.93	17	1.79	1	3.45	9	0.59	51	0.92	83	0.97	0.77-1.20
150	Oesophagus	56	0.77	88	0.82	2	0.43	158	1.09	505	1.11	809	1.03	0.96-1.10
	-adenocarcinoma ²	19	0.65	21	0.81	1	0.58	30	1.02	124	0.98	195	0.92	0.80-1.05
151	Stomach	131	0.85	397	0.83	9	0.65	735	0.89	1518	0.86	2790	0.86	0.83-0.89
151.1	-cardia ²	45	0.94	66	0.79	2	0.79	138	0.99	206	0.88	457	0.90	0.82-0.99
152	Small intestine	11	0.90	40	1.26	2	1.41	52	1.24	227	1.19	332	1.19	1.07-1.33
153	Colon	450	1.27	495	1.17	21	1.09	1268	1.16	2805	1.10	5039	1.14	1.11-1.17
154	Rectum, rectosigma	252	1.02	379	1.09	6	0.84	752	1.13	1996	1.13	3385	1.11	1.08-1.15
155.0	Primary liver	72	1.36	170	1.39	4	1.78	113	1.35	628	1.37	987	1.37	1.29-1.46
	-hemangiosarcoma ²	-	-	1	1.74	-	-	1	8.03	2	0.91	4	1.38	0.38-3.54
155.1	Gall bladder	30	1.07	58	0.90	[1.16]	0.00	76	1.23	184	1.08	348	1.07	0.96-1.18
157	Pancreas	154	1.18	304	0.99	5	0.71	457	1.10	1138	1.10	2058	1.09	1.04-1.13
160	Nose	14	1.12	15	0.83	[0.67]	0.00	21	0.64	68	0.88	118	0.84	0.70-1.00
	-adenocarcinoma ²	-	-	1	0.79	[0.07]	0.00	1	0.23	13	0.99	15	0.80	0.45-1.31
161	Larynx	93	1.14	118	1.00	7	2.58	193	1.28	428	1.22	839	1.19	1.12-1.28
162,163	Lung	855	0.98	1365	0.80	44	1.35	1604	1.01	3796	1.12	7664	1.01	0.99-1.03
	-adenocarcinoma ²	196	1.09	218	0.91	17	1.85	324	1.10	719	1.08	1474	1.06	1.01-1.12
	-small cell ²	-	-	216	0.80	10	1.51	254	0.95	337	1.06	817	0.95	0.88-1.02
	-squamous cell ²	283	0.96	413	0.77	9	1.15	468	0.95	1344	1.10	2517	0.99	0.95-1.03
	-other ²	-	-	518	0.78	8	0.97	396	1.05	1396	1.19	2318	1.04	1.00-1.08
158, 162.2	Mesothelioma ²	14	0.60	32	0.83	[0.75]	0.00	26	0.57	78	0.56	150	0.61	0.52-0.71
170	Breast	9	1.12	18	1.71	1	1.18	12	0.70	60	1.01	100	1.04	0.86-1.27
177	Prostate	662	1.19	2151	1.07	85	1.23	3084	1.11	10450	1.09	16432	1.10	1.08-1.12
178	Testis	35	1.10	29	0.89	2	1.36	85	1.06	193	1.06	344	1.05	0.94-1.17
	-seminoma ²	19	1.44	16	0.72	2	1.82	62	1.11	138	1.06	237	1.06	0.94-1.21
	-non-seminoma ²	17	0.91	12	1.24	[0.38]	0.00	18	1.01	55	1.07	102	1.04	0.86-1.26
179.0	Penis	18	1.12	16	1.03	1	1.10	52	1.23	138	1.15	225	1.15	1.01-1.31
180	Kidney	141	1.32	402	1.16	7	0.60	429	1.06	1419	1.10	2398	1.11	1.07-1.16
180.1	-renal pelvis ²	49	1.19	25	1.20	[0.70]	0.00	40	0.86	153	1.15	267	1.10	0.98-1.24
181	Bladder	547	1.23	476	1.03	14	0.76	1054	1.11	3004	1.19	5095	1.16	1.12-1.19
190	Melanoma	102	1.04	272	1.10	4	0.92	537	1.31	1393	1.27	2308	1.24	1.20-1.30
190.6	-upper limbs ²	14	1.19	35	1.12	[0.63]	0.00	50	1.34	194	1.19	293	1.20	1.07-1.35
192	Eye	12	1.04	21	0.90	1	2.02	37	1.09	103	1.03	174	1.02	0.88-1.19
	-melanoma ²	11	1.09	20	0.94	1	2.34	31	1.03	83	1.03	146	1.03	0.87-1.21
193	Brain	116	1.03	268	1.10	6	0.88	333	1.12	1020	1.05	1743	1.07	1.02-1.12
	-glioma ²	18	1.48	136	1.20	1	0.25	170	1.12	523	1.06	848	1.10	1.02-1.17
	-meningeoma ²	18	1.27	51	1.03	1	0.58	54	1.12	210	1.03	334	1.05	0.95-1.17
194	Thyroid	6	0.61	57	1.01	4	1.01	55	0.98	160	1.00	282	0.99	0.88-1.11
	-follicular ²	-	-	4	0.44	2	2.99	7	1.06	6	0.73	19	0.77	0.46-1.20
	-papillary ²	-	-	44	1.26	2	0.69	33	1.14	19	0.80	98	1.08	0.88-1.32
195.0	Glandula suprarenalis	2	0.82	6	0.62	[0.18]	0.00	4	0.59	20	1.13	32	0.87	0.59-1.23
195.1	Parathyreoidea	[0.12]	0.00	[0.14]	0.00	[0.03]	0.00	[0.21]	0.00	4	3.31	4	2.34	0.64-5.98
195.2	Thymus	2	1.75	2	0.74	[0.12]	0.00	5	1.70	12	1.55	21	1.43	0.89-2.19
195.3	Hypophysis	[0.35]	0.00	1	4.38	1	0.90	[0.56]	0.00	8	3.86	10	2.31	1.11-4.25
195.4	Corpus pineale	-	-	1	2.05	-	-	1	7.26	-	-	2	3.19	0.39-11.53
196	Bone	4	0.95	14	0.91	[0.54]	0.00	13	0.78	45	0.84	76	0.84	0.66-1.06
	-chondrosarcoma ²	-	-	7	0.89	[0.51]	0.00	4	0.89	23	0.96	34	0.92	0.64-1.29
197	Soft tissue	16	1.09	56	1.03	[1.18]	0.00	56	1.12	244	0.98	372	1.01	0.91-1.12
	-fibrosarcoma ²	-	-	16	0.86	-	-	5	1.06	39	1.10	60	1.02	0.78-1.31
	-liposarcoma ²	-	-	16	1.32	[0.38]	0.00	8	0.98	43	1.01	67	1.06	0.82-1.34
200,202	Non-Hodgkin lymphoma	93	0.89	318	1.03	10	1.31	296	1.07	1118	1.02	1835	1.02	0.98-1.07
201	Hodgkin lymphoma	12	0.70	39	0.82	1	1.17	54	1.01	178	1.02	284	0.97	0.86-1.09
203	Multiple myeloma	46	0.78	110	1.03	3	0.85	211	0.98	572	1.06	942	1.02	0.95-1.08
204	Leukaemia	140	1.13	215	1.11	6	1.02	347	1.15	899	1.07	1607	1.10	1.05-1.15
	-chronic lymphatic ²	-	-	93	1.13	2	0.96	115	1.05	396	1.02	606	1.04	0.96-1.13
	-acute myeloid ²	42	1.19	55	1.02	1	0.53	121	1.12	207	1.12	426	1.11	1.01-1.22
	Mycosis fungoides ²	4	1.18	6	0.77	[0.32]	0.00	7	0.86	86	1.16	103	1.10	0.91-1.33
199	Other/unknown site	59	1.09	162	0.96	5	1.04	426	0.94	1197	1.11	1849	1.05	1.00-1.10
140-204	All sites	4141	1.07	8354	0.99	259	1.07	12899	1.08	36697	1.10	62350	1.08	1.07-1.08
	Not included above													
191	Other skin	-	-	247	1.04	5	0.68	631	1.17	1860	1.16	2743	1.15	1.11-1.19
191.6	-upper limbs ²	-	-	20	1.07	1	1.50	44	0.94	181	1.04	246	1.03	0.91-1.16

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Sale and agents. Women (N = 87 538). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	2	5.96	9	0.81	[0.08]	0.00	6	1.14	12	0.89	29	0.96	0.64-1.38
141	Tongue	1	2.25	4	0.34	[0.20]	0.00	9	1.17	17	1.02	31	0.84	0.57-1.20
142	Salivary glands	[0.38]	0.00	9	1.08	[0.14]	0.00	6	1.14	15	0.90	30	0.98	0.66-1.39
143-144	Oral cavity	2	1.95	16	1.35	[0.45]	0.00	20	1.58	27	1.12	65	1.30	1.00-1.66
145-148	Pharynx	2	2.77	7	0.93	[0.21]	0.00	8	1.05	27	1.29	44	1.19	0.86-1.60
145	-oropharynx ²	1	2.38	2	0.71	[0.09]	0.00	3	0.98	17	1.84	23	1.47	0.93-2.21
146	-nasopharynx ²	1	8.65	3	1.48	[0.11]	0.00	3	1.88	3	0.58	10	1.11	0.53-2.04
150	Oesophagus	2	1.42	17	0.58	1	1.74	15	1.03	46	1.35	81	1.01	0.80-1.26
	-adenocarcinoma ²	[0.35]	0.00	2	0.75	1	5.83	1	0.44	8	1.46	12	1.10	0.57-1.92
151	Stomach	4	0.94	140	0.97	2	0.81	122	0.87	190	0.86	458	0.90	0.82-0.98
151.1	-cardia ²	1	1.43	11	0.81	[0.21]	0.00	14	0.88	7	0.51	33	0.75	0.52-1.05
152	Small intestine	[0.54]	0.00	9	0.82	[0.36]	0.00	16	1.44	27	0.91	52	0.99	0.74-1.29
153	Colon	27	1.31	214	1.05	9	1.62	346	1.02	559	1.06	1155	1.05	0.99-1.12
154	Rectum, rectosigma	15	1.66	122	0.99	1	0.46	164	1.14	297	1.09	599	1.09	1.01-1.18
155.0	Primary liver	[1.55]	0.00	30	0.93	3	7.37	14	1.00	47	0.86	94	0.92	0.74-1.12
	-hemangiosarcoma ²	-	-	[0.22]	0.00	[0.02]	0.00	[0.04]	0.00	[0.38]	0.00	[0.66]	0.00	0.00-5.62
155.1	Gall bladder	2	0.86	60	1.05	[0.53]	0.00	28	1.01	84	0.89	174	0.96	0.83-1.11
157	Pancreas	1	0.16	131	1.06	[2.03]	0.00	100	0.96	204	1.06	436	1.02	0.93-1.12
160	Nose	[0.40]	0.00	4	0.75	1	4.00	8	1.42	12	1.27	25	1.19	0.77-1.76
	-adenocarcinoma ²	-	-	[0.35]	0.00	-	-	[0.54]	0.00	1	1.43	1	0.63	0.02-3.49
161	Larynx	1	1.13	3	0.67	[0.21]	0.00	1	0.21	14	1.61	19	0.99	0.60-1.55
162,163	Lung	19	0.85	191	1.26	10	0.93	180	1.17	368	1.22	768	1.20	1.12-1.29
	-adenocarcinoma ²	9	1.30	48	1.17	5	1.30	59	1.28	132	1.27	253	1.25	1.11-1.42
	-small cell ²	-	-	33	1.33	2	1.14	35	1.19	37	1.02	107	1.16	0.96-1.40
	-squamous cell ²	2	0.47	36	1.50	3	1.77	29	1.21	74	1.36	144	1.33	1.13-1.57
	-other ²	-	-	74	1.20	[3.37]	0.00	43	1.01	125	1.17	242	1.13	1.00-1.28
158, 162.2	Mesothelioma ²	1	3.14	11	1.93	[0.03]	0.00	2	1.01	5	0.91	19	1.40	0.84-2.19
170	Breast	63	1.19	1171	1.07	32	1.21	813	1.16	2073	1.09	4152	1.10	1.06-1.13
	-ductal ²	-	-	850	1.07	29	1.41	518	1.16	590	1.13	1987	1.11	1.07-1.16
	-lobular ²	-	-	152	1.14	[2.25]	0.00	50	1.27	134	1.18	336	1.17	1.05-1.30
171	Cervix uteri	12	1.28	52	0.78	4	1.72	108	0.94	271	1.18	447	1.06	0.96-1.16
172	Corpus uteri	19	1.39	244	1.07	3	0.62	183	1.13	406	1.02	855	1.06	0.99-1.13
173	Choriocarcinoma	[0.01]	0.00	2	4.25	[0.01]	0.00	[0.24]	0.00	[0.79]	0.00	2	1.32	0.16-4.76
175.0	Ovary	10	0.91	169	1.05	4	1.04	170	1.03	467	1.11	820	1.07	1.00-1.15
175.1	Fallopian tube	[0.33]	0.00	7	0.86	[0.10]	0.00	4	1.04	7	0.74	18	0.82	0.49-1.30
176.0	Vulva	1	0.91	24	1.15	[0.36]	0.00	31	1.08	42	0.92	98	1.01	0.82-1.23
176.1	Vagina	[0.46]	0.00	8	1.45	[0.10]	0.00	8	1.51	19	1.44	35	1.42	0.99-1.98
180	Kidney	3	0.75	114	1.14	5	1.91	59	0.84	158	0.93	339	0.97	0.88-1.08
180.1	-renal pelvis ²	2	1.35	4	0.79	1	4.64	9	1.20	19	1.13	35	1.13	0.78-1.57
181	Bladder	9	1.24	71	1.27	3	1.37	100	1.14	222	1.32	405	1.26	1.15-1.39
190	Melanoma	7	1.19	96	1.01	3	1.29	116	1.08	241	1.09	463	1.07	0.98-1.17
190.6	-upper limbs ²	1	0.92	17	1.01	[0.37]	0.00	30	1.65	36	0.84	84	1.06	0.84-1.31
192	Eye	[0.51]	0.00	10	1.04	[0.11]	0.00	7	0.85	15	0.85	32	0.88	0.60-1.25
	-melanoma ²	[0.46]	0.00	10	1.12	[0.09]	0.00	4	0.56	13	0.92	27	0.88	0.58-1.28
193	Brain	3	0.48	130	0.95	4	1.23	80	0.98	206	0.93	423	0.94	0.86-1.03
	-glioma ²	[0.48]	0.00	38	1.02	1	0.82	29	1.07	70	0.96	138	0.99	0.84-1.17
	-meningeoma ²	1	0.67	65	1.12	3	1.78	25	0.89	84	0.88	178	0.96	0.83-1.12
194	Thyroid	[0.97]	0.00	74	0.94	1	0.38	23	0.65	63	0.80	161	0.82	0.70-0.96
	-follicular ²	-	-	5	0.50	[0.33]	0.00	3	0.60	3	0.86	11	0.59	0.29-1.05
	-papillary ²	-	-	60	1.01	1	0.47	13	0.69	14	0.89	88	0.92	0.73-1.13
195.0	Glandula suprarenalis	[0.11]	0.00	2	0.60	[0.06]	0.00	[1.43]	0.00	[3.63]	0.00	2	0.23	0.03-0.84
195.1	Parathyreoidea	[0.01]	0.00	[0.11]	0.00	-	-	[0.17]	0.00	[0.82]	0.00	[1.11]	0.00	0.00-3.33
195.2	Thymus	[0.05]	0.00	1	0.79	-	-	2	4.07	1	0.72	4	1.25	0.34-3.20
195.3	Hypophysis	[0.01]	0.00	[0.10]	0.00	[0.31]	0.00	[0.14]	0.00	1	2.49	1	1.04	0.03-5.81
195.4	Corpus pineale	-	-	1	2.67	-	-	1	11.21	-	-	2	4.31	0.52-15.57
196	Bone	[0.16]	0.00	5	1.11	1	5.16	3	0.93	8	0.92	17	1.02	0.59-1.63
	-chondrosarcoma ²	-	-	3	1.43	[0.13]	0.00	1	1.06	4	1.03	8	1.13	0.49-2.23
197	Soft tissue	[0.63]	0.00	30	1.36	[0.37]	0.00	15	1.30	48	1.10	93	1.18	0.96-1.45
	-fibrosarcoma ²	-	-	10	1.54	[0.02]	0.00	1	1.05	11	1.80	22	1.62	1.01-2.45
	-liposarcoma ²	-	-	9	1.90	[0.09]	0.00	[1.44]	0.00	6	0.90	15	1.16	0.65-1.92
200,202	Non-Hodgkin lymphoma	5	1.03	126	1.03	1	0.48	89	1.35	183	1.04	404	1.09	0.99-1.20
201	Hodgkin lymphoma	[0.49]	0.00	9	0.70	[0.19]	0.00	7	0.78	25	1.03	41	0.88	0.63-1.19
203	Multiple myeloma	2	0.83	44	0.95	1	0.89	48	0.94	74	0.86	169	0.90	0.78-1.05
204	Leukaemia	3	0.64	60	0.90	3	1.74	74	1.18	121	1.01	261	1.02	0.90-1.15
	-chronic lymphatic ²	-	-	24	1.03	1	1.76	27	1.30	39	0.86	91	1.01	0.81-1.24
	-acute myeloid ²	2	1.29	16	0.71	2	2.95	24	0.98	40	1.15	84	1.00	0.80-1.24
	Mycosis fungoides ²	[0.10]	0.00	3	1.63	[0.04]	0.00	1	0.86	14	1.20	18	1.21	0.72-1.92
199	Other/unknown site	4	1.20	93	1.08	4	1.78	119	0.88	234	0.94	454	0.95	0.87-1.04
140-204	All sites	206	1.04	3552	1.04	96	1.10	3110	1.07	6850	1.06	13814	1.06	1.04-1.07
Not included above														
	Ovary borderline ²	-	-	38	1.15	1	0.75	22	1.10	73	1.19	134	1.16	0.98-1.37
191	Other skin	-	-	90	0.95	3	1.32	111	1.02	214	1.02	418	1.00	0.91-1.11
191.6	-upper limbs ²	-	-	5	0.69	[0.30]	0.00	9	0.82	15	0.63	29	0.69	0.46-0.98

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or biological code

Shop managers and assistants. Men (N = 181 823). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	90	0.46	25	0.62	1	0.97	31	0.69	51	0.58	198	0.54	0.47-0.62
141	Tongue	66	1.06	27	1.57	[0.51]	0.00	21	0.96	59	1.45	173	1.21	1.05-1.41
142	Salivary glands	52	1.32	14	1.49	1	2.52	15	1.58	23	0.82	105	1.21	1.00-1.47
143-144	Oral cavity	141	1.13	20	1.14	[0.67]	0.00	22	0.73	67	1.14	250	1.08	0.95-1.22
145-148	Pharynx	168	1.14	24	1.14	1	1.32	35	0.96	113	1.31	341	1.17	1.05-1.30
145	-oropharynx ²	95	1.16	8	0.87	1	4.60	14	0.93	52	1.48	170	1.20	1.04-1.40
146	-nasopharynx ²	27	1.21	7	1.63	[0.22]	0.00	6	0.98	20	1.15	60	1.19	0.91-1.54
150	Oesophagus	317	1.02	51	1.13	2	0.63	78	1.41	172	1.17	620	1.11	1.02-1.20
	-adenocarcinoma ²	113	0.91	14	1.20	[1.20]	0.00	17	1.32	45	1.07	189	0.99	0.86-1.14
151	Stomach	598	0.85	146	0.78	8	0.84	251	0.91	466	0.86	1469	0.86	0.81-0.90
151.1	-cardia ²	186	0.90	25	0.73	[1.76]	0.00	47	0.91	68	0.89	326	0.88	0.79-0.98
152	Small intestine	60	1.11	8	0.58	1	1.02	20	1.17	77	1.25	166	1.12	0.97-1.31
153	Colon	1760	1.11	202	1.14	24	1.82	437	1.04	857	1.05	3280	1.09	1.05-1.13
154	Rectum, rectosigma	1135	1.03	165	1.14	3	0.62	275	1.07	577	1.01	2155	1.03	0.99-1.08
155.0	Primary liver	268	1.15	59	1.19	[1.53]	0.00	29	0.94	175	1.20	531	1.16	1.06-1.26
	-hemangiosarcoma ²	-	-	[0.26]	0.00	-	-	[0.06]	0.00	[0.67]	0.00	[0.98]	0.00	0.00-3.75
155.1	Gall bladder	140	1.10	30	1.16	[0.77]	0.00	19	0.84	50	0.95	239	1.04	0.92-1.18
157	Pancreas	648	1.12	113	0.89	5	1.02	161	1.08	363	1.11	1290	1.09	1.03-1.15
160	Nose	45	0.83	8	1.03	[0.48]	0.00	14	1.13	28	1.15	95	0.95	0.77-1.17
	-adenocarcinoma ²	-	-	[0.55]	0.00	[0.04]	0.00	[1.75]	0.00	4	0.93	4	0.60	0.16-1.55
161	Larynx	344	0.99	49	1.01	5	2.67	52	0.86	130	1.16	580	1.02	0.94-1.10
162,163	Lung	3803	0.98	518	0.78	20	0.90	598	0.95	1204	1.10	6143	0.98	0.95-1.00
	-adenocarcinoma ²	740	0.99	86	0.86	5	0.79	119	0.92	250	1.13	1200	1.00	0.94-1.05
	-small cell ²	-	-	92	0.85	3	0.69	89	0.81	111	1.00	295	0.89	0.79-0.99
	-squamous cell ²	1299	0.98	155	0.76	7	1.31	182	0.95	432	1.11	2075	0.98	0.94-1.02
	-other ²	-	-	185	0.73	5	0.87	169	1.12	411	1.11	770	0.99	0.92-1.06
158, 162.2	Mesothelioma ²	63	0.64	12	0.68	[0.50]	0.00	9	0.46	31	0.68	115	0.63	0.53-0.76
170	Breast	41	1.15	4	0.86	[0.61]	0.00	4	0.61	17	0.90	66	0.99	0.77-1.26
177	Prostate	2664	1.04	838	0.99	45	0.98	1035	1.02	3178	1.02	7760	1.02	1.00-1.05
178	Testis	134	1.19	11	0.66	2	0.97	49	1.19	50	0.88	246	1.07	0.95-1.22
	-seminoma ²	54	1.16	7	0.61	2	1.33	37	1.29	36	0.89	136	1.05	0.89-1.25
	-non-seminoma ²	80	1.20	4	0.79	[0.57]	0.00	10	1.07	14	0.88	108	1.11	0.92-1.34
179.0	Penis	80	1.13	4	0.58	[0.62]	0.00	18	1.12	36	0.94	138	1.04	0.88-1.23
180	Kidney	553	1.20	179	1.19	5	0.60	173	1.08	441	1.06	1351	1.13	1.07-1.19
180.1	-renal pelvis ²	184	1.01	13	1.50	[0.46]	0.00	21	1.15	50	1.15	268	1.06	0.94-1.20
181	Bladder	2132	1.07	188	1.01	14	1.11	366	1.01	909	1.11	3609	1.07	1.04-1.11
190	Melanoma	466	1.17	122	1.06	2	0.56	198	1.05	397	1.11	1185	1.11	1.05-1.18
190.6	-upper limbs ²	57	1.20	17	1.16	[0.51]	0.00	19	1.11	69	1.29	162	1.22	1.04-1.42
192	Eye	53	1.08	10	0.97	[0.36]	0.00	12	0.88	30	0.94	105	1.00	0.82-1.21
	-melanoma ²	48	1.12	8	0.85	[0.29]	0.00	12	0.99	20	0.78	88	0.97	0.78-1.20
193	Brain	479	1.04	119	1.05	6	1.17	140	1.08	321	1.03	1065	1.04	0.98-1.11
	-glioma ²	52	1.07	62	1.15	4	1.31	75	1.10	167	1.05	360	1.08	0.97-1.20
	-meningeoma ²	67	1.13	17	0.75	1	0.81	25	1.17	60	0.93	170	1.01	0.87-1.17
194	Thyroid	40	0.96	19	0.72	2	0.69	22	0.95	42	0.83	125	0.86	0.73-1.03
	-follicular ²	-	-	4	1.02	[0.45]	0.00	3	1.12	2	0.75	9	0.93	0.42-1.76
	-papillary ²	-	-	9	0.52	2	0.95	9	0.68	10	1.36	30	0.75	0.51-1.07
195.0	Glandula suprarenalis	12	1.14	2	0.49	[0.13]	0.00	5	1.70	6	1.07	25	1.07	0.69-1.58
195.1	Parathyreoidea	1	1.67	1	15.33	[0.02]	0.00	[0.11]	0.00	[0.39]	0.00	2	1.69	0.20-6.11
195.2	Thymus	5	1.00	1	0.82	[0.09]	0.00	2	1.46	2	0.81	10	0.98	0.47-1.81
195.3	Hypophysis	5	3.45	[0.11]	0.00	1	1.19	[0.20]	0.00	1	1.47	7	2.13	0.86-4.39
195.4	Corpus pineale	-	-	[0.23]	0.00	-	-	[0.08]	0.00	-	-	[0.31]	0.00	0.00-12.07
196	Bone	18	1.04	7	0.99	[0.43]	0.00	9	1.30	16	0.94	50	1.03	0.76-1.35
	-chondrosarcoma ²	-	-	4	1.11	[0.38]	0.00	3	1.60	9	1.18	16	1.19	0.68-1.92
197	Soft tissue	62	0.98	26	1.07	[1.01]	0.00	14	0.72	85	1.07	187	1.00	0.87-1.15
	-fibrosarcoma ²	-	-	9	1.12	-	-	2	1.17	12	1.09	23	1.11	0.70-1.66
	-liposarcoma ²	-	-	4	0.71	[0.32]	0.00	3	0.86	17	1.24	24	1.04	0.66-1.54
200,202	Non-Hodgkin lymphoma	448	1.01	135	0.98	5	0.88	129	1.08	368	1.03	1085	1.02	0.96-1.08
201	Hodgkin lymphoma	71	1.02	12	0.54	2	2.84	16	0.74	55	1.01	156	0.92	0.79-1.08
203	Multiple myeloma	274	1.06	45	1.02	1	0.42	78	0.99	172	0.99	570	1.02	0.94-1.11
204	Leukaemia	559	1.02	77	0.95	6	1.41	107	0.95	239	0.89	988	0.97	0.91-1.04
	-chronic lymphatic ²	-	-	27	0.82	2	1.37	42	1.03	116	0.92	187	0.93	0.80-1.07
	-acute myeloid ²	161	1.03	17	0.74	4	2.95	37	0.91	61	1.00	280	0.99	0.88-1.12
	Mycosis fungoides ²	15	0.97	7	2.06	[0.22]	0.00	2	0.62	21	0.93	45	1.00	0.73-1.34
199	Other/unknown site	224	0.95	68	0.98	2	0.60	156	0.98	374	1.07	824	1.01	0.94-1.08
140-204	All sites	17514	1.03	3364	0.96	168	0.99	4610	1.01	11203	1.04	36859	1.02	1.01-1.03
	Not included above													
191	Other skin	-	-	86	0.91	3	0.59	204	1.02	525	1.03	818	1.01	0.94-1.08
191.6	-upper limbs ²	-	-	7	0.89	[0.45]	0.00	10	0.58	51	0.91	68	0.83	0.65-1.05

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Shop managers and assistants. Women (N = 376 618). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	20	0.81	31	0.80	[0.48]	0.00	36	1.19	59	1.02	146	0.96	0.81-1.13
141	Tongue	34	1.02	48	1.14	2	1.61	42	0.96	78	1.16	204	1.09	0.95-1.25
142	Salivary glands	30	1.07	24	0.81	[0.88]	0.00	28	0.91	68	0.97	150	0.94	0.80-1.10
143-144	Oral cavity	64	0.83	34	0.82	3	1.16	61	0.83	101	0.98	263	0.88	0.78-1.00
145-148	Pharynx	56	1.04	22	0.84	1	0.85	34	0.75	75	0.90	188	0.90	0.78-1.03
145	-oropharynx ²	30	0.96	6	0.61	1	1.95	16	0.77	41	1.13	94	0.95	0.77-1.16
146	-nasopharynx ²	8	0.92	9	1.30	[0.66]	0.00	6	0.72	22	1.09	45	1.00	0.73-1.34
150	Oesophagus	111	1.04	90	0.93	4	1.23	78	0.98	143	0.97	426	0.98	0.90-1.08
	-adenocarcinoma ²	22	0.83	13	1.33	[0.99]	0.00	18	1.28	27	1.07	80	1.05	0.83-1.30
151	Stomach	343	1.06	465	0.96	15	1.06	630	0.96	849	0.97	2302	0.98	0.94-1.02
151.1	-cardia ²	52	0.98	31	0.69	[1.24]	0.00	78	0.94	67	1.11	228	0.94	0.83-1.07
152	Small intestine	37	0.90	27	0.68	[2.09]	0.00	69	1.00	137	1.04	270	0.95	0.84-1.07
153	Colon	1556	1.01	770	1.06	32	1.00	2057	1.04	2456	1.06	6871	1.04	1.01-1.06
154	Rectum, rectosigma	718	1.06	453	1.03	16	1.24	899	1.06	1259	1.06	3345	1.05	1.02-1.09
155.0	Primary liver	114	0.97	111	0.99	2	0.89	70	0.89	257	1.11	554	1.02	0.94-1.11
	-hemangiosarcoma ²	-	-	[0.90]	0.00	[0.10]	0.00	1	2.64	1	0.62	2	0.67	0.08-2.42
155.1	Gall bladder	171	0.96	199	1.01	2	0.67	132	0.93	354	0.91	858	0.94	0.88-1.01
157	Pancreas	479	0.99	428	0.99	10	0.85	550	0.97	862	1.05	2329	1.00	0.96-1.05
160	Nose	27	0.91	17	0.88	[1.42]	0.00	24	0.80	32	0.81	100	0.84	0.69-1.02
	-adenocarcinoma ²	-	-	3	2.27	-	-	2	0.67	1	0.23	6	0.82	0.30-1.78
161	Larynx	56	0.85	8	0.47	1	0.79	30	0.95	42	1.04	137	0.88	0.74-1.04
162,163	Lung	1776	1.06	603	1.07	75	1.19	1169	1.07	1617	1.19	5240	1.10	1.07-1.13
	-adenocarcinoma ²	520	1.01	166	1.07	35	1.53	348	1.07	529	1.17	1598	1.09	1.03-1.14
	-small cell ²	-	-	91	0.95	7	0.68	238	1.04	210	1.18	546	1.06	0.98-1.16
	-squamous cell ²	338	1.07	108	1.17	12	1.21	172	0.96	326	1.25	956	1.12	1.05-1.19
	-other ²	-	-	238	1.07	21	1.05	355	1.17	552	1.17	1166	1.15	1.08-1.22
158, 162.2	Mesothelioma ²	23	0.95	20	0.91	[0.14]	0.00	18	1.28	34	1.35	95	1.11	0.90-1.36
170	Breast	4067	1.03	4049	1.01	157	0.96	4309	1.00	7611	0.99	20193	1.00	0.99-1.02
	-ductal ²	-	-	2941	1.02	126	0.98	2909	1.01	1736	0.95	7712	1.00	0.97-1.02
	-lobular ²	-	-	465	0.95	9	0.66	258	0.89	370	0.87	1102	0.91	0.85-0.96
171	Cervix uteri	710	1.02	224	1.00	19	1.23	692	1.00	1141	1.19	2786	1.07	1.04-1.12
172	Corpus uteri	1041	1.03	846	0.94	34	1.20	1039	0.99	1895	1.02	4855	1.00	0.97-1.03
173	Choriocarcinoma	1	1.53	1	0.62	[0.08]	0.00	3	1.89	1	0.36	6	0.90	0.33-1.96
175.0	Ovary	837	1.01	643	1.07	36	1.59	1071	1.07	1935	1.08	4522	1.07	1.04-1.10
175.1	Fallopian tube	28	1.15	37	1.14	[0.70]	0.00	29	1.02	65	1.58	159	1.25	1.07-1.46
176.0	Vulva	73	0.89	69	0.96	3	1.33	157	1.03	195	1.03	497	1.00	0.91-1.09
176.1	Vagina	34	1.00	29	1.48	[0.58]	0.00	22	0.72	61	1.07	146	1.03	0.88-1.21
180	Kidney	298	0.99	374	1.00	14	0.91	370	0.89	763	1.01	1819	0.98	0.94-1.03
180.1	-renal pelvis ²	134	1.22	14	0.78	[1.23]	0.00	54	1.18	91	1.19	293	1.16	1.04-1.31
181	Bladder	544	1.01	216	1.08	10	0.78	538	1.06	889	1.20	2197	1.09	1.05-1.14
190	Melanoma	451	1.04	321	0.93	16	1.04	757	1.02	900	1.03	2445	1.01	0.97-1.05
190.6	-upper limbs ²	85	1.07	51	0.82	3	1.31	126	1.01	164	0.94	429	0.97	0.88-1.06
192	Eye	38	1.01	33	0.91	1	1.67	57	1.13	89	1.17	218	1.08	0.95-1.24
	-melanoma ²	36	1.06	28	0.83	1	1.99	52	1.19	67	1.10	184	1.06	0.92-1.23
193	Brain	440	0.95	487	0.98	15	0.75	566	1.05	922	1.02	2430	1.00	0.96-1.04
	-glioma ²	38	1.05	140	1.02	5	0.68	183	1.02	326	1.06	692	1.04	0.96-1.12
	-meningeoma ²	107	0.96	218	1.01	10	0.94	225	1.12	366	0.98	926	1.01	0.95-1.08
194	Thyroid	60	0.82	244	0.90	15	0.84	195	0.91	287	0.92	801	0.90	0.84-0.97
	-follicular ²	-	-	42	1.12	2	0.95	34	1.10	16	1.18	94	1.12	0.91-1.37
	-papillary ²	-	-	176	0.88	12	0.83	117	0.90	40	0.85	345	0.88	0.79-0.98
195.0	Glandula suprarenalis	9	1.08	10	0.81	1	2.65	8	0.81	12	0.79	40	0.87	0.62-1.18
195.1	Parathyreoidea	1	1.47	[0.41]	0.00	-	-	[1.08]	0.00	4	1.01	5	0.82	0.27-1.91
195.2	Thymus	8	2.12	4	0.86	-	-	3	0.89	8	1.32	23	1.29	0.82-1.94
195.3	Hypophysis	1	1.05	[0.34]	0.00	2	0.98	[0.87]	0.00	1	0.57	4	0.67	0.18-1.72
195.4	Corpus pineale	-	-	2	1.51	-	-	1	1.63	-	-	3	1.55	0.32-4.52
196	Bone	7	0.58	18	1.12	1	0.81	16	0.81	29	0.82	71	0.84	0.66-1.06
	-chondrosarcoma ²	-	-	8	1.05	1	1.21	9	1.61	11	0.72	29	0.99	0.66-1.42
197	Soft tissue	42	0.90	70	0.87	1	0.45	61	0.95	168	0.91	342	0.91	0.81-1.01
	-fibrosarcoma ²	-	-	22	0.90	[0.13]	0.00	3	0.73	28	1.07	53	0.97	0.73-1.27
	-liposarcoma ²	-	-	12	0.70	[0.50]	0.00	8	0.94	28	1.04	48	0.90	0.67-1.20
200,202	Non-Hodgkin lymphoma	349	0.96	431	0.96	5	0.39	449	1.01	800	1.03	2034	1.00	0.95-1.04
201	Hodgkin lymphoma	36	0.97	32	0.73	1	0.68	34	0.74	100	1.06	203	0.91	0.79-1.04
203	Multiple myeloma	175	0.96	154	0.93	4	0.61	269	0.96	379	0.99	981	0.96	0.91-1.03
204	Leukaemia	347	0.99	240	1.02	11	1.09	323	0.95	535	1.03	1456	1.00	0.95-1.05
	-chronic lymphatic ²	-	-	83	1.04	4	1.24	121	1.04	216	1.05	424	1.04	0.95-1.15
	-acute myeloid ²	124	1.06	84	1.03	6	1.45	138	1.01	156	1.01	508	1.03	0.94-1.12
	Mycosis fungoides ²	6	0.81	12	1.91	[0.31]	0.00	10	1.37	49	1.03	77	1.12	0.88-1.40
199	Other/unknown site	242	0.96	270	0.89	11	0.84	645	0.94	1091	0.98	2259	0.96	0.92-1.00
140-204	All sites	14979	1.02	12250	0.99	524	0.99	17582	1.00	28353	1.03	73688	1.02	1.01-1.02
	Not included above													
191	Ovary borderline ²	-	-	128	1.11	6	0.65	138	0.95	279	1.25	551	1.12	1.03-1.22
	Other skin	-	-	279	0.88	13	0.96	733	1.17	914	0.98	1939	1.03	0.98-1.07
191.6	-upper limbs ²	-	-	19	0.75	4	2.31	79	1.20	109	1.00	211	1.05	0.91-1.20

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Farmers. Men (N = 622 440). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	621	1.56	952	1.53	10	2.18	578	1.45	978	1.68	3139	1.57	1.51-1.62
141	Tongue	36	0.33	107	0.77	3	1.52	58	0.46	79	0.44	283	0.51	0.45-0.57
142	Salivary glands	64	0.84	101	1.08	1	0.58	65	1.02	124	0.87	355	0.94	0.85-1.04
143-144	Oral cavity	92	0.40	89	0.64	1	0.38	134	0.70	153	0.53	469	0.55	0.50-0.60
145-148	Pharynx	64	0.25	107	0.58	1	0.36	91	0.44	172	0.43	435	0.41	0.38-0.45
145	-oropharynx ²	27	0.19	31	0.50	[0.79]	0.00	20	0.29	41	0.32	119	0.30	0.25-0.35
146	-nasopharynx ²	26	0.65	22	0.58	[0.72]	0.00	37	0.91	80	0.89	165	0.79	0.68-0.92
150	Oesophagus	384	0.67	456	0.85	4	0.29	230	0.56	470	0.59	1544	0.66	0.63-0.70
	-adenocarcinoma ²	234	0.99	95	0.89	2	0.40	69	0.97	173	0.97	573	0.96	0.89-1.04
151	Stomach	1320	0.97	2963	1.07	31	0.76	2580	0.95	3899	1.02	10793	1.01	0.99-1.03
151.1	-cardia ²	411	1.05	478	1.05	5	0.69	378	0.92	380	1.03	1652	1.01	0.96-1.06
152	Small intestine	73	0.70	129	0.91	2	0.52	92	0.84	244	0.78	540	0.81	0.74-0.88
153	Colon	2143	0.68	1692	0.80	28	0.49	2439	0.77	3724	0.80	10026	0.76	0.75-0.78
154	Rectum, rectosigma	1764	0.81	1563	0.89	12	0.58	1544	0.81	2753	0.88	7636	0.85	0.83-0.87
155.0	Primary liver	152	0.35	376	0.57	4	0.59	122	0.49	411	0.46	1065	0.47	0.45-0.50
	-hemangiosarcoma ²	-	-	3	1.36	-	-	[0.28]	0.00	[3.84]	0.00	3	0.47	0.10-1.39
155.1	Gall bladder	185	0.74	322	0.89	6	1.78	119	0.64	244	0.66	876	0.75	0.70-0.80
157	Pancreas	814	0.74	1354	0.85	7	0.34	1042	0.82	1607	0.80	4824	0.81	0.78-0.83
160	Nose	65	0.61	72	0.84	3	1.48	83	0.88	118	0.87	341	0.81	0.72-0.90
	-adenocarcinoma ²	-	-	2	0.36	[0.19]	0.00	10	0.84	10	0.46	22	0.56	0.35-0.84
161	Larynx	252	0.38	413	0.69	1	0.14	148	0.37	238	0.39	1052	0.46	0.44-0.49
162,163	Lung	3465	0.47	7611	0.77	49	0.52	1995	0.46	2417	0.40	15537	0.56	0.55-0.57
	-adenocarcinoma ²	603	0.44	837	0.72	14	0.54	352	0.50	470	0.49	2276	0.54	0.52-0.56
	-small cell ²	-	-	1107	0.75	11	0.59	299	0.44	177	0.42	1594	0.62	0.59-0.65
	-squamous cell ²	1183	0.47	2512	0.80	12	0.52	613	0.45	898	0.38	5218	0.55	0.54-0.57
	-other ²	-	-	3155	0.76	11	0.45	466	0.47	872	0.38	4504	0.61	0.59-0.62
158, 162.2	Mesothelioma ²	32	0.18	54	0.35	1	0.49	18	0.16	51	0.26	156	0.24	0.21-0.28
170	Breast	58	0.81	29	0.63	4	1.63	50	1.01	86	0.82	227	0.83	0.72-0.94
177	Prostate	4722	0.89	10239	0.99	167	0.81	8859	1.04	17038	1.00	41025	0.99	0.98-1.00
178	Testis	155	0.84	81	1.10	5	1.21	128	1.00	152	1.07	521	0.97	0.89-1.06
	-seminoma ²	60	0.79	58	1.13	3	0.98	84	0.96	102	1.00	307	0.96	0.86-1.07
	-non-seminoma ²	95	0.87	23	1.10	2	1.82	28	1.06	50	1.23	198	1.00	0.87-1.14
179.0	Penis	103	0.73	58	0.88	1	0.38	93	0.75	176	0.90	431	0.81	0.74-0.89
180	Kidney	563	0.64	1256	0.80	31	0.93	862	0.78	1746	0.79	4458	0.77	0.75-0.79
180.1	-renal pelvis ²	212	0.59	72	0.67	2	0.96	83	0.65	127	0.55	496	0.60	0.55-0.66
181	Bladder	2282	0.57	2135	0.84	31	0.58	2022	0.73	2977	0.67	9447	0.68	0.67-0.70
190	Melanoma	523	0.70	902	1.00	7	0.58	645	0.76	1010	0.77	3087	0.81	0.78-0.84
190.6	-upper limbs ²	61	0.68	122	1.07	2	1.21	53	0.69	122	0.68	360	0.78	0.70-0.87
192	Eye	88	0.94	105	1.02	2	1.41	98	1.10	175	1.13	468	1.06	0.97-1.16
	-melanoma ²	78	0.95	98	1.08	2	1.60	87	1.12	149	1.13	414	1.08	0.98-1.19
193	Brain	794	0.95	820	0.93	18	0.96	647	0.96	1299	0.98	3578	0.96	0.93-0.99
	-glioma ²	66	0.80	359	0.97	12	1.11	308	0.96	629	1.00	1374	0.97	0.92-1.02
	-meningioma ²	79	0.71	162	0.85	3	0.63	88	0.82	278	0.88	610	0.84	0.77-0.91
194	Thyroid	57	0.73	190	0.95	9	0.81	143	1.02	240	0.98	639	0.95	0.88-1.02
	-follicular ²	-	-	43	1.00	1	0.50	13	0.76	10	1.28	67	0.96	0.74-1.22
	-papillary ²	-	-	93	0.93	7	0.89	72	1.17	21	1.24	193	1.04	0.90-1.20
195.0	Glandula suprarenalis	9	0.47	48	1.04	[0.46]	0.00	14	0.89	12	0.46	83	0.77	0.61-0.95
195.1	Parathyreioeda	4	3.05	1	1.78	[0.09]	0.00	[0.36]	0.00	2	1.00	7	1.62	0.65-3.34
195.2	Thymus	6	0.65	14	1.28	[0.30]	0.00	6	1.00	9	0.90	35	0.96	0.67-1.33
195.3	Hypophysis	2	0.75	3	4.03	2	0.63	[1.58]	0.00	[3.48]	0.00	7	0.60	0.24-1.24
195.4	Corpus pineale	-	-	1	0.56	-	-	[0.13]	0.00	-	-	1	0.52	0.01-2.91
196	Bone	27	0.85	53	0.90	[1.40]	0.00	35	0.85	76	1.01	191	0.91	0.79-1.05
	-chondrosarcoma ²	-	-	21	0.71	[1.31]	0.00	10	0.87	31	1.00	62	0.85	0.65-1.08
197	Soft tissue	111	0.91	208	0.90	5	1.52	127	0.92	385	0.98	836	0.94	0.88-1.01
	-fibrosarcoma ²	-	-	82	0.95	-	-	11	0.80	71	1.04	164	0.98	0.84-1.14
	-liposarcoma ²	-	-	36	0.79	2	2.00	18	0.91	60	0.91	116	0.88	0.73-1.05
200,202	Non-Hodgkin lymphoma	770	0.91	1298	0.98	24	1.11	689	1.06	1712	1.01	4493	0.99	0.96-1.02
201	Hodgkin lymphoma	106	0.85	199	1.17	4	1.74	146	1.07	278	0.99	733	1.03	0.96-1.11
203	Multiple myeloma	498	1.00	581	1.04	11	1.11	689	1.07	1091	1.12	2870	1.07	1.03-1.11
204	Leukaemia	1005	0.94	1021	1.03	15	0.88	910	1.03	1419	1.01	4370	1.00	0.97-1.03
	-chronic lymphatic ²	-	-	477	1.04	8	1.28	401	1.23	667	1.04	1553	1.09	1.03-1.14
	-acute myeloid ²	310	1.04	280	1.05	4	0.75	280	0.89	272	0.96	1146	0.98	0.93-1.04
	Mycosis fungoides ²	16	0.51	32	0.88	[0.82]	0.00	17	0.78	147	0.94	212	0.86	0.75-0.98
199	Other/unknown site	316	0.69	882	0.96	9	0.64	1168	0.81	1414	0.77	3789	0.81	0.79-0.84
140-204	All sites	23400	0.71	38820	0.90	508	0.72	28709	0.83	49126	0.84	140563	0.83	0.82-0.83
	Not included above													
191	Other skin	-	-	1432	1.03	19	0.84	1521	0.93	2830	0.93	5802	0.95	0.93-0.98
191.6	-upper limbs ²	-	-	81	0.82	3	1.44	122	0.86	301	0.99	507	0.93	0.85-1.01

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Farmers. Women (N = 158 515). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	7	0.39	40	1.25	[0.40]	0.00	21	0.96	[5.37]	0.00	68	0.88	0.68-1.12
141	Tongue	10	0.42	24	0.94	2	2.19	36	1.19	5	0.71	77	0.88	0.70-1.10
142	Salivary glands	17	0.86	15	0.83	1	1.78	24	1.20	6	0.89	63	0.97	0.74-1.24
143-144	Oral cavity	27	0.50	24	0.86	1	0.47	43	0.84	13	1.34	108	0.74	0.62-0.90
145-148	Pharynx	13	0.34	26	1.50	1	1.19	25	0.88	7	0.78	72	0.77	0.60-0.97
145	-oropharynx ²	4	0.18	7	1.31	1	2.66	10	0.83	4	1.07	26	0.59	0.39-0.87
146	-nasopharynx ²	7	1.15	6	1.29	[0.46]	0.00	5	0.89	2	0.87	20	1.05	0.64-1.61
150	Oesophagus	49	0.66	101	1.12	1	0.37	43	0.73	12	0.85	206	0.86	0.75-0.98
	-adenocarcinoma ²	18	0.97	5	0.77	1	1.25	7	0.69	3	1.47	34	0.90	0.62-1.25
151	Stomach	192	0.87	429	1.08	12	1.04	503	0.95	108	1.10	1244	0.99	0.94-1.05
151.1	-cardia ²	31	0.85	38	0.98	1	1.03	67	1.07	5	0.94	142	0.98	0.84-1.16
152	Small intestine	26	0.91	15	0.62	3	1.96	44	0.97	11	0.94	99	0.89	0.72-1.08
153	Colon	942	0.87	424	0.82	14	0.55	1286	0.90	174	0.82	2840	0.87	0.84-0.90
154	Rectum, rectosigma	417	0.88	279	0.92	10	1.03	469	0.78	100	0.92	1275	0.85	0.81-0.90
155.0	Primary liver	50	0.62	58	0.66	1	0.54	45	0.76	13	0.57	167	0.66	0.57-0.77
	-hemangiosarcoma ²	-	-	[0.40]	0.00	[0.11]	0.00	[0.19]	0.00	[0.16]	0.00	[0.86]	0.00	0.00-4.30
155.1	Gall bladder	116	0.96	136	0.85	2	0.80	101	0.92	42	1.02	397	0.91	0.83-1.01
157	Pancreas	247	0.74	290	0.87	11	1.19	356	0.82	63	0.78	967	0.81	0.76-0.87
160	Nose	15	0.72	9	0.71	1	0.95	18	0.81	3	0.75	46	0.76	0.55-1.01
	-adenocarcinoma ²	-	-	[0.74]	0.00	-	-	1	0.45	[0.29]	0.00	1	0.31	0.01-1.72
161	Larynx	15	0.32	7	0.68	3	3.43	8	0.41	2	0.61	35	0.43	0.30-0.60
162,163	Lung	516	0.44	192	0.54	20	0.42	301	0.47	60	0.51	1089	0.46	0.44-0.49
	-adenocarcinoma ²	175	0.48	49	0.56	8	0.48	126	0.67	24	0.57	382	0.55	0.49-0.60
	-small cell ²	-	-	24	0.45	3	0.39	36	0.28	5	0.39	68	0.34	0.26-0.43
	-squamous cell ²	83	0.38	34	0.61	3	0.40	39	0.37	10	0.50	169	0.41	0.35-0.48
	-other ²	-	-	85	0.54	6	0.40	76	0.42	21	0.49	188	0.48	0.41-0.55
158, 162.2	Mesothelioma ²	9	0.55	5	0.40	[0.11]	0.00	8	0.93	4	1.91	26	0.65	0.43-0.96
170	Breast	2001	0.71	1489	0.79	90	0.82	2176	0.82	697	0.89	6453	0.78	0.76-0.80
	-ductal ²	-	-	990	0.76	65	0.76	1385	0.83	178	0.83	2618	0.80	0.77-0.84
	-lobular ²	-	-	139	0.71	5	0.54	121	0.77	52	1.12	317	0.78	0.70-0.87
171	Cervix uteri	238	0.49	144	0.93	2	0.22	246	0.61	55	0.62	685	0.60	0.55-0.64
172	Corpus uteri	614	0.85	425	0.91	19	0.91	645	1.01	157	1.03	1860	0.93	0.89-0.98
173	Choriocarcinoma	1	2.02	1	1.70	1	36.64	[0.62]	0.00	[0.33]	0.00	3	1.45	0.30-4.25
175.0	Ovary	488	0.85	338	1.03	16	0.97	582	0.93	169	0.99	1593	0.93	0.88-0.97
175.1	Fallopian tube	8	0.47	9	0.65	1	2.33	15	0.98	1	0.27	34	0.67	0.47-0.94
176.0	Vulva	45	0.78	63	1.16	[1.55]	0.00	94	0.81	21	1.09	223	0.89	0.78-1.02
176.1	Vagina	12	0.50	15	1.10	1	2.21	20	0.95	6	1.12	54	0.84	0.63-1.09
180	Kidney	174	0.84	226	0.96	14	1.21	317	1.09	75	1.09	806	0.99	0.93-1.06
180.1	-renal pelvis ²	42	0.55	6	0.44	[1.08]	0.00	20	0.62	7	1.06	75	0.57	0.45-0.72
181	Bladder	204	0.53	131	0.89	3	0.30	272	0.73	42	0.63	652	0.66	0.62-0.72
190	Melanoma	269	0.86	170	0.98	4	0.43	372	0.88	85	0.96	900	0.89	0.84-0.95
190.6	-upper limbs ²	63	1.09	26	0.89	1	0.66	85	1.14	16	0.96	191	1.06	0.92-1.22
192	Eye	37	1.37	22	1.10	[0.42]	0.00	32	1.00	9	1.27	100	1.15	0.95-1.40
	-melanoma ²	30	1.23	20	1.07	[0.31]	0.00	29	1.04	6	1.05	85	1.11	0.88-1.37
193	Brain	292	0.90	220	0.88	16	1.15	330	1.05	80	0.89	938	0.94	0.88-1.01
	-glioma ²	29	1.17	62	1.01	8	1.55	93	0.94	26	0.89	218	0.99	0.87-1.13
	-meningeoma ²	54	0.67	80	0.80	6	0.84	116	1.05	36	0.91	292	0.87	0.77-0.97
194	Thyroid	63	1.22	138	1.05	8	0.74	171	1.30	40	1.26	420	1.18	1.07-1.30
	-follicular ²	-	-	22	1.06	[1.33]	0.00	25	1.21	1	0.80	48	1.09	0.80-1.45
	-papillary ²	-	-	86	1.02	7	0.81	98	1.35	12	1.94	203	1.18	1.03-1.36
195.0	Glandula suprarenalis	4	0.69	5	0.79	[0.25]	0.00	6	1.09	3	2.03	18	0.93	0.55-1.47
195.1	Parathyreoidea	[0.48]	0.00	1	5.67	-	-	[0.63]	0.00	[0.30]	0.00	1	0.63	0.02-3.52
195.2	Thymus	4	1.53	3	1.26	-	-	1	0.49	[0.50]	0.00	8	1.06	0.46-2.10
195.3	Hypophysis	1	1.51	[0.28]	0.00	2	1.59	[0.55]	0.00	[0.17]	0.00	3	1.03	0.21-3.00
195.4	Corpus pineale	-	-	1	1.68	-	-	1	2.84	-	-	2	2.11	0.26-7.62
196	Bone	7	0.83	8	0.83	1	1.28	19	1.55	3	0.84	38	1.10	0.78-1.50
	-chondrosarcoma ²	-	-	3	0.74	[0.50]	0.00	7	2.01	1	0.62	11	1.14	0.57-2.04
197	Soft tissue	27	0.81	60	1.30	[1.49]	0.00	33	0.74	16	0.92	136	0.95	0.81-1.13
	-fibrosarcoma ²	-	-	19	1.28	[0.11]	0.00	4	1.27	2	0.78	25	1.21	0.78-1.79
	-liposarcoma ²	-	-	8	0.89	[0.35]	0.00	4	0.71	3	1.10	15	0.85	0.48-1.40
200,202	Non-Hodgkin lymphoma	202	0.79	269	1.00	8	0.88	271	0.97	63	0.92	813	0.92	0.86-0.99
201	Hodgkin lymphoma	27	1.04	29	1.11	2	2.46	40	1.27	16	1.56	114	1.21	1.00-1.45
203	Multiple myeloma	126	0.99	142	1.17	7	1.41	258	1.22	37	1.07	570	1.14	1.05-1.24
204	Leukaemia	238	0.98	170	1.03	5	0.66	251	1.01	40	0.84	704	0.99	0.92-1.06
	-chronic lymphatic ²	-	-	72	1.13	4	1.52	102	1.17	15	0.85	193	1.13	0.98-1.30
	-acute myeloid ²	84	1.04	41	0.78	[2.92]	0.00	97	0.98	12	0.92	234	0.94	0.83-1.07
	Mycosis fungoides ²	2	0.38	3	0.78	[0.16]	0.00	2	0.41	[5.25]	0.00	7	0.36	0.15-0.75
199	Other/unknown site	145	0.83	258	1.12	16	1.58	515	0.95	83	0.84	1017	0.96	0.90-1.02
140-204	All sites	7757	0.75	6526	0.90	303	0.81	10020	0.87	2321	0.89	26927	0.84	0.83-0.85
Not included above														
191	Ovary borderline ²	-	-	54	1.02	3	0.56	65	0.87	22	0.87	144	0.91	0.77-1.07
	Other skin	-	-	269	0.96	11	1.06	383	0.80	69	0.85	732	0.86	0.80-0.92
191.6	-upper limbs ²	-	-	18	0.92	[1.33]	0.00	47	0.97	11	1.25	76	0.97	0.77-1.22

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Gardeners and related workers. Men (N = 169 404). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	69	1.25	120	1.53	[0.15]	0.00	133	1.44	355	1.76	677	1.58	1.47-1.71
141	Tongue	11	0.71	15	0.64	[0.07]	0.00	20	0.62	36	0.51	82	0.58	0.46-0.71
142	Salivary glands	4	0.37	12	0.84	[0.06]	0.00	14	0.88	56	1.04	86	0.91	0.73-1.12
143-144	Oral cavity	20	0.62	16	0.67	[0.08]	0.00	35	0.72	75	0.68	146	0.68	0.58-0.80
145-148	Pharynx	15	0.40	24	0.81	[0.09]	0.00	29	0.54	93	0.60	161	0.59	0.50-0.68
145	-oropharynx ²	6	0.29	8	0.70	[0.03]	0.00	6	0.33	32	0.60	52	0.50	0.37-0.66
146	-nasopharynx ²	4	0.69	10	1.64	[0.03]	0.00	5	0.49	37	1.10	56	1.00	0.76-1.31
150	Oesophagus	71	0.86	62	0.83	[0.45]	0.00	71	0.70	214	0.73	418	0.76	0.69-0.84
	-adenocarcinoma ²	31	0.94	12	0.71	[0.16]	0.00	18	0.90	53	0.74	114	0.81	0.67-0.97
151	Stomach	173	0.89	329	0.94	2	1.47	529	0.88	1349	1.04	2382	0.97	0.94-1.01
151.1	-cardia ²	52	0.93	51	0.85	[0.24]	0.00	83	0.85	147	1.05	333	0.94	0.84-1.05
152	Small intestine	10	0.68	14	0.66	[0.12]	0.00	27	0.97	93	0.79	144	0.80	0.68-0.94
153	Colon	321	0.72	253	0.85	2	1.13	623	0.80	1408	0.84	2607	0.81	0.78-0.85
154	Rectum, rectosigma	275	0.89	204	0.84	[0.65]	0.00	427	0.91	1129	0.98	2035	0.94	0.90-0.98
155.0	Primary liver	38	0.60	69	0.79	[0.22]	0.00	33	0.55	205	0.65	345	0.66	0.59-0.73
	-hemangiosarcoma ²	-	-	[0.39]	0.00	-	-	[0.11]	0.00	[1.33]	0.00	[1.83]	0.00	0.00-2.01
155.1	Gall bladder	29	0.81	50	1.07	[0.10]	0.00	34	0.77	99	0.79	212	0.84	0.74-0.96
157	Pancreas	116	0.73	181	0.84	2	2.97	235	0.79	616	0.87	1150	0.83	0.79-0.88
160	Nose	6	0.40	12	0.97	[0.07]	0.00	14	0.60	40	0.81	72	0.72	0.56-0.91
	-adenocarcinoma ²	-	-	1	1.14	[0.01]	0.00	4	1.33	2	0.24	7	0.57	0.23-1.18
161	Larynx	52	0.56	55	0.67	[0.24]	0.00	56	0.54	128	0.57	291	0.58	0.51-0.65
162,163	Lung	808	0.77	1056	0.84	4	1.36	637	0.57	1361	0.61	3866	0.68	0.66-0.71
	-adenocarcinoma ²	135	0.69	118	0.71	[0.82]	0.00	89	0.45	240	0.62	582	0.62	0.57-0.67
	-small cell ²	-	-	168	0.86	[0.55]	0.00	114	0.62	126	0.71	408	0.73	0.66-0.80
	-squamous cell ²	291	0.80	341	0.87	3	4.11	211	0.59	514	0.61	1360	0.69	0.66-0.73
	-other ²	-	-	429	0.86	1	1.27	151	0.58	481	0.59	1062	0.67	0.64-0.72
158, 162.2	Mesothelioma ²	9	0.34	6	0.24	[0.06]	0.00	13	0.43	17	0.22	45	0.28	0.20-0.38
170	Breast	9	0.90	7	0.99	[0.08]	0.00	9	0.76	39	1.02	64	0.95	0.73-1.22
177	Prostate	710	0.96	1203	0.84	6	0.96	1792	0.90	5503	0.89	9214	0.89	0.87-0.91
178	Testis	21	0.80	15	0.86	[0.19]	0.00	51	1.34	70	0.99	157	1.03	0.88-1.20
	-seminoma ²	10	0.92	7	0.58	[0.14]	0.00	33	1.24	54	1.06	104	1.03	0.85-1.25
	-non-seminoma ²	11	0.71	7	1.35	[0.05]	0.00	9	1.14	16	0.80	43	0.88	0.64-1.19
179.0	Penis	22	1.12	10	0.99	[0.08]	0.00	26	0.89	57	0.78	115	0.87	0.72-1.04
180	Kidney	102	0.81	185	0.79	1	0.90	244	0.88	701	0.85	1233	0.84	0.80-0.89
180.1	-renal pelvis ²	42	0.84	9	0.62	[0.06]	0.00	24	0.73	62	0.72	137	0.74	0.63-0.88
181	Bladder	429	0.77	284	0.85	1	0.61	488	0.71	1289	0.79	2491	0.77	0.74-0.81
190	Melanoma	85	0.82	154	0.99	[0.40]	0.00	187	0.79	409	0.74	835	0.79	0.74-0.85
190.6	-upper limbs ²	9	0.73	18	0.92	[0.06]	0.00	12	0.56	49	0.62	88	0.67	0.53-0.82
192	Eye	7	0.53	18	1.14	[0.05]	0.00	22	0.98	49	0.83	96	0.87	0.70-1.06
	-melanoma ²	4	0.34	12	0.85	[0.04]	0.00	18	0.91	41	0.83	75	0.79	0.62-0.99
193	Brain	108	0.90	146	0.96	[0.63]	0.00	150	0.82	516	0.97	920	0.93	0.87-0.99
	-glioma ²	16	1.32	69	1.00	[0.36]	0.00	68	0.75	268	1.02	421	0.97	0.88-1.07
	-meningeoma ²	12	0.77	26	0.82	[0.16]	0.00	28	0.94	101	0.84	167	0.85	0.73-0.99
194	Thyroid	9	0.81	32	0.93	[0.38]	0.00	33	0.95	62	0.66	136	0.78	0.66-0.92
	-follicular ²	-	-	5	0.81	[0.06]	0.00	4	0.96	[3.51]	0.00	9	0.65	0.30-1.23
	-papillary ²	-	-	20	0.99	[0.27]	0.00	15	0.92	6	0.71	41	0.91	0.65-1.23
195.0	Glandula suprarenalis	5	1.80	4	0.61	[0.02]	0.00	2	0.46	9	0.89	20	0.84	0.51-1.29
195.1	Parathyreoidea	[0.18]	0.00	[0.08]	0.00	[0.00]	0.00	[0.12]	0.00	[0.76]	0.00	[1.15]	0.00	0.00-3.21
195.2	Thymus	[1.34]	0.00	4	2.24	[0.01]	0.00	1	0.58	2	0.49	7	0.79	0.32-1.62
195.3	Hypophysis	[0.37]	0.00	1	7.28	[0.09]	0.00	1	2.72	[1.34]	0.00	2	0.87	0.10-3.13
195.4	Corpus pineale	-	-	[0.30]	0.00	-	-	[0.02]	0.00	-	-	[0.33]	0.00	0.00-11.30
196	Bone	4	0.87	11	1.12	[0.04]	0.00	12	1.13	29	0.97	56	1.02	0.77-1.32
	-chondrosarcoma ²	-	-	8	1.63	[0.04]	0.00	1	0.37	8	0.63	17	0.83	0.48-1.33
197	Soft tissue	21	1.23	49	1.36	[0.11]	0.00	28	0.83	138	0.93	236	1.00	0.88-1.14
	-fibrosarcoma ²	-	-	18	1.43	-	-	1	0.29	23	0.95	42	1.04	0.75-1.41
	-liposarcoma ²	-	-	12	1.55	[0.03]	0.00	2	0.38	32	1.26	46	1.20	0.88-1.60
200,202	Non-Hodgkin lymphoma	113	0.94	200	0.98	[0.72]	0.00	142	0.83	595	0.92	1050	0.92	0.86-0.97
201	Hodgkin lymphoma	13	0.72	29	0.99	[0.08]	0.00	32	0.94	106	1.01	180	0.96	0.83-1.12
203	Multiple myeloma	72	1.02	77	1.01	[0.31]	0.00	151	0.99	401	1.13	701	1.07	1.00-1.16
204	Leukaemia	157	1.04	126	0.93	[0.56]	0.00	204	0.97	505	0.97	992	0.97	0.91-1.04
	-chronic lymphatic ²	-	-	66	1.11	[0.21]	0.00	82	1.06	228	0.95	376	1.00	0.90-1.10
	-acute myeloid ²	38	0.89	27	0.72	[0.17]	0.00	69	0.92	99	0.91	233	0.88	0.78-1.01
	Mycosis fungoides ²	1	0.23	1	0.19	[0.03]	0.00	2	0.35	43	0.79	47	0.67	0.49-0.89
199	Other/unknown site	56	0.86	111	0.91	[0.43]	0.00	275	0.83	611	0.90	1053	0.88	0.83-0.93
140-204	All sites	3872	0.83	5174	0.87	18	0.81	6787	0.81	18408	0.86	34259	0.85	0.84-0.85
Not included above														
191	Other skin	-	-	148	0.85	2	2.86	368	0.95	952	0.90	1470	0.90	0.86-0.95
191.6	-upper limbs ²	-	-	15	1.13	[0.06]	0.00	40	1.19	110	1.00	165	1.05	0.90-1.22

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Gardeners and related workers. Women (N = 177 921). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	2	0.88	102	1.18	[0.01]	0.00	16	1.24	16	1.07	136	1.17	0.99-1.38
141	Tongue	3	0.99	63	0.87	[0.03]	0.00	14	0.79	15	0.85	95	0.86	0.69-1.05
142	Salivary glands	5	1.96	53	1.03	[0.02]	0.00	15	1.26	22	1.21	95	1.13	0.92-1.39
143-144	Oral cavity	4	0.57	57	0.76	[0.07]	0.00	29	0.95	32	1.18	122	0.87	0.73-1.04
145-148	Pharynx	5	1.02	31	0.67	[0.03]	0.00	8	0.47	22	1.01	66	0.74	0.57-0.94
145	-oropharynx ²	2	0.70	3	0.21	[0.01]	0.00	[7.33]	0.00	4	0.45	9	0.27	0.12-0.51
146	-nasopharynx ²	2	2.52	11	0.88	[0.01]	0.00	4	1.22	6	1.09	23	1.04	0.66-1.57
150	Oesophagus	8	0.83	213	0.97	[0.10]	0.00	19	0.55	46	1.16	286	0.94	0.84-1.06
	-adenocarcinoma ²	2	0.83	15	0.80	[0.03]	0.00	2	0.33	7	1.05	26	0.77	0.50-1.12
151	Stomach	27	0.94	1025	1.01	[0.39]	0.00	317	1.05	269	1.11	1638	1.03	0.98-1.08
151.1	-cardia ²	4	0.84	99	1.02	[0.03]	0.00	28	0.77	30	1.91	161	1.04	0.89-1.22
152	Small intestine	3	0.81	74	1.05	[0.05]	0.00	28	1.03	34	0.98	139	1.02	0.86-1.21
153	Colon	113	0.81	1197	0.84	3	3.46	749	0.87	602	0.97	2664	0.88	0.84-0.91
154	Rectum, rectosigma	59	0.96	752	0.89	1	3.00	327	0.91	302	0.96	1441	0.91	0.87-0.96
155.0	Primary liver	9	0.85	194	0.82	[0.06]	0.00	25	0.71	56	0.90	284	0.83	0.74-0.93
	-hemangiosarcoma ²	-	-	1	0.67	[0.00]	0.00	[0.12]	0.00	[0.42]	0.00	1	0.49	0.01-2.74
155.1	Gall bladder	8	0.50	393	0.93	[0.09]	0.00	68	1.06	98	0.91	567	0.93	0.86-1.01
157	Pancreas	48	1.11	859	0.96	[0.31]	0.00	214	0.83	176	0.79	1297	0.91	0.86-0.96
160	Nose	1	0.37	37	1.02	[0.03]	0.00	9	0.69	15	1.44	62	0.99	0.76-1.28
	-adenocarcinoma ²	-	-	1	0.45	-	-	[1.33]	0.00	2	2.52	3	0.69	0.14-2.01
161	Larynx	5	0.83	19	0.60	[0.03]	0.00	5	0.42	5	0.47	34	0.56	0.39-0.79
162,163	Lung	105	0.69	544	0.52	3	1.91	183	0.46	233	0.67	1068	0.54	0.51-0.58
	-adenocarcinoma ²	38	0.81	183	0.68	2	3.63	68	0.59	85	0.74	376	0.69	0.62-0.76
	-small cell ²	-	-	61	0.36	1	3.98	30	0.37	30	0.67	122	0.41	0.35-0.49
	-squamous cell ²	20	0.70	68	0.39	[0.26]	0.00	21	0.31	33	0.49	142	0.42	0.36-0.49
	-other ²	-	-	232	0.52	[0.51]	0.00	52	0.47	85	0.70	369	0.54	0.49-0.60
158, 162.2	Mesothelioma ²	3	1.40	26	0.65	[0.00]	0.00	4	0.74	2	0.31	35	0.65	0.45-0.90
170	Breast	283	0.79	4230	0.74	4	1.07	1184	0.75	1599	0.83	7300	0.76	0.74-0.78
	-ductal ²	-	-	2880	0.73	4	1.37	745	0.75	355	0.87	3984	0.74	0.72-0.77
	-lobular ²	-	-	401	0.65	[0.31]	0.00	69	0.73	79	0.81	549	0.68	0.63-0.74
171	Cervix uteri	44	0.70	287	0.71	[0.34]	0.00	147	0.60	154	0.65	632	0.66	0.61-0.72
172	Corpus uteri	81	0.86	1427	0.94	2	2.90	349	0.90	506	1.04	2365	0.95	0.91-0.99
173	Choriocarcinoma	[0.06]	0.00	2	1.17	[0.00]	0.00	1	2.72	[0.60]	0.00	3	1.10	0.23-3.21
175.0	Ovary	60	0.81	924	0.92	[0.57]	0.00	365	0.96	436	0.96	1785	0.94	0.89-0.98
175.1	Fallopian tube	1	0.45	37	0.77	[0.01]	0.00	11	1.15	9	0.88	58	0.82	0.63-1.07
176.0	Vulva	6	0.80	136	0.96	[0.06]	0.00	63	0.92	60	1.20	265	0.99	0.88-1.12
176.1	Vagina	4	1.29	26	0.69	[0.02]	0.00	12	0.95	8	0.54	50	0.73	0.54-0.97
180	Kidney	21	0.77	692	0.99	1	2.55	196	1.12	177	0.88	1087	0.99	0.93-1.05
180.1	-renal pelvis ²	4	0.40	19	0.51	[0.04]	0.00	20	1.02	15	0.74	58	0.66	0.50-0.86
181	Bladder	40	0.81	320	0.78	[0.33]	0.00	153	0.68	158	0.80	671	0.76	0.71-0.82
190	Melanoma	33	0.83	526	1.01	[0.34]	0.00	195	0.76	211	1.00	965	0.94	0.88-1.00
190.6	-upper limbs ²	7	0.94	97	1.08	[0.05]	0.00	43	0.94	42	0.99	189	1.02	0.88-1.18
192	Eye	3	0.87	46	0.75	[0.01]	0.00	24	1.25	20	1.03	93	0.90	0.72-1.10
	-melanoma ²	3	0.96	44	0.77	[0.01]	0.00	20	1.20	17	1.08	84	0.91	0.72-1.12
193	Brain	35	0.83	702	0.93	[0.48]	0.00	174	0.91	196	0.86	1107	0.91	0.86-0.97
	-glioma ²	[3.19]	0.00	183	0.95	[0.17]	0.00	55	0.90	67	0.86	305	0.91	0.81-1.02
	-meningeoma ²	8	0.78	255	0.81	[0.25]	0.00	65	0.96	86	0.92	414	0.85	0.77-0.94
194	Thyroid	2	0.30	382	1.06	[0.40]	0.00	84	1.08	76	0.97	544	1.04	0.95-1.13
	-follicular ²	-	-	70	1.10	[0.05]	0.00	10	0.80	7	2.19	87	1.09	0.88-1.35
	-papillary ²	-	-	235	1.02	[0.32]	0.00	48	1.11	6	0.61	289	1.02	0.91-1.14
195.0	Glandula suprarenalis	[0.75]	0.00	21	1.09	[0.01]	0.00	6	1.76	6	1.58	33	1.21	0.84-1.70
195.1	Parathyreoidea	[0.06]	0.00	1	1.62	-	-	[0.38]	0.00	[1.03]	0.00	1	0.48	0.01-2.68
195.2	Thymus	1	2.95	5	0.71	-	-	[1.24]	0.00	1	0.66	7	0.69	0.28-1.42
195.3	Hypophysis	[0.09]	0.00	1	1.43	[0.05]	0.00	[0.33]	0.00	[0.44]	0.00	1	0.62	0.02-3.47
195.4	Corpus pineale	-	-	2	1.16	-	-	[0.21]	0.00	-	-	2	1.03	0.12-3.72
196	Bone	[1.09]	0.00	18	0.66	[0.03]	0.00	7	0.96	8	0.87	33	0.74	0.51-1.04
	-chondrosarcoma ²	-	-	8	0.66	[0.02]	0.00	3	1.49	1	0.26	12	0.67	0.34-1.16
197	Soft tissue	9	2.12	145	1.08	[0.05]	0.00	16	0.61	52	1.10	222	1.05	0.92-1.19
	-fibrosarcoma ²	-	-	52	1.17	[0.00]	0.00	2	1.13	8	1.13	62	1.16	0.89-1.49
	-liposarcoma ²	-	-	26	0.99	[0.01]	0.00	4	1.19	6	0.86	36	0.98	0.69-1.36
200,202	Non-Hodgkin lymphoma	32	0.97	763	0.97	2	6.41	151	0.88	204	1.02	1152	0.97	0.91-1.02
201	Hodgkin lymphoma	5	1.50	81	1.17	[0.04]	0.00	15	0.82	30	1.21	131	1.13	0.95-1.34
203	Multiple myeloma	18	1.09	356	1.06	1	6.07	143	1.14	90	0.89	608	1.05	0.97-1.13
204	Leukaemia	46	1.45	447	0.99	1	3.70	155	1.06	141	1.04	790	1.03	0.96-1.11
	-chronic lymphatic ²	-	-	153	0.91	[0.09]	0.00	61	1.18	47	0.87	261	0.96	0.85-1.08
	-acute myeloid ²	13	1.24	161	1.08	[0.11]	0.00	62	1.06	39	0.98	275	1.06	0.95-1.20
	Mycosis fungoides ²	1	1.48	11	1.06	[0.01]	0.00	1	0.34	14	1.06	27	0.99	0.65-1.44
199	Other/unknown site	21	0.92	591	0.95	[0.34]	0.00	313	0.99	285	0.98	1210	0.97	0.91-1.02
140-204	All sites	1132	0.85	18024	0.86	18	1.41	5812	0.84	6386	0.90	31372	0.86	0.85-0.87
Not included above														
	Ovary borderline ²	-	-	132	0.86	[0.20]	0.00	37	0.82	31	0.61	200	0.80	0.70-0.92
191	Other skin	-	-	799	1.14	[0.35]	0.00	229	0.80	256	1.06	1284	1.04	0.99-1.10
191.6	-upper limbs ²	-	-	51	0.96	[0.05]	0.00	38	1.32	36	1.28	125	1.13	0.95-1.35

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Fishermen, whalers and sealers. Men (N = 66 926). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	57	3.33	14	1.79	1	0.51	232	1.92	80	3.65	384	2.27	2.05-2.51
141	Tongue	4	0.65	1	0.52	2	1.44	27	0.65	6	0.80	40	0.68	0.49-0.93
142	Salivary glands	5	1.39	2	1.59	1	1.06	17	0.83	9	1.58	34	1.06	0.74-1.49
143-144	Oral cavity	17	1.42	[1.92]	0.00	1	0.51	57	0.92	9	0.78	84	0.94	0.75-1.16
145-148	Pharynx	19	1.31	2	0.79	3	1.28	57	0.82	12	0.74	93	0.88	0.71-1.08
145	-oropharynx ²	9	1.11	1	1.10	1	1.51	16	0.66	4	0.72	31	0.79	0.54-1.12
146	-nasopharynx ²	5	2.32	1	1.94	[0.73]	0.00	22	1.64	1	0.28	29	1.42	0.95-2.04
150	Oesophagus	39	1.34	7	1.01	10	1.41	119	0.92	30	0.97	205	1.01	0.88-1.15
	-adenocarcinoma ²	16	1.38	2	1.40	5	1.67	20	0.82	5	0.68	48	1.01	0.74-1.34
151	Stomach	80	1.27	35	0.99	25	1.21	1113	1.41	175	1.23	1428	1.36	1.29-1.43
151.1	-cardia ²	31	1.60	4	0.69	2	0.46	182	1.45	16	1.08	235	1.38	1.22-1.57
152	Small intestine	10	2.02	3	1.60	4	1.48	35	0.99	8	0.65	60	1.05	0.80-1.35
153	Colon	154	1.09	22	0.80	32	1.06	892	0.91	171	0.95	1271	0.94	0.89-0.99
154	Rectum, rectosigma	107	1.07	14	0.62	14	1.28	526	0.88	130	1.06	791	0.93	0.87-1.00
155.0	Primary liver	19	0.88	4	0.48	2	0.62	68	0.89	18	0.53	111	0.78	0.64-0.93
	-hemangiosarcoma ²	-	-	[0.03]	0.00	-	-	[0.11]	0.00	[0.15]	0.00	[0.29]	0.00	0.00-12.85
155.1	Gall bladder	10	0.87	5	1.08	3	1.65	65	1.16	10	0.73	93	1.06	0.86-1.30
157	Pancreas	63	1.18	26	1.27	14	1.20	427	1.12	66	0.86	596	1.10	1.01-1.19
160	Nose	9	1.81	1	0.89	2	1.82	36	1.21	8	1.51	56	1.33	1.00-1.72
	-adenocarcinoma ²	-	-	[0.07]	0.00	[0.10]	0.00	4	1.04	2	2.28	6	1.22	0.45-2.66
161	Larynx	52	1.61	5	0.65	6	1.18	160	1.21	18	0.75	241	1.20	1.05-1.36
162,163	Lung	461	1.29	127	1.02	78	1.52	1654	1.17	227	0.96	2547	1.16	1.12-1.21
	-adenocarcinoma ²	93	1.30	20	1.35	19	1.24	242	0.98	39	0.98	413	1.07	0.97-1.17
	-small cell ²	-	-	18	0.98	23	2.28	278	1.20	24	1.34	343	1.23	1.11-1.37
	-squamous cell ²	168	1.38	38	0.97	19	1.62	558	1.24	93	1.02	876	1.23	1.15-1.31
	-other ²	-	-	51	0.98	16	1.24	399	1.21	71	0.81	537	1.12	1.03-1.21
158, 162.2	Mesothelioma ²	4	0.43	1	0.49	1	0.74	16	0.43	4	0.49	26	0.44	0.29-0.65
170	Breast	4	1.26	1	1.61	1	0.66	14	0.92	5	1.23	25	1.02	0.66-1.50
177	Prostate	204	0.91	127	0.97	95	0.98	2219	0.88	585	0.89	3230	0.89	0.86-0.92
178	Testis	11	0.95	1	0.76	9	1.13	45	0.87	6	0.83	72	0.90	0.70-1.13
	-seminoma ²	8	1.65	1	1.11	5	0.87	35	0.97	5	0.97	54	1.02	0.77-1.33
	-non-seminoma ²	3	0.44	[0.39]	0.00	4	1.81	8	0.73	1	0.49	16	0.71	0.41-1.16
179.0	Penis	4	0.63	1	1.12	2	1.32	33	0.88	5	0.64	45	0.83	0.61-1.12
180	Kidney	61	1.43	19	0.93	18	0.83	393	1.11	81	0.93	572	1.08	1.00-1.18
180.1	-renal pelvis ²	13	0.79	1	0.73	2	1.90	38	0.92	4	0.44	58	0.83	0.63-1.08
181	Bladder	205	1.16	23	0.71	34	1.15	1005	1.17	183	1.05	1450	1.14	1.08-1.20
190	Melanoma	26	0.69	9	0.72	11	0.98	124	0.41	46	0.80	216	0.51	0.45-0.58
190.6	-upper limbs ²	2	0.44	1	0.63	1	0.57	7	0.25	5	0.62	16	0.37	0.21-0.60
192	Eye	2	0.44	3	2.18	[0.90]	0.00	25	0.86	8	1.28	38	0.90	0.64-1.24
	-melanoma ²	2	0.50	2	1.63	[0.62]	0.00	21	0.82	7	1.33	32	0.87	0.60-1.23
193	Brain	45	1.01	12	0.97	11	0.73	212	0.89	47	0.84	327	0.89	0.80-1.00
	-glioma ²	5	1.03	6	1.13	4	0.43	100	0.84	19	0.70	134	0.81	0.68-0.96
	-meningeoma ²	8	1.44	[2.62]	0.00	5	1.43	31	0.82	13	1.02	57	0.92	0.69-1.19
194	Thyroid	1	0.26	[2.88]	0.00	12	1.49	73	1.60	7	0.70	93	1.32	1.07-1.62
	-follicular ²	-	-	[0.56]	0.00	[0.97]	0.00	5	0.91	[0.36]	0.00	5	0.68	0.22-1.58
	-papillary ²	-	-	[1.55]	0.00	11	1.79	39	1.82	1	1.17	51	1.70	1.27-2.23
195.0	Glandula suprarenalis	2	2.01	[0.61]	0.00	[0.43]	0.00	2	0.36	[1.08]	0.00	4	0.46	0.12-1.17
195.1	Parathyreoidea	[0.05]	0.00	[0.01]	0.00	[0.05]	0.00	[0.15]	0.00	[0.08]	0.00	[0.34]	0.00	0.00-10.80
195.2	Thymus	2	4.25	1	6.85	[0.28]	0.00	1	0.46	[0.43]	0.00	4	1.15	0.31-2.93
195.3	Hypophysis	[0.14]	0.00	[0.01]	0.00	1	0.43	[0.48]	0.00	1	7.09	2	0.65	0.08-2.35
195.4	Corpus pineale	-	-	[0.02]	0.00	-	-	[0.05]	0.00	-	-	[0.07]	0.00	0.00-49.65
196	Bone	[1.64]	0.00	1	1.22	[1.39]	0.00	19	1.37	5	1.59	25	1.20	0.78-1.77
	-chondrosarcoma ²	-	-	[0.41]	0.00	[1.19]	0.00	4	1.09	4	3.00	8	1.21	0.52-2.39
197	Soft tissue	4	0.69	3	0.96	2	0.65	32	0.73	11	0.70	52	0.72	0.54-0.95
	-fibrosarcoma ²	-	-	[1.14]	0.00	-	-	2	0.44	2	0.76	4	0.48	0.13-1.23
	-liposarcoma ²	-	-	2	3.16	[1.11]	0.00	4	0.59	2	0.75	8	0.72	0.31-1.41
200,202	Non-Hodgkin lymphoma	45	1.09	18	1.02	14	0.89	206	0.95	65	0.95	348	0.97	0.87-1.07
201	Hodgkin lymphoma	6	0.89	2	0.81	1	0.44	41	0.91	9	0.80	59	0.87	0.66-1.12
203	Multiple myeloma	18	0.76	7	0.97	4	0.68	185	0.95	44	1.16	258	0.96	0.85-1.08
204	Leukaemia	35	0.70	15	1.16	8	0.76	215	0.80	39	0.70	312	0.78	0.70-0.88
	-chronic lymphatic ²	-	-	5	0.85	3	0.95	84	0.85	19	0.75	111	0.83	0.69-1.01
	-acute myeloid ²	8	0.56	4	1.14	3	0.83	84	0.88	9	0.79	108	0.84	0.70-1.01
	Mycosis fungoides ²	2	1.47	1	2.13	[0.64]	0.00	7	0.99	3	0.50	13	0.84	0.45-1.43
199	Other/unknown site	27	1.25	8	0.68	6	0.78	502	1.19	79	1.09	622	1.16	1.07-1.25
140-204	All sites	1736	1.12	524	0.94	429	1.07	10869	1.02	2210	0.97	15768	1.02	1.00-1.04
	Not included above													
191	Other skin	-	-	16	0.90	7	0.66	280	0.58	166	1.45	469	0.75	0.69-0.82
191.6	-upper limbs ²	-	-	1	0.79	[0.94]	0.00	21	0.50	21	1.79	43	0.77	0.55-1.03

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Fishermen, whalers and sealers. Women (N = 1 383). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.09]	0.00	[0.17]	0.00	[0.01]	0.00	1	6.40	[0.05]	0.00	1	2.09	0.05-11.65
141	Tongue	[0.12]	0.00	1	5.95	[0.03]	0.00	[0.23]	0.00	[0.06]	0.00	1	1.64	0.04-9.15
142	Salivary glands	[0.10]	0.00	1	8.40	[0.03]	0.00	[0.16]	0.00	[0.06]	0.00	1	2.14	0.05-11.93
143-144	Oral cavity	[0.28]	0.00	1	6.01	[0.06]	0.00	[0.38]	0.00	1	11.21	2	2.07	0.25-7.48
145-148	Pharynx	[0.20]	0.00	[0.11]	0.00	[0.03]	0.00	[0.24]	0.00	[0.08]	0.00	[0.65]	0.00	0.00-5.65
145	-oropharynx ²	[0.12]	0.00	[0.04]	0.00	[0.01]	0.00	[0.11]	0.00	[0.03]	0.00	[0.32]	0.00	0.00-11.57
146	-nasopharynx ²	[0.03]	0.00	[0.03]	0.00	[0.02]	0.00	[0.04]	0.00	[0.02]	0.00	[0.14]	0.00	0.00-26.82
150	Oesophagus	[0.38]	0.00	1	2.33	[0.07]	0.00	[0.40]	0.00	[0.13]	0.00	1	0.71	0.02-3.96
	-adenocarcinoma ²	[0.09]	0.00	[0.04]	0.00	[0.02]	0.00	[0.07]	0.00	[0.02]	0.00	[0.25]	0.00	0.00-14.74
151	Stomach	1	0.91	5	2.45	3	9.22	1	0.32	3	3.70	13	1.76	0.94-3.02
	-cardia ²	[0.18]	0.00	[0.19]	0.00	1	29.89	[0.41]	0.00	[0.05]	0.00	1	1.15	0.03-6.41
152	Small intestine	[0.14]	0.00	[0.16]	0.00	[0.05]	0.00	[0.36]	0.00	[0.11]	0.00	[0.82]	0.00	0.00-4.50
153	Colon	8	1.48	5	1.68	1	1.31	3	0.30	2	1.00	19	0.90	0.54-1.41
154	Rectum, rectosigma	2	0.84	2	1.13	[0.31]	0.00	3	0.71	[1.02]	0.00	7	0.72	0.29-1.48
155.0	Primary liver	1	2.44	[0.48]	0.00	[0.05]	0.00	1	2.59	[0.20]	0.00	2	1.31	0.16-4.74
	-hemangiosarcoma ²	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-473.44
155.1	Gall bladder	2	3.31	[0.82]	0.00	[0.07]	0.00	[0.69]	0.00	[0.35]	0.00	2	0.79	0.10-2.85
157	Pancreas	[1.68]	0.00	[1.81]	0.00	1	3.60	4	1.44	1	1.38	6	0.82	0.30-1.79
160	Nose	[0.11]	0.00	[0.08]	0.00	[0.04]	0.00	[0.15]	0.00	[0.04]	0.00	[0.40]	0.00	0.00-9.17
	-adenocarcinoma ²	-	-	[0.00]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-174.52
161	Larynx	1	4.09	[0.07]	0.00	[0.04]	0.00	[0.17]	0.00	[0.03]	0.00	1	1.83	0.05-10.18
162, 163	Lung	7	1.13	2	0.90	1	0.63	4	0.68	1	0.89	15	0.89	0.50-1.46
	-adenocarcinoma ²	4	2.06	[0.59]	0.00	1	1.66	[1.78]	0.00	[0.39]	0.00	5	0.94	0.31-2.20
	-small cell ¹²	-	-	[0.36]	0.00	[0.26]	0.00	1	0.80	[0.13]	0.00	1	0.50	0.01-2.79
	-squamous cell ²	[1.15]	0.00	2	5.63	[0.24]	0.00	1	1.06	[0.20]	0.00	3	1.03	0.21-3.02
	-other ²	-	-	[0.92]	0.00	[0.49]	0.00	2	1.24	1	2.52	3	0.88	0.18-2.56
158, 162.2	Mesothelioma ²	[0.08]	0.00	[0.08]	0.00	[0.00]	0.00	1	13.42	[0.02]	0.00	1	3.76	0.10-20.97
170	Breast	8	0.55	7	0.47	7	1.49	17	0.74	5	0.72	44	0.69	0.50-0.92
	-ductal ²	-	-	5	0.47	5	1.36	11	0.69	[1.80]	0.00	21	0.65	0.40-1.00
	-lobular ²	-	-	1	0.56	1	2.51	2	1.19	[0.40]	0.00	4	0.94	0.26-2.40
171	Cervix uteri	2	0.78	[0.94]	0.00	[0.46]	0.00	8	2.35	2	2.42	12	1.47	0.76-2.56
172	Corpus uteri	2	0.55	5	1.56	1	1.35	3	0.56	[1.50]	0.00	11	0.76	0.38-1.36
173	Choriocarcinoma	[0.00]	0.00	[0.01]	0.00	[0.00]	0.00	[0.01]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-170.59
175.0	Ovary	[2.98]	0.00	2	0.89	[0.59]	0.00	8	1.57	2	1.29	12	0.96	0.50-1.68
175.1	Fallopian tube	[0.09]	0.00	[0.11]	0.00	[0.02]	0.00	[0.16]	0.00	[0.03]	0.00	[0.41]	0.00	0.00-8.92
176.0	Vulva	[0.29]	0.00	[0.30]	0.00	[0.06]	0.00	1	1.34	[0.17]	0.00	1	0.64	0.02-3.56
176.1	Vagina	[0.12]	0.00	[0.08]	0.00	[0.02]	0.00	2	12.99	1	20.68	3	7.09	1.46-20.73
180	Kidney	1	0.95	[1.46]	0.00	[0.39]	0.00	1	0.48	1	1.56	3	0.53	0.11-1.56
180.1	-renal pelvis ²	[0.39]	0.00	[0.08]	0.00	[0.03]	0.00	[0.23]	0.00	1	15.66	1	1.26	0.03-7.04
181	Bladder	[1.94]	0.00	[0.83]	0.00	[0.31]	0.00	2	0.79	1	1.58	3	0.48	0.10-1.40
190	Melanoma	[1.62]	0.00	2	1.52	[0.45]	0.00	2	0.48	[0.80]	0.00	4	0.48	0.13-1.23
190.6	-upper limbs ²	[0.30]	0.00	[0.23]	0.00	[0.07]	0.00	[0.67]	0.00	[0.16]	0.00	[1.43]	0.00	0.00-2.58
192	Eye	[0.14]	0.00	[0.14]	0.00	[0.02]	0.00	[0.26]	0.00	[0.06]	0.00	[0.62]	0.00	0.00-5.94
	-melanoma ²	[0.13]	0.00	[0.13]	0.00	[0.02]	0.00	[0.22]	0.00	[0.05]	0.00	[0.55]	0.00	0.00-6.75
193	Brain	2	1.18	1	0.52	2	3.66	2	0.70	3	3.72	10	1.28	0.61-2.35
	-glioma ²	[0.13]	0.00	1	1.95	2	9.42	1	1.06	1	3.76	5	2.42	0.79-5.65
	-meningeoma ²	[0.41]	0.00	[0.80]	0.00	[0.29]	0.00	[1.12]	0.00	2	5.86	2	0.68	0.08-2.44
194	Thyroid	[0.26]	0.00	1	0.93	[0.51]	0.00	3	2.59	[0.28]	0.00	4	1.22	0.33-3.12
	-follicular ²	-	-	[0.14]	0.00	[0.06]	0.00	[0.16]	0.00	[0.01]	0.00	[0.37]	0.00	0.00-9.95
	-papillary ²	-	-	1	1.26	[0.41]	0.00	2	2.67	[0.05]	0.00	3	1.50	0.31-4.38
195.0	Glandula suprarenalis	[0.03]	0.00	[0.05]	0.00	[0.01]	0.00	[0.05]	0.00	[0.01]	0.00	[0.15]	0.00	0.00-24.21
195.1	Parathyreoidea	[0.00]	0.00	[0.00]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-282.52
195.2	Thymus	[0.01]	0.00	1	57.82	-	-	[0.02]	0.00	[0.00]	0.00	1	18.37	0.46-102.36
195.3	Hypophysis	[0.00]	0.00	[0.00]	0.00	[0.05]	0.00	[0.00]	0.00	[0.00]	0.00	[0.06]	0.00	0.00-57.68
195.4	Corpus pineale	-	-	[0.01]	0.00	-	-	[0.00]	0.00	-	-	[0.01]	0.00	0.00-424.59
196	Bone	[0.04]	0.00	[0.06]	0.00	1	28.44	[0.10]	0.00	[0.03]	0.00	1	3.60	0.09-20.06
	-chondrosarcoma ²	-	-	[0.03]	0.00	1	42.94	[0.03]	0.00	[0.01]	0.00	1	10.34	0.26-57.61
197	Soft tissue	[0.17]	0.00	[0.31]	0.00	[0.06]	0.00	1	3.09	[0.16]	0.00	1	0.97	0.02-5.42
	-fibrosarcoma ²	-	-	[0.09]	0.00	[0.00]	0.00	[0.02]	0.00	[0.02]	0.00	[0.14]	0.00	0.00-26.87
	-liposarcoma ²	-	-	[0.06]	0.00	[0.02]	0.00	[0.04]	0.00	[0.02]	0.00	[0.15]	0.00	0.00-25.22
200, 202	Non-Hodgkin lymphoma	[1.30]	0.00	3	1.71	[0.33]	0.00	4	1.67	[0.66]	0.00	7	1.09	0.44-2.24
201	Hodgkin lymphoma	[0.13]	0.00	[0.17]	0.00	[0.03]	0.00	[0.22]	0.00	1	11.49	1	1.56	0.04-8.71
203	Multiple myeloma	[0.64]	0.00	1	1.47	[0.16]	0.00	2	1.45	1	3.06	4	1.26	0.34-3.22
204	Leukaemia	3	2.44	[0.95]	0.00	[0.27]	0.00	2	1.19	1	2.23	6	1.31	0.48-2.85
	-chronic lymphatic ²	-	-	[0.34]	0.00	[0.08]	0.00	[0.58]	0.00	[0.17]	0.00	[1.17]	0.00	0.00-3.16
	-acute myeloid ²	[0.41]	0.00	[0.32]	0.00	[0.11]	0.00	[0.68]	0.00	[0.13]	0.00	[1.66]	0.00	0.00-2.22
	Mycosis fungoides ²	[0.03]	0.00	[0.03]	0.00	[0.01]	0.00	[0.04]	0.00	[0.04]	0.00	[0.14]	0.00	0.00-26.15
199	Other/unknown site	2	2.24	1	0.78	[0.34]	0.00	4	1.22	[0.94]	0.00	7	1.04	0.42-2.15
140-204	All sites	41	0.77	42	0.88	17	1.21	80	0.89	26	1.09	206	0.90	0.78-1.03
Not included above														
	Ovary borderline ²	-	-	[0.45]	0.00	2	7.66	1	1.16	[0.21]	0.00	3	1.69	0.35-4.93
191	Other skin	-	-	[1.46]	0.00	[0.33]	0.00	[3.12]	0.00	1	1.21	1	0.17	0.00-0.97
191.6	-upper limbs ²	-	-	[0.11]	0.00	[0.04]	0.00	[0.33]	0.00	[0.09]	0.00	[0.58]	0.00	0.00-6.37

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Forestry workers. Men (N = 132 502). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	18	2.22	124	1.35	[0.02]	0.00	114	1.58	189	1.29	445	1.40	1.27-1.53
141	Tongue	[2.21]	0.00	26	0.94	[0.01]	0.00	16	0.69	20	0.38	62	0.59	0.45-0.76
142	Salivary glands	1	0.64	9	0.54	[0.01]	0.00	11	0.94	27	0.69	48	0.69	0.51-0.92
143-144	Oral cavity	1	0.22	22	0.78	[0.02]	0.00	22	0.63	59	0.74	104	0.70	0.58-0.85
145-148	Pharynx	1	0.19	21	0.59	[0.02]	0.00	14	0.36	48	0.42	84	0.44	0.35-0.54
145	-oropharynx ²	1	0.35	3	0.22	[0.01]	0.00	5	0.39	15	0.38	24	0.35	0.22-0.52
146	-nasopharynx ²	[0.84]	0.00	9	1.22	[0.00]	0.00	4	0.53	15	0.61	28	0.69	0.46-1.00
150	Oesophagus	13	1.08	113	1.31	[0.06]	0.00	64	0.85	162	0.76	352	0.91	0.82-1.01
	-adenocarcinoma ²	9	1.86	15	0.77	[0.03]	0.00	13	0.96	51	0.99	88	0.99	0.79-1.22
151	Stomach	28	0.96	467	1.16	[0.20]	0.00	442	0.92	1017	1.08	1954	1.05	1.01-1.10
151.1	-cardia ²	5	0.60	73	1.06	[0.04]	0.00	60	0.81	95	0.93	233	0.92	0.81-1.05
152	Small intestine	[2.19]	0.00	20	0.80	[0.02]	0.00	23	1.14	58	0.68	101	0.76	0.63-0.93
153	Colon	43	0.66	206	0.60	[0.28]	0.00	452	0.79	942	0.77	1643	0.75	0.71-0.78
154	Rectum, rectosigma	38	0.83	215	0.76	[0.10]	0.00	298	0.86	761	0.91	1312	0.87	0.82-0.92
155.0	Primary liver	1	0.11	73	0.72	[0.03]	0.00	19	0.42	172	0.76	265	0.69	0.61-0.78
	-hemangiosarcoma ²	-	-	[0.49]	0.00	-	-	[0.07]	0.00	1	1.02	1	0.65	0.02-3.64
155.1	Gall bladder	6	1.12	45	0.84	[0.02]	0.00	26	0.78	72	0.79	149	0.81	0.69-0.96
157	Pancreas	11	0.47	235	0.93	[0.11]	0.00	155	0.68	498	0.97	899	0.88	0.83-0.94
160	Nose	2	0.92	16	1.09	[0.01]	0.00	19	1.09	38	1.05	75	1.06	0.84-1.33
	-adenocarcinoma ²	-	-	[1.09]	0.00	[0.00]	0.00	[2.21]	0.00	1	0.16	1	0.11	0.00-0.60
161	Larynx	11	0.81	119	1.21	[0.04]	0.00	36	0.48	89	0.54	255	0.73	0.64-0.82
162,163	Lung	139	0.88	2074	1.41	[0.47]	0.00	486	0.60	878	0.54	3577	0.88	0.85-0.91
	-adenocarcinoma ²	20	0.70	234	1.17	[0.13]	0.00	63	0.47	157	0.56	474	0.74	0.67-0.81
	-small cell ²	-	-	370	1.59	[0.09]	0.00	70	0.54	90	0.70	530	1.08	0.99-1.17
	-squamous cell ²	51	0.93	658	1.42	[0.11]	0.00	159	0.61	343	0.56	1211	0.87	0.82-0.92
	-other ²	-	-	812	1.43	[0.12]	0.00	123	0.66	288	0.49	1223	0.91	0.86-0.96
158, 162.2	Mesothelioma ²	1	0.26	10	0.33	[0.01]	0.00	7	0.33	11	0.19	29	0.26	0.17-0.37
170	Breast	2	1.37	4	0.49	[0.01]	0.00	7	0.78	17	0.62	30	0.65	0.44-0.93
177	Prostate	90	0.82	1241	0.76	[0.98]	0.00	1345	0.89	3839	0.86	6515	0.84	0.82-0.87
178	Testis	2	0.58	18	0.86	[0.06]	0.00	15	0.62	35	0.67	70	0.70	0.54-0.88
	-seminoma ²	1	0.70	10	0.69	[0.04]	0.00	10	0.59	24	0.64	45	0.64	0.47-0.86
	-non-seminoma ²	1	0.49	7	1.15	[0.02]	0.00	5	1.01	11	0.75	24	0.86	0.55-1.29
179.0	Penis	2	0.70	11	0.93	[0.01]	0.00	20	0.90	63	1.19	96	1.07	0.86-1.30
180	Kidney	7	0.38	192	0.69	[0.20]	0.00	155	0.76	495	0.82	849	0.77	0.72-0.82
180.1	-renal pelvis ²	5	0.67	10	0.59	[0.01]	0.00	11	0.46	27	0.43	53	0.48	0.36-0.62
181	Bladder	71	0.86	381	0.99	[0.26]	0.00	349	0.69	798	0.67	1599	0.74	0.71-0.78
190	Melanoma	10	0.68	104	0.56	[0.08]	0.00	98	0.62	208	0.51	420	0.55	0.50-0.60
190.6	-upper limbs ²	[1.74]	0.00	9	0.39	[0.01]	0.00	6	0.41	25	0.44	40	0.41	0.30-0.56
192	Eye	5	2.61	14	0.75	[0.01]	0.00	12	0.73	35	0.81	66	0.82	0.64-1.05
	-melanoma ²	3	1.78	12	0.71	[0.01]	0.00	10	0.69	27	0.75	52	0.75	0.56-0.99
193	Brain	13	0.76	160	0.88	[0.11]	0.00	119	0.93	311	0.80	603	0.84	0.78-0.91
	-glioma ²	1	0.57	70	0.84	[0.07]	0.00	51	0.82	145	0.75	267	0.78	0.70-0.88
	-meningeoma ²	1	0.45	31	0.82	[0.02]	0.00	24	1.18	66	0.75	122	0.82	0.69-0.98
194	Thyroid	2	1.23	24	0.59	[0.07]	0.00	19	0.75	75	1.09	120	0.88	0.73-1.05
	-follicular ²	-	-	2	0.27	[0.01]	0.00	3	0.97	4	1.58	9	0.70	0.32-1.32
	-papillary ²	-	-	14	0.59	[0.05]	0.00	9	0.79	10	1.64	33	0.80	0.55-1.12
195.0	Glandula suprarenalis	1	2.43	5	0.64	[0.00]	0.00	[3.05]	0.00	11	1.47	17	0.91	0.53-1.45
195.1	Parathyreoidea	[0.03]	0.00	[0.09]	0.00	[0.00]	0.00	[0.07]	0.00	[0.55]	0.00	[0.74]	0.00	0.00-4.95
195.2	Thymus	[0.20]	0.00	3	1.38	[0.00]	0.00	1	0.88	[3.00]	0.00	4	0.61	0.17-1.57
195.3	Hypophysis	[0.05]	0.00	[0.16]	0.00	[0.02]	0.00	[0.28]	0.00	[0.97]	0.00	[1.49]	0.00	0.00-2.48
195.4	Corpus pineale	-	-	[0.37]	0.00	-	-	[0.01]	0.00	-	-	[0.38]	0.00	0.00-9.64
196	Bone	[0.66]	0.00	4	0.34	[0.01]	0.00	7	0.91	25	1.14	36	0.85	0.60-1.18
	-chondrosarcoma ²	-	-	3	0.51	[0.01]	0.00	4	1.95	15	1.60	22	1.27	0.80-1.92
197	Soft tissue	3	1.21	29	0.69	[0.03]	0.00	24	0.95	97	0.90	153	0.86	0.73-1.01
	-fibrosarcoma ²	-	-	9	0.61	-	-	4	1.53	14	0.79	27	0.77	0.51-1.12
	-liposarcoma ²	-	-	6	0.65	[0.01]	0.00	6	1.61	12	0.65	24	0.76	0.49-1.13
200,202	Non-Hodgkin lymphoma	19	1.09	179	0.75	[0.14]	0.00	110	0.92	422	0.90	730	0.86	0.80-0.93
201	Hodgkin lymphoma	3	1.17	34	0.98	[0.02]	0.00	27	1.07	87	1.12	151	1.08	0.92-1.26
203	Multiple myeloma	7	0.67	75	0.85	[0.05]	0.00	116	1.00	250	0.97	448	0.95	0.87-1.04
204	Leukaemia	19	0.85	149	0.95	[0.09]	0.00	157	0.99	324	0.86	649	0.91	0.84-0.98
	-chronic lymphatic ²	-	-	63	0.92	[0.03]	0.00	75	1.28	147	0.85	285	0.95	0.84-1.06
	-acute myeloid ²	7	1.11	41	0.94	[0.03]	0.00	43	0.76	66	0.84	157	0.85	0.73-0.99
	Mycosis fungoides ²	[0.65]	0.00	12	1.88	[0.00]	0.00	1	0.25	33	0.83	46	0.90	0.66-1.20
199	Other/unknown site	9	0.94	165	1.19	[0.07]	0.00	231	0.90	401	0.81	806	0.90	0.84-0.96
140-204	All sites	564	0.82	6639	0.96	[3.69]	0.00	5023	0.80	12567	0.81	24793	0.84	0.83-0.85
Not included above														
191	Other skin	-	-	132	0.68	[0.10]	0.00	252	0.87	446	0.59	830	0.67	0.62-0.71
191.6	-upper limbs ²	-	-	12	0.79	[0.01]	0.00	25	0.99	35	0.44	72	0.60	0.47-0.76

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Forestry workers. Women (N = 2 246). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.02]	0.00	[0.31]	0.00	[0.00]	0.00	[0.23]	0.00	[0.33]	0.00	[0.90]	0.00	0.00-4.12
141	Tongue	[0.03]	0.00	[0.32]	0.00	[0.01]	0.00	1	3.12	[0.40]	0.00	1	0.93	0.02-5.16
142	Salivary glands	[0.03]	0.00	[0.22]	0.00	[0.00]	0.00	[0.22]	0.00	1	2.47	1	1.13	0.03-6.32
143-144	Oral cavity	[0.07]	0.00	1	3.01	[0.01]	0.00	[0.56]	0.00	[0.58]	0.00	1	0.64	0.02-3.59
145-148	Pharynx	[0.05]	0.00	[0.20]	0.00	[0.00]	0.00	[0.33]	0.00	[0.49]	0.00	[1.08]	0.00	0.00-3.41
145	-oropharynx ²	[0.03]	0.00	[0.08]	0.00	[0.00]	0.00	[0.15]	0.00	[0.23]	0.00	[0.50]	0.00	0.00-7.40
146	-nasopharynx ²	[0.01]	0.00	[0.05]	0.00	[0.00]	0.00	[0.06]	0.00	[0.11]	0.00	[0.23]	0.00	0.00-15.71
150	Oesophagus	[0.10]	0.00	[0.80]	0.00	[0.01]	0.00	1	1.64	1	1.25	2	0.86	0.10-3.11
	-adenocarcinoma ²	[0.03]	0.00	[0.08]	0.00	[0.00]	0.00	[0.11]	0.00	[0.14]	0.00	[0.36]	0.00	0.00-10.25
151	Stomach	[0.29]	0.00	4	1.04	[0.05]	0.00	5	1.07	3	0.63	12	0.88	0.46-1.54
151.1	-cardia ²	[0.05]	0.00	[0.36]	0.00	[0.00]	0.00	1	1.61	1	3.02	2	1.46	0.18-5.28
152	Small intestine	[0.04]	0.00	[0.31]	0.00	[0.01]	0.00	2	3.83	[0.73]	0.00	2	1.24	0.15-4.49
153	Colon	3	2.14	2	0.35	[0.10]	0.00	15	0.96	12	0.95	32	0.90	0.62-1.27
154	Rectum, rectosigma	[0.62]	0.00	[3.42]	0.00	[0.04]	0.00	10	1.52	4	0.61	14	0.81	0.44-1.36
155.0	Primary liver	[0.11]	0.00	[0.89]	0.00	[0.01]	0.00	[0.61]	0.00	2	1.59	2	0.70	0.08-2.51
	-hemangiosarcoma ²	-	-	[0.01]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	[0.02]	0.00	0.00-193.00
155.1	Gall bladder	[0.16]	0.00	[1.57]	0.00	[0.01]	0.00	[1.07]	0.00	1	0.48	1	0.20	0.01-1.14
157	Pancreas	1	2.28	1	0.29	[0.04]	0.00	[4.43]	0.00	3	0.67	5	0.39	0.13-0.91
160	Nose	[0.03]	0.00	[0.15]	0.00	[0.00]	0.00	[0.22]	0.00	[0.22]	0.00	[0.62]	0.00	0.00-5.92
	-adenocarcinoma ²	-	-	[0.01]	0.00	-	-	[0.02]	0.00	[0.02]	0.00	[0.05]	0.00	0.00-74.25
161	Larynx	[0.07]	0.00	[0.13]	0.00	[0.00]	0.00	[0.24]	0.00	[0.23]	0.00	[0.67]	0.00	0.00-5.50
162,163	Lung	2	1.21	4	0.94	1	4.60	7	0.83	10	1.23	24	1.06	0.68-1.57
	-adenocarcinoma ²	[0.52]	0.00	1	0.87	1	12.96	1	0.40	1	0.35	4	0.57	0.15-1.45
	-small cell ²	-	-	[0.70]	0.00	[0.04]	0.00	1	0.55	3	2.76	4	1.10	0.30-2.82
	-squamous cell ²	[0.31]	0.00	1	1.50	[0.03]	0.00	3	2.09	1	0.68	5	1.28	0.41-2.98
	-other ²	-	-	2	1.15	[0.07]	0.00	2	0.85	5	1.82	9	1.30	0.59-2.47
158, 162.2	Mesothelioma ²	[0.02]	0.00	[0.16]	0.00	[0.00]	0.00	[0.11]	0.00	[0.14]	0.00	[0.44]	0.00	0.00-8.38
170	Breast	4	1.05	22	0.73	[0.59]	0.00	19	0.62	40	0.84	85	0.75	0.60-0.93
	-ductal ²	-	-	17	0.78	[0.46]	0.00	10	0.49	8	0.60	35	0.62	0.44-0.87
	-lobular ²	-	-	1	0.27	[0.05]	0.00	1	0.47	3	0.99	5	0.56	0.18-1.30
171	Cervix uteri	1	1.48	[1.66]	0.00	[0.06]	0.00	8	1.71	8	1.45	17	1.35	0.79-2.17
172	Corpus uteri	2	2.09	1	0.15	[0.10]	0.00	11	1.41	11	1.04	25	0.96	0.62-1.42
173	Choriocarcinoma	[0.00]	0.00	[0.01]	0.00	[0.00]	0.00	[0.01]	0.00	[0.02]	0.00	[0.04]	0.00	0.00-90.15
175.0	Ovary	3	3.82	2	0.45	[0.08]	0.00	7	0.97	16	1.52	28	1.21	0.81-1.75
175.1	Fallopian tube	[0.02]	0.00	[0.24]	0.00	[0.00]	0.00	[0.21]	0.00	[0.26]	0.00	[0.73]	0.00	0.00-5.02
176.0	Vulva	[0.07]	0.00	[0.58]	0.00	[0.01]	0.00	3	2.60	[1.04]	0.00	3	1.05	0.22-3.07
176.1	Vagina	[0.03]	0.00	[0.15]	0.00	[0.00]	0.00	1	4.37	[0.31]	0.00	1	1.38	0.03-7.67
180	Kidney	[0.28]	0.00	2	0.72	[0.05]	0.00	2	0.62	5	1.21	9	0.86	0.39-1.63
180.1	-renal pelvis ²	[0.10]	0.00	[0.14]	0.00	[0.00]	0.00	[0.37]	0.00	[0.41]	0.00	[1.03]	0.00	0.00-3.59
181	Bladder	1	1.97	[1.59]	0.00	[0.04]	0.00	2	0.50	3	0.74	6	0.59	0.22-1.28
190	Melanoma	[0.42]	0.00	[2.60]	0.00	[0.06]	0.00	4	0.74	3	0.54	7	0.50	0.20-1.02
190.6	-upper limbs ²	[0.08]	0.00	[0.47]	0.00	[0.01]	0.00	1	1.06	[1.09]	0.00	1	0.39	0.01-2.15
192	Eye	[0.04]	0.00	[0.26]	0.00	[0.00]	0.00	[0.37]	0.00	[0.44]	0.00	[1.11]	0.00	0.00-3.33
	-melanoma ²	[0.03]	0.00	[0.24]	0.00	[0.00]	0.00	[0.32]	0.00	[0.35]	0.00	[0.94]	0.00	0.00-3.92
193	Brain	1	2.24	2	0.54	[0.07]	0.00	4	1.01	5	0.91	12	0.88	0.45-1.54
	-glioma ²	[0.03]	0.00	[0.98]	0.00	[0.02]	0.00	1	0.79	1	0.54	2	0.48	0.06-1.73
	-meningeoma ²	[0.11]	0.00	1	0.63	[0.04]	0.00	1	0.67	3	1.30	5	0.90	0.29-2.11
194	Thyroid	[0.07]	0.00	1	0.49	[0.07]	0.00	1	0.67	1	0.53	3	0.54	0.11-1.58
	-follicular ²	-	-	1	3.72	[0.01]	0.00	[0.23]	0.00	[0.09]	0.00	1	1.68	0.04-9.38
	-papillary ²	-	-	[1.51]	0.00	[0.06]	0.00	1	1.09	[0.35]	0.00	1	0.35	0.01-1.96
195.0	Glandula suprarenalis	[0.01]	0.00	[0.09]	0.00	[0.00]	0.00	[0.07]	0.00	[0.09]	0.00	[0.26]	0.00	0.00-13.96
195.1	Parathyreoidea	[0.00]	0.00	[0.00]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.03]	0.00	0.00-112.57
195.2	Thymus	[0.00]	0.00	[0.03]	0.00	-	-	[0.03]	0.00	[0.04]	0.00	[0.10]	0.00	0.00-37.63
195.3	Hypophysis	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	[0.01]	0.00	[0.01]	0.00	[0.03]	0.00	0.00-133.27
195.4	Corpus pineale	-	-	[0.01]	0.00	-	-	[0.00]	0.00	-	-	[0.01]	0.00	0.00-262.77
196	Bone	[0.01]	0.00	1	8.18	[0.00]	0.00	[0.14]	0.00	[0.21]	0.00	1	2.04	0.05-11.37
	-chondrosarcoma ²	-	-	1	17.29	[0.00]	0.00	[0.04]	0.00	[0.09]	0.00	1	5.16	0.13-28.77
197	Soft tissue	[0.04]	0.00	[0.61]	0.00	[0.01]	0.00	1	2.18	1	0.94	2	0.92	0.11-3.31
	-fibrosarcoma ²	-	-	[0.18]	0.00	[0.00]	0.00	[0.02]	0.00	[0.14]	0.00	[0.35]	0.00	0.00-10.60
	-liposarcoma ²	-	-	[0.13]	0.00	[0.00]	0.00	[0.06]	0.00	[0.16]	0.00	[0.35]	0.00	0.00-10.54
200,202	Non-Hodgkin lymphoma	[0.34]	0.00	4	1.16	[0.04]	0.00	5	1.44	4	0.91	13	1.11	0.59-1.90
201	Hodgkin lymphoma	[0.03]	0.00	[0.33]	0.00	[0.01]	0.00	[0.31]	0.00	[0.54]	0.00	[1.22]	0.00	0.00-3.02
203	Multiple myeloma	[0.17]	0.00	[1.28]	0.00	[0.02]	0.00	1	0.46	4	1.93	5	0.87	0.28-2.04
204	Leukaemia	1	3.11	2	1.10	[0.03]	0.00	1	0.40	2	0.68	6	0.79	0.29-1.71
	-chronic lymphatic ²	-	-	1	1.58	[0.01]	0.00	[0.91]	0.00	1	0.88	2	0.74	0.09-2.68
	-acute myeloid ²	1	9.25	1	1.63	[0.01]	0.00	[1.02]	0.00	1	1.14	3	1.14	0.23-3.32
	Mycosis fungoides ²	[0.01]	0.00	[0.05]	0.00	[0.00]	0.00	[0.06]	0.00	[0.25]	0.00	[0.36]	0.00	0.00-10.37
199	Other/unknown site	[0.23]	0.00	1	0.40	[0.04]	0.00	6	1.16	4	0.65	11	0.78	0.39-1.40
140-204	All sites	16	1.14	50	0.53	1	0.54	118	0.91	144	0.90	329	0.82	0.74-0.92
	Not included above													
	Ovary borderline ²	-	-	1	1.17	[0.04]	0.00	[1.02]	0.00	4	2.63	5	1.45	0.47-3.39
191	Other skin	-	-	[2.81]	0.00	[0.05]	0.00	6	1.19	5	1.00	11	0.85	0.43-1.53
191.6	-upper limbs ²	-	-	[0.21]	0.00	[0.01]	0.00	1	1.90	[0.59]	0.00	1	0.75	0.02-4.20

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Miners and quarry workers. Men (N = 35 092). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	3	1.27	21	1.44	[0.03]	0.00	29	1.56	45	1.28	98	1.39	1.13-1.69
141	Tongue	[0.70]	0.00	4	0.87	[0.02]	0.00	7	0.97	12	0.88	23	0.88	0.56-1.32
142	Salivary glands	[0.47]	0.00	4	1.48	[0.01]	0.00	7	2.08	5	0.51	16	0.97	0.56-1.58
143-144	Oral cavity	[1.44]	0.00	7	1.50	1	28.93	9	0.86	11	0.54	28	0.76	0.50-1.10
145-148	Pharynx	4	2.36	7	1.20	[0.03]	0.00	14	1.16	10	0.34	35	0.71	0.50-0.99
145	-oropharynx ²	[0.92]	0.00	2	0.88	[0.01]	0.00	7	1.57	2	0.18	11	0.59	0.30-1.06
146	-nasopharynx ²	1	3.69	4	3.27	[0.01]	0.00	4	1.79	3	0.47	12	1.19	0.62-2.08
150	Oesophagus	2	0.53	16	1.16	[0.12]	0.00	21	1.01	61	1.17	100	1.10	0.91-1.34
	-adenocarcinoma ²	2	1.37	4	1.27	[0.05]	0.00	4	0.96	20	1.53	30	1.37	0.92-1.96
151	Stomach	4	0.44	87	1.35	[0.32]	0.00	145	1.23	312	1.41	548	1.33	1.22-1.45
151.1	-cardia ²	1	0.38	12	1.09	[0.07]	0.00	25	1.26	33	1.30	71	1.20	0.94-1.52
152	Small intestine	[0.68]	0.00	2	0.50	[0.04]	0.00	8	1.35	21	0.99	31	0.97	0.66-1.38
153	Colon	18	0.92	56	1.03	1	1.98	155	0.99	264	0.90	494	0.94	0.86-1.03
154	Rectum, rectosigma	13	0.94	46	1.03	[0.18]	0.00	77	0.80	170	0.84	306	0.86	0.76-0.96
155.0	Primary liver	1	0.34	23	1.44	[0.05]	0.00	13	1.08	63	1.16	100	1.17	0.96-1.43
	-hemangiosarcoma ²	-	-	[0.08]	0.00	-	-	[0.02]	0.00	[0.24]	0.00	[0.34]	0.00	0.00-11.01
155.1	Gall bladder	2	1.20	11	1.30	[0.03]	0.00	13	1.49	15	0.71	41	1.02	0.73-1.39
157	Pancreas	5	0.67	50	1.25	[0.19]	0.00	69	1.16	132	1.06	256	1.11	0.98-1.25
160	Nose	1	1.50	2	0.84	[0.02]	0.00	3	0.63	6	0.67	12	0.72	0.37-1.25
	-adenocarcinoma ²	-	-	1	5.71	[0.00]	0.00	1	1.59	1	0.66	3	1.29	0.27-3.78
161	Larynx	4	0.96	16	1.00	[0.08]	0.00	24	1.09	36	0.88	80	0.96	0.76-1.20
162,163	Lung	48	0.97	450	1.93	1	1.18	325	1.40	621	1.57	1445	1.58	1.50-1.67
	-adenocarcinoma ²	10	1.11	55	1.72	[0.24]	0.00	52	1.21	70	0.98	187	1.20	1.04-1.39
	-small cell ²	-	-	83	2.22	1	5.84	47	1.20	44	1.34	175	1.59	1.38-1.85
	-squamous cell ²	19	1.10	134	1.81	[0.20]	0.00	114	1.56	280	1.88	547	1.75	1.60-1.90
	-other ²	-	-	178	1.98	[0.21]	0.00	76	1.40	227	1.58	481	1.67	1.53-1.83
158, 162.2	Mesothelioma ²	1	0.83	5	1.02	[0.02]	0.00	4	0.62	10	0.68	20	0.73	0.45-1.13
170	Breast	2	4.66	1	0.76	[0.03]	0.00	6	2.46	8	1.19	17	1.55	0.90-2.49
177	Prostate	27	0.84	252	0.99	[1.69]	0.00	358	0.92	928	0.87	1565	0.89	0.85-0.94
178	Testis	1	0.88	1	0.28	[0.12]	0.00	14	1.30	7	0.44	23	0.73	0.46-1.10
	-seminoma ²	[0.47]	0.00	1	0.40	[0.08]	0.00	11	1.46	7	0.61	19	0.86	0.52-1.35
	-non-seminoma ²	1	1.50	[1.05]	0.00	[0.03]	0.00	3	1.28	[4.51]	0.00	4	0.47	0.13-1.19
179.0	Penis	1	1.17	3	1.54	[0.02]	0.00	8	1.35	16	1.20	28	1.27	0.84-1.83
180	Kidney	4	0.70	49	1.09	1	2.84	67	1.15	157	1.05	278	1.07	0.95-1.21
180.1	-renal pelvis ²	3	1.34	4	1.48	[0.02]	0.00	4	0.59	17	1.10	28	1.03	0.68-1.49
181	Bladder	24	0.98	78	1.29	[0.50]	0.00	106	0.77	272	0.94	480	0.94	0.86-1.03
190	Melanoma	1	0.22	25	0.82	[0.17]	0.00	44	0.78	62	0.57	132	0.66	0.55-0.78
190.6	-upper limbs ²	[0.52]	0.00	5	1.31	[0.03]	0.00	3	0.58	8	0.51	16	0.63	0.36-1.03
192	Eye	1	1.70	1	0.33	[0.01]	0.00	5	1.03	9	0.81	16	0.82	0.47-1.33
	-melanoma ²	1	1.92	1	0.37	[0.01]	0.00	5	1.16	7	0.76	14	0.83	0.46-1.40
193	Brain	8	1.46	30	1.00	1	4.26	35	0.83	93	0.90	167	0.92	0.79-1.07
	-glioma ²	2	3.41	11	0.79	1	6.87	16	0.74	42	0.80	72	0.81	0.63-1.02
	-meningeoma ²	2	2.92	9	1.44	[0.05]	0.00	8	1.19	27	1.21	46	1.28	0.94-1.70
194	Thyroid	[0.51]	0.00	5	0.74	1	7.85	7	0.90	14	0.79	27	0.82	0.54-1.19
	-follicular ²	-	-	[1.18]	0.00	[0.02]	0.00	[0.94]	0.00	[0.71]	0.00	[2.85]	0.00	0.00-1.29
	-papillary ²	-	-	3	0.74	1	10.46	4	1.01	2	1.08	10	1.00	0.48-1.84
195.0	Glandula suprarenalis	[0.13]	0.00	1	0.79	[0.01]	0.00	[0.99]	0.00	2	1.03	3	0.69	0.14-2.02
195.1	Parathyreoidea	[0.01]	0.00	[0.02]	0.00	[0.00]	0.00	[0.03]	0.00	1	7.16	1	5.15	0.13-28.67
195.2	Thymus	[0.06]	0.00	2	5.66	[0.00]	0.00	[0.41]	0.00	1	1.24	3	1.84	0.38-5.37
195.3	Hypophysis	[0.02]	0.00	[0.03]	0.00	[0.04]	0.00	[0.08]	0.00	[0.24]	0.00	[0.40]	0.00	0.00-9.17
195.4	Corpus pineale	-	-	[0.06]	0.00	-	-	[0.01]	0.00	-	-	[0.08]	0.00	0.00-49.18
196	Bone	1	4.81	1	0.51	[0.02]	0.00	4	1.69	5	0.86	11	1.06	0.53-1.90
	-chondrosarcoma ²	-	-	1	1.01	[0.02]	0.00	1	1.61	3	1.19	5	1.20	0.39-2.81
197	Soft tissue	1	1.33	4	0.58	[0.05]	0.00	8	1.11	26	0.96	39	0.93	0.66-1.27
	-fibrosarcoma ²	-	-	[2.38]	0.00	-	-	1	1.40	2	0.46	3	0.40	0.08-1.17
	-liposarcoma ²	-	-	[1.51]	0.00	[0.02]	0.00	[1.17]	0.00	4	0.84	4	0.54	0.15-1.37
200,202	Non-Hodgkin lymphoma	4	0.75	52	1.34	[0.25]	0.00	34	0.89	133	1.12	223	1.11	0.97-1.26
201	Hodgkin lymphoma	[0.82]	0.00	4	0.68	[0.04]	0.00	8	1.04	25	1.25	37	1.08	0.76-1.48
203	Multiple myeloma	4	1.25	13	0.93	[0.10]	0.00	33	1.08	75	1.20	125	1.13	0.95-1.35
204	Leukaemia	5	0.73	36	1.43	[0.17]	0.00	33	0.77	97	1.04	171	1.02	0.87-1.18
	-chronic lymphatic ²	-	-	16	1.47	[0.05]	0.00	11	0.71	41	0.95	68	0.98	0.76-1.24
	-acute myeloid ²	3	1.53	11	1.57	[0.06]	0.00	13	0.85	18	0.90	45	1.02	0.74-1.36
	Mycosis fungoides ²	[0.19]	0.00	1	0.97	[0.01]	0.00	4	3.43	14	1.46	19	1.58	0.95-2.47
199	Other/unknown site	7	2.42	25	1.14	[0.13]	0.00	75	1.16	116	0.96	223	1.06	0.93-1.21
140-204	All sites	205	0.97	1398	1.28	6	0.91	1774	1.04	3855	1.01	7238	1.06	1.04-1.08
Not included above														
191	Other skin	-	-	37	1.22	[0.18]	0.00	78	1.04	147	0.82	262	0.92	0.82-1.04
191.6	-upper limbs ²	-	-	2	0.84	[0.02]	0.00	8	1.22	21	1.11	31	1.11	0.75-1.57

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Miners and quarry workers. Women (N = 542). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.00]	0.00	[0.15]	0.00	[0.00]	0.00	[0.01]	0.00	[0.08]	0.00	[0.24]	0.00	0.00-15.42
141	Tongue	[0.00]	0.00	[0.13]	0.00	[0.00]	0.00	[0.02]	0.00	[0.10]	0.00	[0.25]	0.00	0.00-14.66
142	Salivary glands	[0.00]	0.00	[0.09]	0.00	-	-	[0.01]	0.00	[0.10]	0.00	[0.21]	0.00	0.00-17.97
143-144	Oral cavity	[0.00]	0.00	[0.14]	0.00	[0.00]	0.00	[0.03]	0.00	[0.14]	0.00	[0.31]	0.00	0.00-11.88
145-148	Pharynx	[0.00]	0.00	[0.09]	0.00	[0.00]	0.00	[0.02]	0.00	[0.12]	0.00	[0.23]	0.00	0.00-15.90
145	-oropharynx ²	[0.00]	0.00	[0.03]	0.00	[0.00]	0.00	[0.01]	0.00	[0.06]	0.00	[0.11]	0.00	0.00-35.10
146	-nasopharynx ²	[0.00]	0.00	[0.02]	0.00	[0.00]	0.00	[0.00]	0.00	[0.03]	0.00	[0.05]	0.00	0.00-70.07
150	Oesophagus	[0.01]	0.00	[0.42]	0.00	[0.01]	0.00	[0.03]	0.00	[0.18]	0.00	[0.63]	0.00	0.00-5.82
	-adenocarcinoma ²	[0.00]	0.00	[0.03]	0.00	[0.00]	0.00	[0.01]	0.00	[0.03]	0.00	[0.07]	0.00	0.00-51.57
151	Stomach	[0.02]	0.00	2	1.03	[0.02]	0.00	[0.21]	0.00	[0.97]	0.00	2	0.63	0.08-2.29
151.1	-cardia ²	[0.00]	0.00	1	5.45	[0.00]	0.00	[0.03]	0.00	[0.08]	0.00	1	3.40	0.09-18.96
152	Small intestine	[0.00]	0.00	[0.13]	0.00	[0.00]	0.00	[0.03]	0.00	[0.17]	0.00	[0.33]	0.00	0.00-11.11
153	Colon	[0.09]	0.00	1	0.39	[0.03]	0.00	[0.68]	0.00	1	0.35	2	0.32	0.04-1.17
154	Rectum, rectosigma	[0.04]	0.00	[1.53]	0.00	[0.01]	0.00	[0.31]	0.00	[1.52]	0.00	[3.41]	0.00	0.00-1.08
155.0	Primary liver	[0.01]	0.00	[0.42]	0.00	[0.00]	0.00	[0.03]	0.00	[0.28]	0.00	[0.73]	0.00	0.00-5.03
	-hemangiosarcoma ²	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-720.85
155.1	Gall bladder	[0.01]	0.00	1	1.29	[0.00]	0.00	[0.05]	0.00	1	2.29	2	1.57	0.19-5.67
157	Pancreas	[0.04]	0.00	[1.61]	0.00	[0.01]	0.00	1	5.44	2	2.03	3	1.06	0.22-3.11
160	Nose	[0.00]	0.00	[0.06]	0.00	[0.00]	0.00	[0.01]	0.00	[0.05]	0.00	[0.13]	0.00	0.00-28.73
	-adenocarcinoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-436.98
161	Larynx	[0.00]	0.00	[0.06]	0.00	[0.00]	0.00	[0.01]	0.00	[0.06]	0.00	[0.13]	0.00	0.00-27.37
162,163	Lung	[0.11]	0.00	1	0.54	[0.04]	0.00	2	4.25	[2.16]	0.00	3	0.65	0.13-1.89
	-adenocarcinoma ²	[0.03]	0.00	[0.48]	0.00	[0.01]	0.00	[0.15]	0.00	[0.78]	0.00	[1.45]	0.00	0.00-2.54
	-small cell ²	-	-	[0.30]	0.00	[0.01]	0.00	1	9.79	[0.31]	0.00	1	1.39	0.04-7.73
	-squamous cell ²	[0.02]	0.00	[0.30]	0.00	[0.01]	0.00	1	13.87	[0.37]	0.00	1	1.29	0.03-7.19
	-other ²	-	-	1	1.29	[0.02]	0.00	[0.13]	0.00	[0.70]	0.00	1	0.62	0.02-3.45
158, 162.2	Mesothelioma ²	[0.00]	0.00	[0.07]	0.00	-	-	[0.01]	0.00	[0.03]	0.00	[0.11]	0.00	0.00-32.79
170	Breast	[0.23]	0.00	14	1.32	[0.07]	0.00	1	0.48	9	0.71	24	0.94	0.60-1.39
	-ductal ²	-	-	13	1.77	[0.06]	0.00	1	0.67	4	0.96	18	1.38	0.82-2.18
	-lobular ²	-	-	[1.13]	0.00	[0.01]	0.00	[0.16]	0.00	2	2.13	2	0.90	0.11-3.23
171	Cervix uteri	[0.04]	0.00	2	2.63	[0.01]	0.00	1	3.25	1	0.75	4	1.63	0.44-4.16
172	Corpus uteri	[0.04]	0.00	1	0.36	[0.02]	0.00	[0.44]	0.00	1	0.38	2	0.34	0.04-1.22
173	Choriocarcinoma	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	[0.01]	0.00	0.00-370.45
175.0	Ovary	[0.06]	0.00	3	1.64	[0.01]	0.00	[0.42]	0.00	[2.66]	0.00	3	0.60	0.12-1.76
175.1	Fallopian tube	[0.00]	0.00	[0.09]	0.00	[0.00]	0.00	[0.01]	0.00	[0.07]	0.00	[0.18]	0.00	0.00-21.06
176.0	Vulva	[0.00]	0.00	[0.26]	0.00	[0.00]	0.00	[0.05]	0.00	[0.23]	0.00	[0.55]	0.00	0.00-6.75
176.1	Vagina	[0.00]	0.00	[0.07]	0.00	[0.00]	0.00	[0.01]	0.00	[0.07]	0.00	[0.15]	0.00	0.00-24.66
180	Kidney	[0.02]	0.00	[1.24]	0.00	[0.01]	0.00	[0.15]	0.00	1	1.06	1	0.42	0.01-2.36
180.1	-renal pelvis ²	[0.01]	0.00	[0.07]	0.00	[0.00]	0.00	[0.02]	0.00	[0.09]	0.00	[0.18]	0.00	0.00-20.03
181	Bladder	[0.03]	0.00	[0.73]	0.00	[0.01]	0.00	1	5.80	2	2.17	3	1.61	0.33-4.72
190	Melanoma	[0.02]	0.00	[0.94]	0.00	[0.01]	0.00	[0.38]	0.00	[1.53]	0.00	[2.88]	0.00	0.00-1.28
190.6	-upper limbs ²	[0.00]	0.00	[0.16]	0.00	[0.00]	0.00	[0.06]	0.00	[0.30]	0.00	[0.52]	0.00	0.00-7.08
192	Eye	[0.00]	0.00	[0.11]	0.00	[0.00]	0.00	[0.02]	0.00	[0.11]	0.00	[0.24]	0.00	0.00-15.20
	-melanoma ²	[0.00]	0.00	[0.10]	0.00	-	-	[0.02]	0.00	[0.08]	0.00	[0.20]	0.00	0.00-18.08
193	Brain	[0.03]	0.00	1	0.73	[0.01]	0.00	1	4.00	[1.43]	0.00	2	0.65	0.08-2.33
	-glioma ²	[0.00]	0.00	[0.35]	0.00	[0.00]	0.00	1	11.81	[0.49]	0.00	1	1.07	0.03-5.97
	-meningioma ²	[0.01]	0.00	[0.58]	0.00	[0.01]	0.00	[0.10]	0.00	[0.61]	0.00	[1.30]	0.00	0.00-2.84
194	Thyroid	[0.01]	0.00	1	1.47	[0.01]	0.00	[0.11]	0.00	[0.48]	0.00	1	0.78	0.02-4.34
	-follicular ²	-	-	1	8.44	[0.00]	0.00	[0.01]	0.00	[0.03]	0.00	1	6.29	0.16-35.02
	-papillary ²	-	-	[0.44]	0.00	[0.01]	0.00	[0.08]	0.00	[0.11]	0.00	[0.64]	0.00	0.00-5.81
195.0	Glandula suprarenalis	[0.00]	0.00	[0.03]	0.00	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	[0.06]	0.00	0.00-58.00
195.1	Parathyreioeda	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.01]	0.00	[0.01]	0.00	0.00-534.07
195.2	Thymus	[0.00]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.01]	0.00	[0.02]	0.00	0.00-147.71
195.3	Hypophysis	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-778.47
195.4	Corpus pineale	-	-	[0.00]	0.00	-	-	[0.00]	0.00	-	-	[0.00]	0.00	0.00-1082.49
196	Bone	[0.00]	0.00	[0.05]	0.00	[0.00]	0.00	[0.01]	0.00	[0.05]	0.00	[0.11]	0.00	0.00-33.55
	-chondrosarcoma ²	-	-	[0.02]	0.00	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	[0.05]	0.00	0.00-78.40
197	Soft tissue	[0.00]	0.00	[0.24]	0.00	[0.00]	0.00	[0.03]	0.00	[0.26]	0.00	[0.53]	0.00	0.00-6.96
	-fibrosarcoma ²	-	-	[0.08]	0.00	[0.00]	0.00	[0.00]	0.00	[0.03]	0.00	[0.11]	0.00	0.00-32.95
	-liposarcoma ²	-	-	[0.05]	0.00	[0.00]	0.00	[0.00]	0.00	[0.04]	0.00	[0.09]	0.00	0.00-40.68
200,202	Non-Hodgkin lymphoma	[0.02]	0.00	[1.40]	0.00	[0.01]	0.00	[0.19]	0.00	1	0.94	1	0.37	0.01-2.07
201	Hodgkin lymphoma	[0.00]	0.00	[0.13]	0.00	[0.00]	0.00	[0.02]	0.00	[0.13]	0.00	[0.28]	0.00	0.00-12.97
203	Multiple myeloma	[0.01]	0.00	1	1.68	[0.00]	0.00	[0.09]	0.00	[0.46]	0.00	1	0.86	0.02-4.76
204	Leukaemia	[0.02]	0.00	1	1.22	[0.01]	0.00	[0.12]	0.00	[0.70]	0.00	1	0.60	0.02-3.32
	-chronic lymphatic ²	-	-	[0.31]	0.00	[0.00]	0.00	[0.04]	0.00	[0.27]	0.00	[0.61]	0.00	0.00-6.00
	-acute myeloid ²	[0.01]	0.00	1	3.68	[0.00]	0.00	[0.05]	0.00	[0.22]	0.00	1	1.81	0.05-10.09
	Mycosis fungoides ²	[0.00]	0.00	[0.02]	0.00	[0.00]	0.00	[0.00]	0.00	[0.05]	0.00	[0.07]	0.00	0.00-53.66
199	Other/unknown site	[0.02]	0.00	2	1.81	[0.02]	0.00	[0.21]	0.00	[1.43]	0.00	2	0.72	0.09-2.60
140-204	All sites	[0.89]	0.00	31	0.81	[0.34]	0.00	7	0.97	19	0.48	57	0.66	0.50-0.86
	Not included above													
	Ovary borderline ²	-	-	[0.28]	0.00	[0.00]	0.00	[0.09]	0.00	[0.44]	0.00	[0.82]	0.00	0.00-4.52
191	Other skin	-	-	1	0.83	[0.02]	0.00	[0.19]	0.00	3	2.74	4	1.59	0.43-4.08
191.6	-upper limbs ²	-	-	1	11.52	[0.00]	0.00	[0.02]	0.00	[0.13]	0.00	1	4.10	0.10-22.83

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Seamen. Men (N = 81 740). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	28	1.58	23	1.25	[0.62]	0.00	92	1.06	42	1.42	185	1.21	1.05-1.40
141	Tongue	17	2.33	5	0.79	[0.35]	0.00	72	1.86	14	1.14	108	1.66	1.38-2.01
142	Salivary glands	2	0.51	6	1.65	1	3.84	17	0.99	4	0.45	30	0.89	0.60-1.27
143-144	Oral cavity	38	2.75	11	1.72	1	2.00	98	1.81	43	2.37	191	2.05	1.78-2.36
145-148	Pharynx	32	1.87	14	1.76	2	3.71	140	2.16	53	2.00	241	2.06	1.82-2.34
145	-oropharynx ²	21	2.17	7	2.16	1	6.62	60	2.36	23	2.25	112	2.30	1.91-2.77
146	-nasopharynx ²	3	1.22	3	1.84	[0.16]	0.00	18	1.58	7	1.26	31	1.46	0.99-2.07
150	Oesophagus	46	1.42	31	1.66	5	2.44	162	1.58	88	1.93	332	1.65	1.48-1.83
	-adenocarcinoma ²	14	1.09	9	1.99	2	2.48	36	1.58	14	1.16	75	1.41	1.11-1.77
151	Stomach	88	1.34	90	1.08	7	1.16	678	1.27	212	1.15	1075	1.23	1.16-1.30
151.1	-cardia ²	38	1.81	13	0.89	1	0.86	118	1.22	22	0.97	192	1.23	1.07-1.42
152	Small intestine	7	1.32	9	1.66	1	1.44	30	0.97	22	1.16	69	1.13	0.88-1.43
153	Colon	195	1.31	91	1.24	13	1.50	813	1.05	285	1.12	1397	1.11	1.05-1.17
154	Rectum, rectosigma	114	1.09	67	1.11	[3.18]	0.00	517	1.09	187	1.06	885	1.08	1.01-1.15
155.0	Primary liver	48	2.07	24	1.13	1	1.03	122	2.10	75	1.61	270	1.80	1.60-2.03
	-hemangiosarcoma ²	-	-	[0.10]	0.00	-	-	1	10.43	[0.21]	0.00	1	2.47	0.06-13.78
155.1	Gall bladder	13	1.09	13	1.14	2	3.81	57	1.35	15	0.85	100	1.19	0.98-1.45
157	Pancreas	82	1.45	59	1.11	2	0.62	331	1.18	106	1.00	580	1.16	1.07-1.26
160	Nose	6	1.12	1	0.32	1	3.32	21	0.91	12	1.55	41	1.03	0.74-1.40
	-adenocarcinoma ²	-	-	[0.22]	0.00	[0.03]	0.00	4	1.23	[1.33]	0.00	4	0.83	0.23-2.12
161	Larynx	62	1.75	30	1.47	4	3.06	196	1.75	86	2.41	378	1.85	1.67-2.04
162,163	Lung	547	1.43	353	1.19	23	1.57	2036	1.74	624	1.82	3583	1.62	1.57-1.68
	-adenocarcinoma ²	123	1.52	59	1.43	7	1.65	412	1.78	121	1.87	722	1.71	1.59-1.84
	-small cell ²	-	-	50	1.06	4	1.35	334	1.65	59	1.92	447	1.58	1.44-1.73
	-squamous cell ²	171	1.34	101	1.09	4	1.16	631	1.75	218	1.73	1125	1.58	1.49-1.68
	-other ²	-	-	143	1.23	7	1.90	472	1.69	226	1.86	848	1.63	1.52-1.74
158, 162.2	Mesothelioma ²	26	2.53	18	2.68	1	2.84	61	1.74	37	2.77	143	2.18	1.85-2.56
170	Breast	4	1.20	2	1.11	[0.41]	0.00	10	0.83	7	1.18	23	0.98	0.62-1.46
177	Prostate	263	1.17	418	1.19	25	0.84	1860	0.99	1047	1.12	3613	1.05	1.02-1.09
178	Testis	14	0.93	12	2.29	[1.34]	0.00	52	0.78	12	0.74	90	0.86	0.69-1.06
	-seminoma ²	7	1.12	9	2.49	[0.98]	0.00	40	0.86	8	0.69	64	0.92	0.71-1.18
	-non-seminoma ²	7	0.79	3	1.94	[0.36]	0.00	7	0.48	4	0.87	21	0.70	0.43-1.07
179.0	Penis	17	2.53	3	1.12	[0.42]	0.00	25	0.85	12	1.01	57	1.11	0.84-1.44
180	Kidney	59	1.27	83	1.38	8	1.44	339	1.15	139	1.06	628	1.17	1.08-1.26
180.1	-renal pelvis ²	25	1.43	6	1.67	1	3.26	54	1.59	19	1.41	105	1.52	1.26-1.85
181	Bladder	231	1.26	108	1.34	12	1.42	813	1.21	314	1.24	1478	1.23	1.17-1.30
190	Melanoma	44	1.01	42	1.00	5	2.02	332	1.03	122	1.18	545	1.06	0.97-1.15
190.6	-upper limbs ²	4	0.77	4	0.74	1	2.73	22	0.75	23	1.52	54	0.98	0.73-1.27
192	Eye	6	1.20	3	0.74	[0.24]	0.00	27	1.09	8	0.81	44	1.00	0.73-1.34
	-melanoma ²	6	1.37	2	0.55	[0.19]	0.00	26	1.18	7	0.86	41	1.07	0.77-1.45
193	Brain	66	1.29	44	1.07	3	0.84	212	0.93	82	0.86	407	0.97	0.88-1.07
	-glioma ²	7	1.22	14	0.74	2	0.94	102	0.85	36	0.75	161	0.82	0.71-0.96
	-meningeoma ²	9	1.45	6	0.71	1	1.18	35	0.94	22	1.10	73	1.00	0.79-1.26
194	Thyroid	2	0.47	9	0.95	2	1.01	49	1.20	18	1.14	80	1.10	0.88-1.38
	-follicular ²	-	-	[1.57]	0.00	[0.29]	0.00	[4.75]	0.00	2	2.82	2	0.27	0.03-0.99
	-papillary ²	-	-	7	1.20	1	0.69	33	1.48	4	2.05	45	1.43	1.04-1.91
195.0	Glandula suprarenalis	1	0.90	2	1.20	[0.10]	0.00	8	1.52	1	0.57	12	1.21	0.63-2.12
195.1	Parathyreoidea	[0.05]	0.00	[0.02]	0.00	[0.02]	0.00	[0.19]	0.00	1	8.11	1	2.47	0.06-13.78
195.2	Thymus	[0.51]	0.00	[0.46]	0.00	[0.06]	0.00	1	0.43	3	4.07	4	0.98	0.27-2.51
195.3	Hypophysis	[0.16]	0.00	[0.04]	0.00	1	1.73	[0.36]	0.00	[0.21]	0.00	1	0.74	0.02-4.10
195.4	Corpus pineale	-	-	[0.08]	0.00	-	-	[0.12]	0.00	-	-	[0.20]	0.00	0.00-18.30
196	Bone	5	2.67	4	1.53	[0.32]	0.00	18	1.44	10	1.90	37	1.64	1.15-2.26
	-chondrosarcoma ²	-	-	3	2.25	[0.29]	0.00	7	2.09	4	1.72	14	1.92	1.05-3.22
197	Soft tissue	8	1.26	14	1.50	1	1.45	27	0.75	28	1.15	78	1.02	0.80-1.27
	-fibrosarcoma ²	-	-	5	1.56	-	-	2	0.58	6	1.61	13	1.26	0.67-2.15
	-liposarcoma ²	-	-	3	1.45	[0.23]	0.00	6	0.95	5	1.18	14	1.09	0.60-1.83
200,202	Non-Hodgkin lymphoma	38	0.84	46	0.87	8	2.06	170	0.82	105	0.98	367	0.88	0.80-0.98
201	Hodgkin lymphoma	5	0.64	9	1.12	2	3.94	38	0.96	16	0.90	70	0.95	0.74-1.20
203	Multiple myeloma	22	0.87	17	0.91	2	1.23	123	0.83	53	0.97	217	0.88	0.77-1.00
204	Leukaemia	39	0.74	38	1.13	2	0.71	176	0.84	88	1.07	343	0.90	0.81-1.00
	-chronic lymphatic ²	-	-	13	0.90	[0.92]	0.00	51	0.67	39	1.02	103	0.80	0.66-0.96
	-acute myeloid ²	11	0.71	14	1.50	1	1.08	56	0.74	12	0.67	94	0.79	0.64-0.96
	Mycosis fungoides ²	3	2.13	[1.36]	0.00	1	6.33	5	0.84	11	1.37	20	1.18	0.72-1.83
199	Other/unknown site	22	0.95	36	1.21	3	1.37	389	1.28	137	1.28	587	1.26	1.16-1.36
140-204	All sites	2143	1.30	1742	1.19	138	1.24	10124	1.20	4119	1.23	18266	1.22	1.20-1.23
	Not included above													
191	Other skin	-	-	46	1.09	4	1.25	416	1.12	238	1.51	704	1.23	1.14-1.32
191.6	-upper limbs ²	-	-	4	1.22	1	3.47	62	1.93	31	1.83	98	1.86	1.51-2.27

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Seamen. Women (N = 387). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	-	-	[0.02]	0.00	-	-	[0.04]	0.00	[0.01]	0.00	[0.07]	0.00	0.00-55.30
141	Tongue	-	-	[0.04]	0.00	[0.00]	0.00	[0.05]	0.00	[0.01]	0.00	[0.11]	0.00	0.00-33.46
142	Salivary glands	-	-	[0.03]	0.00	[0.00]	0.00	[0.04]	0.00	[0.01]	0.00	[0.08]	0.00	0.00-45.06
143-144	Oral cavity	-	-	[0.04]	0.00	[0.00]	0.00	[0.09]	0.00	[0.02]	0.00	[0.15]	0.00	0.00-25.34
145-148	Pharynx	-	-	[0.03]	0.00	-	-	[0.06]	0.00	[0.02]	0.00	[0.10]	0.00	0.00-36.80
145	-oropharynx ²	-	-	[0.01]	0.00	-	-	[0.03]	0.00	[0.01]	0.00	[0.05]	0.00	0.00-72.44
146	-nasopharynx ²	-	-	[0.01]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-180.52
150	Oesophagus	-	-	2	36.17	[0.00]	0.00	[0.09]	0.00	1	67.80	3	18.63	3.84-54.45
	-adenocarcinoma ²	-	-	[0.01]	0.00	-	-	[0.02]	0.00	[0.00]	0.00	[0.03]	0.00	0.00-138.44
151	Stomach	-	-	[0.37]	0.00	[0.00]	0.00	[0.71]	0.00	[0.09]	0.00	[1.16]	0.00	0.00-3.19
151.1	-cardia ²	-	-	[0.03]	0.00	-	-	[0.09]	0.00	[0.01]	0.00	[0.13]	0.00	0.00-28.26
152	Small intestine	-	-	[0.04]	0.00	[0.00]	0.00	1	12.11	[0.02]	0.00	1	7.20	0.18-40.12
153	Colon	-	-	1	1.70	[0.00]	0.00	1	0.44	[0.26]	0.00	2	0.64	0.08-2.32
154	Rectum, rectosigma	-	-	[0.37]	0.00	[0.00]	0.00	1	1.03	[0.16]	0.00	1	0.66	0.02-3.70
155.0	Primary liver	-	-	[0.08]	0.00	-	-	[0.09]	0.00	[0.03]	0.00	[0.19]	0.00	0.00-19.22
	-hemangiosarcoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-2513.40
155.1	Gall bladder	-	-	[0.14]	0.00	-	-	[0.16]	0.00	[0.03]	0.00	[0.33]	0.00	0.00-11.29
157	Pancreas	-	-	[0.30]	0.00	[0.00]	0.00	[0.63]	0.00	[0.09]	0.00	[1.02]	0.00	0.00-3.61
160	Nose	-	-	[0.02]	0.00	-	-	[0.03]	0.00	[0.01]	0.00	[0.06]	0.00	0.00-64.46
	-adenocarcinoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-725.58
161	Larynx	-	-	[0.01]	0.00	-	-	[0.04]	0.00	[0.01]	0.00	[0.06]	0.00	0.00-62.94
162,163	Lung	-	-	1	2.15	[0.00]	0.00	[1.37]	0.00	[0.28]	0.00	1	0.47	0.01-2.63
	-adenocarcinoma ²	-	-	[0.15]	0.00	[0.00]	0.00	[0.42]	0.00	[0.11]	0.00	[0.68]	0.00	0.00-5.45
	-small cell ²	-	-	1	11.82	-	-	[0.29]	0.00	[0.04]	0.00	1	2.39	0.06-13.33
	-squamous cell ²	-	-	[0.07]	0.00	[0.00]	0.00	[0.22]	0.00	[0.04]	0.00	[0.33]	0.00	0.00-11.18
	-other ²	-	-	[0.16]	0.00	[0.00]	0.00	[0.38]	0.00	[0.09]	0.00	[0.64]	0.00	0.00-5.80
158, 162.2	Mesothelioma ²	-	-	[0.02]	0.00	-	-	[0.02]	0.00	[0.00]	0.00	[0.04]	0.00	0.00-96.38
170	Breast	-	-	4	0.79	[0.02]	0.00	1	0.18	3	1.39	8	0.63	0.27-1.23
	-ductal ²	-	-	4	1.05	[0.02]	0.00	1	0.26	1	0.98	6	0.69	0.25-1.50
	-lobular ²	-	-	[0.68]	0.00	[0.00]	0.00	[0.41]	0.00	[0.20]	0.00	[1.30]	0.00	0.00-2.85
171	Cervix uteri	-	-	1	3.80	[0.00]	0.00	[0.86]	0.00	[0.25]	0.00	1	0.72	0.02-4.04
172	Corpus uteri	-	-	[0.84]	0.00	[0.00]	0.00	[1.29]	0.00	[0.28]	0.00	[2.42]	0.00	0.00-1.53
173	Choriocarcinoma	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-513.35
175.0	Ovary	-	-	[0.63]	0.00	[0.00]	0.00	[1.22]	0.00	[0.40]	0.00	[2.25]	0.00	0.00-1.64
175.1	Fallopian tube	-	-	[0.03]	0.00	[0.00]	0.00	[0.04]	0.00	[0.01]	0.00	[0.08]	0.00	0.00-44.93
176.0	Vulva	-	-	[0.06]	0.00	[0.00]	0.00	[0.17]	0.00	[0.03]	0.00	[0.26]	0.00	0.00-14.28
176.1	Vagina	-	-	[0.02]	0.00	-	-	[0.04]	0.00	[0.01]	0.00	[0.06]	0.00	0.00-61.87
180	Kidney	-	-	[0.32]	0.00	[0.00]	0.00	[0.48]	0.00	[0.09]	0.00	[0.89]	0.00	0.00-4.16
180.1	-renal pelvis ²	-	-	[0.01]	0.00	-	-	[0.05]	0.00	[0.01]	0.00	[0.07]	0.00	0.00-51.05
181	Bladder	-	-	[0.14]	0.00	[0.00]	0.00	[0.58]	0.00	[0.09]	0.00	[0.80]	0.00	0.00-4.59
190	Melanoma	-	-	[0.43]	0.00	[0.00]	0.00	1	0.99	[0.31]	0.00	1	0.57	0.01-3.18
190.6	-upper limbs ²	-	-	[0.08]	0.00	[0.00]	0.00	[0.16]	0.00	[0.06]	0.00	[0.30]	0.00	0.00-12.27
192	Eye	-	-	[0.04]	0.00	-	-	[0.06]	0.00	[0.02]	0.00	[0.11]	0.00	0.00-32.75
	-melanoma ²	-	-	[0.03]	0.00	-	-	[0.05]	0.00	[0.01]	0.00	[0.10]	0.00	0.00-38.29
193	Brain	-	-	[0.62]	0.00	[0.00]	0.00	1	1.45	1	4.00	2	1.28	0.16-4.63
	-glioma ²	-	-	[0.19]	0.00	[0.00]	0.00	1	4.34	1	12.44	2	3.98	0.48-14.39
	-meningeoma ²	-	-	[0.27]	0.00	[0.00]	0.00	[0.27]	0.00	[0.11]	0.00	[0.65]	0.00	0.00-5.66
194	Thyroid	-	-	[0.41]	0.00	[0.01]	0.00	1	3.56	[0.09]	0.00	1	1.27	0.03-7.06
	-follicular ²	-	-	[0.04]	0.00	[0.00]	0.00	[0.04]	0.00	[0.01]	0.00	[0.08]	0.00	0.00-44.05
	-papillary ²	-	-	[0.35]	0.00	[0.00]	0.00	1	5.48	[0.04]	0.00	1	1.75	0.04-9.74
195.0	Glandula suprarenalis	-	-	[0.01]	0.00	[0.00]	0.00	[0.01]	0.00	[0.00]	0.00	[0.03]	0.00	0.00-120.14
195.1	Parathyreoidea	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-1399.01
195.2	Thymus	-	-	[0.01]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-306.28
195.3	Hypophysis	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-1679.35
195.4	Corpus pineale	-	-	[0.00]	0.00	-	-	[0.00]	0.00	-	-	[0.00]	0.00	0.00-1226.72
196	Bone	-	-	[0.02]	0.00	[0.00]	0.00	[0.02]	0.00	[0.01]	0.00	[0.05]	0.00	0.00-73.39
	-chondrosarcoma ²	-	-	[0.01]	0.00	[0.00]	0.00	[0.01]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-174.55
197	Soft tissue	-	-	[0.09]	0.00	[0.00]	0.00	[0.08]	0.00	[0.04]	0.00	[0.20]	0.00	0.00-18.31
	-fibrosarcoma ²	-	-	[0.02]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.03]	0.00	0.00-124.89
	-liposarcoma ²	-	-	[0.02]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.04]	0.00	0.00-99.34
200,202	Non-Hodgkin lymphoma	-	-	[0.42]	0.00	[0.00]	0.00	[0.55]	0.00	[0.13]	0.00	[1.10]	0.00	0.00-3.35
201	Hodgkin lymphoma	-	-	[0.06]	0.00	[0.00]	0.00	[0.05]	0.00	[0.02]	0.00	[0.14]	0.00	0.00-27.01
203	Multiple myeloma	-	-	[0.12]	0.00	[0.00]	0.00	[0.31]	0.00	[0.04]	0.00	[0.48]	0.00	0.00-7.73
204	Leukaemia	-	-	[0.21]	0.00	[0.00]	0.00	1	2.56	[0.09]	0.00	1	1.46	0.04-8.11
	-chronic lymphatic ²	-	-	[0.06]	0.00	-	-	[0.13]	0.00	[0.03]	0.00	[0.22]	0.00	0.00-17.16
	-acute myeloid ²	-	-	[0.08]	0.00	[0.00]	0.00	1	6.28	[0.03]	0.00	1	3.75	0.09-20.90
	Mycosis fungoides ²	-	-	[0.01]	0.00	[0.00]	0.00	[0.01]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-183.02
199	Other/unknown site	-	-	[0.22]	0.00	[0.00]	0.00	1	1.32	[0.15]	0.00	1	0.89	0.02-4.94
140-204	All sites	-	-	9	0.71	[0.06]	0.00	9	0.42	5	0.90	23	0.58	0.37-0.87
	Not included above													
	Ovary borderline ²	-	-	[0.18]	0.00	[0.00]	0.00	[0.21]	0.00	[0.11]	0.00	[0.50]	0.00	0.00-7.44
191	Other skin	-	-	[0.19]	0.00	[0.00]	0.00	1	1.37	[0.10]	0.00	1	0.98	0.02-5.49
191.6	-upper limbs ²	-	-	[0.02]	0.00	[0.00]	0.00	[0.08]	0.00	[0.01]	0.00	[0.11]	0.00	0.00-34.32

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Transport workers. Men (N = 111 366). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	34	0.82	44	0.76	[1.44]	0.00	35	0.74	91	0.95	204	0.84	0.73-0.96
141	Tongue	9	0.65	15	0.88	[0.65]	0.00	20	1.06	37	0.92	81	0.89	0.71-1.11
142	Salivary glands	5	0.60	13	1.26	[0.55]	0.00	9	1.02	45	1.56	72	1.26	0.99-1.59
143-144	Oral cavity	30	1.10	14	0.82	[0.90]	0.00	25	0.91	57	0.96	126	0.95	0.80-1.13
145-148	Pharynx	20	0.62	17	0.78	[0.97]	0.00	30	0.95	85	0.99	152	0.88	0.75-1.03
145	-oropharynx ²	11	0.61	7	0.85	[0.26]	0.00	13	1.11	34	1.04	65	0.92	0.71-1.17
146	-nasopharynx ²	3	0.62	4	0.87	[0.26]	0.00	7	1.25	18	1.01	32	0.96	0.66-1.36
150	Oesophagus	55	0.80	41	0.77	3	0.70	47	0.86	135	0.88	281	0.84	0.75-0.94
	-adenocarcinoma ²	30	1.08	10	0.80	[1.59]	0.00	15	1.27	30	0.71	85	0.89	0.71-1.10
151	Stomach	134	0.93	221	0.88	12	0.92	283	0.96	548	0.94	1198	0.93	0.88-0.98
151.1	-cardia ²	36	0.80	49	1.13	2	0.86	58	1.13	79	0.97	224	1.00	0.88-1.14
152	Small intestine	11	0.95	13	0.82	[1.31]	0.00	17	1.07	66	1.02	107	0.98	0.81-1.18
153	Colon	346	1.02	262	1.19	14	0.78	451	1.08	888	1.01	1961	1.04	1.00-1.09
154	Rectum, rectosigma	231	0.98	186	1.04	5	0.76	280	1.11	629	1.04	1331	1.04	0.99-1.10
155.0	Primary liver	58	1.14	63	0.97	2	0.95	32	1.02	157	1.00	312	1.02	0.91-1.14
	-hemangiosarcoma ²	-	-	1	3.37	-	-	[0.07]	0.00	[0.74]	0.00	1	0.90	0.02-5.03
155.1	Gall bladder	30	1.15	30	0.86	1	0.93	19	0.84	50	0.88	130	0.92	0.77-1.09
157	Pancreas	112	0.91	185	1.16	6	0.91	159	1.04	351	1.01	813	1.03	0.96-1.10
160	Nose	13	1.10	6	0.64	[0.63]	0.00	13	1.05	24	0.93	56	0.93	0.70-1.21
	-adenocarcinoma ²	-	-	1	1.53	[0.07]	0.00	2	1.19	4	0.84	7	0.98	0.39-2.01
161	Larynx	85	1.10	49	0.80	[2.50]	0.00	65	1.12	114	0.96	313	0.98	0.88-1.10
162,163	Lung	896	1.07	729	0.78	37	1.22	601	0.97	1201	1.03	3464	0.96	0.93-1.00
	-adenocarcinoma ²	165	0.98	103	0.82	12	1.41	115	0.98	246	1.09	641	0.99	0.92-1.07
	-small cell ²	-	-	105	0.71	5	0.81	135	1.27	128	1.07	373	0.98	0.89-1.09
	-squamous cell ²	304	1.06	229	0.77	9	1.23	162	0.83	444	1.04	1148	0.95	0.89-1.00
	-other ²	-	-	292	0.80	9	1.17	134	0.91	383	0.97	818	0.90	0.84-0.96
158, 162.2	Mesothelioma ²	21	0.97	15	0.81	2	2.96	10	0.56	37	0.80	85	0.81	0.65-1.00
170	Breast	6	0.78	6	1.19	[0.78]	0.00	7	1.06	21	1.05	40	1.00	0.71-1.36
177	Prostate	510	0.94	1099	1.03	68	1.04	1066	1.02	3389	1.02	6132	1.02	0.99-1.04
178	Testis	22	0.92	16	1.30	[1.18]	0.00	27	1.00	55	1.15	120	1.07	0.89-1.28
	-seminoma ²	11	1.12	15	1.75	[0.88]	0.00	18	0.94	43	1.24	87	1.19	0.95-1.47
	-non-seminoma ²	11	0.78	1	0.28	[0.30]	0.00	8	1.37	12	0.91	32	0.86	0.59-1.22
179.0	Penis	13	0.87	7	0.94	2	2.39	9	0.58	37	0.94	68	0.87	0.68-1.10
180	Kidney	104	1.03	187	1.08	12	1.12	187	1.21	466	1.06	956	1.09	1.02-1.16
180.1	-renal pelvis ²	41	1.03	17	1.56	1	1.53	26	1.42	55	1.19	140	1.21	1.02-1.43
181	Bladder	486	1.12	265	1.05	13	0.76	391	1.07	952	1.07	2107	1.08	1.03-1.12
190	Melanoma	116	1.32	109	0.95	11	2.82	184	1.22	388	1.10	808	1.14	1.06-1.22
190.6	-upper limbs ²	11	1.07	17	1.17	1	1.81	19	1.38	55	1.06	103	1.13	0.93-1.38
192	Eye	15	1.44	12	1.07	[0.46]	0.00	17	1.32	47	1.45	91	1.35	1.09-1.66
	-melanoma ²	13	1.43	11	1.10	[0.40]	0.00	15	1.33	38	1.44	77	1.35	1.06-1.68
193	Brain	112	1.09	112	1.01	6	0.98	117	1.06	314	1.03	661	1.04	0.96-1.12
	-glioma ²	8	0.75	41	0.81	2	0.56	69	1.23	162	1.06	282	1.03	0.92-1.16
	-meningeoma ²	18	1.38	27	1.16	4	2.54	17	0.92	68	1.02	134	1.09	0.92-1.29
194	Thyroid	9	0.99	26	1.03	7	1.93	18	0.90	52	1.02	112	1.03	0.85-1.24
	-follicular ²	-	-	9	1.97	1	1.59	1	0.42	1	0.39	12	1.18	0.61-2.07
	-papillary ²	-	-	10	0.68	5	1.90	11	1.07	6	0.94	32	0.94	0.65-1.33
195.0	Glandula suprarenalis	[2.19]	0.00	7	1.43	[0.16]	0.00	5	1.92	8	1.45	20	1.30	0.80-2.01
195.1	Parathyreoidea	[0.12]	0.00	[0.06]	0.00	[0.03]	0.00	[0.08]	0.00	[0.36]	0.00	[0.65]	0.00	0.00-5.68
195.2	Thymus	[1.14]	0.00	2	1.51	[0.10]	0.00	1	0.93	1	0.40	4	0.65	0.18-1.67
195.3	Hypophysis	1	3.13	[0.10]	0.00	2	1.99	[0.22]	0.00	1	1.27	4	1.64	0.45-4.20
195.4	Corpus pineale	-	-	[0.25]	0.00	-	-	[0.03]	0.00	-	-	[0.28]	0.00	0.00-13.26
196	Bone	3	0.81	3	0.43	[0.48]	0.00	3	0.49	22	1.28	31	0.90	0.61-1.27
	-chondrosarcoma ²	-	-	3	0.83	[0.45]	0.00	[1.61]	0.00	8	1.04	11	0.82	0.41-1.47
197	Soft tissue	18	1.33	21	0.81	2	1.88	26	1.41	72	0.87	139	0.98	0.83-1.15
	-fibrosarcoma ²	-	-	8	0.88	-	-	2	1.12	7	0.61	17	0.76	0.44-1.21
	-liposarcoma ²	-	-	6	1.07	1	2.96	6	1.94	9	0.63	22	0.95	0.59-1.43
200,202	Non-Hodgkin lymphoma	85	0.88	169	1.11	4	0.58	99	0.97	354	0.95	711	0.98	0.91-1.05
201	Hodgkin lymphoma	16	1.07	22	1.05	[0.75]	0.00	24	1.27	47	0.87	109	1.00	0.83-1.20
203	Multiple myeloma	53	0.96	65	1.15	7	2.16	88	1.10	186	1.00	399	1.05	0.95-1.15
204	Leukaemia	119	1.01	112	1.12	7	1.29	121	1.09	274	0.97	633	1.03	0.95-1.11
	-chronic lymphatic ²	-	-	59	1.35	[1.94]	0.00	43	1.05	130	0.96	232	1.04	0.92-1.19
	-acute myeloid ²	30	0.89	32	1.17	1	0.58	46	1.16	61	0.95	170	1.02	0.88-1.19
	Mycosis fungoides ²	1	0.29	4	0.98	[0.29]	0.00	3	0.97	19	0.81	27	0.79	0.52-1.15
199	Other/unknown site	64	1.24	79	0.88	5	1.12	157	0.94	364	0.98	669	0.97	0.90-1.05
140-204	All sites	3713	1.01	4250	0.97	228	1.01	4654	1.03	11584	1.01	24429	1.01	1.00-1.02
	Not included above													
191	Other skin	-	-	182	1.37	5	0.73	214	1.05	609	1.05	1010	1.09	1.03-1.16
191.6	-upper limbs ²	-	-	20	1.96	[0.62]	0.00	21	1.18	61	0.99	102	1.13	0.93-1.37

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Transport workers. Women (N = 8 317). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.02]	0.00	1	0.45	[0.02]	0.00	[0.16]	0.00	3	3.33	4	1.20	0.33-3.06
141	Tongue	[0.03]	0.00	[2.00]	0.00	[0.03]	0.00	[0.25]	0.00	[1.11]	0.00	[3.43]	0.00	0.00-1.08
142	Salivary glands	[0.03]	0.00	[1.43]	0.00	[0.02]	0.00	[0.17]	0.00	1	0.85	1	0.35	0.01-1.97
143-144	Oral cavity	1	12.98	2	1.00	[0.08]	0.00	[0.39]	0.00	2	1.23	5	1.20	0.39-2.81
145-148	Pharynx	[0.05]	0.00	[1.25]	0.00	[0.03]	0.00	[0.26]	0.00	3	2.07	3	0.98	0.20-2.88
145	-oropharynx ²	[0.03]	0.00	[0.41]	0.00	[0.01]	0.00	[0.13]	0.00	1	1.33	1	0.75	0.02-4.18
146	-nasopharynx ²	[0.01]	0.00	[0.33]	0.00	[0.02]	0.00	[0.05]	0.00	1	3.13	1	1.38	0.03-7.66
150	Oesophagus	[0.11]	0.00	4	0.74	[0.10]	0.00	[0.39]	0.00	1	0.48	5	0.62	0.20-1.44
	-adenocarcinoma ²	[0.03]	0.00	1	2.01	[0.03]	0.00	[0.07]	0.00	[0.37]	0.00	1	1.00	0.03-5.59
151	Stomach	[0.32]	0.00	21	0.81	1	2.34	7	2.26	17	1.35	46	1.09	0.49-1.45
151.1	-cardia ²	[0.05]	0.00	3	1.23	[0.03]	0.00	2	4.87	2	2.11	7	1.80	0.72-3.71
152	Small intestine	[0.04]	0.00	1	0.52	[0.05]	0.00	1	2.63	1	0.49	3	0.68	0.14-1.97
153	Colon	[1.54]	0.00	46	1.23	1	1.07	13	1.32	35	1.02	95	1.13	0.92-1.38
154	Rectum, rectosigma	1	1.48	25	1.12	[0.36]	0.00	3	0.69	20	1.10	49	1.07	0.79-1.41
155.0	Primary liver	[0.12]	0.00	7	1.14	[0.07]	0.00	[0.38]	0.00	6	1.77	13	1.29	0.69-2.21
	-hemangiosarcoma ²	-	-	[0.04]	0.00	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	[0.07]	0.00	0.00-52.16
155.1	Gall bladder	[0.18]	0.00	8	0.74	[0.10]	0.00	1	1.50	6	1.12	15	0.88	0.49-1.45
157	Pancreas	1	2.05	27	1.16	[0.32]	0.00	2	0.74	16	1.35	46	1.19	0.87-1.59
160	Nose	[0.03]	0.00	2	2.06	[0.04]	0.00	[0.15]	0.00	[0.62]	0.00	2	1.11	0.13-4.00
	-adenocarcinoma ²	-	-	[0.06]	0.00	-	-	[0.01]	0.00	[0.05]	0.00	[0.13]	0.00	0.00-29.50
161	Larynx	[0.07]	0.00	2	2.29	[0.03]	0.00	[0.18]	0.00	3	4.66	5	2.79	0.90-6.50
162,163	Lung	6	3.53	60	2.08	2	1.18	12	1.89	34	1.52	114	1.87	1.56-2.25
	-adenocarcinoma ²	1	1.92	14	1.87	1	1.62	3	1.50	12	1.55	31	1.69	1.15-2.40
	-small cell ²	-	-	8	1.71	[0.27]	0.00	4	2.95	5	1.68	17	1.83	1.07-2.94
	-squamous cell ²	[0.32]	0.00	15	3.08	1	3.69	2	2.03	4	0.99	22	2.10	1.31-3.17
	-other ²	-	-	23	1.95	[0.53]	0.00	2	1.13	13	1.70	38	1.75	1.24-2.40
158, 162.2	Mesothelioma ²	[0.02]	0.00	3	2.70	[0.00]	0.00	[0.08]	0.00	[0.40]	0.00	3	1.85	0.38-5.41
170	Breast	2	0.51	217	1.30	6	1.45	34	1.22	139	0.96	398	1.15	1.04-1.27
	-ductal ²	-	-	171	1.46	4	1.24	24	1.24	44	0.96	243	1.31	1.15-1.49
	-lobular ²	-	-	15	0.81	1	2.83	1	0.49	10	1.04	27	0.88	0.58-1.28
171	Cervix uteri	[0.70]	0.00	18	1.60	[0.33]	0.00	4	0.83	25	1.31	47	1.30	0.96-1.73
172	Corpus uteri	1	1.00	52	1.23	1	1.33	10	1.63	33	1.14	97	1.22	0.99-1.49
173	Choriocarcinoma	[0.00]	0.00	[0.06]	0.00	[0.00]	0.00	[0.02]	0.00	[0.07]	0.00	[0.15]	0.00	0.00-24.80
175.0	Ovary	1	1.21	24	0.86	[0.59]	0.00	5	0.83	37	1.17	67	1.00	0.77-1.27
175.1	Fallopian tube	[0.02]	0.00	2	1.46	[0.02]	0.00	1	5.32	1	1.34	4	1.70	0.46-4.36
176.0	Vulva	[0.08]	0.00	5	1.37	[0.06]	0.00	[0.77]	0.00	3	1.02	8	1.07	0.46-2.10
176.1	Vagina	[0.03]	0.00	1	0.98	[0.02]	0.00	[0.16]	0.00	1	1.13	2	0.94	0.11-3.41
180	Kidney	[0.30]	0.00	28	1.47	1	2.36	1	0.47	11	0.97	41	1.23	0.88-1.67
180.1	-renal pelvis ²	[0.11]	0.00	1	1.01	[0.04]	0.00	[0.23]	0.00	1	0.87	2	0.79	0.10-2.87
181	Bladder	[0.53]	0.00	16	1.50	[0.34]	0.00	3	1.21	12	1.08	31	1.24	0.84-1.75
190	Melanoma	[0.43]	0.00	16	1.07	1	2.94	7	1.37	24	1.31	48	1.22	0.90-1.62
190.6	-upper limbs ²	[0.08]	0.00	[2.63]	0.00	[0.06]	0.00	1	1.27	[3.53]	0.00	1	0.14	0.00-0.79
192	Eye	[0.04]	0.00	2	1.15	[0.01]	0.00	[0.30]	0.00	1	0.76	3	0.88	0.18-2.58
	-melanoma ²	[0.03]	0.00	2	1.24	[0.01]	0.00	[0.26]	0.00	1	0.99	3	1.02	0.21-2.99
193	Brain	[0.46]	0.00	19	0.86	1	1.92	5	1.44	15	0.88	40	0.92	0.66-1.25
	-glioma ²	[0.04]	0.00	3	0.51	[0.20]	0.00	1	0.84	7	1.23	11	0.85	0.42-1.52
	-meningeoma ²	[0.11]	0.00	5	0.55	[0.26]	0.00	4	2.99	7	0.97	16	0.89	0.51-1.44
194	Thyroid	[0.07]	0.00	9	0.82	[0.40]	0.00	[1.48]	0.00	7	1.15	16	0.84	0.48-1.37
	-follicular ²	-	-	1	0.56	[0.05]	0.00	[0.19]	0.00	[0.32]	0.00	1	0.43	0.01-2.39
	-papillary ²	-	-	7	0.95	[0.32]	0.00	[0.99]	0.00	1	0.64	8	0.78	0.34-1.54
195.0	Glandula suprarenalis	[0.01]	0.00	[0.54]	0.00	[0.01]	0.00	[0.07]	0.00	[0.28]	0.00	[0.91]	0.00	0.00-4.07
195.1	Parathyreoidea	[0.00]	0.00	[0.02]	0.00	-	-	[0.01]	0.00	[0.06]	0.00	[0.09]	0.00	0.00-40.07
195.2	Thymus	[0.00]	0.00	[0.20]	0.00	-	-	[0.02]	0.00	[0.12]	0.00	[0.34]	0.00	0.00-10.72
195.3	Hypophysis	[0.00]	0.00	[0.02]	0.00	[0.05]	0.00	[0.00]	0.00	[0.03]	0.00	[0.10]	0.00	0.00-35.39
195.4	Corpus pineale	-	-	[0.06]	0.00	-	-	[0.00]	0.00	-	-	[0.06]	0.00	0.00-60.18
196	Bone	[0.01]	0.00	1	1.32	[0.03]	0.00	[0.12]	0.00	[0.62]	0.00	1	0.65	0.02-3.61
	-chondrosarcoma ²	-	-	[0.35]	0.00	[0.02]	0.00	[0.03]	0.00	[0.30]	0.00	[0.70]	0.00	0.00-5.27
197	Soft tissue	[0.05]	0.00	2	0.54	[0.06]	0.00	[0.38]	0.00	5	1.55	7	0.94	0.38-1.94
	-fibrosarcoma ²	-	-	[1.22]	0.00	[0.00]	0.00	[0.02]	0.00	2	5.12	2	1.22	0.15-4.40
	-liposarcoma ²	-	-	2	2.69	[0.01]	0.00	[0.05]	0.00	1	2.12	3	2.34	0.48-6.85
200,202	Non-Hodgkin lymphoma	[0.36]	0.00	21	0.97	1	3.04	5	1.95	14	1.13	41	1.10	0.79-1.49
201	Hodgkin lymphoma	[0.04]	0.00	[1.95]	0.00	1	32.00	[0.28]	0.00	2	1.18	3	0.75	0.16-2.20
203	Multiple myeloma	[0.18]	0.00	4	0.45	[0.17]	0.00	[1.35]	0.00	5	0.88	9	0.55	0.25-1.05
204	Leukaemia	[0.35]	0.00	14	1.16	1	3.39	2	1.13	4	0.47	21	0.92	0.57-1.40
	-chronic lymphatic ²	-	-	5	1.15	1	10.13	[0.56]	0.00	2	0.64	8	0.98	0.43-1.94
	-acute myeloid ²	[0.12]	0.00	6	1.48	[0.11]	0.00	2	2.71	1	0.38	9	1.18	0.54-2.24
	Mycosis fungoides ²	[0.01]	0.00	[0.29]	0.00	[0.00]	0.00	[0.04]	0.00	[0.69]	0.00	[1.04]	0.00	0.00-3.54
199	Other/unknown site	[0.26]	0.00	13	0.81	[0.39]	0.00	4	1.26	15	0.89	32	0.87	0.60-1.23
140-204	All sites	15	1.02	677	1.17	17	1.23	121	1.20	502	1.08	1332	1.14	1.08-1.20
Not included above														
	Ovary borderline ²	-	-	4	0.85	1	5.14	2	1.77	10	1.88	17	1.50	0.87-2.40
191	Other skin	-	-	8	0.45	1	2.46	1	0.34	15	1.11	25	0.72	0.47-1.07
191.6	-upper limbs ²	-	-	[1.42]	0.00	1	20.27	[0.32]	0.00	3	1.84	4	1.17	0.32-2.99

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Drivers. Men (N = 376 718). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	199	1.54	156	0.91	2	1.06	127	1.00	262	1.14	746	1.13	1.05-1.22
141	Tongue	50	1.04	74	1.21	1	0.99	77	1.37	115	1.07	317	1.16	1.04-1.29
142	Salivary glands	27	0.98	30	0.86	2	2.59	22	0.88	73	1.00	154	0.96	0.82-1.12
143-144	Oral cavity	89	0.96	47	0.76	1	0.70	89	1.14	137	0.90	363	0.94	0.85-1.04
145-148	Pharynx	137	1.22	74	0.97	3	1.87	111	1.19	265	1.16	590	1.15	1.06-1.25
145	-oropharynx ²	79	1.26	26	0.84	[0.45]	0.00	44	1.20	114	1.21	263	1.17	1.03-1.32
146	-nasopharynx ²	23	1.38	18	1.14	2	4.46	16	0.97	54	1.17	113	1.19	0.99-1.42
150	Oesophagus	263	1.17	186	1.07	5	0.85	204	1.38	468	1.24	1126	1.21	1.14-1.28
	-adenocarcinoma ²	95	1.07	42	0.98	2	0.86	39	1.22	131	1.22	309	1.13	1.01-1.26
151	Stomach	562	1.17	803	1.06	24	1.35	879	1.11	1579	1.12	3847	1.11	1.08-1.15
151.1	-cardia ²	169	1.14	150	1.11	3	0.89	152	1.08	236	1.21	710	1.14	1.06-1.23
152	Small intestine	39	1.03	54	1.04	1	0.50	57	1.29	175	1.10	326	1.10	0.99-1.23
153	Colon	1139	1.06	766	1.11	27	1.07	1280	1.15	2217	1.07	5429	1.09	1.06-1.12
154	Rectum, rectosigma	815	1.08	636	1.12	10	1.09	785	1.14	1509	1.04	3755	1.08	1.05-1.12
155.0	Primary liver	213	1.29	230	1.16	4	1.42	108	1.28	451	1.21	1006	1.22	1.15-1.30
	-hemangiosarcoma ²	-	-	1	0.98	-	-	[0.13]	0.00	4	2.24	5	1.70	0.55-3.98
155.1	Gall bladder	97	1.11	114	1.10	1	0.67	81	1.32	149	1.09	442	1.13	1.03-1.24
157	Pancreas	482	1.18	557	1.12	11	1.17	437	1.06	945	1.12	2432	1.12	1.08-1.16
160	Nose	40	1.05	23	0.77	[0.88]	0.00	46	1.36	75	1.18	184	1.11	0.96-1.28
	-adenocarcinoma ²	-	-	1	0.45	[0.09]	0.00	9	1.95	6	0.55	16	0.89	0.51-1.45
161	Larynx	346	1.39	233	1.21	4	1.05	244	1.51	399	1.37	1226	1.37	1.29-1.45
162,163	Lung	3762	1.37	2897	1.05	46	1.07	2415	1.44	3762	1.34	12882	1.28	1.26-1.31
	-adenocarcinoma ²	697	1.25	466	1.17	14	1.13	420	1.28	705	1.25	2302	1.24	1.19-1.29
	-small cell ²	-	-	495	1.11	5	0.58	446	1.53	376	1.37	1322	1.29	1.23-1.37
	-squamous cell ²	1330	1.42	901	1.04	13	1.29	762	1.46	1425	1.42	4431	1.33	1.29-1.37
	-other ²	-	-	1035	0.98	13	1.20	594	1.49	1256	1.31	2898	1.20	1.15-1.24
158, 162.2	Mesothelioma ²	56	0.78	56	0.86	1	0.96	24	0.48	63	0.54	200	0.66	0.57-0.75
170	Breast	14	0.58	7	0.41	[1.17]	0.00	13	0.74	56	1.15	90	0.83	0.66-1.02
177	Prostate	1649	0.98	3308	0.99	74	0.85	2736	1.01	7737	0.99	15504	0.99	0.98-1.01
178	Testis	85	0.93	42	0.81	2	0.61	99	1.01	151	0.96	379	0.94	0.85-1.04
	-seminoma ²	34	0.90	30	0.84	1	0.42	59	0.86	103	0.91	227	0.88	0.77-1.00
	-non-seminoma ²	51	0.95	11	0.72	1	1.13	26	1.18	48	1.07	137	1.00	0.85-1.19
179.0	Penis	62	1.29	27	1.07	4	3.36	58	1.36	129	1.29	280	1.29	1.15-1.45
180	Kidney	355	1.08	688	1.19	10	0.62	519	1.21	1175	1.09	2747	1.13	1.09-1.18
180.1	-renal pelvis ²	141	1.12	42	1.24	[0.88]	0.00	42	0.86	104	0.94	329	1.03	0.92-1.14
181	Bladder	1621	1.21	822	1.10	32	1.32	1152	1.18	2346	1.12	5973	1.15	1.12-1.18
190	Melanoma	216	0.74	337	0.82	4	0.59	357	0.77	760	0.81	1674	0.79	0.76-0.83
190.6	-upper limbs ²	25	0.72	58	1.12	1	1.00	31	0.73	114	0.81	229	0.85	0.75-0.97
192	Eye	26	0.75	38	0.98	3	4.48	27	0.75	90	1.07	184	0.95	0.82-1.10
	-melanoma ²	25	0.82	35	1.00	2	3.70	25	0.78	76	1.13	163	0.99	0.85-1.15
193	Brain	322	0.93	393	0.98	11	1.10	327	0.98	769	0.93	1822	0.95	0.91-1.00
	-glioma ²	42	1.11	177	0.94	6	1.00	171	0.98	372	0.88	768	0.92	0.86-0.99
	-meningeoma ²	40	0.94	99	1.20	[2.45]	0.00	52	0.97	180	1.06	371	1.06	0.95-1.17
194	Thyroid	24	0.81	99	1.08	2	0.35	49	0.82	156	1.17	330	1.03	0.92-1.15
	-follicular ²	-	-	23	1.55	[0.83]	0.00	8	1.13	4	0.57	35	1.18	0.82-1.64
	-papillary ²	-	-	56	0.99	2	0.47	23	0.70	24	1.18	105	0.92	0.76-1.11
195.0	Glandula suprarenalis	9	1.17	9	0.58	[0.27]	0.00	5	0.65	19	1.27	42	0.91	0.65-1.23
195.1	Parathyreoidea	[0.37]	0.00	[0.20]	0.00	[0.05]	0.00	1	3.75	1	0.98	2	1.05	0.13-3.79
195.2	Thymus	[3.65]	0.00	3	0.65	[0.18]	0.00	5	1.49	4	0.61	12	0.65	0.34-1.14
195.3	Hypophysis	[1.07]	0.00	[0.39]	0.00	[1.63]	0.00	[0.55]	0.00	1	0.58	1	0.19	0.00-1.04
195.4	Corpus pineale	-	-	[0.80]	0.00	-	-	[0.16]	0.00	-	-	[0.97]	0.00	0.00-3.82
196	Bone	18	1.42	33	1.31	2	2.37	17	0.94	57	1.26	127	1.24	1.05-1.48
	-chondrosarcoma ²	-	-	18	1.41	2	2.61	5	1.05	31	1.52	56	1.45	1.09-1.88
197	Soft tissue	36	0.81	81	0.91	3	1.60	49	0.93	213	1.03	382	0.97	0.88-1.07
	-fibrosarcoma ²	-	-	21	0.69	-	-	2	0.40	30	1.03	53	0.82	0.61-1.07
	-liposarcoma ²	-	-	25	1.24	1	1.58	8	0.89	40	1.12	74	1.13	0.89-1.42
200,202	Non-Hodgkin lymphoma	323	1.02	507	0.99	10	0.91	317	1.05	993	1.08	2150	1.04	1.00-1.09
201	Hodgkin lymphoma	55	1.05	85	1.11	1	0.74	61	1.05	142	0.97	344	1.03	0.93-1.14
203	Multiple myeloma	156	0.86	181	1.04	7	1.48	204	0.95	445	1.00	993	0.97	0.91-1.04
204	Leukaemia	394	1.03	321	1.02	9	1.12	314	1.03	743	1.07	1781	1.05	1.00-1.10
	-chronic lymphatic ²	-	-	128	0.97	4	1.50	113	1.03	338	1.05	583	1.03	0.95-1.12
	-acute myeloid ²	119	1.08	104	1.18	3	1.13	118	1.08	198	1.27	542	1.16	1.07-1.27
	Mycosis fungoides ²	14	1.35	12	0.92	[0.48]	0.00	6	0.70	63	1.05	95	1.03	0.83-1.26
199	Other/unknown site	177	1.07	282	1.03	11	1.76	526	1.19	992	1.11	1988	1.12	1.07-1.17
140-204	All sites	13551	1.14	14290	1.04	329	1.02	13842	1.13	29686	1.07	71698	1.09	1.08-1.10
	Not included above													
191	Other skin	-	-	348	0.92	7	0.77	485	0.91	1195	0.93	2035	0.93	0.89-0.97
191.6	-upper limbs ²	-	-	38	1.24	1	1.22	43	0.93	113	0.80	195	0.89	0.78-1.03

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Drivers. Women (N = 15 955). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total			
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI	
140	Lip	1	1.67	[0.77]	0.00	[0.01]	0.00	[0.61]	0.00	3	1.36	4	0.95	0.26-2.44	
141	Tongue	3	3.56		2	1.97	[0.02]	0.00	[0.92]	0.00	2	0.67	7	1.21	0.49-2.49
142	Salivary glands	[0.69]	0.00	1	1.39	[0.01]	0.00	[0.63]	0.00	1	0.34	2	0.40	0.05-1.45	
143-144	Oral cavity	1	0.52	1	1.03	[0.03]	0.00	4	2.72	7	1.76	13	1.55	0.83-2.65	
145-148	Pharynx	3	2.09	[0.64]	0.00	[0.02]	0.00	[0.94]	0.00	4	1.07	7	1.03	0.41-2.13	
145	-oropharynx ²	[0.83]	0.00	[0.28]	0.00	[0.01]	0.00	[0.46]	0.00	[2.07]	0.00	[3.65]	0.00	0.00-1.01	
146	-nasopharynx ²	2	8.68	[0.17]	0.00	[0.01]	0.00	[0.17]	0.00	[0.76]	0.00	2	1.49	0.18-5.40	
150	Oesophagus	5	1.86	1	0.51	[0.03]	0.00	5	3.25	5	1.03	16	1.45	0.83-2.35	
	-adenocarcinoma ²	2	3.04	1	4.64	[0.01]	0.00	[0.28]	0.00	1	1.16	4	1.98	0.54-5.07	
151	Stomach	8	1.01	15	1.45	[0.16]	0.00	8	0.65	32	1.18	63	1.09	0.84-1.39	
151.1	-cardia ²	2	1.52	[0.94]	0.00	[0.01]	0.00	1	0.63	3	1.41	6	1.00	0.37-2.18	
152	Small intestine	2	1.95	1	1.07	[0.03]	0.00	[1.39]	0.00	6	1.21	9	1.08	0.49-2.05	
153	Colon	34	0.91	18	1.14	[0.35]	0.00	34	0.90	74	0.95	160	0.94	0.81-1.10	
154	Rectum, rectosigma	18	1.08	11	1.14	[0.15]	0.00	14	0.85	42	0.97	85	0.99	0.79-1.22	
155.0	Primary liver	5	1.70	1	0.43	[0.02]	0.00	[1.47]	0.00	9	1.17	15	1.04	0.58-1.71	
	-hemangiosarcoma ²	-	-	[0.02]	0.00	[0.00]	0.00	[0.01]	0.00	[0.07]	0.00	[0.10]	0.00	0.00-38.32	
155.1	Gall bladder	3	0.69	2	0.50	[0.03]	0.00	2	0.75	13	1.08	20	0.87	0.53-1.34	
157	Pancreas	11	0.92	8	0.88	[0.13]	0.00	11	1.03	48	1.75	78	1.32	1.04-1.64	
160	Nose	1	1.36	1	2.36	[0.02]	0.00	[0.59]	0.00	4	2.69	6	1.85	0.68-4.02	
	-adenocarcinoma ²	-	-	[0.03]	0.00	-	-	[0.05]	0.00	[0.12]	0.00	[0.20]	0.00	0.00-18.49	
161	Larynx	3	1.73	[0.37]	0.00	[0.02]	0.00	[0.64]	0.00	6	3.48	9	2.00	0.92-3.80	
162,163	Lung	54	1.21	20	1.60	1	1.31	23	1.03	112	1.75	210	1.46	1.27-1.67	
	-adenocarcinoma ²	16	1.14	8	2.24	[0.29]	0.00	9	1.29	43	1.83	76	1.57	1.24-1.97	
	-small cell ²	-	-	4	1.87	[0.12]	0.00	8	1.69	17	1.86	29	1.79	1.20-2.58	
	-squamous cell ²	12	1.44	1	0.51	1	8.75	4	1.14	22	2.07	40	1.63	1.16-2.22	
	-other ²	-	-	7	1.46	[0.23]	0.00	2	0.32	30	1.46	39	1.23	0.87-1.68	
158, 162.2	Mesothelioma ²	2	3.31	1	2.05	[0.00]	0.00	[0.28]	0.00	1	1.02	4	1.70	0.46-4.35	
170	Breast	78	0.77	74	0.69	1	0.43	84	0.88	331	0.84	568	0.81	0.75-0.88	
	-ductal ²	-	-	58	0.74	1	0.55	51	0.78	118	0.84	228	0.80	0.70-0.91	
	-lobular ²	-	-	8	0.57	[0.20]	0.00	8	1.15	29	0.94	45	0.87	0.63-1.16	
171	Cervix uteri	22	1.21	11	2.03	[0.22]	0.00	23	1.58	66	1.55	122	1.51	1.26-1.80	
172	Corpus uteri	17	0.68	15	0.75	2	5.47	13	0.60	52	0.68	99	0.69	0.56-0.84	
173	Choriocarcinoma	[0.02]	0.00	[0.05]	0.00	[0.00]	0.00	[0.04]	0.00	[0.21]	0.00	[0.32]	0.00	0.00-11.43	
175.0	Ovary	18	0.84	16	1.12	[0.29]	0.00	21	1.02	85	1.04	140	1.01	0.86-1.20	
175.1	Fallopian tube	1	1.56	[0.80]	0.00	[0.01]	0.00	1	1.59	1	0.46	3	0.70	0.15-2.06	
176.0	Vulva	2	1.02	1	0.63	[0.03]	0.00	4	1.35	6	0.92	13	1.00	0.53-1.70	
176.1	Vagina	1	1.18	1	2.26	[0.01]	0.00	1	1.69	3	1.50	6	1.54	0.56-3.35	
180	Kidney	6	0.80	5	0.62	[0.19]	0.00	5	0.62	28	1.05	44	0.87	0.63-1.17	
180.1	-renal pelvis ²	4	1.45	[0.37]	0.00	[0.01]	0.00	2	2.28	1	0.39	7	1.06	0.43-2.19	
181	Bladder	23	1.72	2	0.48	1	7.32	10	1.03	28	1.09	64	1.20	0.93-1.54	
190	Melanoma	10	0.90	10	1.13	[0.22]	0.00	13	0.76	38	0.77	71	0.82	0.64-1.03	
190.6	-upper limbs ²	1	0.49	2	1.23	[0.03]	0.00	5	1.85	9	0.95	17	1.07	0.63-1.72	
192	Eye	1	1.02	1	1.18	[0.01]	0.00	2	1.93	4	1.23	8	1.30	0.56-2.57	
	-melanoma ²	1	1.14	1	1.27	[0.01]	0.00	2	2.24	2	0.83	6	1.20	0.44-2.62	
193	Brain	18	1.51	5	0.39	[0.26]	0.00	10	0.86	58	1.29	91	1.12	0.90-1.37	
	-glioma ²	3	3.13	[3.64]	0.00	[0.10]	0.00	3	0.77	17	1.12	23	0.97	0.61-1.45	
	-meningeoma ²	2	0.70	5	0.88	[0.14]	0.00	5	1.11	23	1.19	35	1.08	0.75-1.50	
194	Thyroid	1	0.55	8	1.02	1	3.97	4	0.82	17	1.12	31	1.03	0.70-1.47	
	-follicular ²	-	-	2	2.34	[0.03]	0.00	1	1.49	1	1.20	4	1.67	0.46-4.29	
	-papillary ²	-	-	5	0.80	1	4.95	1	0.31	4	1.00	11	0.81	0.40-1.44	
195.0	Glandula suprarenalis	[0.22]	0.00	2	6.44	[0.01]	0.00	[0.22]	0.00	[0.73]	0.00	2	1.35	0.16-4.87	
195.1	Parathyreoidea	[0.02]	0.00	[0.01]	0.00	-	-	[0.02]	0.00	1	6.42	1	4.85	0.12-27.00	
195.2	Thymus	[0.10]	0.00	[0.12]	0.00	-	-	[0.07]	0.00	[0.29]	0.00	[0.58]	0.00	0.00-6.40	
195.3	Hypophysis	[0.02]	0.00	[0.01]	0.00	[0.03]	0.00	[0.02]	0.00	[0.05]	0.00	[0.13]	0.00	0.00-28.33	
195.4	Corpus pineale	-	-	[0.04]	0.00	-	-	[0.01]	0.00	-	-	[0.05]	0.00	0.00-71.71	
196	Bone	[0.31]	0.00	[0.40]	0.00	[0.02]	0.00	[0.42]	0.00	[1.64]	0.00	[2.78]	0.00	0.00-1.33	
	-chondrosarcoma ²	-	-	[0.19]	0.00	[0.01]	0.00	[0.13]	0.00	[0.77]	0.00	[1.09]	0.00	0.00-3.38	
197	Soft tissue	[1.19]	0.00	3	1.54	[0.03]	0.00	[1.32]	0.00	7	0.90	10	0.81	0.39-1.50	
	-fibrosarcoma ²	-	-	[0.53]	0.00	[0.00]	0.00	[0.08]	0.00	[0.91]	0.00	[1.53]	0.00	0.00-2.42	
	-liposarcoma ²	-	-	2	4.53	[0.01]	0.00	[0.18]	0.00	1	0.84	3	1.64	0.34-4.81	
200,202	Non-Hodgkin lymphoma	8	0.88	11	1.05	[0.15]	0.00	6	0.65	39	1.27	64	1.07	0.82-1.37	
201	Hodgkin lymphoma	[0.95]	0.00	1	0.89	[0.01]	0.00	[0.94]	0.00	[3.95]	0.00	1	0.14	0.00-0.80	
203	Multiple myeloma	5	1.10	3	0.86	[0.07]	0.00	6	1.13	9	0.70	23	0.87	0.55-1.31	
204	Leukaemia	12	1.39	3	0.58	[0.12]	0.00	5	0.75	27	1.33	47	1.15	0.84-1.53	
	-chronic lymphatic ²	-	-	[1.69]	0.00	[0.04]	0.00	2	0.91	9	1.22	11	0.97	0.48-1.74	
	-acute myeloid ²	3	1.01	1	0.55	[0.05]	0.00	3	1.11	6	0.95	13	0.93	0.50-1.60	
	Mycosis fungoides ²	[0.18]	0.00	[0.16]	0.00	[0.00]	0.00	1	6.58	[1.35]	0.00	1	0.54	0.01-3.00	
199	Other/unknown site	4	0.64	4	0.62	[0.16]	0.00	14	1.09	45	1.12	67	1.02	0.79-1.29	
140-204	All sites	374	1.00	262	0.89	6	0.89	325	0.91	1214	1.03	2181	0.98	0.94-1.03	
	Not included above														
	Ovary borderline ²	-	-	4	1.21	1	7.65	7	1.90	15	1.01	27	1.23	0.81-1.79	
191	Other skin	-	-	9	1.36	[0.15]	0.00	11	0.93	33	1.14	53	1.11	0.83-1.45	
191.6	-upper limbs ²	-	-	1	1.86	[0.02]	0.00	1	0.79	3	0.83	5	0.92	0.30-2.15	

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Postal and communication workers. Men (N = 74 562). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	22	0.86	9	0.34	[0.27]	0.00	19	0.73	32	0.61	82	0.63	0.50-0.78
141	Tongue	7	0.69	11	1.21	[0.12]	0.00	12	1.15	25	1.08	55	1.04	0.78-1.35
142	Salivary glands	7	1.28	8	1.52	[0.10]	0.00	10	2.10	17	1.06	42	1.33	0.96-1.79
143-144	Oral cavity	19	0.99	12	1.31	1	7.01	11	0.74	39	1.18	82	1.08	0.86-1.34
145-148	Pharynx	20	0.86	9	0.79	[0.17]	0.00	21	1.20	54	1.09	104	1.02	0.84-1.24
145	-oropharynx ²	3	0.23	4	0.85	[0.05]	0.00	10	1.49	23	1.14	40	0.89	0.64-1.22
146	-nasopharynx ²	4	1.22	3	1.27	[0.05]	0.00	4	1.29	14	1.36	25	1.31	0.85-1.94
150	Oesophagus	28	0.63	32	1.20	1	1.21	27	0.93	73	0.88	161	0.87	0.75-1.02
	-adenocarcinoma ²	11	0.60	10	1.57	[0.30]	0.00	2	0.35	15	0.66	38	0.71	0.50-0.98
151	Stomach	78	0.91	109	0.91	3	1.18	165	0.97	301	0.90	656	0.92	0.85-0.99
151.1	-cardia ²	27	0.95	23	1.09	[0.45]	0.00	25	0.89	29	0.69	104	0.87	0.72-1.05
152	Small intestine	11	1.53	6	0.76	1	4.15	9	1.08	50	1.44	77	1.32	1.04-1.65
153	Colon	189	0.91	130	1.23	4	1.21	257	1.19	498	1.07	1078	1.08	1.02-1.15
154	Rectum, rectosigma	126	0.87	89	1.03	[1.23]	0.00	151	1.14	321	0.99	687	1.00	0.93-1.08
155.0	Primary liver	21	0.67	33	1.07	1	2.41	21	1.27	92	1.08	168	1.02	0.88-1.19
	-hemangiosarcoma ²	-	-	[0.14]	0.00	-	-	[0.02]	0.00	1	2.57	1	1.82	0.05-10.14
155.1	Gall bladder	8	0.51	16	0.98	[0.20]	0.00	7	0.57	39	1.21	70	0.91	0.71-1.15
157	Pancreas	74	0.99	83	1.09	2	1.62	85	1.02	196	1.02	440	1.03	0.94-1.13
160	Nose	4	0.53	2	0.44	[0.12]	0.00	8	1.20	18	1.27	32	0.97	0.66-1.37
	-adenocarcinoma ²	-	-	[0.31]	0.00	[0.01]	0.00	[0.91]	0.00	2	0.84	2	0.55	0.07-2.00
161	Larynx	48	0.96	33	1.12	[0.44]	0.00	26	0.87	65	1.02	172	0.99	0.85-1.15
162,163	Lung	536	1.05	312	0.72	4	0.70	278	0.88	653	1.06	1783	0.95	0.90-0.99
	-adenocarcinoma ²	137	1.23	46	0.77	1	0.63	47	0.81	131	1.11	362	1.04	0.94-1.15
	-small cell ²	-	-	49	0.72	1	0.88	42	0.81	48	0.87	140	0.79	0.67-0.94
	-squamous cell ²	155	0.91	103	0.76	[1.40]	0.00	92	0.95	232	1.04	582	0.93	0.85-1.00
	-other ²	-	-	114	0.67	2	1.36	73	0.99	242	1.11	431	0.93	0.85-1.02
158, 162.2	Mesothelioma ²	9	0.64	8	0.86	[0.11]	0.00	5	0.56	11	0.45	33	0.58	0.40-0.82
170	Breast	2	0.42	1	0.39	[0.14]	0.00	5	1.46	11	1.01	19	0.87	0.52-1.36
177	Prostate	328	1.03	513	1.02	20	1.68	546	0.99	1768	1.02	3175	1.02	0.99-1.06
178	Testis	20	0.98	10	1.23	[0.30]	0.00	25	1.48	32	0.88	87	1.06	0.85-1.31
	-seminoma ²	4	0.48	5	0.90	[0.22]	0.00	20	1.70	24	0.93	53	1.02	0.77-1.34
	-non-seminoma ²	16	1.33	5	2.04	[0.08]	0.00	5	1.32	8	0.77	34	1.18	0.82-1.65
179.0	Penis	11	1.16	3	0.78	[0.16]	0.00	11	1.27	22	0.99	47	1.06	0.78-1.41
180	Kidney	62	0.98	94	1.10	4	2.00	68	0.84	232	0.99	460	0.99	0.90-1.08
180.1	-renal pelvis ²	21	0.85	5	0.96	[0.13]	0.00	7	0.77	23	0.95	56	0.88	0.67-1.15
181	Bladder	296	1.12	112	0.96	2	0.63	208	1.11	488	1.06	1106	1.07	1.01-1.14
190	Melanoma	74	1.19	61	1.01	[0.73]	0.00	96	1.18	272	1.37	503	1.25	1.14-1.36
190.6	-upper limbs ²	15	2.02	7	0.91	[0.10]	0.00	7	0.94	44	1.50	73	1.40	1.10-1.76
192	Eye	3	0.44	6	1.04	[0.09]	0.00	7	1.02	14	0.76	30	0.79	0.53-1.13
	-melanoma ²	3	0.50	6	1.15	[0.08]	0.00	7	1.16	8	0.54	24	0.75	0.48-1.11
193	Brain	71	1.02	55	0.92	2	1.74	55	0.93	192	1.08	375	1.02	0.92-1.13
	-glioma ²	5	0.67	25	0.90	[0.66]	0.00	26	0.85	99	1.10	155	0.99	0.85-1.16
	-meningeoma ²	8	0.91	7	0.57	2	6.73	9	0.95	42	1.13	68	1.00	0.77-1.27
194	Thyroid	8	1.37	11	0.79	[0.68]	0.00	12	1.06	25	0.84	56	0.91	0.69-1.18
	-follicular ²	-	-	1	0.44	[0.12]	0.00	[1.28]	0.00	3	1.97	4	0.77	0.21-1.97
	-papillary ²	-	-	8	0.92	[0.48]	0.00	8	1.37	[4.67]	0.00	16	0.81	0.47-1.32
195.0	Glandula suprarenalis	[1.41]	0.00	2	0.82	[0.03]	0.00	1	0.74	5	1.55	8	0.95	0.41-1.87
195.1	Parathyreoida	[0.07]	0.00	[0.04]	0.00	[0.00]	0.00	[0.04]	0.00	1	4.41	1	2.66	0.07-14.83
195.2	Thymus	1	1.45	1	1.49	[0.02]	0.00	[0.58]	0.00	2	1.46	4	1.20	0.33-3.08
195.3	Hypophysis	[0.22]	0.00	[0.05]	0.00	[0.19]	0.00	[0.11]	0.00	[0.37]	0.00	[0.95]	0.00	0.00-3.90
195.4	Corpus pineale	-	-	[0.12]	0.00	-	-	[0.03]	0.00	-	-	[0.15]	0.00	0.00-23.93
196	Bone	3	1.20	5	1.33	[0.09]	0.00	1	0.29	3	0.30	12	0.61	0.32-1.07
	-chondrosarcoma ²	-	-	2	1.04	[0.08]	0.00	[0.96]	0.00	1	0.23	3	0.41	0.08-1.19
197	Soft tissue	14	1.58	12	0.89	[0.20]	0.00	7	0.69	54	1.18	87	1.11	0.89-1.37
	-fibrosarcoma ²	-	-	3	0.64	-	-	2	2.06	3	0.45	8	0.65	0.28-1.29
	-liposarcoma ²	-	-	5	1.67	[0.06]	0.00	1	0.61	12	1.52	18	1.43	0.85-2.27
200,202	Non-Hodgkin lymphoma	62	0.99	92	1.20	1	0.77	66	1.22	229	1.15	450	1.14	1.04-1.25
201	Hodgkin lymphoma	12	1.15	7	0.60	[0.14]	0.00	9	0.82	36	1.11	64	0.97	0.75-1.24
203	Multiple myeloma	29	0.83	33	1.23	[0.59]	0.00	45	1.05	83	0.84	190	0.93	0.81-1.07
204	Leukaemia	76	1.04	43	0.88	[1.00]	0.00	55	0.91	146	0.95	320	0.95	0.85-1.06
	-chronic lymphatic ²	-	-	21	1.01	[0.36]	0.00	24	1.10	73	1.04	118	1.05	0.87-1.25
	-acute myeloid ²	22	1.05	11	0.81	[0.33]	0.00	14	0.65	30	0.90	77	0.86	0.68-1.07
	Mycosis fungoides ²	3	1.50	1	0.52	[0.05]	0.00	2	1.25	17	1.20	23	1.16	0.74-1.75
199	Other/unknown site	32	0.98	40	0.93	3	3.54	92	1.01	186	0.95	353	0.97	0.87-1.08
140-204	All sites	2237	0.98	2021	0.96	49	1.16	2426	1.02	6302	1.03	13035	1.01	0.99-1.03
Not included above														
191	Other skin	-	-	63	1.03	1	0.75	87	0.84	328	1.12	479	1.05	0.96-1.14
191.6	-upper limbs ²	-	-	7	1.46	[0.12]	0.00	9	0.98	41	1.30	57	1.25	0.95-1.62

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Postal and communication workers. Women (N = 98 124). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	2	1.55	6	0.49	[0.16]	0.00	12	1.74	16	0.99	36	0.98	0.68-1.35
141	Tongue	2	1.14	12	0.96	[0.44]	0.00	6	0.57	22	1.13	42	0.94	0.68-1.27
142	Salivary glands	[1.46]	0.00	10	1.13	1	3.55	5	0.68	23	1.15	39	1.03	0.73-1.41
143-144	Oral cavity	5	1.24	12	0.96	2	2.20	13	0.76	24	0.82	56	0.88	0.66-1.14
145-148	Pharynx	2	0.70	8	1.02	1	2.43	9	0.82	25	1.02	45	0.97	0.71-1.29
145	-oropharynx ²	1	0.61	5	1.76	[0.17]	0.00	5	1.00	14	1.19	25	1.17	0.75-1.72
146	-nasopharynx ²	1	2.16	3	1.42	1	4.11	1	0.49	6	1.08	12	1.15	0.60-2.01
150	Oesophagus	8	1.42	35	1.13	2	1.75	16	0.87	34	0.85	95	0.99	0.80-1.21
	-adenocarcinoma ²	3	2.15	[2.97]	0.00	[0.36]	0.00	1	0.32	4	0.57	8	0.54	0.23-1.06
151	Stomach	12	0.70	130	0.86	3	0.60	133	0.85	227	0.99	505	0.90	0.82-0.98
151.1	-cardia ²	2	0.71	11	0.78	[0.42]	0.00	19	0.98	15	0.90	47	0.88	0.64-1.17
152	Small intestine	2	0.92	11	0.93	2	2.73	13	0.82	48	1.28	76	1.11	0.88-1.39
153	Colon	105	1.30	234	1.05	13	1.16	480	1.07	652	1.03	1484	1.06	1.01-1.12
154	Rectum, rectosigma	28	0.78	147	1.10	6	1.34	185	0.96	335	1.01	701	1.00	0.93-1.08
155.0	Primary liver	8	1.28	40	1.14	2	2.47	17	0.95	68	1.09	135	1.10	0.93-1.30
	-hemangiosarcoma ²	-	-	[0.26]	0.00	[0.04]	0.00	[0.09]	0.00	1	2.27	1	1.21	0.03-6.76
155.1	Gall bladder	11	1.15	69	1.12	[1.07]	0.00	30	0.91	93	0.91	203	0.98	0.85-1.12
157	Pancreas	28	1.09	123	0.91	5	1.23	123	0.96	249	1.12	528	1.03	0.94-1.12
160	Nose	[1.58]	0.00	5	0.86	1	2.00	10	1.43	13	1.17	29	1.11	0.75-1.60
	-adenocarcinoma ²	-	-	[0.38]	0.00	-	-	3	4.62	1	1.08	4	2.05	0.56-5.24
161	Larynx	2	0.57	2	0.39	[0.44]	0.00	7	0.94	10	0.84	21	0.74	0.46-1.13
162,163	Lung	85	0.96	172	1.00	18	0.82	238	0.94	449	1.08	962	1.01	0.95-1.08
	-adenocarcinoma ²	24	0.88	38	0.82	6	0.76	68	0.88	146	1.03	282	0.94	0.84-1.06
	-small cell ²	-	-	37	1.29	4	1.10	40	0.75	71	1.23	152	1.06	0.90-1.24
	-squamous cell ²	16	0.95	25	0.89	3	0.87	49	1.20	82	1.07	175	1.06	0.91-1.22
	-other ²	-	-	72	1.05	5	0.73	70	1.00	150	1.08	297	1.04	0.93-1.17
158, 162.2	Mesothelioma ²	1	0.79	9	1.37	[0.05]	0.00	3	0.94	11	1.52	24	1.31	0.84-1.95
170	Breast	207	1.01	1204	1.05	44	0.84	1170	1.11	2566	1.09	5191	1.08	1.05-1.11
	-ductal ²	-	-	859	1.04	35	0.85	781	1.10	653	1.01	2328	1.05	1.01-1.09
	-lobular ²	-	-	145	1.06	6	1.36	78	1.12	170	1.15	399	1.11	1.01-1.23
171	Cervix uteri	31	0.85	50	0.72	2	0.45	158	0.88	255	0.89	496	0.86	0.79-0.94
172	Corpus uteri	61	1.15	265	1.01	5	0.51	247	1.00	614	1.13	1192	1.07	1.01-1.13
173	Choriocarcinoma	1	28.02	[0.46]	0.00	[0.01]	0.00	[0.51]	0.00	2	2.06	3	1.51	0.31-4.42
175.0	Ovary	50	1.14	192	1.08	4	0.53	231	0.95	552	1.04	1029	1.03	0.97-1.09
175.1	Fallopian tube	2	1.53	11	1.20	[0.20]	0.00	7	1.01	18	1.40	38	1.25	0.88-1.71
176.0	Vulva	5	1.15	19	0.86	[0.72]	0.00	34	0.97	51	1.00	109	0.96	0.80-1.16
176.1	Vagina	1	0.55	6	1.00	[0.19]	0.00	8	1.12	17	1.07	32	1.03	0.70-1.45
180	Kidney	13	0.82	119	1.05	6	1.14	102	1.07	230	1.11	470	1.07	0.98-1.18
180.1	-renal pelvis ²	6	1.02	6	1.06	[0.43]	0.00	13	1.27	28	1.33	53	1.22	0.92-1.60
181	Bladder	33	1.15	64	1.03	6	1.34	134	1.17	202	0.99	439	1.06	0.97-1.17
190	Melanoma	22	0.98	108	1.08	7	1.54	210	1.15	326	1.18	673	1.15	1.06-1.24
190.6	-upper limbs ²	3	0.72	21	1.18	1	1.49	26	0.87	56	1.03	107	1.00	0.83-1.21
192	Eye	2	1.00	14	1.30	[0.17]	0.00	8	0.66	23	1.03	47	0.99	0.73-1.32
	-melanoma ²	1	0.55	12	1.20	[0.14]	0.00	8	0.76	21	1.20	42	1.05	0.76-1.42
193	Brain	18	0.74	139	0.96	7	1.08	117	0.90	285	1.04	566	0.97	0.90-1.06
	-glioma ²	1	0.53	40	1.01	3	1.23	37	0.83	94	1.01	175	0.96	0.83-1.12
	-meningeoma ²	2	0.34	64	1.03	2	0.59	48	0.99	125	1.09	241	1.03	0.90-1.16
194	Thyroid	1	0.26	81	1.03	7	1.34	54	1.00	99	1.05	242	1.03	0.91-1.17
	-follicular ²	-	-	14	1.26	[0.64]	0.00	9	1.22	9	1.98	32	1.35	0.93-1.91
	-papillary ²	-	-	54	0.95	7	1.68	31	0.95	19	1.08	111	1.00	0.83-1.20
195.0	Glandula suprarenalis	[0.45]	0.00	1	0.28	1	8.20	2	0.82	4	0.87	8	0.72	0.31-1.41
195.1	Parathyreoidea	[0.03]	0.00	[0.12]	0.00	-	-	[0.26]	0.00	2	1.70	2	1.26	0.15-4.56
195.2	Thymus	[0.21]	0.00	[1.35]	0.00	-	-	[0.77]	0.00	3	1.57	3	0.71	0.15-2.07
195.3	Hypophysis	[0.05]	0.00	[0.11]	0.00	1	1.61	[0.20]	0.00	2	4.47	3	2.11	0.44-6.17
195.4	Corpus pineale	-	-	[0.37]	0.00	-	-	[0.15]	0.00	-	-	[0.52]	0.00	0.00-7.11
196	Bone	3	4.80	5	1.04	1	2.68	7	1.45	9	0.86	25	1.18	0.77-1.75
	-chondrosarcoma ²	-	-	3	1.33	1	3.91	2	1.45	3	0.65	9	1.06	0.48-2.01
197	Soft tissue	2	0.81	27	1.14	1	1.41	12	0.77	65	1.22	107	1.12	0.92-1.35
	-fibrosarcoma ²	-	-	9	1.24	[0.05]	0.00	[1.09]	0.00	8	1.11	17	1.09	0.63-1.74
	-liposarcoma ²	-	-	7	1.40	[0.15]	0.00	2	0.94	8	1.01	17	1.12	0.65-1.79
200,202	Non-Hodgkin lymphoma	21	1.10	109	0.81	3	0.73	95	0.93	200	0.91	428	0.89	0.81-0.98
201	Hodgkin lymphoma	2	1.03	21	1.62	1	2.64	14	1.19	23	0.85	61	1.13	0.86-1.45
203	Multiple myeloma	7	0.72	62	1.20	1	0.43	71	1.12	100	0.97	241	1.05	0.92-1.19
204	Leukaemia	18	0.98	62	0.86	2	0.62	67	0.84	160	1.08	309	0.96	0.86-1.08
	-chronic lymphatic ²	-	-	19	0.76	2	1.80	9	0.34	60	1.05	90	0.82	0.66-1.01
	-acute myeloid ²	8	1.29	28	1.13	[1.25]	0.00	38	1.17	49	1.09	123	1.13	0.94-1.34
	Mycosis fungoides ²	1	2.59	2	1.06	2	26.22	3	1.80	9	0.73	17	1.04	0.60-1.66
199	Other/unknown site	17	1.27	99	1.06	2	0.46	132	0.84	339	1.09	589	1.02	0.94-1.10
140-204	All sites	792	1.02	3712	1.01	161	0.93	4188	1.01	8455	1.06	17308	1.03	1.02-1.05
Not included above														
	Ovary borderline ²	-	-	43	1.28	1	0.38	50	1.37	89	1.19	183	1.24	1.07-1.44
191	Other skin	-	-	108	1.08	5	1.07	125	0.91	268	1.09	506	1.04	0.95-1.13
191.6	-upper limbs ²	-	-	11	1.39	[0.61]	0.00	19	1.31	27	0.91	57	1.08	0.82-1.40

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Textile workers. Men (N = 55 702). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	12	0.50	15	0.78	[0.50]	0.00	22	0.75	48	0.74	97	0.70	0.57-0.86
141	Tongue	9	1.21	7	1.30	[0.21]	0.00	7	0.68	27	1.18	50	1.08	0.80-1.43
142	Salivary glands	5	1.04	3	0.89	[0.18]	0.00	9	1.78	20	1.16	37	1.21	0.85-1.67
143-144	Oral cavity	15	1.00	5	0.91	1	4.19	14	0.92	33	0.94	68	0.95	0.74-1.21
145-148	Pharynx	16	0.90	6	0.87	[0.27]	0.00	10	0.59	38	0.77	70	0.77	0.60-0.97
145	-oropharynx ²	8	0.82	6	2.30	[0.08]	0.00	3	0.51	13	0.76	30	0.85	0.57-1.21
146	-nasopharynx ²	1	0.36	[1.41]	0.00	[0.07]	0.00	[3.26]	0.00	8	0.74	9	0.49	0.22-0.93
150	Oesophagus	39	1.02	17	0.94	[1.42]	0.00	20	0.63	89	0.95	165	0.90	0.77-1.05
	-adenocarcinoma ²	13	0.86	3	0.76	[0.50]	0.00	4	0.64	19	0.84	39	0.81	0.57-1.10
151	Stomach	98	1.09	74	0.86	5	1.14	193	1.02	406	0.98	776	0.99	0.92-1.06
151.1	-cardia ²	20	0.77	6	0.41	2	2.62	36	1.16	42	0.94	106	0.90	0.75-1.09
152	Small intestine	13	1.91	4	0.80	1	2.52	10	1.13	48	1.28	76	1.30	1.02-1.63
153	Colon	178	0.90	99	1.39	6	1.03	259	1.05	586	1.09	1128	1.07	1.01-1.13
154	Rectum, rectosigma	178	1.28	56	0.95	1	0.46	154	1.04	394	1.07	783	1.10	1.02-1.17
155.0	Primary liver	22	0.75	23	1.07	3	4.17	20	1.06	98	0.98	166	0.97	0.84-1.14
	-hemangiosarcoma ²	-	-	[0.09]	0.00	-	-	[0.03]	0.00	[0.44]	0.00	[0.55]	0.00	0.00-6.69
155.1	Gall bladder	18	1.10	11	0.96	[0.33]	0.00	11	0.79	48	1.21	88	1.08	0.86-1.33
157	Pancreas	72	0.97	52	0.99	3	1.42	117	1.25	197	0.87	441	0.98	0.90-1.08
160	Nose	4	0.59	4	1.37	[0.21]	0.00	9	1.24	21	1.33	38	1.15	0.82-1.58
	-adenocarcinoma ²	-	-	[0.20]	0.00	[0.02]	0.00	[0.94]	0.00	2	0.75	2	0.52	0.06-1.88
161	Larynx	47	1.10	25	1.27	1	1.35	30	0.91	79	1.09	182	1.08	0.94-1.25
162,163	Lung	527	1.07	291	0.95	6	0.62	309	0.87	721	1.02	1854	0.99	0.94-1.04
	-adenocarcinoma ²	112	1.21	39	0.98	2	0.74	62	0.99	129	1.05	344	1.08	0.97-1.20
	-small cell ²	-	-	38	0.81	2	1.05	38	0.65	62	1.10	140	0.85	0.72-1.01
	-squamous cell ²	161	0.94	104	1.08	1	0.41	110	0.97	277	1.02	653	1.00	0.93-1.08
	-other ²	-	-	110	0.88	1	0.39	71	0.85	253	0.97	435	0.93	0.84-1.02
158, 162.2	Mesothelioma ²	9	0.73	3	0.51	[0.20]	0.00	6	0.62	21	0.83	39	0.73	0.52-1.00
170	Breast	2	0.46	2	1.19	1	4.04	5	1.32	10	0.82	20	0.90	0.55-1.39
177	Prostate	284	0.88	381	1.10	11	0.52	637	1.01	1797	0.91	3110	0.94	0.91-0.98
178	Testis	16	1.25	7	1.83	[0.56]	0.00	10	0.82	27	1.23	60	1.17	0.89-1.50
	-seminoma ²	9	1.69	5	1.90	[0.41]	0.00	6	0.70	16	1.01	36	1.10	0.77-1.53
	-non-seminoma ²	7	0.93	2	1.77	[0.15]	0.00	4	1.58	11	1.77	24	1.37	0.87-2.03
179.0	Penis	14	1.61	2	0.84	[0.27]	0.00	7	0.76	19	0.81	42	0.96	0.69-1.29
180	Kidney	62	1.07	62	1.12	4	1.18	104	1.18	243	0.92	475	1.01	0.93-1.11
180.1	-renal pelvis ²	31	1.37	3	0.85	[0.21]	0.00	21	2.01	29	1.05	84	1.30	1.04-1.61
181	Bladder	273	1.11	78	0.96	4	0.73	241	1.11	537	1.02	1133	1.05	0.99-1.12
190	Melanoma	31	0.66	31	0.87	1	0.79	82	1.08	211	1.19	356	1.05	0.95-1.17
190.6	-upper limbs ²	3	0.54	3	0.67	1	6.03	12	1.74	27	1.08	46	1.09	0.80-1.45
192	Eye	6	0.99	1	0.27	[0.15]	0.00	5	0.70	18	0.94	30	0.83	0.56-1.19
	-melanoma ²	6	1.13	1	0.30	[0.13]	0.00	4	0.64	16	1.00	27	0.87	0.57-1.27
193	Brain	57	1.01	40	1.15	1	0.53	63	1.07	162	0.95	323	1.00	0.90-1.12
	-glioma ²	5	0.84	16	1.03	[1.07]	0.00	28	0.97	68	0.81	117	0.86	0.72-1.03
	-meningeoma ²	8	1.12	8	1.09	[0.48]	0.00	9	0.95	50	1.31	75	1.20	0.94-1.50
194	Thyroid	2	0.39	7	0.88	1	0.89	11	0.99	32	1.07	53	0.96	0.72-1.25
	-follicular ²	-	-	[1.47]	0.00	[0.20]	0.00	1	0.74	1	0.89	2	0.48	0.06-1.74
	-papillary ²	-	-	4	0.88	1	1.29	6	1.14	1	0.38	12	0.91	0.47-1.59
195.0	Glandula suprarenalis	3	2.24	3	1.92	[0.04]	0.00	1	0.72	2	0.61	9	1.19	0.54-2.25
195.1	Parathyreoidea	[0.07]	0.00	[0.02]	0.00	[0.01]	0.00	[0.04]	0.00	[0.24]	0.00	[0.38]	0.00	0.00-9.68
195.2	Thymus	[0.64]	0.00	[0.42]	0.00	[0.03]	0.00	[0.55]	0.00	[1.32]	0.00	[2.96]	0.00	0.00-1.25
195.3	Hypophysis	[0.17]	0.00	[0.03]	0.00	[0.32]	0.00	[0.12]	0.00	[0.42]	0.00	[1.07]	0.00	0.00-3.46
195.4	Corpus pineale	-	-	[0.07]	0.00	-	-	[0.01]	0.00	-	-	[0.08]	0.00	0.00-46.07
196	Bone	5	2.34	[2.27]	0.00	1	7.20	5	1.49	9	0.94	20	1.14	0.70-1.77
	-chondrosarcoma ²	-	-	[1.13]	0.00	1	8.05	[0.87]	0.00	5	1.22	6	0.97	0.35-2.10
197	Soft tissue	7	0.91	8	0.95	1	2.82	11	1.03	49	1.03	76	1.02	0.80-1.27
	-fibrosarcoma ²	-	-	2	0.66	-	-	2	1.84	7	0.90	11	0.93	0.46-1.66
	-liposarcoma ²	-	-	1	0.56	1	10.08	3	1.81	8	0.99	13	1.11	0.59-1.91
200,202	Non-Hodgkin lymphoma	45	0.82	48	1.00	2	0.89	60	1.09	212	1.02	367	1.00	0.90-1.11
201	Hodgkin lymphoma	9	1.06	7	1.04	[0.23]	0.00	14	1.30	37	1.09	67	1.11	0.86-1.41
203	Multiple myeloma	27	0.84	20	1.09	[0.99]	0.00	44	0.91	101	0.89	192	0.90	0.78-1.04
204	Leukaemia	72	1.05	33	1.00	2	1.14	58	0.87	162	0.97	327	0.97	0.87-1.08
	-chronic lymphatic ²	-	-	15	1.03	[0.64]	0.00	17	0.69	74	0.97	106	0.91	0.75-1.10
	-acute myeloid ²	22	1.12	12	1.33	1	1.82	23	0.97	34	0.98	92	1.05	0.85-1.29
	Mycosis fungoides ²	4	2.06	1	0.79	[0.07]	0.00	1	0.57	22	1.26	28	1.24	0.83-1.80
199	Other/unknown site	35	1.20	34	1.14	3	2.06	91	0.87	225	1.03	388	1.01	0.92-1.12
140-204	All sites	2184	1.03	1469	1.02	59	0.81	2651	1.00	6749	0.98	13112	1.00	0.98-1.01
	Not included above													
191	Other skin	-	-	37	0.85	5	2.12	99	0.80	345	1.01	486	0.95	0.87-1.04
191.6	-upper limbs ²	-	-	2	0.62	1	4.81	7	0.65	37	1.04	47	0.95	0.70-1.26

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Textile workers. Women (N = 172 508). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	5	0.62	29	1.00	[0.34]	0.00	7	0.61	38	1.11	79	0.95	0.76-1.19
141	Tongue	10	0.90	26	0.93	[0.80]	0.00	14	0.86	46	1.20	96	1.01	0.82-1.24
142	Salivary glands	12	1.30	15	0.75	[0.41]	0.00	9	0.78	31	0.77	67	0.82	0.64-1.05
143-144	Oral cavity	26	1.02	35	1.22	4	2.07	23	0.83	62	1.02	150	1.04	0.88-1.22
145-148	Pharynx	24	1.30	19	1.06	[0.64]	0.00	13	0.78	31	0.65	87	0.86	0.69-1.06
145	-oropharynx ²	15	1.41	7	1.10	[0.30]	0.00	3	0.46	18	1.02	43	1.03	0.75-1.39
146	-nasopharynx ²	2	0.67	4	0.84	[0.34]	0.00	4	1.16	9	0.70	19	0.78	0.47-1.22
150	Oesophagus	29	0.81	83	1.11	3	1.19	35	1.10	90	0.98	240	1.01	0.89-1.15
	-adenocarcinoma ²	7	0.79	11	1.62	1	1.38	5	0.99	12	0.80	36	0.99	0.69-1.37
151	Stomach	113	1.06	363	1.01	15	1.45	317	1.04	617	1.05	1425	1.04	0.99-1.10
151.1	-cardia ²	25	1.41	28	0.83	2	2.43	42	1.20	34	0.94	131	1.06	0.90-1.26
152	Small intestine	8	0.58	34	1.27	[1.23]	0.00	26	1.06	76	0.98	144	1.00	0.85-1.18
153	Colon	516	1.02	548	1.07	15	0.67	872	1.15	1523	1.06	3474	1.08	1.04-1.11
154	Rectum, rectosigma	245	1.09	291	0.95	2	0.24	381	1.19	744	1.04	1663	1.06	1.01-1.11
155.0	Primary liver	51	1.28	85	1.04	1	0.61	27	0.86	150	1.03	314	1.05	0.94-1.17
	-hemangiosarcoma ²	-	-	1	1.75	1	9.10	[0.10]	0.00	3	3.27	5	2.95	0.96-6.88
155.1	Gall bladder	65	1.10	147	1.01	2	0.89	53	0.88	226	0.88	493	0.94	0.86-1.03
157	Pancreas	202	1.25	306	0.98	6	0.73	254	1.10	506	0.97	1274	1.03	0.98-1.09
160	Nose	11	1.12	12	0.90	[0.85]	0.00	9	0.73	27	1.13	59	0.98	0.75-1.27
	-adenocarcinoma ²	-	-	[0.86]	0.00	-	-	2	1.60	1	0.56	3	0.77	0.16-2.25
161	Larynx	19	0.85	7	0.61	[0.63]	0.00	8	0.75	18	0.82	52	0.77	0.58-1.01
162, 163	Lung	759	1.32	361	0.94	31	0.79	397	1.14	791	1.12	2339	1.14	1.09-1.19
	-adenocarcinoma ²	252	1.41	86	0.84	11	0.82	132	1.30	239	1.07	720	1.16	1.08-1.25
	-small cell ²	-	-	54	0.85	5	0.77	88	1.30	91	1.11	238	1.08	0.96-1.23
	-squamous cell ²	133	1.22	59	0.94	5	0.78	60	1.07	166	1.18	423	1.13	1.03-1.24
	-other ²	-	-	162	1.03	9	0.69	98	1.03	295	1.15	564	1.08	0.99-1.17
158, 162.2	Mesothelioma ²	10	1.23	19	1.29	1	9.16	4	0.88	26	1.81	60	1.44	1.10-1.85
170	Breast	1243	0.94	2519	1.01	85	1.01	1538	1.02	3957	0.99	9342	0.99	0.97-1.01
	-ductal ²	-	-	1808	1.02	68	1.04	970	1.03	652	0.94	3498	1.01	0.97-1.04
	-lobular ²	-	-	252	0.86	7	0.98	62	0.77	178	1.09	499	0.92	0.84-1.00
171	Cervix uteri	298	1.26	180	1.16	6	0.87	284	1.08	586	1.10	1354	1.13	1.07-1.19
172	Corpus uteri	314	0.93	585	1.01	16	0.94	339	0.94	1025	1.00	2279	0.98	0.94-1.02
173	Choriocarcinoma	[0.23]	0.00	[0.95]	0.00	[0.02]	0.00	1	1.84	2	1.86	3	1.07	0.22-3.12
175.0	Ovary	270	0.96	435	1.11	12	0.87	453	1.23	1046	1.07	2216	1.09	1.05-1.14
175.1	Fallopian tube	8	0.95	20	1.00	[0.30]	0.00	6	0.71	24	1.20	58	1.01	0.77-1.31
176.0	Vulva	32	1.20	58	1.13	[1.32]	0.00	65	1.04	129	1.08	284	1.09	0.97-1.22
176.1	Vagina	7	0.62	12	0.87	[0.41]	0.00	11	0.93	47	1.35	77	1.07	0.84-1.34
180	Kidney	113	1.12	252	0.99	11	1.12	139	0.88	472	1.04	987	1.01	0.95-1.07
180.1	-renal pelvis ²	57	1.55	18	1.39	[1.03]	0.00	15	0.89	45	0.96	135	1.18	1.00-1.40
181	Bladder	190	1.06	156	1.09	10	1.14	233	1.19	460	1.02	1049	1.07	1.01-1.14
190	Melanoma	130	0.90	197	0.90	4	0.57	215	0.94	417	0.98	963	0.94	0.88-1.00
190.6	-upper limbs ²	25	0.94	32	0.83	1	0.86	45	1.12	89	1.04	192	1.00	0.87-1.15
192	Eye	7	0.55	25	1.05	1	2.97	11	0.60	43	1.01	87	0.89	0.71-1.10
	-melanoma ²	6	0.52	23	1.04	1	4.50	10	0.63	31	0.87	71	0.83	0.65-1.05
193	Brain	161	1.03	316	1.00	12	1.07	176	0.98	500	1.05	1165	1.02	0.96-1.08
	-glioma ²	12	0.96	80	0.95	4	0.99	61	1.01	161	1.00	318	0.99	0.89-1.10
	-meningeoma ²	36	0.96	138	1.02	8	1.43	53	0.87	216	1.10	451	1.04	0.94-1.14
194	Thyroid	22	0.90	171	1.02	9	1.10	69	0.93	173	1.03	444	1.00	0.91-1.10
	-follicular ²	-	-	27	1.10	[1.02]	0.00	16	1.48	9	1.49	52	1.22	0.91-1.60
	-papillary ²	-	-	127	1.06	8	1.22	33	0.86	17	1.00	185	1.02	0.88-1.18
195.0	Glandula suprarenalis	2	0.70	9	1.13	[0.20]	0.00	4	1.26	14	1.73	29	1.30	0.87-1.87
195.1	Parathyreoidea	[0.23]	0.00	1	4.07	-	-	[0.36]	0.00	[2.17]	0.00	1	0.33	0.01-1.86
195.2	Thymus	[1.28]	0.00	3	1.01	-	-	[1.05]	0.00	3	0.96	6	0.71	0.26-1.55
195.3	Hypophysis	[0.33]	0.00	[0.25]	0.00	1	0.99	[0.30]	0.00	3	2.68	4	1.33	0.36-3.41
195.4	Corpus pineale	-	-	1	1.23	-	-	[0.18]	0.00	-	-	1	1.01	0.03-5.61
196	Bone	8	1.95	10	0.93	[0.59]	0.00	10	1.44	21	1.07	49	1.16	0.86-1.54
	-chondrosarcoma ²	-	-	7	1.42	[0.36]	0.00	[1.94]	0.00	9	1.09	16	1.03	0.59-1.68
197	Soft tissue	12	0.77	57	1.08	2	1.74	27	1.07	120	1.14	218	1.09	0.96-1.25
	-fibrosarcoma ²	-	-	18	1.10	[0.10]	0.00	5	2.47	19	1.16	42	1.20	0.87-1.63
	-liposarcoma ²	-	-	8	0.73	[0.28]	0.00	1	0.32	18	1.18	27	0.91	0.60-1.32
200, 202	Non-Hodgkin lymphoma	114	0.94	284	0.94	8	1.05	147	1.01	428	0.97	981	0.96	0.91-1.03
201	Hodgkin lymphoma	11	0.88	31	1.08	[0.76]	0.00	16	0.81	45	0.79	103	0.87	0.72-1.05
203	Multiple myeloma	63	1.03	103	0.87	6	1.42	134	1.19	226	0.96	532	1.00	0.92-1.09
204	Leukaemia	120	1.03	146	0.89	8	1.21	114	0.83	273	0.90	661	0.91	0.84-0.98
	-chronic lymphatic ²	-	-	48	0.82	3	1.27	47	1.03	103	0.85	201	0.88	0.77-1.01
	-acute myeloid ²	29	0.73	53	0.95	2	0.80	40	0.74	74	0.86	198	0.83	0.72-0.96
	Mycosis fungoides ²	2	0.81	6	1.44	[0.12]	0.00	2	0.79	35	1.07	45	1.07	0.78-1.43
199	Other/unknown site	102	1.22	204	0.93	8	0.92	272	0.93	650	0.99	1236	0.98	0.92-1.03
140-204	All sites	5233	1.06	8236	1.01	284	0.93	6727	1.05	15701	1.02	36181	1.03	1.01-1.04
Not included above														
	Ovary borderline ²	-	-	84	1.18	4	1.01	39	0.98	97	0.99	224	1.05	0.92-1.20
191	Other skin	-	-	239	1.00	7	0.78	209	0.87	567	0.98	1022	0.96	0.90-1.02
191.6	-upper limbs ²	-	-	16	0.87	3	2.60	18	0.74	76	1.16	113	1.04	0.86-1.25

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Shoe and leather workers. Men (N = 20 893). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	2	0.34	3	0.35	[0.11]	0.00	10	0.76	17	0.62	32	0.58	0.39-0.82
141	Tongue	2	1.16	1	0.43	[0.04]	0.00	7	1.66	11	1.28	21	1.24	0.77-1.90
142	Salivary glands	2	1.68	[1.47]	0.00	[0.04]	0.00	[2.12]	0.00	6	0.89	8	0.69	0.30-1.36
143-144	Oral cavity	4	1.12	2	0.85	[0.05]	0.00	7	1.10	18	1.32	31	1.19	0.81-1.70
145-148	Pharynx	2	0.48	4	1.34	[0.05]	0.00	6	0.85	29	1.53	41	1.23	0.89-1.67
145	-oropharynx ²	2	0.89	[1.12]	0.00	[0.02]	0.00	1	0.43	9	1.51	12	1.03	0.53-1.80
146	-nasopharynx ²	[0.66]	0.00	[0.61]	0.00	[0.02]	0.00	2	1.42	7	1.61	9	1.27	0.58-2.42
150	Oesophagus	8	0.86	7	0.88	[0.31]	0.00	14	1.02	55	1.48	84	1.23	0.98-1.52
	-adenocarcinoma ²	2	0.55	1	0.60	[0.11]	0.00	5	2.10	8	0.98	16	1.00	0.57-1.63
151	Stomach	25	1.09	33	0.84	1	1.03	104	1.19	186	1.03	349	1.05	0.95-1.17
151.1	-cardia ²	6	0.93	4	0.61	[0.16]	0.00	12	0.89	23	1.36	45	1.03	0.75-1.38
152	Small intestine	4	2.35	1	0.46	[0.08]	0.00	2	0.55	20	1.38	27	1.22	0.81-1.78
153	Colon	54	1.10	26	0.84	[1.25]	0.00	120	1.17	257	1.19	457	1.14	1.04-1.25
154	Rectum, rectosigma	39	1.13	25	0.97	2	4.27	74	1.19	159	1.09	299	1.11	0.99-1.24
155.0	Primary liver	6	0.82	11	1.17	[0.16]	0.00	6	0.74	49	1.18	72	1.08	0.85-1.36
	-hemangiosarcoma ²	-	-	[0.04]	0.00	-	-	[0.01]	0.00	[0.18]	0.00	[0.22]	0.00	0.00-16.70
155.1	Gall bladder	6	1.44	3	0.59	[0.07]	0.00	8	1.33	21	1.22	38	1.17	0.82-1.60
157	Pancreas	18	0.97	18	0.78	2	4.31	50	1.21	89	0.94	177	1.00	0.86-1.15
160	Nose	6	3.62	2	1.56	[0.04]	0.00	3	0.94	6	0.93	17	1.35	0.79-2.16
	-adenocarcinoma ²	-	-	1	12.23	[0.00]	0.00	[0.41]	0.00	2	1.92	3	1.95	0.40-5.71
161	Larynx	11	1.06	15	1.71	[0.15]	0.00	18	1.30	43	1.49	87	1.40	1.12-1.73
162,163	Lung	133	1.08	148	1.07	5	2.34	159	1.07	297	1.04	742	1.06	0.99-1.14
	-adenocarcinoma ²	25	1.12	17	0.99	1	1.72	27	1.10	40	0.89	110	1.01	0.83-1.21
	-small cell ²	-	-	18	0.87	1	2.39	24	1.01	20	1.06	63	0.99	0.76-1.26
	-squamous cell ²	52	1.20	55	1.27	1	1.86	53	1.11	122	1.09	283	1.15	1.02-1.29
	-other ²	-	-	58	1.02	2	3.58	39	1.15	115	1.05	214	1.07	0.93-1.22
158, 162.2	Mesothelioma ²	2	0.67	1	0.40	[0.04]	0.00	3	0.80	4	0.44	10	0.54	0.26-1.00
170	Breast	1	0.92	[0.72]	0.00	[0.05]	0.00	1	0.63	5	1.02	7	0.84	0.34-1.73
177	Prostate	70	0.86	139	0.93	2	0.43	256	0.95	812	1.05	1279	1.00	0.95-1.06
178	Testis	2	0.72	1	0.62	[0.10]	0.00	5	1.12	12	1.72	20	1.25	0.77-1.94
	-seminoma ²	2	1.74	1	0.90	[0.07]	0.00	4	1.29	10	2.01	17	1.63	0.95-2.61
	-non-seminoma ²	[1.63]	0.00	[0.48]	0.00	[0.03]	0.00	[0.91]	0.00	2	1.00	2	0.40	0.05-1.43
179.0	Penis	2	0.94	3	2.89	[0.06]	0.00	3	0.75	7	0.76	15	0.91	0.51-1.51
180	Kidney	15	1.05	22	0.93	1	1.39	46	1.24	102	0.97	186	1.03	0.89-1.19
180.1	-renal pelvis ²	2	0.36	3	1.93	[0.04]	0.00	8	1.86	12	1.09	25	1.11	0.72-1.64
181	Bladder	76	1.24	23	0.64	1	0.84	94	1.04	234	1.13	428	1.08	0.98-1.19
190	Melanoma	7	0.63	15	0.99	[0.25]	0.00	31	1.08	62	1.01	115	0.99	0.82-1.19
190.6	-upper limbs ²	3	2.29	2	1.04	[0.03]	0.00	4	1.53	7	0.85	16	1.13	0.65-1.84
192	Eye	1	0.68	[1.61]	0.00	[0.03]	0.00	5	1.66	11	1.48	17	1.25	0.73-2.01
	-melanoma ²	1	0.77	[1.44]	0.00	[0.03]	0.00	5	1.89	10	1.57	16	1.36	0.78-2.20
193	Brain	13	0.96	22	1.48	1	2.55	22	0.93	54	0.85	112	0.96	0.80-1.16
	-glioma ²	1	0.70	14	2.15	1	4.57	11	0.95	25	0.81	52	1.03	0.77-1.35
	-meningeoma ²	1	0.58	1	0.32	[0.10]	0.00	4	1.08	16	1.08	22	0.94	0.59-1.42
194	Thyroid	1	0.79	6	1.75	[0.23]	0.00	4	0.86	11	0.94	22	1.03	0.65-1.56
	-follicular ²	-	-	1	1.54	[0.05]	0.00	1	1.79	1	2.95	3	1.88	0.39-5.50
	-papillary ²	-	-	4	2.09	[0.16]	0.00	2	0.97	[0.75]	0.00	6	1.23	0.45-2.68
195.0	Glandula suprarenalis	[0.33]	0.00	[0.69]	0.00	[0.01]	0.00	[0.56]	0.00	1	0.80	1	0.35	0.01-1.95
195.1	Parathyreoidea	[0.02]	0.00	1	103.80	[0.00]	0.00	[0.01]	0.00	[0.10]	0.00	1	7.12	0.18-39.67
195.2	Thymus	[0.16]	0.00	[0.17]	0.00	[0.01]	0.00	[0.20]	0.00	2	4.23	2	1.97	0.24-7.13
195.3	Hypophysis	1	24.09	[0.01]	0.00	[0.07]	0.00	[0.05]	0.00	1	6.06	2	5.92	0.72-21.39
195.4	Corpus pineale	-	-	[0.03]	0.00	-	-	[0.00]	0.00	-	-	[0.03]	0.00	0.00-115.69
196	Bone	[0.51]	0.00	[0.99]	0.00	[0.03]	0.00	[1.41]	0.00	5	1.38	5	0.76	0.25-1.78
	-chondrosarcoma ²	-	-	[0.49]	0.00	[0.03]	0.00	[0.38]	0.00	2	1.34	2	0.84	0.10-3.02
197	Soft tissue	[1.88]	0.00	1	0.27	[0.07]	0.00	3	0.65	21	1.14	25	0.87	0.57-1.29
	-fibrosarcoma ²	-	-	[1.30]	0.00	-	-	1	1.98	4	1.23	5	0.99	0.32-2.30
	-liposarcoma ²	-	-	[0.76]	0.00	[0.02]	0.00	1	1.50	4	1.27	5	1.09	0.35-2.54
200,202	Non-Hodgkin lymphoma	9	0.67	21	1.02	[0.47]	0.00	17	0.80	74	0.94	121	0.90	0.75-1.08
201	Hodgkin lymphoma	1	0.49	4	1.36	[0.05]	0.00	6	1.28	14	1.02	25	1.07	0.69-1.58
203	Multiple myeloma	5	0.63	8	0.99	[0.22]	0.00	16	0.77	51	1.12	80	0.97	0.77-1.21
204	Leukaemia	13	0.76	9	0.62	[0.37]	0.00	27	0.94	68	1.04	117	0.93	0.78-1.11
	-chronic lymphatic ²	-	-	5	0.77	[0.14]	0.00	4	0.38	28	0.95	37	0.80	0.56-1.10
	-acute myeloid ²	2	0.41	1	0.25	[0.11]	0.00	10	0.99	15	1.17	28	0.88	0.58-1.27
	Mycosis fungoides ²	2	4.16	[0.55]	0.00	[0.01]	0.00	[0.73]	0.00	9	1.14	11	1.14	0.57-2.04
199	Other/unknown site	8	1.11	12	0.92	[0.32]	0.00	57	1.24	77	0.90	154	1.01	0.87-1.19
140-204	All sites	528	1.00	592	0.94	15	0.95	1184	1.05	2900	1.07	5219	1.04	1.01-1.07
Not included above														
191	Other skin	-	-	16	0.83	[0.52]	0.00	43	0.85	140	1.03	199	0.97	0.84-1.11
191.6	-upper limbs ²	-	-	1	0.71	[0.04]	0.00	4	0.90	11	0.80	16	0.82	0.47-1.32

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Shoe and leather workers. Women (N = 15 519). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.58]	0.00	3	0.85	[0.02]	0.00	[0.80]	0.00	[2.58]	0.00	3	0.40	0.08-1.17
141	Tongue	1	1.21	2	0.58	[0.04]	0.00	2	1.74	[2.88]	0.00	5	0.60	0.19-1.40
142	Salivary glands	[0.68]	0.00	2	0.82	[0.02]	0.00	1	1.21	3	0.97	6	0.85	0.31-1.85
143-144	Oral cavity	1	0.53	[3.48]	0.00	[0.10]	0.00	[1.96]	0.00	3	0.65	4	0.33	0.09-0.85
145-148	Pharynx	3	2.15	6	2.75	[0.04]	0.00	[1.20]	0.00	2	0.55	11	1.31	0.65-2.34
145	-oropharynx ²	3	3.72	1	1.28	[0.02]	0.00	[0.48]	0.00	[1.38]	0.00	4	1.16	0.32-2.96
146	-nasopharynx ²	[0.23]	0.00	1	1.72	[0.02]	0.00	[0.24]	0.00	1	1.05	2	0.99	0.12-3.57
150	Oesophagus	4	1.52	8	0.90	[0.13]	0.00	2	0.90	10	1.45	24	1.16	0.74-1.72
	-adenocarcinoma ²	1	1.54	1	1.20	[0.04]	0.00	[0.36]	0.00	2	1.75	4	1.32	0.36-3.39
151	Stomach	11	1.41	39	0.90	3	5.55	28	1.34	49	1.13	130	1.12	0.94-1.33
151.1	-cardia ²	2	1.54	4	0.99	[0.04]	0.00	3	1.23	2	0.73	11	1.04	0.52-1.86
152	Small intestine	1	0.99	2	0.60	[0.06]	0.00	2	1.13	7	1.18	12	0.99	0.51-1.74
153	Colon	29	0.79	61	0.98	[1.17]	0.00	44	0.82	112	1.03	246	0.94	0.83-1.06
154	Rectum, rectosigma	19	1.16	28	0.74	[0.43]	0.00	31	1.36	63	1.16	141	1.07	0.91-1.26
155.0	Primary liver	1	0.34	11	1.11	[0.08]	0.00	3	1.35	16	1.46	31	1.19	0.81-1.69
	-hemangiosarcoma ²	-	-	[0.07]	0.00	[0.01]	0.00	[0.01]	0.00	[0.07]	0.00	[0.15]	0.00	0.00-24.05
155.1	Gall bladder	2	0.46	14	0.79	[0.12]	0.00	4	0.96	20	1.05	40	0.88	0.63-1.20
157	Pancreas	14	1.18	29	0.76	1	2.42	29	1.79	45	1.16	118	1.12	0.93-1.34
160	Nose	1	1.38	2	1.22	[0.05]	0.00	1	1.16	[1.80]	0.00	4	0.79	0.21-2.02
	-adenocarcinoma ²	-	-	[0.11]	0.00	-	-	[0.09]	0.00	[0.14]	0.00	[0.33]	0.00	0.00-11.12
161	Larynx	1	0.59	3	2.07	[0.03]	0.00	[0.78]	0.00	4	2.33	8	1.41	0.61-2.78
162,163	Lung	53	1.22	43	0.89	1	0.49	25	0.98	69	1.25	191	1.09	0.95-1.26
	-adenocarcinoma ²	19	1.39	12	0.94	1	1.44	4	0.54	26	1.48	62	1.19	0.91-1.52
	-small cell ²	-	-	10	1.25	[0.33]	0.00	10	1.96	11	1.66	31	1.55	1.05-2.20
	-squamous cell ²	11	1.34	4	0.51	[0.33]	0.00	3	0.72	13	1.17	31	0.98	0.66-1.39
	-other ²	-	-	17	0.88	[0.68]	0.00	7	0.99	19	0.95	43	0.91	0.66-1.23
158, 162.2	Mesothelioma ²	2	3.36	2	1.08	[0.00]	0.00	[0.33]	0.00	[1.11]	0.00	4	1.03	0.28-2.63
170	Breast	103	1.04	334	1.08	9	1.92	88	0.81	307	0.99	841	1.01	0.94-1.08
	-ductal ²	-	-	239	1.08	8	2.20	51	0.74	44	0.81	342	0.98	0.88-1.09
	-lobular ²	-	-	30	0.82	1	2.46	4	0.68	15	1.16	50	0.90	0.67-1.18
171	Cervix uteri	24	1.35	18	0.95	[0.41]	0.00	26	1.32	64	1.51	132	1.33	1.12-1.58
172	Corpus uteri	28	1.12	80	1.09	[0.89]	0.00	25	0.94	91	1.13	224	1.09	0.95-1.24
173	Choriocarcinoma	[0.02]	0.00	[0.12]	0.00	[0.00]	0.00	[0.04]	0.00	[0.09]	0.00	[0.27]	0.00	0.00-13.71
175.0	Ovary	24	1.14	41	0.84	[0.72]	0.00	29	1.08	96	1.26	190	1.09	0.95-1.26
175.1	Fallopian tube	[0.63]	0.00	4	1.58	[0.02]	0.00	1	1.57	2	1.25	7	1.29	0.52-2.66
176.0	Vulva	1	0.52	6	0.97	[0.08]	0.00	6	1.36	11	1.23	24	1.11	0.71-1.66
176.1	Vagina	[0.84]	0.00	[1.68]	0.00	[0.02]	0.00	[0.85]	0.00	6	2.27	6	1.00	0.37-2.17
180	Kidney	1	0.13	27	0.85	2	3.90	11	0.97	42	1.20	83	0.97	0.77-1.20
180.1	-renal pelvis ²	5	1.84	[1.60]	0.00	[0.05]	0.00	2	1.64	8	2.24	15	1.64	0.92-2.70
181	Bladder	13	0.99	17	0.97	1	2.24	16	1.15	46	1.34	93	1.17	0.95-1.44
190	Melanoma	10	0.92	22	0.81	1	2.50	12	0.71	27	0.81	72	0.81	0.64-1.02
190.6	-upper limbs ²	1	0.50	7	1.45	[0.07]	0.00	3	1.01	2	0.30	13	0.79	0.42-1.34
192	Eye	[0.95]	0.00	1	0.33	[0.02]	0.00	1	0.75	2	0.61	4	0.47	0.13-1.19
	-melanoma ²	[0.86]	0.00	1	0.36	[0.01]	0.00	1	0.86	1	0.36	3	0.40	0.08-1.16
193	Brain	14	1.19	34	0.86	1	1.61	7	0.53	35	0.94	91	0.89	0.72-1.09
	-glioma ²	2	2.12	8	0.75	[0.23]	0.00	2	0.44	13	1.03	25	0.86	0.56-1.28
	-meningeoma ²	2	0.71	18	1.07	1	3.26	2	0.44	15	0.99	38	0.96	0.68-1.32
194	Thyroid	2	1.12	21	1.01	[0.47]	0.00	5	0.93	14	1.07	42	1.01	0.73-1.37
	-follicular ²	-	-	2	0.65	[0.06]	0.00	[0.78]	0.00	[0.48]	0.00	2	0.45	0.06-1.64
	-papillary ²	-	-	16	1.08	[0.37]	0.00	5	1.78	[1.33]	0.00	21	1.09	0.67-1.67
195.0	Glandula suprarenalis	2	9.23	2	2.05	[0.01]	0.00	[0.24]	0.00	3	4.75	7	3.38	1.36-6.96
195.1	Parathyreoidea	[0.02]	0.00	[0.03]	0.00	-	-	[0.03]	0.00	[0.17]	0.00	[0.25]	0.00	0.00-14.88
195.2	Thymus	[0.10]	0.00	1	2.72	-	-	[0.08]	0.00	[0.25]	0.00	1	1.26	0.03-7.03
195.3	Hypophysis	[0.02]	0.00	[0.03]	0.00	[0.06]	0.00	[0.02]	0.00	[0.09]	0.00	[0.22]	0.00	0.00-16.75
195.4	Corpus pineale	-	-	[0.10]	0.00	-	-	[0.01]	0.00	-	-	[0.11]	0.00	0.00-32.28
196	Bone	[0.31]	0.00	[1.32]	0.00	[0.03]	0.00	[0.50]	0.00	1	0.66	1	0.27	0.01-1.52
	-chondrosarcoma ²	-	-	[0.61]	0.00	[0.02]	0.00	[0.14]	0.00	1	1.57	1	0.71	0.02-3.95
197	Soft tissue	[1.17]	0.00	5	0.77	1	15.67	2	1.11	11	1.36	19	1.08	0.65-1.68
	-fibrosarcoma ²	-	-	3	1.47	[0.00]	0.00	[0.14]	0.00	[1.24]	0.00	3	0.87	0.18-2.56
	-liposarcoma ²	-	-	1	0.74	[0.02]	0.00	[0.23]	0.00	3	2.57	4	1.44	0.39-3.70
200,202	Non-Hodgkin lymphoma	9	1.01	27	0.73	1	2.45	8	0.75	39	1.15	84	0.92	0.73-1.14
201	Hodgkin lymphoma	[0.93]	0.00	2	0.57	[0.04]	0.00	3	2.12	6	1.40	11	1.08	0.54-1.93
203	Multiple myeloma	8	1.79	16	1.10	[0.21]	0.00	5	0.63	15	0.84	44	0.98	0.71-1.31
204	Leukaemia	8	0.94	20	0.99	[0.38]	0.00	13	1.34	17	0.73	58	0.94	0.71-1.21
	-chronic lymphatic ²	-	-	9	1.27	[0.13]	0.00	2	0.62	2	0.21	13	0.66	0.35-1.12
	-acute myeloid ²	3	1.02	6	0.87	[0.15]	0.00	5	1.30	6	0.90	20	0.98	0.60-1.51
	Mycosis fungoides ²	1	5.46	[0.51]	0.00	[0.01]	0.00	1	5.41	2	0.81	4	1.19	0.32-3.05
199	Other/unknown site	3	0.49	31	1.17	[0.49]	0.00	18	0.88	56	1.12	108	1.04	0.86-1.26
140-204	All sites	379	1.03	972	0.96	21	1.28	450	0.97	1296	1.09	3118	1.02	0.99-1.06
Not included above														
	Ovary borderline ²	-	-	10	1.13	[0.23]	0.00	4	1.37	9	1.16	23	1.16	0.74-1.74
191	Other skin	-	-	29	1.02	1	2.09	15	0.88	38	0.88	83	0.93	0.74-1.15
191.6	-upper limbs ²	-	-	1	0.45	[0.06]	0.00	1	0.58	2	0.40	4	0.45	0.12-1.14

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Smelters and metal foundry workers. Men (N = 104 386). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	44	0.87	29	1.02	1	1.54	40	1.03	81	0.81	195	0.89	0.78-1.03
141	Tongue	19	0.98	5	0.58	[0.30]	0.00	13	0.87	41	1.08	78	0.96	0.76-1.20
142	Salivary glands	9	0.82	4	0.77	[0.25]	0.00	3	0.43	20	0.72	36	0.71	0.49-0.98
143-144	Oral cavity	42	1.12	4	0.46	1	2.51	19	0.88	46	0.81	112	0.90	0.74-1.08
145-148	Pharynx	60	1.31	7	0.64	[0.44]	0.00	30	1.20	65	0.80	162	0.99	0.85-1.15
145	-oropharynx ²	37	1.44	3	0.70	[0.13]	0.00	6	0.65	21	0.71	67	0.97	0.75-1.23
146	-nasopharynx ²	6	0.89	[2.27]	0.00	[0.12]	0.00	1	0.22	21	1.19	28	0.89	0.59-1.29
150	Oesophagus	116	1.30	26	0.95	[1.89]	0.00	48	1.12	136	0.92	326	1.06	0.95-1.18
	-adenocarcinoma ²	53	1.50	9	1.46	[0.71]	0.00	8	0.94	34	0.93	104	1.19	0.98-1.44
151	Stomach	217	1.14	152	1.18	8	1.37	250	1.01	694	1.10	1321	1.10	1.04-1.16
151.1	-cardia ²	67	1.13	32	1.46	[1.06]	0.00	39	0.95	59	0.82	197	1.01	0.88-1.16
152	Small intestine	9	0.60	8	1.04	1	1.68	20	1.63	44	0.73	82	0.86	0.68-1.07
153	Colon	440	1.04	123	1.15	6	0.75	351	1.09	809	0.97	1729	1.02	0.97-1.07
154	Rectum, rectosigma	309	1.03	86	0.97	2	0.67	213	1.08	575	1.00	1185	1.02	0.96-1.08
155.0	Primary liver	70	1.07	21	0.66	2	2.14	25	1.01	159	1.03	277	1.00	0.89-1.12
	-hemangiosarcoma ²	-	-	[0.13]	0.00	-	-	[0.04]	0.00	2	2.87	2	2.30	0.28-8.32
155.1	Gall bladder	42	1.21	23	1.35	[0.46]	0.00	24	1.33	58	0.96	147	1.12	0.96-1.32
157	Pancreas	160	0.99	73	0.93	1	0.34	128	1.04	388	1.10	750	1.04	0.97-1.12
160	Nose	15	1.00	3	0.66	[0.28]	0.00	22	2.24	26	1.03	66	1.20	0.93-1.53
	-adenocarcinoma ²	-	-	[0.31]	0.00	[0.03]	0.00	1	0.76	4	0.94	5	0.85	0.27-1.97
161	Larynx	130	1.32	40	1.32	1	0.90	60	1.33	143	1.24	374	1.29	1.17-1.43
162,163	Lung	1488	1.38	586	1.28	16	1.18	715	1.50	1422	1.27	4227	1.34	1.30-1.38
	-adenocarcinoma ²	296	1.34	85	1.40	5	1.31	120	1.37	256	1.28	762	1.33	1.24-1.43
	-small cell ²	-	-	97	1.36	2	0.74	128	1.60	134	1.45	361	1.46	1.32-1.62
	-squamous cell ²	495	1.35	187	1.29	4	1.23	215	1.43	536	1.27	1437	1.32	1.26-1.39
	-other ²	-	-	217	1.19	4	1.16	171	1.54	496	1.22	888	1.26	1.18-1.35
158, 162.2	Mesothelioma ²	101	3.53	6	0.65	1	3.29	22	1.66	46	1.12	176	1.90	1.64-2.20
170	Breast	11	1.16	1	0.39	2	5.74	4	0.79	16	0.84	34	0.93	0.64-1.30
177	Prostate	657	1.00	459	0.90	19	0.67	859	1.06	2802	0.91	4796	0.95	0.92-0.97
178	Testis	31	0.80	2	0.30	1	1.07	19	0.87	37	0.87	90	0.81	0.65-1.00
	-seminoma ²	14	0.86	1	0.22	1	1.48	14	0.92	28	0.92	58	0.86	0.66-1.12
	-non-seminoma ²	17	0.75	1	0.51	[0.26]	0.00	4	0.84	9	0.74	31	0.74	0.50-1.05
179.0	Penis	21	1.10	3	0.80	[0.38]	0.00	11	0.89	42	1.12	77	1.05	0.83-1.32
180	Kidney	166	1.28	66	0.77	2	0.41	138	1.15	442	1.05	814	1.07	1.00-1.15
180.1	-renal pelvis ²	63	1.28	5	0.94	[0.29]	0.00	16	1.15	45	1.03	129	1.15	0.96-1.36
181	Bladder	658	1.25	142	1.17	6	0.79	316	1.12	807	0.98	1929	1.10	1.05-1.15
190	Melanoma	90	0.77	44	0.77	2	1.03	100	0.87	220	0.73	456	0.77	0.70-0.84
190.6	-upper limbs ²	8	0.57	2	0.28	[0.26]	0.00	11	1.05	34	0.78	55	0.73	0.55-0.95
192	Eye	17	1.22	3	0.53	[0.20]	0.00	9	0.90	19	0.61	48	0.79	0.58-1.05
	-melanoma ²	16	1.31	3	0.59	[0.17]	0.00	8	0.90	13	0.50	40	0.77	0.55-1.04
193	Brain	125	0.91	53	0.95	3	1.05	82	0.95	275	0.96	538	0.95	0.87-1.03
	-glioma ²	15	0.98	25	0.99	3	1.79	50	1.13	126	0.88	219	0.95	0.83-1.09
	-meningeoma ²	19	1.11	9	0.77	[0.70]	0.00	10	0.72	70	1.12	108	1.02	0.85-1.24
194	Thyroid	10	0.84	13	1.01	[1.66]	0.00	20	1.24	43	0.87	86	0.94	0.75-1.16
	-follicular ²	-	-	2	0.87	[0.26]	0.00	5	2.60	[1.97]	0.00	7	1.09	0.44-2.24
	-papillary ²	-	-	6	0.79	[1.20]	0.00	7	0.86	8	1.57	21	0.96	0.59-1.46
195.0	Glandula suprarenalis	4	1.29	5	2.06	1	14.13	6	2.98	8	1.48	24	1.85	1.18-2.75
195.1	Parathyreioeda	[0.14]	0.00	[0.03]	0.00	1	75.76	[0.06]	0.00	[0.39]	0.00	1	1.57	0.04-8.75
195.2	Thymus	[1.42]	0.00	1	1.55	[0.05]	0.00	1	1.21	1	0.45	3	0.58	0.12-1.69
195.3	Hypophysis	[0.42]	0.00	[0.05]	0.00	4	8.23	[0.16]	0.00	[0.68]	0.00	4	2.22	0.60-5.68
195.4	Corpus pineale	-	-	[0.11]	0.00	-	-	[0.03]	0.00	-	-	[0.15]	0.00	0.00-25.29
196	Bone	6	1.17	4	1.10	[0.23]	0.00	6	1.23	13	0.81	29	0.97	0.65-1.39
	-chondrosarcoma ²	-	-	1	0.54	[0.21]	0.00	2	1.52	6	0.86	9	0.87	0.40-1.66
197	Soft tissue	16	0.91	9	0.69	[0.56]	0.00	17	1.14	91	1.19	133	1.08	0.91-1.29
	-fibrosarcoma ²	-	-	3	0.65	-	-	[1.48]	0.00	8	0.65	11	0.60	0.30-1.07
	-liposarcoma ²	-	-	3	1.06	[0.17]	0.00	[2.40]	0.00	16	1.21	19	1.02	0.61-1.59
200,202	Non-Hodgkin lymphoma	123	0.98	79	1.06	3	0.90	68	0.87	300	0.89	573	0.93	0.86-1.01
201	Hodgkin lymphoma	21	0.99	13	1.19	1	2.69	20	1.27	51	0.92	106	1.02	0.84-1.24
203	Multiple myeloma	99	1.38	29	1.05	[1.44]	0.00	64	1.01	150	0.84	342	1.00	0.90-1.11
204	Leukaemia	147	0.98	50	1.01	2	0.82	83	0.94	256	0.97	538	0.97	0.89-1.05
	-chronic lymphatic ²	-	-	22	1.01	[0.84]	0.00	27	0.84	116	0.95	165	0.94	0.80-1.09
	-acute myeloid ²	44	1.01	12	0.88	2	2.52	25	0.79	54	0.96	137	0.94	0.80-1.11
	Mycosis fungoides ²	5	1.24	2	1.02	[0.12]	0.00	4	1.67	22	0.81	33	0.93	0.64-1.30
199	Other/unknown site	68	1.04	54	1.22	3	1.52	179	1.33	365	1.06	669	1.13	1.05-1.22
140-204	All sites	5382	1.15	2240	1.04	89	0.88	3991	1.13	10713	0.99	22415	1.05	1.04-1.07
	Not included above													
191	Other skin	-	-	58	0.91	3	0.99	133	0.86	381	0.73	575	0.78	0.71-0.84
191.6	-upper limbs ²	-	-	5	1.04	[0.28]	0.00	17	1.25	35	0.64	57	0.78	0.59-1.01

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Smelters and metal foundry workers. Women (N = 4 900). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.14]	0.00	[0.85]	0.00	[0.00]	0.00	[0.09]	0.00	[0.68]	0.00	[1.75]	0.00	0.00-2.10
141	Tongue	[0.20]	0.00	2	2.48	[0.00]	0.00	[0.14]	0.00	[0.87]	0.00	2	0.99	0.12-3.57
142	Salivary glands	[0.16]	0.00	2	3.50	[0.00]	0.00	[0.10]	0.00	1	1.14	3	1.75	0.36-5.12
143-144	Oral cavity	1	2.19	[0.81]	0.00	[0.00]	0.00	1	4.60	2	1.63	4	1.48	0.40-3.78
145-148	Pharynx	1	2.90	[0.51]	0.00	[0.00]	0.00	1	6.77	1	0.92	3	1.44	0.30-4.20
145	-oropharynx ²	[0.20]	0.00	[0.18]	0.00	[0.00]	0.00	1	12.61	[0.59]	0.00	1	0.96	0.02-5.34
146	-nasopharynx ²	[0.06]	0.00	[0.14]	0.00	[0.00]	0.00	[0.02]	0.00	1	4.46	1	2.26	0.06-12.61
150	Oesophagus	[0.65]	0.00	2	0.96	[0.01]	0.00	[0.21]	0.00	5	3.26	7	1.56	0.63-3.22
	-adenocarcinoma ²	[0.16]	0.00	[0.20]	0.00	[0.00]	0.00	[0.04]	0.00	2	7.17	2	2.97	0.36-10.72
151	Stomach	3	1.56	8	0.79	[0.02]	0.00	1	0.71	12	1.44	24	1.10	0.71-1.64
151.1	-cardia ²	[0.32]	0.00	[0.95]	0.00	[0.00]	0.00	[0.20]	0.00	1	1.48	1	0.46	0.01-2.59
152	Small intestine	[0.25]	0.00	[0.77]	0.00	[0.00]	0.00	[0.21]	0.00	4	2.58	4	1.43	0.39-3.67
153	Colon	8	0.89	11	0.75	[0.05]	0.00	5	0.96	21	0.84	45	0.84	0.61-1.12
154	Rectum, rectosigma	4	1.00	8	0.90	[0.02]	0.00	2	0.86	6	0.44	20	0.70	0.43-1.08
155.0	Primary liver	2	2.77	4	1.70	[0.00]	0.00	[0.19]	0.00	6	2.48	12	2.11	1.09-3.68
	-hemangiosarcoma ²	-	-	[0.02]	0.00	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	[0.04]	0.00	0.00-95.31
155.1	Gall bladder	1	0.94	1	0.24	[0.00]	0.00	[0.33]	0.00	5	1.33	7	0.75	0.30-1.55
157	Pancreas	2	0.68	9	1.00	[0.02]	0.00	1	0.74	13	1.52	25	1.14	0.74-1.69
160	Nose	[0.17]	0.00	1	2.60	[0.00]	0.00	[0.08]	0.00	[0.45]	0.00	1	0.92	0.02-5.11
	-adenocarcinoma ²	-	-	[0.02]	0.00	-	-	[0.01]	0.00	[0.04]	0.00	[0.07]	0.00	0.00-54.10
161	Larynx	[0.41]	0.00	1	2.88	[0.00]	0.00	1	9.54	[0.54]	0.00	2	1.42	0.17-5.14
162,163	Lung	21	1.96	14	1.23	[0.10]	0.00	5	1.31	22	1.14	62	1.37	1.05-1.75
	-adenocarcinoma ²	3	0.89	4	1.33	[0.04]	0.00	1	0.82	9	1.31	17	1.17	0.68-1.87
	-small cell ²	-	-	3	1.59	[0.02]	0.00	2	2.37	1	0.36	6	1.08	0.40-2.35
	-squamous cell ²	8	3.96	2	1.06	[0.02]	0.00	[0.59]	0.00	3	0.89	13	1.65	0.88-2.82
	-other ²	-	-	5	1.09	[0.03]	0.00	2	1.89	9	1.44	16	1.34	0.77-2.18
158, 162.2	Mesothelioma ²	[0.15]	0.00	[0.44]	0.00	[0.00]	0.00	[0.05]	0.00	[0.31]	0.00	[0.94]	0.00	0.00-3.91
170	Breast	17	0.70	55	0.77	1	4.23	16	1.03	100	0.88	189	0.84	0.73-0.97
	-ductal ²	-	-	40	0.79	1	5.45	12	1.06	36	0.97	89	0.90	0.72-1.10
	-lobular ²	-	-	8	0.97	[0.02]	0.00	[1.28]	0.00	7	0.84	15	0.84	0.47-1.39
171	Cervix uteri	11	2.51	3	0.68	[0.02]	0.00	4	1.78	16	1.27	34	1.43	0.99-2.01
172	Corpus uteri	9	1.51	19	1.10	[0.05]	0.00	1	0.29	21	0.88	50	0.99	0.73-1.30
173	Choriocarcinoma	[0.00]	0.00	[0.03]	0.00	-	-	[0.01]	0.00	1	17.83	1	10.62	0.27-59.19
175.0	Ovary	5	0.96	5	0.44	[0.04]	0.00	2	0.62	26	1.07	38	0.86	0.61-1.18
175.1	Fallopian tube	[0.16]	0.00	2	3.39	[0.00]	0.00	[0.11]	0.00	4	6.23	6	4.00	1.47-8.70
176.0	Vulva	[0.46]	0.00	6	4.14	[0.00]	0.00	[0.38]	0.00	1	0.50	7	1.63	0.65-3.36
176.1	Vagina	[0.20]	0.00	[0.40]	0.00	[0.00]	0.00	[0.09]	0.00	3	4.75	3	2.28	0.47-6.65
180	Kidney	3	1.65	9	1.19	[0.02]	0.00	1	0.89	6	0.71	19	1.00	0.60-1.57
180.1	-renal pelvis ²	[0.66]	0.00	[0.38]	0.00	[0.00]	0.00	1	8.13	1	1.20	2	1.00	0.12-3.60
181	Bladder	[3.17]	0.00	4	0.96	[0.02]	0.00	1	0.76	9	1.10	14	0.83	0.46-1.40
190	Melanoma	3	1.14	8	1.28	[0.02]	0.00	2	0.67	12	0.86	25	0.97	0.63-1.43
190.6	-upper limbs ²	[0.48]	0.00	2	1.80	[0.00]	0.00	[0.45]	0.00	3	1.10	5	1.05	0.34-2.45
192	Eye	[0.23]	0.00	1	1.43	[0.00]	0.00	1	6.23	[0.98]	0.00	2	0.96	0.12-3.48
	-melanoma ²	[0.21]	0.00	1	1.54	[0.00]	0.00	[0.14]	0.00	[0.74]	0.00	1	0.58	0.01-3.20
193	Brain	3	1.04	11	1.20	[0.03]	0.00	[1.94]	0.00	15	1.15	29	1.08	0.72-1.54
	-glioma ²	1	4.21	2	0.81	[0.01]	0.00	[0.65]	0.00	3	0.68	6	0.77	0.28-1.67
	-meningeoma ²	1	1.46	7	1.80	[0.02]	0.00	[0.80]	0.00	8	1.45	16	1.47	0.84-2.39
194	Thyroid	1	2.27	6	1.27	[0.02]	0.00	[0.80]	0.00	4	0.91	11	1.06	0.53-1.90
	-follicular ²	-	-	[0.72]	0.00	[0.00]	0.00	[0.10]	0.00	1	4.29	1	0.94	0.02-5.26
	-papillary ²	-	-	4	1.21	[0.02]	0.00	[0.57]	0.00	[1.02]	0.00	4	0.81	0.22-2.08
195.0	Glandula suprarenalis	[0.05]	0.00	[0.23]	0.00	[0.00]	0.00	[0.04]	0.00	1	4.71	1	1.88	0.05-10.50
195.1	Parathyreoidea	[0.00]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.05]	0.00	[0.07]	0.00	0.00-55.26
195.2	Thymus	[0.02]	0.00	[0.08]	0.00	-	-	[0.01]	0.00	[0.09]	0.00	[0.21]	0.00	0.00-17.70
195.3	Hypophysis	[0.01]	0.00	[0.01]	0.00	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	[0.04]	0.00	0.00-100.14
195.4	Corpus pineale	-	-	[0.02]	0.00	-	-	[0.00]	0.00	-	-	[0.03]	0.00	0.00-144.33
196	Bone	[0.08]	0.00	[0.31]	0.00	[0.00]	0.00	[0.07]	0.00	1	2.10	1	1.08	0.03-6.00
	-chondrosarcoma ²	-	-	[0.14]	0.00	[0.00]	0.00	[0.02]	0.00	1	4.56	1	2.61	0.07-14.52
197	Soft tissue	[0.28]	0.00	3	1.97	[0.00]	0.00	[0.19]	0.00	1	0.43	4	0.92	0.25-2.36
	-fibrosarcoma ²	-	-	[0.48]	0.00	[0.00]	0.00	[0.01]	0.00	[0.28]	0.00	[0.77]	0.00	0.00-4.76
	-liposarcoma ²	-	-	2	6.35	[0.00]	0.00	[0.03]	0.00	[0.35]	0.00	2	2.90	0.35-10.46
200,202	Non-Hodgkin lymphoma	2	0.92	8	0.92	1	58.16	5	3.36	10	1.05	26	1.19	0.78-1.74
201	Hodgkin lymphoma	1	4.37	1	1.24	[0.00]	0.00	[0.12]	0.00	2	1.75	4	1.74	0.47-4.45
203	Multiple myeloma	2	1.83	1	0.29	[0.01]	0.00	1	1.45	6	1.47	10	1.07	0.51-1.97
204	Leukaemia	[2.09]	0.00	3	0.63	[0.01]	0.00	1	1.12	4	0.64	8	0.57	0.25-1.13
	-chronic lymphatic ²	-	-	1	0.60	[0.00]	0.00	1	3.41	[2.36]	0.00	2	0.46	0.06-1.67
	-acute myeloid ²	[0.72]	0.00	[1.62]	0.00	[0.00]	0.00	[0.38]	0.00	2	1.02	2	0.43	0.05-1.54
	Mycosis fungoides ²	[0.04]	0.00	[0.12]	0.00	[0.00]	0.00	[0.02]	0.00	1	2.41	1	1.67	0.04-9.28
199	Other/unknown site	1	0.67	7	1.12	[0.02]	0.00	2	1.30	10	0.79	20	0.91	0.56-1.41
140-204	All sites	95	1.06	218	0.92	2	2.58	54	0.99	352	1.00	721	0.98	0.91-1.06
	Not included above													
	Ovary borderline ²	-	-	[2.02]	0.00	[0.01]	0.00	1	1.45	6	1.49	7	1.04	0.42-2.14
191	Other skin	-	-	7	1.04	[0.02]	0.00	[1.55]	0.00	8	0.85	15	0.85	0.47-1.39
191.6	-upper limbs ²	-	-	[0.53]	0.00	[0.00]	0.00	[0.18]	0.00	2	1.69	2	1.06	0.13-3.82

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Mechanics and iron and metal ware workers. Men (N = 541 231). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	113	0.81	94	0.57	[1.67]	0.00	118	0.68	376	0.90	701	0.78	0.73-0.84
141	Tongue	59	1.16	56	0.90	[1.00]	0.00	80	1.02	173	0.90	368	0.96	0.86-1.06
142	Salivary glands	23	0.78	36	1.03	1	1.37	25	0.72	129	0.98	214	0.92	0.81-1.06
143-144	Oral cavity	90	0.91	80	1.27	[1.41]	0.00	105	0.96	269	0.98	544	0.99	0.91-1.08
145-148	Pharynx	137	1.14	71	0.91	1	0.62	137	1.05	393	0.96	739	1.00	0.93-1.07
145	-oropharynx ²	86	1.28	35	1.06	[0.44]	0.00	51	0.98	155	0.92	327	1.02	0.92-1.14
146	-nasopharynx ²	15	0.85	10	0.63	1	2.05	27	1.19	82	0.99	135	0.97	0.82-1.15
150	Oesophagus	268	1.13	162	0.93	7	1.24	236	1.15	739	1.08	1412	1.08	1.02-1.14
	-adenocarcinoma ²	103	1.09	57	1.33	5	2.21	48	1.05	222	1.14	435	1.15	1.04-1.26
151	Stomach	535	1.04	752	0.99	25	1.51	1126	1.05	2756	1.07	5194	1.05	1.02-1.08
151.1	-cardia ²	171	1.08	121	0.90	7	2.15	208	1.08	392	1.11	899	1.06	1.00-1.14
152	Small intestine	41	1.01	54	1.04	2	1.03	55	0.89	279	0.96	431	0.97	0.88-1.06
153	Colon	1180	1.02	716	1.05	10	0.42	1677	1.08	3803	1.00	7386	1.02	1.00-1.05
154	Rectum, rectosigma	806	0.99	550	0.99	10	1.15	1003	1.05	2628	0.99	4997	1.00	0.97-1.03
155.0	Primary liver	182	1.04	191	0.98	3	1.14	126	1.08	670	0.98	1172	1.00	0.94-1.06
	-hemangiosarcoma ²	-	-	3	3.27	-	-	[0.20]	0.00	5	1.54	8	1.83	0.79-3.60
155.1	Gall bladder	102	1.09	102	0.99	[1.44]	0.00	92	1.09	261	1.05	557	1.05	0.96-1.14
157	Pancreas	458	1.06	467	0.95	8	0.89	634	1.12	1641	1.07	3208	1.06	1.02-1.09
160	Nose	40	0.99	31	1.05	[0.87]	0.00	55	1.18	105	0.91	231	0.99	0.87-1.13
	-adenocarcinoma ²	-	-	3	1.48	[0.08]	0.00	8	1.24	17	0.85	28	0.98	0.65-1.42
161	Larynx	285	1.08	213	1.12	2	0.54	268	1.20	588	1.11	1356	1.12	1.06-1.18
162,163	Lung	3595	1.24	2979	1.10	43	1.07	3123	1.34	6463	1.27	16203	1.24	1.22-1.26
	-adenocarcinoma ²	744	1.27	436	1.13	16	1.37	622	1.34	1302	1.27	3120	1.27	1.22-1.31
	-small cell ²	-	-	520	1.21	9	1.13	528	1.30	628	1.25	1685	1.25	1.19-1.31
	-squamous cell ²	1263	1.28	902	1.07	7	0.74	990	1.38	2300	1.26	5462	1.25	1.21-1.28
	-other ²	-	-	1121	1.07	11	1.08	709	1.27	2233	1.28	4074	1.21	1.18-1.25
158, 162.2	Mesothelioma ²	187	2.46	104	1.63	[0.98]	0.00	148	2.11	412	1.95	851	2.02	1.88-2.16
170	Breast	31	1.20	18	1.05	[1.16]	0.00	25	1.03	84	0.94	158	1.00	0.86-1.17
177	Prostate	1781	0.98	3177	0.99	81	1.01	3625	0.96	13730	0.96	22394	0.96	0.95-0.98
178	Testis	99	1.00	51	0.89	2	0.41	140	1.02	209	0.74	501	0.87	0.79-0.94
	-seminoma ²	43	1.04	37	0.94	1	0.28	94	0.98	140	0.70	315	0.83	0.74-0.92
	-non-seminoma ²	57	0.97	14	0.81	1	0.73	30	0.98	69	0.87	171	0.91	0.78-1.06
179.0	Penis	47	0.91	24	0.93	1	0.86	60	1.01	175	0.97	307	0.96	0.86-1.08
180	Kidney	350	1.00	622	1.10	16	0.99	627	1.06	2054	1.06	3669	1.06	1.02-1.09
180.1	-renal pelvis ²	150	1.12	34	1.01	2	2.41	75	1.10	234	1.16	495	1.13	1.04-1.23
181	Bladder	1636	1.14	773	1.05	21	0.91	1574	1.17	4134	1.08	8138	1.11	1.08-1.13
190	Melanoma	292	0.94	356	0.86	4	0.52	556	0.85	1392	0.82	2600	0.84	0.81-0.88
190.6	-upper limbs ²	28	0.75	45	0.85	[1.16]	0.00	39	0.65	209	0.83	321	0.80	0.71-0.89
192	Eye	36	0.96	41	1.07	[0.68]	0.00	46	0.92	173	1.15	296	1.07	0.95-1.20
	-melanoma ²	30	0.92	36	1.03	[0.51]	0.00	38	0.86	144	1.19	248	1.06	0.94-1.20
193	Brain	354	0.97	428	1.05	8	0.75	446	0.97	1550	1.05	2786	1.02	0.99-1.06
	-glioma ²	41	1.03	210	1.09	7	1.09	244	1.01	802	1.06	1304	1.06	1.00-1.11
	-meningeoma ²	44	0.97	89	1.07	[2.49]	0.00	69	0.91	305	0.99	507	0.99	0.90-1.08
194	Thyroid	26	0.82	110	1.15	8	1.37	82	0.99	234	0.97	460	1.01	0.92-1.10
	-follicular ²	-	-	24	1.60	[0.79]	0.00	13	1.33	19	1.50	56	1.47	1.11-1.91
	-papillary ²	-	-	66	1.08	7	1.61	36	0.79	34	0.93	143	0.97	0.82-1.14
195.0	Glandula suprarenalis	8	0.98	18	1.14	1	3.46	14	1.32	29	1.08	70	1.14	0.88-1.43
195.1	Parathyreoidea	[0.40]	0.00	[0.25]	0.00	[0.04]	0.00	[0.37]	0.00	3	1.64	3	1.04	0.21-3.03
195.2	Thymus	[3.80]	0.00	4	0.89	[0.18]	0.00	6	1.27	5	0.42	15	0.60	0.34-0.99
195.3	Hypophysis	1	0.89	[0.40]	0.00	1	0.60	[0.77]	0.00	2	0.63	4	0.56	0.15-1.43
195.4	Corpus pineale	-	-	1	1.20	-	-	[0.24]	0.00	-	-	1	0.93	0.02-5.18
196	Bone	6	0.44	24	0.94	[0.93]	0.00	25	1.00	86	1.05	141	0.96	0.81-1.13
	-chondrosarcoma ²	-	-	15	1.14	[0.81]	0.00	9	1.34	44	1.20	68	1.18	0.92-1.50
197	Soft tissue	45	0.95	87	0.97	[2.12]	0.00	69	0.96	367	0.98	568	0.97	0.89-1.05
	-fibrosarcoma ²	-	-	28	0.92	-	-	5	0.75	54	1.03	87	0.97	0.78-1.20
	-liposarcoma ²	-	-	18	0.88	[0.74]	0.00	16	1.28	43	0.66	77	0.78	0.62-0.98
200,202	Non-Hodgkin lymphoma	349	1.04	498	0.98	12	1.06	398	0.94	1628	0.97	2885	0.98	0.94-1.01
201	Hodgkin lymphoma	70	1.25	71	0.88	2	1.32	96	1.22	265	1.01	504	1.05	0.96-1.15
203	Multiple myeloma	206	1.07	147	0.85	4	0.89	285	0.96	727	0.90	1369	0.93	0.88-0.98
204	Leukaemia	383	0.94	300	0.95	5	0.62	401	0.95	1261	1.00	2350	0.97	0.94-1.02
	-chronic lymphatic ²	-	-	130	0.99	1	0.39	145	0.95	583	0.99	859	0.98	0.92-1.05
	-acute myeloid ²	125	1.07	77	0.88	1	0.38	138	0.91	285	1.01	626	0.98	0.90-1.06
	Mycosis fungoides ²	15	1.36	7	0.55	[0.46]	0.00	14	1.18	119	1.10	155	1.08	0.92-1.26
199	Other/unknown site	188	1.07	279	1.03	8	1.33	717	1.18	1729	1.06	2921	1.09	1.05-1.13
140-204	All sites	13654	1.08	13773	1.02	286	0.92	18230	1.07	51641	1.03	97584	1.04	1.03-1.05
	Not included above													
191	Other skin	-	-	366	0.97	14	1.59	660	0.89	2120	0.89	3160	0.90	0.87-0.94
191.6	-upper limbs ²	-	-	39	1.29	2	2.58	62	0.96	257	0.99	360	1.01	0.92-1.13

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Mechanics and iron and metal ware workers. Women (N = 40 705). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	1	0.74	3	0.90	[0.00]	0.00	[0.96]	0.00	4	0.58	8	0.64	0.28-1.26
141	Tongue	1	0.50	[3.74]	0.00	[0.01]	0.00	2	1.42	10	1.16	13	0.82	0.44-1.41
142	Salivary glands	4	2.47	3	1.13	[0.01]	0.00	1	0.99	5	0.56	13	0.92	0.49-1.57
143-144	Oral cavity	5	1.10	8	2.17	[0.01]	0.00	2	0.85	20	1.62	35	1.53	1.06-2.12
145-148	Pharynx	4	1.11	2	0.83	[0.01]	0.00	1	0.66	15	1.38	22	1.19	0.75-1.81
145	-oropharynx ²	3	1.43	2	2.11	[0.00]	0.00	[0.68]	0.00	8	1.45	13	1.40	0.75-2.40
146	-nasopharynx ²	1	1.75	[0.63]	0.00	[0.01]	0.00	[0.28]	0.00	4	1.67	5	1.29	0.42-3.00
150	Oesophagus	5	0.79	8	0.92	[0.02]	0.00	3	1.19	16	1.00	32	0.95	0.65-1.34
	-adenocarcinoma ²	1	0.65	1	1.18	[0.01]	0.00	[0.43]	0.00	1	0.36	3	0.53	0.11-1.56
151	Stomach	24	1.32	44	1.01	[0.07]	0.00	24	1.11	128	1.38	220	1.25	1.10-1.43
151.1	-cardia ²	4	1.30	4	1.00	[0.01]	0.00	4	1.48	10	1.44	22	1.32	0.82-1.99
152	Small intestine	5	2.08	6	1.70	[0.01]	0.00	2	0.90	14	0.89	27	1.13	0.75-1.65
153	Colon	96	1.12	57	0.90	[0.17]	0.00	63	1.00	260	1.00	476	1.01	0.92-1.11
154	Rectum, rectosigma	34	0.89	38	0.99	[0.08]	0.00	25	0.93	133	0.96	230	0.95	0.83-1.08
155.0	Primary liver	5	0.73	10	1.02	[0.01]	0.00	3	1.20	33	1.29	51	1.14	0.85-1.50
	-hemangiosarcoma ²	-	-	[0.08]	0.00	[0.00]	0.00	[0.01]	0.00	[0.19]	0.00	[0.28]	0.00	0.00-13.00
155.1	Gall bladder	10	1.01	13	0.75	[0.02]	0.00	4	0.88	48	1.17	75	1.03	0.81-1.29
157	Pancreas	38	1.37	47	1.24	[0.06]	0.00	24	1.33	101	1.12	210	1.20	1.05-1.38
160	Nose	3	1.74	[1.68]	0.00	[0.01]	0.00	1	1.03	7	1.50	11	1.21	0.61-2.17
	-adenocarcinoma ²	-	-	[0.11]	0.00	-	-	[0.10]	0.00	1	2.71	1	1.73	0.04-9.63
161	Larynx	8	1.87	5	3.34	1	95.06	4	3.93	9	1.74	27	2.25	1.48-3.28
162,163	Lung	189	1.70	82	1.67	[0.39]	0.00	62	1.77	272	1.49	605	1.60	1.48-1.73
	-adenocarcinoma ²	50	1.40	15	1.11	[0.16]	0.00	17	1.62	84	1.31	166	1.34	1.15-1.56
	-small cell ²	-	-	18	2.16	[0.06]	0.00	11	1.50	49	1.93	78	1.90	1.50-2.37
	-squamous cell ²	47	2.27	14	1.77	[0.06]	0.00	14	2.46	58	1.78	133	1.99	1.68-2.35
	-other ²	-	-	35	1.81	[0.11]	0.00	16	1.66	81	1.34	132	1.47	1.24-1.75
158, 162.2	Mesothelioma ²	1	0.70	4	2.11	[0.00]	0.00	1	2.23	2	0.65	8	1.17	0.51-2.31
170	Breast	213	0.86	306	0.85	2	1.87	152	1.05	1041	0.95	1714	0.93	0.88-0.97
	-ductal ²	-	-	220	0.84	1	1.18	107	1.12	303	0.91	631	0.91	0.84-0.99
	-lobular ²	-	-	35	0.79	1	11.51	4	0.43	65	0.88	105	0.82	0.68-1.00
171	Cervix uteri	68	1.52	20	0.98	[0.09]	0.00	28	1.11	161	1.25	277	1.26	1.12-1.42
172	Corpus uteri	58	0.97	63	0.82	[0.17]	0.00	24	0.69	220	0.94	365	0.90	0.81-1.00
173	Choriocarcinoma	[0.05]	0.00	1	6.77	[0.00]	0.00	[0.07]	0.00	1	1.91	2	2.54	0.31-9.17
175.0	Ovary	57	1.08	54	1.02	[0.13]	0.00	28	0.83	251	1.05	390	1.03	0.93-1.14
175.1	Fallopian tube	1	0.62	3	1.06	[0.01]	0.00	1	1.06	6	1.00	11	0.97	0.48-1.73
176.0	Vulva	5	1.14	6	0.95	[0.01]	0.00	4	0.82	22	1.03	37	1.00	0.71-1.38
176.1	Vagina	3	1.51	2	1.15	[0.00]	0.00	3	3.00	7	1.07	15	1.33	0.74-2.19
180	Kidney	14	0.79	26	0.81	[0.09]	0.00	14	1.04	116	1.33	170	1.13	0.97-1.31
180.1	-renal pelvis ²	13	2.00	1	0.64	[0.00]	0.00	1	0.69	12	1.39	27	1.49	0.98-2.16
181	Bladder	52	1.66	17	0.98	[0.07]	0.00	19	1.19	92	1.09	180	1.21	1.04-1.40
190	Melanoma	18	0.67	19	0.62	[0.09]	0.00	27	1.10	86	0.65	150	0.70	0.60-0.82
190.6	-upper limbs ²	6	1.21	3	0.54	[0.01]	0.00	3	0.74	21	0.82	33	0.82	0.56-1.15
192	Eye	5	2.11	3	0.94	[0.00]	0.00	1	0.60	7	0.72	16	0.94	0.54-1.53
	-melanoma ²	5	2.34	3	1.01	[0.00]	0.00	1	0.69	7	0.93	16	1.14	0.65-1.84
193	Brain	37	1.26	44	0.98	[0.12]	0.00	12	0.67	130	1.03	223	1.02	0.89-1.16
	-glioma ²	5	2.07	11	0.90	[0.05]	0.00	4	0.65	50	1.16	70	1.09	0.85-1.38
	-meningeoma ²	9	1.27	16	0.82	[0.07]	0.00	3	0.46	47	0.88	75	0.87	0.68-1.09
194	Thyroid	9	2.08	24	0.95	[0.11]	0.00	3	0.41	49	1.13	85	1.06	0.85-1.31
	-follicular ²	-	-	4	1.23	[0.01]	0.00	1	0.99	[2.17]	0.00	5	0.78	0.25-1.81
	-papillary ²	-	-	18	0.95	[0.08]	0.00	1	0.23	14	1.49	33	1.00	0.69-1.41
195.0	Glandula suprarenalis	[0.55]	0.00	[1.11]	0.00	[0.00]	0.00	[0.33]	0.00	4	1.92	4	0.98	0.27-2.51
195.1	Parathyreoidea	[0.04]	0.00	[0.03]	0.00	-	-	[0.04]	0.00	[0.49]	0.00	[0.60]	0.00	0.00-6.13
195.2	Thymus	[0.24]	0.00	[0.40]	0.00	-	-	[0.11]	0.00	[0.85]	0.00	[1.60]	0.00	0.00-2.30
195.3	Hypophysis	[0.06]	0.00	1	30.78	[0.01]	0.00	[0.03]	0.00	[0.20]	0.00	1	2.98	0.08-16.63
195.4	Corpus pineale	-	-	[0.12]	0.00	-	-	[0.02]	0.00	-	-	[0.14]	0.00	0.00-26.69
196	Bone	[0.76]	0.00	[1.47]	0.00	[0.01]	0.00	1	1.54	7	1.48	8	1.05	0.45-2.08
	-chondrosarcoma ²	-	-	[0.68]	0.00	[0.01]	0.00	[0.18]	0.00	5	2.31	5	1.65	0.54-3.85
197	Soft tissue	1	0.35	6	0.84	[0.02]	0.00	4	1.86	25	1.06	36	1.01	0.71-1.40
	-fibrosarcoma ²	-	-	2	0.96	[0.00]	0.00	[0.15]	0.00	4	1.33	6	1.14	0.42-2.49
	-liposarcoma ²	-	-	[1.55]	0.00	[0.00]	0.00	1	3.52	4	1.14	5	0.94	0.30-2.18
200,202	Non-Hodgkin lymphoma	25	1.17	36	0.91	1	13.62	7	0.50	101	1.07	170	1.00	0.86-1.16
201	Hodgkin lymphoma	5	2.19	2	0.51	[0.00]	0.00	1	0.62	12	1.01	20	1.01	0.62-1.56
203	Multiple myeloma	11	1.04	18	1.24	[0.04]	0.00	6	0.67	40	0.94	75	0.98	0.77-1.22
204	Leukaemia	20	0.99	16	0.77	[0.05]	0.00	11	1.00	63	1.00	110	0.96	0.79-1.15
	-chronic lymphatic ²	-	-	5	0.71	[0.02]	0.00	5	1.37	23	0.96	33	0.95	0.66-1.34
	-acute myeloid ²	3	0.42	5	0.70	[0.02]	0.00	3	0.67	21	1.08	32	0.84	0.57-1.19
	Mycosis fungoides ²	1	2.25	[0.57]	0.00	[0.00]	0.00	[0.24]	0.00	1	0.20	2	0.32	0.04-1.17
199	Other/unknown site	12	0.83	23	0.87	[0.07]	0.00	25	1.15	156	1.22	216	1.13	0.99-1.29
140-204	All sites	1034	1.15	1027	0.94	4	1.26	593	1.03	3675	1.05	6333	1.04	1.02-1.07
	Not included above													
	Ovary borderline ²	-	-	14	1.31	[0.05]	0.00	5	1.04	55	1.47	74	1.40	1.10-1.75
191	Other skin	-	-	23	0.83	[0.08]	0.00	20	1.05	81	0.82	124	0.85	0.72-1.02
191.6	-upper limbs ²	-	-	2	0.92	[0.01]	0.00	1	0.50	7	0.58	10	0.62	0.30-1.13

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Plumbers. Men (N = 66 032). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	9	0.73	20	0.73	[0.30]	0.00	13	0.67	38	0.79	80	0.74	0.59-0.92
141	Tongue	5	1.06	11	1.04	[0.16]	0.00	9	0.96	21	0.95	46	0.98	0.72-1.31
142	Salivary glands	2	0.76	4	0.68	[0.12]	0.00	3	0.74	11	0.72	20	0.72	0.44-1.11
143-144	Oral cavity	17	1.87	11	1.02	[0.21]	0.00	19	1.48	26	0.82	73	1.13	0.88-1.42
145-148	Pharynx	10	0.89	7	0.53	[0.25]	0.00	17	1.09	38	0.81	72	0.82	0.64-1.04
145	-oropharynx ²	7	1.11	4	0.72	[0.07]	0.00	9	1.41	9	0.47	29	0.77	0.52-1.11
146	-nasopharynx ²	1	0.61	[2.70]	0.00	[0.07]	0.00	2	0.75	11	1.15	14	0.84	0.46-1.41
150	Oesophagus	25	1.16	34	1.17	1	1.07	32	1.35	92	1.16	184	1.19	1.03-1.38
	-adenocarcinoma ²	9	1.06	8	1.10	[0.37]	0.00	10	1.87	24	1.08	51	1.17	0.87-1.53
151	Stomach	51	1.12	125	1.01	3	1.07	134	1.12	349	1.17	662	1.12	1.04-1.21
151.1	-cardia ²	15	1.06	25	1.13	[0.53]	0.00	25	1.14	50	1.23	115	1.16	0.96-1.39
152	Small intestine	6	1.67	5	0.58	1	3.22	8	1.10	41	1.23	61	1.15	0.88-1.47
153	Colon	117	1.15	108	0.96	3	0.75	189	1.07	496	1.13	913	1.09	1.03-1.17
154	Rectum, rectosigma	93	1.30	101	1.09	[1.43]	0.00	130	1.19	329	1.07	653	1.12	1.04-1.21
155.0	Primary liver	24	1.53	43	1.34	1	2.22	20	1.52	104	1.32	192	1.37	1.19-1.58
	-hemangiosarcoma ²	-	-	1	6.00	-	-	[0.02]	0.00	[0.37]	0.00	1	1.79	0.05-9.99
155.1	Gall bladder	10	1.21	15	0.90	[0.23]	0.00	11	1.15	27	0.93	63	0.99	0.76-1.27
157	Pancreas	35	0.91	92	1.13	[1.46]	0.00	64	1.01	212	1.19	403	1.11	1.00-1.22
160	Nose	2	0.55	3	0.61	[0.14]	0.00	2	0.37	20	1.50	27	0.99	0.65-1.44
	-adenocarcinoma ²	-	-	[0.36]	0.00	[0.01]	0.00	[0.75]	0.00	2	0.87	2	0.58	0.07-2.10
161	Larynx	21	0.89	26	0.82	1	1.71	28	1.07	73	1.20	149	1.04	0.89-1.22
162, 163	Lung	399	1.55	591	1.33	8	1.20	420	1.55	807	1.37	2225	1.42	1.36-1.48
	-adenocarcinoma ²	93	1.76	99	1.52	4	2.09	87	1.58	128	1.09	411	1.40	1.27-1.54
	-small cell ²	-	-	101	1.40	1	0.76	72	1.52	93	1.61	267	1.50	1.33-1.69
	-squamous cell ²	125	1.44	185	1.34	[1.57]	0.00	125	1.51	287	1.35	722	1.38	1.29-1.49
	-other ²	-	-	206	1.22	2	1.18	106	1.64	299	1.47	613	1.40	1.29-1.52
158, 162.2	Mesothelioma ²	27	3.92	36	3.29	1	6.34	47	5.68	129	5.29	240	4.74	4.18-5.38
170	Breast	1	0.44	1	0.34	[0.18]	0.00	2	0.72	8	0.78	12	0.65	0.34-1.14
177	Prostate	177	1.12	563	1.06	15	1.10	398	0.94	1639	0.99	2792	1.00	0.97-1.04
178	Testis	7	0.72	6	0.63	[0.64]	0.00	13	0.74	34	1.09	60	0.88	0.67-1.13
	-seminoma ²	3	0.73	4	0.61	[0.47]	0.00	11	0.89	23	1.03	41	0.90	0.64-1.22
	-non-seminoma ²	4	0.70	2	0.71	[0.17]	0.00	1	0.25	11	1.25	18	0.84	0.50-1.32
179.0	Penis	7	1.50	9	2.09	2	10.52	10	1.48	20	0.97	48	1.31	0.97-1.74
180	Kidney	41	1.31	104	1.08	2	0.78	72	1.04	252	1.12	471	1.11	1.02-1.22
180.1	-renal pelvis ²	14	1.19	6	1.08	1	7.17	10	1.28	31	1.33	62	1.27	0.98-1.63
181	Bladder	166	1.31	149	1.23	5	1.31	195	1.27	507	1.15	1022	1.21	1.14-1.29
190	Melanoma	16	0.56	58	0.82	1	0.88	73	0.91	159	0.83	307	0.82	0.74-0.92
190.6	-upper limbs ²	1	0.29	2	0.22	[0.17]	0.00	8	1.10	21	0.73	32	0.66	0.45-0.93
192	Eye	3	0.89	11	1.68	[0.11]	0.00	5	0.85	16	0.92	35	1.05	0.73-1.46
	-melanoma ²	2	0.68	11	1.85	[0.09]	0.00	4	0.77	10	0.72	27	0.96	0.63-1.39
193	Brain	31	0.93	65	0.94	2	1.24	52	0.93	167	0.99	317	0.96	0.86-1.07
	-glioma ²	3	0.81	24	0.73	1	1.04	29	0.98	73	0.84	130	0.84	0.71-1.00
	-meningeoma ²	3	0.72	11	0.78	1	2.57	10	1.10	43	1.22	68	1.08	0.84-1.37
194	Thyroid	3	1.04	13	0.81	1	1.12	8	0.81	23	0.83	48	0.84	0.62-1.11
	-follicular ²	-	-	2	0.80	1	7.80	2	1.72	[1.42]	0.00	5	0.96	0.31-2.24
	-papillary ²	-	-	8	0.78	[0.66]	0.00	2	0.36	2	0.50	12	0.59	0.30-1.02
195.0	Glandula suprarenalis	[0.74]	0.00	5	1.90	[0.04]	0.00	1	0.78	4	1.30	10	1.29	0.62-2.37
195.1	Parathyreoidea	[0.03]	0.00	[0.04]	0.00	[0.01]	0.00	[0.05]	0.00	[0.21]	0.00	[0.34]	0.00	0.00-10.94
195.2	Thymus	2	5.92	2	2.58	[0.03]	0.00	1	1.73	2	1.47	7	2.27	0.91-4.69
195.3	Hypophysis	[0.10]	0.00	[0.07]	0.00	[0.26]	0.00	[0.09]	0.00	[0.37]	0.00	[0.89]	0.00	0.00-4.16
195.4	Corpus pineale	-	-	[0.14]	0.00	-	-	[0.03]	0.00	-	-	[0.17]	0.00	0.00-21.87
196	Bone	2	1.58	[4.35]	0.00	1	7.26	2	0.67	9	0.97	14	0.78	0.42-1.30
	-chondrosarcoma ²	-	-	[2.23]	0.00	1	8.23	[0.81]	0.00	5	1.20	6	0.82	0.30-1.78
197	Soft tissue	8	1.88	16	1.06	[0.30]	0.00	7	0.83	48	1.12	79	1.11	0.88-1.39
	-fibrosarcoma ²	-	-	7	1.38	-	-	1	1.30	10	1.64	18	1.51	0.89-2.39
	-liposarcoma ²	-	-	2	0.58	[0.10]	0.00	2	1.33	10	1.34	14	1.12	0.61-1.88
200, 202	Non-Hodgkin lymphoma	37	1.21	88	1.03	[1.76]	0.00	41	0.81	193	1.01	359	1.00	0.90-1.11
201	Hodgkin lymphoma	8	1.55	12	0.89	1	4.47	10	1.06	34	1.13	65	1.11	0.86-1.42
203	Multiple myeloma	15	0.87	35	1.23	[0.73]	0.00	41	1.22	99	1.06	190	1.09	0.95-1.26
204	Leukaemia	38	1.05	49	0.94	[1.29]	0.00	49	1.02	131	0.90	267	0.95	0.84-1.07
	-chronic lymphatic ²	-	-	20	0.93	[0.43]	0.00	12	0.69	65	0.96	97	0.91	0.74-1.11
	-acute myeloid ²	14	1.35	15	1.03	[0.42]	0.00	19	1.10	26	0.80	74	0.99	0.77-1.24
	Mycosis fungoides ²	1	1.02	1	0.46	[0.07]	0.00	1	0.73	7	0.56	10	0.58	0.28-1.07
199	Other/unknown site	14	0.89	53	1.19	2	2.01	80	1.18	207	1.11	356	1.13	1.01-1.25
140-204	All sites	1382	1.23	2488	1.11	50	0.98	2208	1.14	6372	1.10	12500	1.12	1.10-1.14
	Not included above													
191	Other skin	-	-	54	0.90	3	2.03	76	0.92	269	1.00	402	0.97	0.88-1.07
191.6	-upper limbs ²	-	-	6	1.22	[0.13]	0.00	4	0.55	26	0.88	36	0.86	0.60-1.19

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Plumbers. Women (N = 160). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.02]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.04]	0.00	0.00-93.16
141	Tongue	[0.02]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.05]	0.00	0.00-68.22
142	Salivary glands	[0.02]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.05]	0.00	0.00-79.95
143-144	Oral cavity	[0.05]	0.00	[0.01]	0.00	-	-	[0.02]	0.00	[0.02]	0.00	[0.09]	0.00	0.00-41.60
145-148	Pharynx	[0.02]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.06]	0.00	0.00-61.70
145	-oropharynx ²	[0.01]	0.00	[0.00]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.04]	0.00	0.00-104.54
146	-nasopharynx ²	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-358.50
150	Oesophagus	[0.06]	0.00	[0.01]	0.00	-	-	[0.02]	0.00	[0.02]	0.00	[0.11]	0.00	0.00-34.85
	-adenocarcinoma ²	[0.02]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-159.80
151	Stomach	[0.21]	0.00	[0.08]	0.00	-	-	1	8.17	[0.08]	0.00	1	2.00	0.05-11.15
151.1	-cardia ²	[0.03]	0.00	[0.01]	0.00	-	-	1	58.70	[0.01]	0.00	1	15.47	0.39-86.18
152	Small intestine	[0.02]	0.00	[0.01]	0.00	-	-	[0.02]	0.00	[0.02]	0.00	[0.07]	0.00	0.00-52.85
153	Colon	[1.02]	0.00	[0.13]	0.00	-	-	1	2.41	[0.28]	0.00	1	0.54	0.01-3.02
154	Rectum, rectosigma	[0.44]	0.00	[0.08]	0.00	-	-	1	5.51	[0.17]	0.00	1	1.15	0.03-6.42
155.0	Primary liver	[0.07]	0.00	[0.02]	0.00	-	-	[0.02]	0.00	[0.03]	0.00	[0.13]	0.00	0.00-28.50
	-hemangiosarcoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-6515.57
155.1	Gall bladder	[0.12]	0.00	[0.03]	0.00	-	-	[0.03]	0.00	[0.03]	0.00	[0.21]	0.00	0.00-17.66
157	Pancreas	[0.30]	0.00	[0.07]	0.00	-	-	[0.11]	0.00	[0.09]	0.00	[0.57]	0.00	0.00-6.50
160	Nose	[0.02]	0.00	[0.00]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.03]	0.00	0.00-110.64
	-adenocarcinoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-3104.26
161	Larynx	[0.03]	0.00	[0.00]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.05]	0.00	0.00-77.74
162,163	Lung	1	1.45	[0.11]	0.00	-	-	[0.30]	0.00	2	6.17	3	2.10	0.43-6.14
	-adenocarcinoma ²	1	5.42	[0.03]	0.00	-	-	[0.10]	0.00	[0.13]	0.00	1	2.26	0.06-12.59
	-small cell ²	-	-	[0.02]	0.00	-	-	[0.07]	0.00	1	20.60	1	7.27	0.18-40.52
	-squamous cell ²	[0.13]	0.00	[0.02]	0.00	-	-	[0.05]	0.00	[0.05]	0.00	[0.25]	0.00	0.00-15.05
	-other ²	-	-	[0.04]	0.00	-	-	[0.08]	0.00	1	10.08	1	4.55	0.12-25.33
158, 162.2	Mesothelioma ²	[0.01]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.03]	0.00	0.00-142.40
170	Breast	1	0.51	1	0.97	-	-	[1.15]	0.00	4	1.69	6	0.92	0.34-2.01
	-ductal ²	-	-	1	1.28	-	-	[0.83]	0.00	4	3.66	5	1.85	0.60-4.32
	-lobular ²	-	-	[0.14]	0.00	-	-	[0.09]	0.00	[0.23]	0.00	[0.46]	0.00	0.00-8.02
171	Cervix uteri	[0.32]	0.00	[0.05]	0.00	-	-	[0.17]	0.00	[0.24]	0.00	[0.78]	0.00	0.00-4.72
172	Corpus uteri	[0.56]	0.00	[0.17]	0.00	-	-	1	3.61	[0.32]	0.00	1	0.76	0.02-4.21
173	Choriocarcinoma	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-1302.83
175.0	Ovary	1	2.55	[0.13]	0.00	-	-	1	3.98	2	4.64	4	3.33	0.91-8.52
175.1	Fallopian tube	[0.01]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.04]	0.00	0.00-96.33
176.0	Vulva	[0.06]	0.00	[0.01]	0.00	-	-	[0.03]	0.00	[0.03]	0.00	[0.13]	0.00	0.00-29.02
176.1	Vagina	[0.02]	0.00	[0.00]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.04]	0.00	0.00-94.10
180	Kidney	[0.17]	0.00	[0.07]	0.00	-	-	[0.09]	0.00	[0.10]	0.00	[0.43]	0.00	0.00-8.53
180.1	-renal pelvis ²	[0.06]	0.00	[0.00]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.08]	0.00	0.00-44.33
181	Bladder	[0.33]	0.00	[0.03]	0.00	-	-	[0.11]	0.00	[0.10]	0.00	[0.56]	0.00	0.00-6.56
190	Melanoma	[0.22]	0.00	[0.08]	0.00	-	-	[0.22]	0.00	[0.33]	0.00	[0.85]	0.00	0.00-4.35
190.6	-upper limbs ²	[0.04]	0.00	[0.02]	0.00	-	-	[0.03]	0.00	[0.06]	0.00	[0.15]	0.00	0.00-24.80
192	Eye	[0.02]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.06]	0.00	0.00-66.53
	-melanoma ²	[0.02]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.05]	0.00	0.00-80.09
193	Brain	[0.22]	0.00	[0.13]	0.00	-	-	[0.15]	0.00	[0.26]	0.00	[0.75]	0.00	0.00-4.90
	-glioma ²	[0.02]	0.00	[0.04]	0.00	-	-	[0.05]	0.00	[0.08]	0.00	[0.19]	0.00	0.00-19.63
	-meningeoma ²	[0.05]	0.00	[0.05]	0.00	-	-	[0.06]	0.00	[0.12]	0.00	[0.28]	0.00	0.00-12.97
194	Thyroid	[0.04]	0.00	[0.08]	0.00	-	-	[0.06]	0.00	[0.09]	0.00	[0.27]	0.00	0.00-13.45
	-follicular ²	-	-	[0.01]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.02]	0.00	0.00-176.25
	-papillary ²	-	-	[0.07]	0.00	-	-	[0.04]	0.00	[0.04]	0.00	[0.14]	0.00	0.00-25.60
195.0	Glandula suprarenalis	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-282.92
195.1	Parathyreoidea	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-2457.67
195.2	Thymus	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-664.33
195.3	Hypophysis	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-3740.06
195.4	Corpus pineale	-	-	[0.00]	0.00	-	-	[0.00]	0.00	-	-	[0.00]	0.00	0.00-6858.76
196	Bone	[0.01]	0.00	[0.00]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.02]	0.00	0.00-155.56
	-chondrosarcoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-457.07
197	Soft tissue	[0.02]	0.00	[0.02]	0.00	-	-	[0.01]	0.00	[0.04]	0.00	[0.10]	0.00	0.00-37.88
	-fibrosarcoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-451.83
	-liposarcoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.01]	0.00	[0.01]	0.00	0.00-290.89
200,202	Non-Hodgkin lymphoma	1	4.83	[0.10]	0.00	-	-	1	8.92	1	7.05	3	5.39	1.11-15.76
201	Hodgkin lymphoma	[0.02]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.06]	0.00	0.00-61.00
203	Multiple myeloma	[0.11]	0.00	[0.03]	0.00	-	-	[0.06]	0.00	[0.05]	0.00	[0.24]	0.00	0.00-15.33
204	Leukaemia	2	9.22	[0.04]	0.00	-	-	[0.07]	0.00	[0.09]	0.00	2	4.71	0.57-17.02
	-chronic lymphatic ²	-	-	[0.01]	0.00	-	-	[0.02]	0.00	[0.03]	0.00	[0.07]	0.00	0.00-56.52
	-acute myeloid ²	[0.06]	0.00	[0.02]	0.00	-	-	[0.03]	0.00	[0.03]	0.00	[0.14]	0.00	0.00-25.95
	Mycosis fungoides ²	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-363.67
199	Other/unknown site	[0.16]	0.00	[0.05]	0.00	-	-	[0.12]	0.00	1	6.14	1	2.02	0.05-11.28
140-204	All sites	6	0.75	1	0.38	-	-	6	1.43	10	1.67	23	1.11	0.70-1.66
	Not included above													
	Ovary borderline ²	-	-	[0.04]	0.00	-	-	[0.05]	0.00	1	9.01	1	5.18	0.13-28.84
191	Other skin	-	-	[0.05]	0.00	-	-	[0.11]	0.00	[0.11]	0.00	[0.27]	0.00	0.00-13.64
191.6	-upper limbs ²	-	-	[0.00]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.03]	0.00	0.00-115.14

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Welders. Men (N = 74 857). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	-	-	12	0.53	[0.10]	0.00	26	1.27	47	0.93	85	0.91	0.72-1.12
141	Tongue	-	-	16	1.42	[0.06]	0.00	11	1.00	31	1.16	58	1.18	0.90-1.53
142	Salivary glands	-	-	3	0.51	[0.04]	0.00	8	1.73	9	0.51	20	0.71	0.44-1.10
143-144	Oral cavity	-	-	18	1.56	[0.09]	0.00	8	0.54	33	0.89	59	0.93	0.71-1.20
145-148	Pharynx	-	-	14	1.00	[0.10]	0.00	22	1.20	57	1.01	93	1.05	0.85-1.28
145	-oropharynx ²	-	-	6	0.94	[0.03]	0.00	11	1.41	27	1.10	44	1.14	0.83-1.53
146	-nasopharynx ²	-	-	2	0.71	[0.03]	0.00	5	1.65	12	1.10	19	1.13	0.68-1.77
150	Oesophagus	-	-	26	0.94	[0.33]	0.00	26	0.99	89	0.99	141	0.98	0.83-1.15
	-adenocarcinoma ²	-	-	5	0.67	[0.14]	0.00	5	0.76	22	0.81	32	0.77	0.53-1.09
151	Stomach	-	-	120	1.12	2	2.05	114	0.95	345	1.13	581	1.09	1.00-1.18
151.1	-cardia ²	-	-	17	0.84	[0.20]	0.00	21	0.87	50	1.04	88	0.95	0.76-1.17
152	Small intestine	-	-	7	0.82	[0.12]	0.00	14	1.65	39	1.01	60	1.08	0.82-1.38
153	Colon	-	-	101	0.96	[1.44]	0.00	187	0.93	457	0.94	745	0.94	0.87-1.01
154	Rectum, rectosigma	-	-	77	0.89	[0.53]	0.00	141	1.14	378	1.10	596	1.08	0.99-1.16
155.0	Primary liver	-	-	32	1.11	[0.15]	0.00	10	0.69	78	0.92	120	0.93	0.78-1.11
	-hemangiosarcoma ²	-	-	[0.16]	0.00	-	-	[0.03]	0.00	[0.43]	0.00	[0.62]	0.00	0.00-5.95
155.1	Gall bladder	-	-	17	1.14	[0.08]	0.00	12	1.15	39	1.32	68	1.24	0.96-1.57
157	Pancreas	-	-	79	1.06	1	1.85	70	1.02	198	1.03	348	1.04	0.93-1.15
160	Nose	-	-	5	1.05	[0.05]	0.00	8	1.37	16	1.07	29	1.13	0.76-1.62
	-adenocarcinoma ²	-	-	[0.33]	0.00	[0.00]	0.00	1	1.18	[2.64]	0.00	1	0.26	0.01-1.46
161	Larynx	-	-	42	1.43	[0.22]	0.00	28	0.94	76	1.11	146	1.14	0.97-1.34
162,163	Lung	-	-	443	1.17	2	0.83	444	1.44	909	1.38	1798	1.33	1.27-1.40
	-adenocarcinoma ²	-	-	84	1.38	[0.71]	0.00	104	1.56	220	1.55	408	1.51	1.37-1.67
	-small cell ²	-	-	58	0.92	[0.47]	0.00	81	1.45	98	1.36	237	1.24	1.09-1.41
	-squamous cell ²	-	-	154	1.32	[0.57]	0.00	131	1.40	305	1.34	590	1.35	1.24-1.46
	-other ²	-	-	147	1.05	2	3.28	102	1.36	286	1.32	537	1.24	1.14-1.35
158, 162.2	Mesothelioma ²	-	-	22	1.98	[0.06]	0.00	20	1.99	49	1.66	91	1.79	1.44-2.20
170	Breast	-	-	5	1.72	[0.07]	0.00	3	0.96	13	1.13	21	1.19	0.74-1.82
177	Prostate	-	-	535	1.10	5	1.07	422	0.90	1909	1.02	2871	1.01	0.98-1.05
178	Testis	-	-	8	0.68	1	2.79	15	0.68	33	0.77	57	0.74	0.56-0.96
	-seminoma ²	-	-	4	0.50	1	3.88	12	0.78	23	0.75	40	0.74	0.53-1.01
	-non-seminoma ²	-	-	4	1.10	[0.10]	0.00	3	0.60	10	0.82	17	0.82	0.48-1.31
179.0	Penis	-	-	4	0.91	[0.07]	0.00	6	0.80	18	0.75	28	0.78	0.52-1.12
180	Kidney	-	-	112	1.20	2	2.04	105	1.34	314	1.23	533	1.25	1.14-1.36
180.1	-renal pelvis ²	-	-	11	2.13	[0.05]	0.00	14	1.56	31	1.18	56	1.39	1.05-1.80
181	Bladder	-	-	131	1.22	2	1.47	198	1.15	491	0.99	822	1.06	0.99-1.13
190	Melanoma	-	-	60	0.80	[0.48]	0.00	73	0.74	168	0.69	301	0.72	0.64-0.80
190.6	-upper limbs ²	-	-	7	0.72	[0.07]	0.00	8	0.89	23	0.62	38	0.68	0.48-0.93
192	Eye	-	-	9	1.39	[0.04]	0.00	4	0.59	23	1.13	36	1.07	0.75-1.48
	-melanoma ²	-	-	9	1.51	[0.03]	0.00	4	0.67	16	1.00	29	1.04	0.69-1.49
193	Brain	-	-	71	0.95	[0.64]	0.00	72	1.09	203	0.98	346	0.99	0.90-1.11
	-glioma ²	-	-	34	0.94	[0.39]	0.00	39	1.10	120	1.12	193	1.08	0.93-1.24
	-meningioma ²	-	-	20	1.35	[0.14]	0.00	10	0.91	36	0.87	66	0.98	0.76-1.24
194	Thyroid	-	-	16	0.91	1	2.84	9	0.79	38	1.17	64	1.03	0.80-1.32
	-follicular ²	-	-	3	1.22	1	24.41	1	0.75	2	1.05	7	1.22	0.49-2.51
	-papillary ²	-	-	9	0.75	[0.26]	0.00	6	0.89	8	1.42	23	0.93	0.59-1.40
195.0	Glandula suprarenalis	-	-	5	1.95	[0.02]	0.00	1	0.66	4	1.09	10	1.29	0.62-2.37
195.1	Parathyreoidea	-	-	[0.05]	0.00	[0.00]	0.00	[0.06]	0.00	[0.24]	0.00	[0.35]	0.00	0.00-10.55
195.2	Thymus	-	-	[0.78]	0.00	[0.01]	0.00	[0.72]	0.00	[1.70]	0.00	[3.21]	0.00	0.00-1.15
195.3	Hypophysis	-	-	[0.08]	0.00	[0.11]	0.00	[0.10]	0.00	[0.42]	0.00	[0.71]	0.00	0.00-5.23
195.4	Corpus pineale	-	-	1	6.81	-	-	[0.04]	0.00	-	-	1	5.24	0.13-29.19
196	Bone	-	-	8	1.74	[0.06]	0.00	2	0.58	15	1.33	25	1.29	0.83-1.90
	-chondrosarcoma ²	-	-	3	1.25	[0.05]	0.00	2	2.13	4	0.77	9	1.05	0.48-2.00
197	Soft tissue	-	-	16	1.04	[0.15]	0.00	19	2.03	43	0.86	78	1.04	0.82-1.30
	-fibrosarcoma ²	-	-	5	1.01	-	-	1	1.25	6	0.91	12	0.97	0.50-1.70
	-liposarcoma ²	-	-	6	1.62	[0.05]	0.00	3	1.68	5	0.57	14	0.98	0.54-1.65
200,202	Non-Hodgkin lymphoma	-	-	74	0.85	[0.72]	0.00	45	0.74	222	0.98	341	0.91	0.82-1.01
201	Hodgkin lymphoma	-	-	10	0.67	[0.11]	0.00	18	1.69	31	0.89	59	0.98	0.74-1.26
203	Multiple myeloma	-	-	30	1.15	1	3.61	33	0.90	96	0.92	160	0.95	0.82-1.11
204	Leukaemia	-	-	59	1.21	[0.49]	0.00	49	0.93	186	1.11	294	1.09	0.97-1.23
	-chronic lymphatic ²	-	-	15	0.78	[0.15]	0.00	11	0.57	89	1.14	115	0.98	0.82-1.18
	-acute myeloid ²	-	-	21	1.51	[0.17]	0.00	25	1.30	43	1.11	89	1.23	0.99-1.52
	Mycosis fungoides ²	-	-	2	0.96	[0.03]	0.00	1	0.63	16	1.27	19	1.17	0.70-1.83
199	Other/unknown site	-	-	51	1.26	1	2.85	94	1.31	230	1.07	376	1.15	1.04-1.27
140-204	All sites	-	-	2256	1.09	18	0.96	2323	1.06	6903	1.05	11500	1.06	1.04-1.08
Not included above														
191	Other skin	-	-	51	0.98	[0.49]	0.00	97	1.04	255	0.85	403	0.90	0.82-1.00
191.6	-upper limbs ²	-	-	3	0.66	[0.05]	0.00	6	0.75	29	0.86	38	0.82	0.58-1.12

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Welders. Women (N = 2 606). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	-	-	[0.21]	0.00	[0.00]	0.00	[0.07]	0.00	[0.26]	0.00	[0.54]	0.00	0.00-6.86
141	Tongue	-	-	[0.31]	0.00	[0.00]	0.00	[0.11]	0.00	1	2.78	1	1.29	0.03-7.17
142	Salivary glands	-	-	[0.22]	0.00	[0.00]	0.00	[0.08]	0.00	1	2.83	1	1.54	0.04-8.60
143-144	Oral cavity	-	-	1	3.43	[0.00]	0.00	[0.17]	0.00	[0.46]	0.00	1	1.09	0.03-6.06
145-148	Pharynx	-	-	1	4.98	[0.00]	0.00	[0.12]	0.00	[0.46]	0.00	1	1.28	0.03-7.14
145	-oropharynx ²	-	-	1	10.90	[0.00]	0.00	[0.07]	0.00	[0.28]	0.00	1	2.26	0.06-12.59
146	-nasopharynx ²	-	-	[0.05]	0.00	[0.00]	0.00	[0.02]	0.00	[0.08]	0.00	[0.15]	0.00	0.00-24.29
150	Oesophagus	-	-	[0.55]	0.00	[0.00]	0.00	[0.16]	0.00	[0.50]	0.00	[1.21]	0.00	0.00-3.04
	-adenocarcinoma ²	-	-	[0.06]	0.00	[0.00]	0.00	[0.03]	0.00	[0.09]	0.00	[0.19]	0.00	0.00-19.32
151	Stomach	-	-	5	1.68	[0.00]	0.00	1	0.99	2	0.75	8	1.20	0.52-2.37
151.1	-cardia ²	-	-	[0.27]	0.00	[0.00]	0.00	[0.15]	0.00	1	4.10	1	1.50	0.04-8.38
152	Small intestine	-	-	[0.28]	0.00	[0.00]	0.00	[0.17]	0.00	[0.57]	0.00	[1.02]	0.00	0.00-3.60
153	Colon	-	-	2	0.44	[0.01]	0.00	7	1.76	5	0.60	14	0.82	0.45-1.38
154	Rectum, rectosigma	-	-	3	1.05	[0.00]	0.00	4	2.24	7	1.45	14	1.48	0.81-2.48
155.0	Primary liver	-	-	3	4.52	[0.00]	0.00	[0.14]	0.00	1	1.23	4	2.46	0.67-6.30
	-hemangiosarcoma ²	-	-	[0.01]	0.00	-	-	[0.00]	0.00	[0.01]	0.00	[0.01]	0.00	0.00-247.98
155.1	Gall bladder	-	-	1	0.88	[0.00]	0.00	[0.24]	0.00	1	0.87	2	0.79	0.10-2.85
157	Pancreas	-	-	3	1.14	[0.00]	0.00	[1.01]	0.00	6	2.11	9	1.39	0.64-2.64
160	Nose	-	-	[0.13]	0.00	[0.00]	0.00	[0.06]	0.00	[0.17]	0.00	[0.36]	0.00	0.00-10.33
	-adenocarcinoma ²	-	-	[0.01]	0.00	-	-	[0.00]	0.00	[0.01]	0.00	[0.03]	0.00	0.00-133.75
161	Larynx	-	-	1	8.65	[0.00]	0.00	[0.08]	0.00	1	4.86	2	4.93	0.60-17.81
162,163	Lung	-	-	5	1.35	[0.02]	0.00	5	1.64	15	1.89	25	1.70	1.10-2.51
	-adenocarcinoma ²	-	-	[1.09]	0.00	[0.01]	0.00	1	1.01	4	1.33	5	0.98	0.32-2.29
	-small cell ²	-	-	2	3.07	[0.00]	0.00	2	2.97	3	2.53	7	2.78	1.12-5.74
	-squamous cell ²	-	-	1	1.70	[0.00]	0.00	1	2.15	2	1.59	4	1.73	0.47-4.42
	-other ²	-	-	2	1.45	[0.01]	0.00	1	1.16	6	2.41	9	1.90	0.87-3.61
158, 162.2	Mesothelioma ²	-	-	[0.15]	0.00	-	-	[0.04]	0.00	[0.12]	0.00	[0.30]	0.00	0.00-12.30
170	Breast	-	-	22	0.65	[0.12]	0.00	10	0.76	42	0.82	74	0.75	0.59-0.95
	-ductal ²	-	-	13	0.52	[0.10]	0.00	7	0.73	16	0.78	36	0.65	0.46-0.90
	-lobular ²	-	-	7	1.57	[0.01]	0.00	1	0.91	4	0.91	12	1.21	0.62-2.11
171	Cervix uteri	-	-	1	0.62	[0.01]	0.00	5	2.46	6	1.10	12	1.31	0.68-2.30
172	Corpus uteri	-	-	5	0.83	[0.01]	0.00	1	0.35	10	1.12	16	0.90	0.51-1.45
173	Choriocarcinoma	-	-	[0.01]	0.00	[0.00]	0.00	[0.01]	0.00	[0.03]	0.00	[0.05]	0.00	0.00-67.57
175.0	Ovary	-	-	2	0.46	[0.01]	0.00	5	1.88	16	1.57	23	1.33	0.85-2.00
175.1	Fallopian tube	-	-	[0.25]	0.00	[0.00]	0.00	2	21.03	[0.28]	0.00	2	3.17	0.38-11.44
176.0	Vulva	-	-	[0.46]	0.00	[0.00]	0.00	[0.29]	0.00	1	1.40	1	0.68	0.02-3.77
176.1	Vagina	-	-	1	7.59	[0.00]	0.00	[0.07]	0.00	1	4.38	2	4.68	0.57-16.92
180	Kidney	-	-	4	1.66	[0.01]	0.00	[0.88]	0.00	3	1.02	7	1.12	0.45-2.31
180.1	-renal pelvis ²	-	-	[0.11]	0.00	[0.00]	0.00	[0.10]	0.00	[0.28]	0.00	[0.48]	0.00	0.00-7.63
181	Bladder	-	-	1	0.83	[0.00]	0.00	[0.99]	0.00	3	1.06	4	0.80	0.22-2.04
190	Melanoma	-	-	[2.72]	0.00	[0.01]	0.00	2	0.77	6	0.88	8	0.66	0.29-1.30
190.6	-upper limbs ²	-	-	[0.50]	0.00	[0.00]	0.00	[0.38]	0.00	2	1.55	2	0.92	0.11-3.33
192	Eye	-	-	1	3.82	[0.00]	0.00	[0.13]	0.00	[0.40]	0.00	1	1.25	0.03-6.99
	-melanoma ²	-	-	1	4.11	[0.00]	0.00	[0.12]	0.00	[0.29]	0.00	1	1.55	0.04-8.63
193	Brain	-	-	6	1.51	[0.01]	0.00	4	2.43	6	1.03	16	1.39	0.80-2.26
	-glioma ²	-	-	4	3.55	[0.00]	0.00	1	1.79	2	1.02	7	1.92	0.77-3.96
	-meningeoma ²	-	-	1	0.56	[0.01]	0.00	2	2.94	2	0.79	5	1.00	0.32-2.33
194	Thyroid	-	-	5	2.04	[0.02]	0.00	[0.70]	0.00	3	1.51	8	1.55	0.67-3.06
	-follicular ²	-	-	[0.26]	0.00	[0.00]	0.00	[0.09]	0.00	[0.12]	0.00	[0.47]	0.00	0.00-7.82
	-papillary ²	-	-	5	2.54	[0.01]	0.00	[0.52]	0.00	1	1.58	6	1.92	0.70-4.17
195.0	Glandula suprarenalis	-	-	[0.10]	0.00	[0.00]	0.00	[0.03]	0.00	[0.09]	0.00	[0.23]	0.00	0.00-16.27
195.1	Parathyreioeda	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.02]	0.00	[0.02]	0.00	0.00-150.61
195.2	Thymus	-	-	[0.04]	0.00	-	-	[0.01]	0.00	[0.04]	0.00	[0.08]	0.00	0.00-43.56
195.3	Hypophysis	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	[0.01]	0.00	0.00-297.06
195.4	Corpus pineale	-	-	[0.01]	0.00	-	-	[0.00]	0.00	-	-	[0.01]	0.00	0.00-250.29
196	Bone	-	-	[0.12]	0.00	[0.00]	0.00	[0.06]	0.00	[0.20]	0.00	[0.38]	0.00	0.00-9.65
	-chondrosarcoma ²	-	-	[0.06]	0.00	[0.00]	0.00	[0.02]	0.00	[0.10]	0.00	[0.18]	0.00	0.00-20.94
197	Soft tissue	-	-	1	1.71	[0.00]	0.00	[0.16]	0.00	1	1.04	2	1.17	0.14-4.24
	-fibrosarcoma ²	-	-	1	6.30	-	-	[0.01]	0.00	[0.10]	0.00	1	3.80	0.10-21.17
	-liposarcoma ²	-	-	[0.13]	0.00	[0.00]	0.00	[0.02]	0.00	[0.15]	0.00	[0.30]	0.00	0.00-12.15
200,202	Non-Hodgkin lymphoma	-	-	2	0.63	[0.01]	0.00	2	1.65	5	1.37	9	1.12	0.51-2.13
201	Hodgkin lymphoma	-	-	1	2.98	[0.00]	0.00	[0.11]	0.00	1	2.10	2	2.17	0.26-7.85
203	Multiple myeloma	-	-	[1.01]	0.00	[0.00]	0.00	1	1.93	[1.39]	0.00	1	0.34	0.01-1.91
204	Leukaemia	-	-	[1.53]	0.00	[0.01]	0.00	1	1.43	4	1.66	5	1.08	0.35-2.52
	-chronic lymphatic ²	-	-	[0.49]	0.00	[0.00]	0.00	1	4.56	1	1.19	2	1.29	0.16-4.68
	-acute myeloid ²	-	-	[0.54]	0.00	[0.00]	0.00	[0.30]	0.00	2	2.56	2	1.23	0.15-4.45
	Mycosis fungoides ²	-	-	[0.05]	0.00	[0.00]	0.00	[0.02]	0.00	1	8.54	1	5.48	0.14-30.51
199	Other/unknown site	-	-	1	0.54	[0.01]	0.00	3	2.66	4	0.88	8	1.07	0.46-2.10
140-204	All sites	-	-	78	0.87	[0.30]	0.00	53	1.19	153	1.06	284	1.02	0.91-1.15
	Not included above													
	Ovary borderline ²	-	-	1	0.97	[0.01]	0.00	1	1.63	3	1.40	5	1.32	0.43-3.07
191	Other skin	-	-	[1.83]	0.00	[0.01]	0.00	2	1.73	2	0.65	4	0.66	0.18-1.69
191.6	-upper limbs ²	-	-	[0.15]	0.00	[0.00]	0.00	1	7.56	[0.40]	0.00	1	1.46	0.04-8.13

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Electrical workers. Men (N = 211 834). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	19	0.59	50	0.75	1	1.05	70	0.93	132	0.97	272	0.87	0.77-0.98
141	Tongue	14	1.07	17	0.61	1	1.61	36	1.03	76	1.10	144	0.99	0.84-1.16
142	Salivary glands	8	1.13	11	0.73	1	2.28	18	1.16	59	1.28	97	1.15	0.94-1.41
143-144	Oral cavity	30	1.21	29	1.03	1	1.15	52	1.07	94	0.97	206	1.04	0.90-1.19
145-148	Pharynx	37	1.20	36	1.04	[1.01]	0.00	45	0.77	124	0.84	242	0.89	0.78-1.01
145	-oropharynx ²	20	1.15	15	0.99	[0.30]	0.00	22	0.94	56	0.89	113	0.95	0.79-1.14
146	-nasopharynx ²	4	0.92	6	0.85	[0.31]	0.00	10	1.00	27	0.94	47	0.93	0.68-1.24
150	Oesophagus	69	1.20	80	1.09	5	1.51	83	0.91	220	0.93	457	0.99	0.90-1.08
	-adenocarcinoma ²	25	1.10	21	1.11	5	3.60	24	1.16	61	0.87	136	1.01	0.86-1.20
151	Stomach	114	0.97	312	1.01	9	0.93	508	1.08	835	0.99	1778	1.02	0.97-1.07
151.1	-cardia ²	44	1.18	63	1.13	3	1.51	91	1.07	140	1.13	341	1.12	1.01-1.24
152	Small intestine	13	1.38	19	0.85	1	0.81	34	1.23	113	1.12	180	1.11	0.96-1.29
153	Colon	288	1.08	296	1.03	13	0.92	722	1.05	1296	1.01	2615	1.03	0.99-1.07
154	Rectum, rectosigma	209	1.11	215	0.92	4	0.77	436	1.03	925	1.02	1789	1.02	0.97-1.07
155.0	Primary liver	35	0.85	80	0.99	1	0.65	53	1.04	243	1.06	412	1.02	0.93-1.13
	-hemangiosarcoma ²	-	-	[0.40]	0.00	-	-	[0.09]	0.00	[1.10]	0.00	[1.59]	0.00	0.00-2.32
155.1	Gall bladder	24	1.13	40	0.95	[0.84]	0.00	34	0.91	88	1.08	186	1.02	0.88-1.17
157	Pancreas	117	1.16	229	1.12	7	1.32	247	1.00	513	1.00	1113	1.04	0.98-1.10
160	Nose	5	0.52	11	0.87	[0.50]	0.00	24	1.16	39	0.99	79	0.95	0.76-1.19
	-adenocarcinoma ²	-	-	2	2.27	[0.04]	0.00	2	0.69	6	0.88	10	0.94	0.45-1.73
161	Larynx	82	1.29	75	0.94	1	0.45	109	1.10	210	1.17	477	1.13	1.03-1.23
162, 163	Lung	777	1.15	1055	0.96	26	1.09	1072	1.04	1780	1.03	4710	1.03	1.00-1.06
	-adenocarcinoma ²	158	1.11	148	0.91	8	1.14	211	1.02	340	0.94	865	0.98	0.92-1.05
	-small cell ²	-	-	180	1.01	3	0.64	171	0.95	181	1.01	535	0.99	0.91-1.08
	-squamous cell ²	274	1.21	354	1.04	6	1.08	343	1.09	646	1.07	1623	1.09	1.04-1.14
	-other ²	-	-	373	0.89	8	1.33	251	1.02	613	1.06	1245	1.00	0.94-1.05
158, 162.2	Mesothelioma ²	31	1.69	70	2.52	1	1.61	62	1.98	128	1.70	292	1.90	1.70-2.13
170	Breast	13	2.17	3	0.40	[0.69]	0.00	15	1.39	20	0.66	51	0.92	0.68-1.21
177	Prostate	399	0.98	1303	0.98	39	0.85	1679	1.00	4875	0.99	8295	0.99	0.97-1.01
178	Testis	30	1.08	21	0.76	3	0.89	51	0.81	111	0.99	216	0.92	0.81-1.06
	-seminoma ²	12	1.04	17	0.90	2	0.82	40	0.91	80	1.00	151	0.96	0.82-1.13
	-non-seminoma ²	18	1.10	3	0.36	1	1.07	8	0.57	31	0.97	61	0.85	0.65-1.09
179.0	Penis	15	1.23	10	0.89	[0.71]	0.00	27	1.02	54	0.85	106	0.93	0.77-1.13
180	Kidney	101	1.22	245	1.01	14	1.44	267	1.02	662	0.99	1289	1.02	0.97-1.08
180.1	-renal pelvis ²	38	1.22	18	1.28	1	1.99	33	1.10	80	1.17	170	1.18	1.01-1.37
181	Bladder	395	1.20	307	1.01	11	0.80	682	1.15	1363	1.05	2758	1.09	1.05-1.13
190	Melanoma	75	0.96	191	1.03	10	2.03	296	1.00	634	1.01	1206	1.01	0.96-1.07
190.6	-upper limbs ²	10	1.06	22	0.93	[0.75]	0.00	28	1.04	109	1.15	169	1.09	0.93-1.26
192	Eye	3	0.33	16	0.96	[0.41]	0.00	18	0.81	61	1.15	98	0.97	0.78-1.18
	-melanoma ²	3	0.38	13	0.86	[0.29]	0.00	17	0.87	49	1.17	82	0.97	0.77-1.20
193	Brain	101	1.12	168	0.91	5	0.76	221	1.08	516	0.97	1011	0.99	0.93-1.05
	-glioma ²	9	0.90	66	0.75	3	0.75	99	0.92	274	1.00	451	0.93	0.85-1.02
	-meningeoma ²	13	1.16	38	1.03	[1.52]	0.00	48	1.42	112	1.03	211	1.10	0.96-1.26
194	Thyroid	5	0.65	42	0.97	6	1.71	38	1.03	89	1.04	180	1.02	0.88-1.18
	-follicular ²	-	-	4	0.63	[0.44]	0.00	5	1.17	6	1.21	15	0.94	0.52-1.54
	-papillary ²	-	-	29	1.02	6	2.28	25	1.21	17	1.14	77	1.16	0.91-1.45
195.0	Glandula suprarenalis	2	1.02	4	0.59	[0.18]	0.00	5	1.06	17	1.79	28	1.21	0.80-1.75
195.1	Parathyreioeda	[0.08]	0.00	1	8.87	[0.02]	0.00	[0.18]	0.00	[0.64]	0.00	1	0.97	0.02-5.39
195.2	Thymus	[0.88]	0.00	2	1.00	[0.12]	0.00	2	0.93	3	0.70	7	0.74	0.30-1.53
195.3	Hypophysis	1	3.61	[0.18]	0.00	2	1.91	1	2.94	2	1.86	6	2.06	0.75-4.48
195.4	Corpus pineale	-	-	[0.37]	0.00	-	-	[0.10]	0.00	-	-	[0.47]	0.00	0.00-7.83
196	Bone	6	1.78	11	0.97	1	1.63	11	0.98	16	0.55	45	0.81	0.59-1.08
	-chondrosarcoma ²	-	-	5	0.85	1	1.91	3	0.98	7	0.53	16	0.70	0.40-1.14
197	Soft tissue	10	0.88	45	1.14	2	1.49	36	1.13	138	1.05	231	1.07	0.94-1.22
	-fibrosarcoma ²	-	-	16	1.23	-	-	5	1.72	19	1.08	40	1.19	0.85-1.62
	-liposarcoma ²	-	-	10	1.10	1	2.12	8	1.44	24	1.05	43	1.13	0.82-1.53
200, 202	Non-Hodgkin lymphoma	79	0.97	217	0.97	6	0.85	180	0.95	599	1.02	1081	0.99	0.93-1.05
201	Hodgkin lymphoma	14	1.00	36	0.99	1	1.00	31	0.89	66	0.72	148	0.83	0.71-0.98
203	Multiple myeloma	44	0.97	72	1.00	3	1.13	128	0.98	280	1.01	527	1.00	0.92-1.09
204	Leukaemia	104	1.10	131	0.99	5	1.04	197	1.06	439	1.00	876	1.02	0.96-1.09
	-chronic lymphatic ²	-	-	48	0.89	2	1.37	66	0.98	208	1.02	324	0.99	0.89-1.11
	-acute myeloid ²	26	0.95	34	0.92	1	0.61	77	1.15	108	1.08	246	1.06	0.93-1.20
	Mycosis fungoides ²	3	1.19	6	1.10	2	7.23	2	0.38	31	0.89	44	0.91	0.66-1.22
199	Other/unknown site	46	1.11	113	1.01	5	1.39	261	0.98	555	0.99	980	0.99	0.93-1.06
140-204	All sites	3264	1.11	5601	0.99	188	1.01	7763	1.03	17406	1.01	34222	1.02	1.01-1.03
	Not included above													
191	Other skin	-	-	153	1.01	4	0.79	335	1.02	799	1.00	1291	1.01	0.96-1.07
191.6	-upper limbs ²	-	-	9	0.72	1	2.19	23	0.81	83	0.93	116	0.89	0.74-1.07

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Electrical workers. Women (N = 31 528). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	1	0.53	2	1.20	[0.00]	0.00	2	1.96	2	0.52	7	0.83	0.34-1.72
141	Tongue	2	0.71	4	1.57	[0.01]	0.00	1	0.67	1	0.21	8	0.68	0.30-1.35
142	Salivary glands	1	0.44	[1.82]	0.00	[0.00]	0.00	[1.10]	0.00	1	0.20	2	0.20	0.02-0.71
143-144	Oral cavity	8	1.26	1	0.41	[0.02]	0.00	2	0.80	6	0.87	17	0.93	0.54-1.49
145-148	Pharynx	10	1.98	1	0.61	[0.01]	0.00	3	1.81	6	0.99	20	1.38	0.85-2.14
145	-oropharynx ²	6	2.05	1	1.37	[0.00]	0.00	1	1.31	4	1.26	12	1.58	0.82-2.76
146	-nasopharynx ²	1	1.25	[0.42]	0.00	[0.00]	0.00	1	3.29	1	0.76	3	1.06	0.22-3.09
150	Oesophagus	8	0.90	6	1.37	[0.02]	0.00	2	0.76	10	1.13	26	1.05	0.69-1.54
	-adenocarcinoma ²	2	0.93	1	1.98	[0.01]	0.00	[0.47]	0.00	[1.58]	0.00	3	0.64	0.13-1.86
151	Stomach	37	1.45	28	1.14	1	11.80	27	1.25	62	1.23	155	1.27	1.09-1.49
151.1	-cardia ²	6	1.38	5	2.32	[0.01]	0.00	2	0.72	6	1.54	19	1.44	0.87-2.26
152	Small intestine	5	1.48	2	0.87	[0.01]	0.00	1	0.42	5	0.57	13	0.77	0.41-1.32
153	Colon	133	1.11	41	1.08	[0.17]	0.00	72	1.08	122	0.85	368	1.00	0.90-1.11
154	Rectum, rectosigma	62	1.16	17	0.72	[0.07]	0.00	35	1.22	81	1.06	195	1.07	0.93-1.23
155.0	Primary liver	5	0.52	9	1.67	[0.01]	0.00	4	1.53	17	1.21	35	1.10	0.77-1.53
	-hemangiosarcoma ²	-	-	[0.05]	0.00	[0.00]	0.00	[0.01]	0.00	[0.10]	0.00	[0.17]	0.00	0.00-21.83
155.1	Gall bladder	20	1.44	15	1.62	[0.02]	0.00	3	0.65	20	0.90	58	1.16	0.88-1.50
157	Pancreas	34	0.87	21	1.00	[0.06]	0.00	20	1.07	50	1.01	125	0.97	0.82-1.16
160	Nose	3	1.25	1	0.96	[0.01]	0.00	2	1.96	4	1.55	10	1.42	0.68-2.60
	-adenocarcinoma ²	-	-	[0.08]	0.00	-	-	[0.10]	0.00	1	4.83	1	2.58	0.07-14.36
161	Larynx	12	2.02	3	3.31	[0.01]	0.00	2	1.78	4	1.38	21	1.93	1.19-2.95
162,163	Lung	289	1.86	57	1.89	1	3.09	77	1.96	164	1.60	588	1.79	1.66-1.95
	-adenocarcinoma ²	87	1.73	18	2.00	1	8.71	22	1.85	60	1.67	188	1.75	1.52-2.02
	-small cell ²	-	-	16	3.00	[0.05]	0.00	23	2.74	20	1.39	59	2.10	1.60-2.70
	-squamous cell ²	59	2.04	6	1.28	[0.05]	0.00	11	1.72	26	1.43	102	1.75	1.44-2.13
	-other ²	-	-	17	1.53	[0.11]	0.00	20	1.84	58	1.71	95	1.70	1.37-2.08
158, 162.2	Mesothelioma ²	3	1.50	1	0.86	[0.00]	0.00	1	2.00	4	2.34	9	1.67	0.76-3.18
170	Breast	338	0.97	271	0.95	1	1.22	167	1.04	568	0.92	1345	0.95	0.90-1.00
	-ductal ²	-	-	212	1.00	1	1.56	111	1.03	194	0.99	518	1.00	0.92-1.09
	-lobular ²	-	-	37	0.98	[0.07]	0.00	6	0.56	29	0.67	72	0.78	0.61-0.99
171	Cervix uteri	100	1.59	16	1.14	[0.08]	0.00	46	1.62	91	1.23	253	1.41	1.25-1.59
172	Corpus uteri	87	1.04	37	0.74	[0.14]	0.00	35	0.91	115	0.89	274	0.91	0.81-1.02
173	Choriocarcinoma	1	13.92	[0.14]	0.00	[0.00]	0.00	[0.08]	0.00	[0.30]	0.00	1	1.67	0.04-9.32
175.0	Ovary	74	1.00	25	0.68	[0.12]	0.00	32	0.86	169	1.26	300	1.06	0.95-1.19
175.1	Fallopian tube	2	0.89	2	0.97	[0.00]	0.00	1	0.92	8	2.37	13	1.48	0.79-2.53
176.0	Vulva	8	1.30	5	1.31	[0.01]	0.00	5	0.99	12	1.02	30	1.12	0.75-1.60
176.1	Vagina	2	0.72	1	0.93	[0.00]	0.00	3	2.80	5	1.37	11	1.28	0.64-2.30
180	Kidney	29	1.17	18	0.91	[0.08]	0.00	14	0.98	53	1.11	114	1.07	0.89-1.28
180.1	-renal pelvis ²	15	1.66	[0.86]	0.00	[0.01]	0.00	1	0.64	6	1.26	22	1.35	0.85-2.05
181	Bladder	50	1.15	5	0.52	[0.07]	0.00	20	1.18	48	1.03	123	1.05	0.88-1.26
190	Melanoma	34	0.90	15	0.64	[0.07]	0.00	28	1.00	55	0.72	132	0.80	0.67-0.95
190.6	-upper limbs ²	2	0.29	3	0.69	[0.01]	0.00	7	1.52	12	0.81	24	0.78	0.50-1.16
192	Eye	8	2.43	5	2.33	[0.00]	0.00	1	0.54	1	0.18	15	1.17	0.66-1.94
	-melanoma ²	6	2.02	4	2.01	[0.00]	0.00	[1.60]	0.00	1	0.24	11	1.02	0.51-1.83
193	Brain	41	0.99	36	1.06	[0.11]	0.00	18	0.88	76	1.06	171	1.02	0.88-1.19
	-glioma ²	2	0.58	11	1.12	[0.04]	0.00	6	0.86	30	1.24	49	1.10	0.81-1.46
	-meningeoma ²	11	1.11	17	1.13	[0.05]	0.00	9	1.19	31	1.02	68	1.08	0.84-1.37
194	Thyroid	13	2.13	27	1.26	[0.09]	0.00	11	1.36	24	0.98	75	1.24	0.98-1.56
	-follicular ²	-	-	3	1.37	[0.01]	0.00	1	0.89	2	1.55	6	1.30	0.48-2.83
	-papillary ²	-	-	23	1.32	[0.07]	0.00	4	0.81	4	0.69	31	1.10	0.75-1.56
195.0	Glandula suprarenalis	2	2.59	3	3.66	[0.00]	0.00	[0.38]	0.00	[1.17]	0.00	5	1.59	0.52-3.71
195.1	Parathyreoidea	[0.06]	0.00	[0.03]	0.00	-	-	[0.04]	0.00	1	3.59	1	2.51	0.06-13.98
195.2	Thymus	1	2.94	[0.31]	0.00	-	-	[0.12]	0.00	1	2.04	2	1.58	0.19-5.72
195.3	Hypophysis	[0.09]	0.00	[0.02]	0.00	[0.01]	0.00	[0.03]	0.00	[0.11]	0.00	[0.26]	0.00	0.00-14.43
195.4	Corpus pineale	-	-	[0.11]	0.00	-	-	[0.02]	0.00	-	-	[0.13]	0.00	0.00-28.76
196	Bone	3	2.81	[1.03]	0.00	[0.01]	0.00	[0.72]	0.00	3	1.14	6	1.10	0.40-2.39
	-chondrosarcoma ²	-	-	[0.50]	0.00	[0.00]	0.00	[0.20]	0.00	3	2.44	3	1.55	0.32-4.54
197	Soft tissue	2	0.50	8	1.61	[0.01]	0.00	2	0.87	16	1.21	28	1.14	0.76-1.65
	-fibrosarcoma ²	-	-	2	1.52	[0.00]	0.00	[0.15]	0.00	3	1.83	5	1.61	0.52-3.76
	-liposarcoma ²	-	-	2	1.74	[0.00]	0.00	[0.32]	0.00	3	1.52	5	1.45	0.47-3.40
200,202	Non-Hodgkin lymphoma	38	1.26	36	1.38	[0.06]	0.00	16	1.02	49	0.92	139	1.11	0.94-1.32
201	Hodgkin lymphoma	2	0.62	2	0.66	[0.01]	0.00	2	1.15	3	0.45	9	0.61	0.28-1.16
203	Multiple myeloma	5	0.34	7	0.85	[0.03]	0.00	13	1.39	26	1.10	51	0.91	0.68-1.20
204	Leukaemia	33	1.17	15	1.18	1	17.04	11	0.95	39	1.10	99	1.13	0.92-1.37
	-chronic lymphatic ²	-	-	7	1.77	1	54.12	4	1.05	13	0.98	25	1.19	0.77-1.75
	-acute myeloid ²	11	1.10	2	0.44	[0.02]	0.00	6	1.27	7	0.64	26	0.86	0.56-1.26
	Mycosis fungoides ²	[0.62]	0.00	1	2.41	[0.00]	0.00	[0.26]	0.00	2	0.75	3	0.76	0.16-2.22
199	Other/unknown site	24	1.18	17	1.14	[0.07]	0.00	28	1.26	82	1.15	151	1.17	1.00-1.37
140-204	All sites	1483	1.18	765	1.02	4	1.46	707	1.13	2006	1.02	4965	1.08	1.05-1.11
	Not included above													
	Ovary borderline ²	-	-	8	0.89	[0.05]	0.00	9	1.62	26	1.19	43	1.18	0.85-1.59
191	Other skin	-	-	15	1.04	[0.07]	0.00	11	0.55	55	1.00	81	0.90	0.72-1.12
191.6	-upper limbs ²	-	-	3	2.49	[0.01]	0.00	[2.13]	0.00	6	0.88	9	0.89	0.41-1.69

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Wood workers. Men (N = 368 831). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	100	1.01	216	1.06	2	1.83	248	1.15	321	1.02	887	1.06	0.99-1.13
141	Tongue	25	0.75	40	0.71	1	1.86	64	0.78	78	0.66	208	0.72	0.63-0.82
142	Salivary glands	18	0.89	30	0.86	1	2.32	39	1.01	65	0.75	153	0.85	0.72-0.99
143-144	Oral cavity	47	0.71	45	0.79	2	2.76	100	0.84	125	0.71	319	0.76	0.68-0.85
145-148	Pharynx	59	0.75	63	0.86	1	1.27	117	0.86	210	0.83	450	0.83	0.76-0.91
145	-oropharynx ²	35	0.80	19	0.69	1	4.48	42	0.85	59	0.63	156	0.73	0.62-0.85
146	-nasopharynx ²	4	0.34	15	0.98	[0.23]	0.00	26	1.04	70	1.28	115	1.08	0.90-1.29
150	Oesophagus	144	0.89	194	1.04	4	1.17	187	0.77	353	0.77	882	0.84	0.78-0.89
	-adenocarcinoma ²	61	0.95	37	0.91	3	2.32	46	0.94	99	0.86	246	0.91	0.80-1.03
151	Stomach	349	0.97	962	1.06	9	0.89	1456	1.04	2128	1.05	4904	1.04	1.01-1.07
151.1	-cardia ²	97	0.90	159	1.03	3	1.61	243	1.04	223	0.99	725	1.01	0.94-1.08
152	Small intestine	22	0.79	40	0.76	[1.06]	0.00	68	0.99	171	0.91	301	0.89	0.80-1.00
153	Colon	740	0.91	661	0.89	9	0.63	1731	0.93	2337	0.88	5478	0.90	0.88-0.93
154	Rectum, rectosigma	561	0.99	603	0.99	6	1.14	1096	0.97	1722	0.95	3988	0.97	0.94-1.00
155.0	Primary liver	113	0.94	232	1.04	2	1.21	93	0.66	357	0.72	797	0.81	0.76-0.87
	-hemangiosarcoma ²	-	-	1	1.13	-	-	[0.23]	0.00	[2.24]	0.00	1	0.30	0.01-1.66
155.1	Gall bladder	45	0.69	117	0.97	1	1.17	96	0.92	154	0.79	413	0.85	0.77-0.93
157	Pancreas	298	1.00	553	1.01	3	0.57	666	0.95	1001	0.90	2521	0.94	0.91-0.98
160	Nose	74	2.64	46	1.46	1	1.94	74	1.35	160	2.04	355	1.84	1.66-2.04
	-adenocarcinoma ²	-	-	6	2.85	1	22.08	27	3.77	88	6.83	122	5.50	4.60-6.56
161	Larynx	170	0.94	200	0.95	2	0.99	193	0.77	254	0.72	819	0.82	0.77-0.88
162,163	Lung	2085	1.05	3801	1.16	17	0.71	2370	0.88	2668	0.77	10941	0.96	0.94-0.97
	-adenocarcinoma ²	402	1.03	462	1.10	7	1.03	427	0.88	469	0.77	1767	0.92	0.88-0.97
	-small cell ²	-	-	626	1.24	2	0.42	401	0.89	233	0.85	1262	1.02	0.97-1.08
	-squamous cell ²	724	1.06	1251	1.20	2	0.35	768	0.91	1024	0.78	3769	0.97	0.94-1.00
	-other ²	-	-	1462	1.11	6	0.98	554	0.87	942	0.74	2964	0.92	0.89-0.95
158, 162.2	Mesothelioma ²	109	2.13	84	1.39	[0.54]	0.00	145	1.92	156	1.23	494	1.57	1.44-1.71
170	Breast	14	0.77	13	0.76	[0.65]	0.00	23	0.80	59	0.97	109	0.87	0.72-1.05
177	Prostate	1219	0.94	3336	0.94	44	0.88	4685	0.99	9423	0.97	18707	0.97	0.95-0.98
178	Testis	65	1.03	33	0.80	4	1.98	120	1.07	142	1.01	364	1.02	0.92-1.13
	-seminoma ²	31	1.18	26	0.91	1	0.68	82	1.05	95	0.95	235	1.01	0.88-1.14
	-non-seminoma ²	34	0.91	7	0.57	3	5.35	25	1.03	47	1.17	116	1.01	0.84-1.22
179.0	Penis	25	0.69	23	0.91	[0.69]	0.00	57	0.82	97	0.82	202	0.81	0.70-0.93
180	Kidney	243	1.02	563	0.97	7	0.79	606	0.90	1183	0.91	2602	0.93	0.89-0.97
180.1	-renal pelvis ²	81	0.87	38	1.02	[0.51]	0.00	63	0.80	99	0.73	281	0.81	0.72-0.92
181	Bladder	985	0.97	878	1.02	14	1.02	1562	0.96	2259	0.88	5698	0.94	0.91-0.96
190	Melanoma	176	0.84	313	0.84	8	2.13	600	0.95	782	0.84	1879	0.87	0.83-0.91
190.6	-upper limbs ²	22	0.88	36	0.76	[0.54]	0.00	51	0.89	101	0.75	210	0.79	0.69-0.91
192	Eye	23	0.90	41	1.07	1	2.64	54	0.98	111	1.15	230	1.07	0.94-1.21
	-melanoma ²	20	0.89	37	1.08	1	3.22	46	0.95	92	1.16	196	1.06	0.92-1.22
193	Brain	240	0.99	368	1.00	7	1.30	472	1.01	807	0.91	1894	0.96	0.92-1.01
	-glioma ²	18	0.70	164	1.00	3	0.95	235	1.00	395	0.90	815	0.94	0.88-1.01
	-meningeoma ²	23	0.74	85	1.10	3	2.30	83	1.09	161	0.82	355	0.93	0.84-1.03
194	Thyroid	24	1.11	86	1.02	2	0.66	80	0.91	140	0.91	332	0.95	0.85-1.05
	-follicular ²	-	-	11	0.70	[0.49]	0.00	4	0.37	8	1.24	23	0.69	0.44-1.04
	-papillary ²	-	-	49	1.02	2	0.91	48	1.09	17	0.97	116	1.04	0.87-1.25
195.0	Glandula suprarenalis	8	1.46	22	1.30	[0.13]	0.00	15	1.37	22	1.31	67	1.33	1.03-1.69
195.1	Parathyreoidea	[0.30]	0.00	[0.23]	0.00	[0.03]	0.00	[0.33]	0.00	[1.21]	0.00	[2.09]	0.00	0.00-1.77
195.2	Thymus	3	1.17	7	1.60	[0.09]	0.00	2	0.44	8	1.17	20	1.09	0.66-1.68
195.3	Hypophysis	3	3.99	[0.32]	0.00	3	3.35	2	2.18	2	0.99	10	2.04	0.98-3.75
195.4	Corpus pineale	-	-	[0.78]	0.00	-	-	[0.14]	0.00	-	-	[0.92]	0.00	0.00-3.99
196	Bone	9	0.98	23	0.96	[0.45]	0.00	25	0.94	46	0.93	103	0.94	0.78-1.14
	-chondrosarcoma ²	-	-	10	0.83	[0.41]	0.00	7	1.01	16	0.75	33	0.81	0.56-1.14
197	Soft tissue	31	0.95	94	1.07	1	0.94	90	1.10	187	0.78	403	0.91	0.82-1.00
	-fibrosarcoma ²	-	-	41	1.31	-	-	12	1.52	27	0.70	80	1.03	0.82-1.28
	-liposarcoma ²	-	-	17	0.91	[0.34]	0.00	11	0.84	33	0.81	61	0.84	0.64-1.08
200,202	Non-Hodgkin lymphoma	235	1.02	450	0.90	3	0.50	425	0.96	1057	1.01	2170	0.97	0.93-1.02
201	Hodgkin lymphoma	46	1.24	79	1.11	1	1.36	77	0.91	179	1.04	382	1.04	0.94-1.15
203	Multiple myeloma	120	0.90	169	0.88	2	0.77	399	1.10	573	1.03	1263	1.01	0.96-1.07
204	Leukaemia	258	0.91	337	0.98	4	0.89	466	0.93	833	1.00	1898	0.96	0.92-1.01
	-chronic lymphatic ²	-	-	150	0.98	1	0.64	164	0.88	403	1.06	718	1.00	0.93-1.07
	-acute myeloid ²	76	0.95	99	1.05	2	1.41	174	0.97	172	0.98	523	0.98	0.90-1.07
	Mycosis fungoides ²	4	0.51	15	1.12	[0.23]	0.00	12	0.89	92	1.09	123	1.03	0.86-1.23
199	Other/unknown site	137	1.13	259	0.84	4	1.12	716	0.92	947	0.88	2063	0.90	0.86-0.94
140-204	All sites	8632	0.99	15088	1.01	170	0.94	19253	0.96	31210	0.92	74353	0.95	0.95-0.96
	Not included above													
191	Other skin	-	-	417	0.92	4	0.72	849	0.91	1415	0.84	2685	0.87	0.84-0.91
191.6	-upper limbs ²	-	-	33	0.97	1	2.03	83	1.03	161	0.92	278	0.96	0.85-1.08

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Wood workers. Women (N = 20 262). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.64]	0.00	8	1.05	[0.00]	0.00	[0.35]	0.00	2	1.75	10	1.03	0.49-1.89
141	Tongue	1	1.07	10	1.43	[0.01]	0.00	[0.52]	0.00	1	0.67	12	1.21	0.62-2.11
142	Salivary glands	[0.76]	0.00	5	1.01	[0.01]	0.00	1	2.75	1	0.67	7	0.92	0.37-1.90
143-144	Oral cavity	1	0.47	5	0.70	[0.03]	0.00	[0.85]	0.00	3	1.46	9	0.74	0.34-1.41
145-148	Pharynx	2	1.24	3	0.68	[0.01]	0.00	[0.55]	0.00	3	1.60	8	0.94	0.41-1.86
145	-oropharynx ²	1	1.07	[1.47]	0.00	[0.00]	0.00	[0.28]	0.00	2	1.97	3	0.81	0.17-2.37
146	-nasopharynx ²	[0.26]	0.00	1	0.84	[0.01]	0.00	[0.10]	0.00	1	2.57	2	1.03	0.12-3.72
150	Oesophagus	2	0.68	13	0.68	[0.03]	0.00	1	1.14	2	0.78	18	0.71	0.42-1.12
	-adenocarcinoma ²	[0.72]	0.00	1	0.58	[0.01]	0.00	[0.16]	0.00	[0.46]	0.00	1	0.32	0.01-1.81
151	Stomach	10	1.18	101	1.11	1	6.40	7	1.07	14	0.97	133	1.10	0.93-1.30
151.1	-cardia ²	3	2.08	9	1.05	[0.01]	0.00	1	1.13	2	1.76	15	1.24	0.70-2.05
152	Small intestine	[1.12]	0.00	8	1.19	[0.02]	0.00	1	1.22	3	1.16	12	1.06	0.55-1.86
153	Colon	49	1.21	103	0.79	[0.33]	0.00	19	0.87	35	0.84	206	0.88	0.77-1.01
154	Rectum, rectosigma	16	0.88	81	1.04	[0.13]	0.00	7	0.74	19	0.84	123	0.96	0.80-1.14
155.0	Primary liver	1	0.31	16	0.76	[0.02]	0.00	1	1.20	3	0.73	21	0.72	0.44-1.10
	-hemangiosarcoma ²	-	-	[0.15]	0.00	[0.00]	0.00	[0.01]	0.00	[0.03]	0.00	[0.19]	0.00	0.00-19.74
155.1	Gall bladder	10	2.14	39	1.04	[0.03]	0.00	3	2.01	6	0.94	58	1.16	0.88-1.50
157	Pancreas	10	0.77	76	0.94	[0.12]	0.00	6	0.99	19	1.32	111	0.97	0.81-1.17
160	Nose	3	3.71	4	1.18	[0.01]	0.00	[0.32]	0.00	3	3.92	10	1.88	0.90-3.46
	-adenocarcinoma ²	-	-	[0.22]	0.00	-	-	[0.03]	0.00	[0.06]	0.00	[0.31]	0.00	0.00-11.85
161	Larynx	1	0.52	3	0.99	[0.01]	0.00	1	2.58	2	2.31	7	1.12	0.45-2.31
162,163	Lung	74	1.48	103	1.03	1	1.58	20	1.45	37	1.18	235	1.20	1.06-1.36
	-adenocarcinoma ²	22	1.39	20	0.76	1	4.64	4	0.94	13	1.15	60	1.04	0.79-1.34
	-small cell ¹²	-	-	20	1.21	[0.10]	0.00	5	1.67	8	1.80	33	1.37	0.95-1.93
	-squamous cell ¹²	17	1.82	15	0.90	[0.10]	0.00	3	1.35	7	1.29	42	1.24	0.90-1.68
	-other ²	-	-	48	1.18	[0.21]	0.00	8	2.09	9	0.87	65	1.18	0.91-1.51
158, 162.2	Mesothelioma ²	2	3.03	9	2.34	[0.00]	0.00	[0.18]	0.00	[0.51]	0.00	11	2.12	1.06-3.80
170	Breast	89	0.79	439	0.73	1	0.60	58	1.07	138	0.71	725	0.75	0.70-0.81
	-ductal ²	-	-	330	0.78	[1.29]	0.00	40	1.05	54	0.82	424	0.80	0.73-0.88
	-lobular ²	-	-	36	0.53	[0.15]	0.00	2	0.49	8	0.56	46	0.53	0.39-0.71
171	Cervix uteri	29	1.43	51	1.31	[0.17]	0.00	5	0.61	24	1.09	109	1.22	1.01-1.47
172	Corpus uteri	32	1.13	140	0.93	[0.29]	0.00	16	1.25	36	0.93	224	0.97	0.85-1.11
173	Choriocarcinoma	[0.02]	0.00	[0.21]	0.00	[0.00]	0.00	[0.02]	0.00	[0.10]	0.00	[0.36]	0.00	0.00-10.34
175.0	Ovary	31	1.30	80	0.81	[0.24]	0.00	14	1.17	51	1.25	176	1.00	0.86-1.16
175.1	Fallopian tube	2	2.76	4	0.80	[0.01]	0.00	2	5.22	3	2.83	11	1.53	0.76-2.74
176.0	Vulva	2	0.95	20	1.55	[0.03]	0.00	[1.63]	0.00	1	0.29	23	1.14	0.72-1.71
176.1	Vagina	[0.93]	0.00	2	0.57	[0.01]	0.00	[0.34]	0.00	3	2.81	5	0.86	0.28-2.00
180	Kidney	13	1.57	63	0.95	[0.16]	0.00	4	0.86	10	0.71	90	0.96	0.78-1.19
180.1	-renal pelvis ²	1	0.33	3	0.88	[0.01]	0.00	[0.52]	0.00	[1.37]	0.00	4	0.48	0.13-1.23
181	Bladder	12	0.82	32	0.87	[0.13]	0.00	1	0.18	11	0.81	56	0.79	0.60-1.02
190	Melanoma	9	0.73	43	0.81	[0.16]	0.00	4	0.40	21	0.87	77	0.77	0.61-0.96
190.6	-upper limbs ²	4	1.75	10	1.07	[0.02]	0.00	[1.58]	0.00	2	0.43	16	0.89	0.51-1.45
192	Eye	[1.08]	0.00	3	0.49	[0.01]	0.00	[0.60]	0.00	2	1.21	5	0.53	0.17-1.24
	-melanoma ²	[0.98]	0.00	3	0.53	[0.01]	0.00	[0.52]	0.00	2	1.60	5	0.60	0.19-1.39
193	Brain	17	1.27	68	0.88	[0.21]	0.00	10	1.46	20	0.90	115	0.96	0.80-1.15
	-glioma ²	1	0.93	17	0.82	[0.07]	0.00	5	2.19	5	0.67	28	0.89	0.59-1.28
	-meningeoma ²	5	1.55	34	1.04	[0.11]	0.00	4	1.48	9	0.95	52	1.07	0.80-1.41
194	Thyroid	6	3.00	32	0.82	[0.18]	0.00	4	1.47	11	1.44	53	1.03	0.77-1.34
	-follicular ²	-	-	4	0.64	[0.02]	0.00	1	2.73	1	2.43	6	0.85	0.31-1.84
	-papillary ²	-	-	24	0.90	[0.15]	0.00	2	1.11	2	1.03	28	0.91	0.61-1.32
195.0	Glandula suprarenalis	[0.25]	0.00	2	1.03	[0.00]	0.00	[0.13]	0.00	1	2.76	3	1.12	0.23-3.27
195.1	Parathyreoidea	[0.02]	0.00	[0.07]	0.00	-	-	[0.01]	0.00	[0.08]	0.00	[0.18]	0.00	0.00-20.63
195.2	Thymus	[0.11]	0.00	[0.72]	0.00	-	-	[0.04]	0.00	[0.15]	0.00	[1.02]	0.00	0.00-3.61
195.3	Hypophysis	[0.03]	0.00	[0.06]	0.00	[0.02]	0.00	[0.01]	0.00	[0.03]	0.00	[0.15]	0.00	0.00-24.22
195.4	Corpus pineale	-	-	[0.19]	0.00	-	-	[0.01]	0.00	-	-	[0.20]	0.00	0.00-18.57
196	Bone	[0.35]	0.00	[2.67]	0.00	[0.01]	0.00	[0.24]	0.00	[0.81]	0.00	[4.09]	0.00	0.00-0.90
	-chondrosarcoma ²	-	-	[1.23]	0.00	[0.01]	0.00	[0.07]	0.00	[0.38]	0.00	[1.70]	0.00	0.00-2.18
197	Soft tissue	[1.32]	0.00	16	1.21	[0.02]	0.00	1	1.37	1	0.25	18	0.94	0.55-1.48
	-fibrosarcoma ²	-	-	4	0.94	[0.00]	0.00	[0.04]	0.00	[0.47]	0.00	4	0.84	0.23-2.15
	-liposarcoma ²	-	-	1	0.37	[0.00]	0.00	[0.10]	0.00	[0.60]	0.00	1	0.30	0.01-1.65
200,202	Non-Hodgkin lymphoma	15	1.50	73	0.96	[0.13]	0.00	6	1.09	16	1.01	110	1.03	0.85-1.24
201	Hodgkin lymphoma	1	0.95	3	0.43	[0.02]	0.00	1	2.00	[2.02]	0.00	5	0.47	0.15-1.11
203	Multiple myeloma	5	1.01	28	0.91	[0.06]	0.00	4	1.33	10	1.46	47	1.03	0.76-1.37
204	Leukaemia	9	0.95	38	0.91	[0.11]	0.00	2	0.54	12	1.14	61	0.93	0.71-1.19
	-chronic lymphatic ²	-	-	19	1.26	[0.04]	0.00	1	0.79	1	0.26	21	1.04	0.64-1.59
	-acute myeloid ²	1	0.31	8	0.56	[0.04]	0.00	1	0.66	6	1.83	16	0.72	0.41-1.16
	Mycosis fungoides ²	[0.21]	0.00	2	1.96	[0.00]	0.00	[0.09]	0.00	[0.73]	0.00	2	0.98	0.12-3.53
199	Other/unknown site	8	1.18	58	1.04	[0.13]	0.00	6	0.86	19	0.90	91	1.00	0.81-1.23
140-204	All sites	450	1.09	1803	0.88	3	0.56	205	0.99	543	0.91	3004	0.92	0.89-0.95
Not included above														
	Ovary borderline ²	-	-	16	0.95	[0.10]	0.00	3	1.42	7	0.98	26	0.99	0.65-1.46
191	Other skin	-	-	81	1.34	[0.14]	0.00	5	0.74	14	0.88	100	1.20	0.99-1.47
191.6	-upper limbs ²	-	-	10	2.12	[0.02]	0.00	[0.73]	0.00	4	2.05	14	1.89	1.03-3.16

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Painters and wall paperhangers. Men (N = 98 743). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	18	0.57	30	0.73	[0.41]	0.00	24	0.65	45	0.51	117	0.59	0.49-0.71
141	Tongue	12	1.06	20	1.57	1	4.76	14	1.01	46	1.31	93	1.27	1.03-1.56
142	Salivary glands	4	0.61	10	1.31	[0.17]	0.00	2	0.31	23	0.91	39	0.85	0.60-1.16
143-144	Oral cavity	35	1.58	22	1.69	1	3.21	34	1.69	68	1.31	160	1.49	1.28-1.74
145-148	Pharynx	37	1.38	31	1.91	[0.31]	0.00	31	1.34	77	1.02	176	1.24	1.07-1.44
145	-oropharynx ²	21	1.41	10	1.57	[0.09]	0.00	12	1.43	29	1.02	72	1.24	0.97-1.56
146	-nasopharynx ²	5	1.25	4	1.19	[0.09]	0.00	3	0.69	15	0.94	27	0.97	0.64-1.41
150	Oesophagus	75	1.40	40	1.02	[1.36]	0.00	50	1.23	141	1.06	306	1.14	1.02-1.28
	-adenocarcinoma ²	29	1.36	10	1.12	[0.53]	0.00	6	0.77	31	0.91	76	1.05	0.83-1.31
151	Stomach	110	0.95	182	0.99	2	0.50	248	1.03	557	0.99	1099	1.00	0.94-1.06
151.1	-cardia ²	37	1.04	24	0.76	[0.75]	0.00	46	1.17	58	0.88	165	0.95	0.82-1.11
152	Small intestine	9	0.98	10	0.89	[0.44]	0.00	6	0.53	57	1.04	82	0.94	0.75-1.17
153	Colon	260	0.99	162	1.05	7	1.20	324	1.06	757	1.00	1510	1.02	0.97-1.07
154	Rectum, rectosigma	220	1.20	123	0.96	4	1.84	201	1.08	583	1.12	1131	1.11	1.05-1.18
155.0	Primary liver	45	1.13	61	1.34	1	1.50	24	1.01	126	0.91	257	1.03	0.91-1.17
	-hemangiosarcoma ²	-	-	[0.20]	0.00	-	-	[0.03]	0.00	1	1.54	1	1.13	0.03-6.29
155.1	Gall bladder	21	1.00	28	1.16	2	5.60	15	0.86	60	1.12	126	1.08	0.91-1.28
157	Pancreas	92	0.94	118	1.04	3	1.42	107	0.91	321	1.02	641	0.99	0.92-1.07
160	Nose	14	1.52	4	0.61	[0.19]	0.00	7	0.75	18	0.80	43	0.90	0.65-1.21
	-adenocarcinoma ²	-	-	[0.47]	0.00	[0.02]	0.00	1	0.82	2	0.52	3	0.54	0.11-1.59
161	Larynx	70	1.18	54	1.23	1	1.22	58	1.37	120	1.17	303	1.22	1.09-1.36
162,163	Lung	858	1.30	792	1.21	8	0.81	593	1.32	1167	1.17	3418	1.23	1.19-1.28
	-adenocarcinoma ²	152	1.15	108	1.23	2	0.71	108	1.34	191	1.05	561	1.16	1.06-1.26
	-small cell ²	-	-	141	1.38	[2.03]	0.00	93	1.25	102	1.21	336	1.28	1.15-1.42
	-squamous cell ²	279	1.24	239	1.16	3	1.27	191	1.35	483	1.30	1195	1.26	1.19-1.34
	-other ²	-	-	304	1.17	3	1.22	147	1.41	391	1.09	845	1.17	1.09-1.25
158, 162.2	Mesothelioma ²	22	1.28	30	2.22	[0.23]	0.00	19	1.55	73	1.92	144	1.77	1.51-2.09
170	Breast	7	1.20	3	0.80	[0.26]	0.00	8	1.68	19	1.10	37	1.16	0.82-1.60
177	Prostate	384	0.93	721	0.98	14	0.68	764	0.99	2758	0.99	4641	0.98	0.96-1.01
178	Testis	25	1.15	11	1.06	1	1.33	17	0.87	33	0.76	87	0.91	0.73-1.12
	-seminoma ²	11	1.22	7	0.98	1	1.84	14	1.02	25	0.80	58	0.94	0.72-1.22
	-non-seminoma ²	15	1.17	4	1.31	[0.21]	0.00	[4.27]	0.00	8	0.64	27	0.83	0.54-1.20
179.0	Penis	8	0.68	9	1.65	[0.29]	0.00	7	0.60	38	1.10	62	0.97	0.75-1.25
180	Kidney	80	1.01	117	0.94	2	0.57	119	1.05	353	0.94	671	0.96	0.89-1.04
180.1	-renal pelvis ²	35	1.16	9	1.17	1	4.76	19	1.46	47	1.20	111	1.23	1.02-1.48
181	Bladder	395	1.21	160	0.93	10	1.78	291	1.09	786	1.06	1642	1.08	1.03-1.14
190	Melanoma	72	1.03	60	0.71	1	0.67	97	0.92	245	0.86	475	0.87	0.79-0.95
190.6	-upper limbs ²	9	1.09	8	0.75	[0.21]	0.00	6	0.62	36	0.87	59	0.84	0.64-1.08
192	Eye	9	1.07	10	1.18	[0.15]	0.00	6	0.64	30	1.06	55	1.00	0.76-1.31
	-melanoma ²	6	0.82	10	1.31	[0.13]	0.00	6	0.73	23	0.98	45	0.96	0.70-1.29
193	Brain	89	1.08	84	1.01	2	0.92	75	0.94	274	1.03	524	1.02	0.94-1.11
	-glioma ²	8	0.90	39	1.02	2	1.56	41	1.01	140	1.05	230	1.04	0.91-1.18
	-meningeoma ²	12	1.17	22	1.27	[0.53]	0.00	12	0.94	49	0.85	95	0.97	0.78-1.18
194	Thyroid	9	1.25	19	0.99	1	0.82	14	0.93	49	1.08	92	1.05	0.84-1.28
	-follicular ²	-	-	2	0.60	[0.20]	0.00	3	1.65	3	1.51	8	1.09	0.47-2.15
	-papillary ²	-	-	10	0.88	1	1.14	2	0.27	7	1.28	20	0.79	0.48-1.22
195.0	Glandula suprarenalis	[1.83]	0.00	6	1.70	[0.05]	0.00	3	1.61	3	0.61	12	0.98	0.51-1.71
195.1	Parathyreoidea	[0.09]	0.00	[0.05]	0.00	[0.01]	0.00	[0.06]	0.00	1	2.91	1	1.82	0.05-10.16
195.2	Thymus	5	5.72	2	2.05	[0.03]	0.00	1	1.32	1	0.48	9	1.91	0.87-3.62
195.3	Hypophysis	[0.24]	0.00	[0.07]	0.00	1	2.63	1	6.41	1	1.68	3	2.07	0.43-6.05
195.4	Corpus pineale	-	-	[0.17]	0.00	-	-	[0.03]	0.00	-	-	[0.19]	0.00	0.00-19.35
196	Bone	1	0.33	9	1.66	[0.19]	0.00	9	1.98	19	1.28	38	1.36	0.96-1.86
	-chondrosarcoma ²	-	-	4	1.46	[0.18]	0.00	[1.21]	0.00	10	1.55	14	1.32	0.72-2.22
197	Soft tissue	6	0.56	19	0.98	1	2.32	12	0.85	78	1.11	116	1.01	0.84-1.21
	-fibrosarcoma ²	-	-	7	1.04	-	-	4	2.83	12	1.10	23	1.20	0.76-1.81
	-liposarcoma ²	-	-	2	0.47	[0.14]	0.00	2	0.91	13	1.08	17	0.91	0.53-1.46
200,202	Non-Hodgkin lymphoma	77	1.01	85	0.78	4	1.63	77	1.06	318	1.03	561	0.99	0.91-1.07
201	Hodgkin lymphoma	18	1.45	12	0.74	[0.30]	0.00	14	0.95	48	0.95	92	0.97	0.79-1.19
203	Multiple myeloma	40	0.92	45	1.13	[1.08]	0.00	44	0.73	151	0.94	280	0.92	0.82-1.03
204	Leukaemia	83	0.90	78	1.09	1	0.57	85	1.01	228	0.94	475	0.97	0.88-1.06
	-chronic lymphatic ²	-	-	35	1.13	1	1.68	32	1.04	107	0.96	175	1.01	0.87-1.17
	-acute myeloid ²	16	0.61	22	1.11	[0.58]	0.00	39	1.30	49	0.94	126	0.98	0.82-1.16
	Mycosis fungoides ²	4	1.56	5	1.77	[0.10]	0.00	2	0.89	22	0.94	33	1.06	0.73-1.49
199	Other/unknown site	52	1.30	78	1.24	1	0.68	161	1.24	326	1.04	618	1.13	1.05-1.22
140-204	All sites	3192	1.12	3279	1.06	69	0.94	3567	1.07	10020	1.02	20127	1.05	1.04-1.06
	Not included above													
191	Other skin	-	-	72	0.81	[2.18]	0.00	124	0.84	414	0.87	610	0.85	0.79-0.92
191.6	-upper limbs ²	-	-	7	1.02	[0.20]	0.00	11	0.85	37	0.74	55	0.78	0.59-1.02

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Painters and wall paperhangers. Women (N = 3 215). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.02]	0.00	2	2.41	[0.00]	0.00	[0.08]	0.00	[0.31]	0.00	2	1.61	0.20-5.82
141	Tongue	[0.04]	0.00	1	1.20	[0.00]	0.00	[0.11]	0.00	[0.39]	0.00	1	0.73	0.02-4.05
142	Salivary glands	[0.03]	0.00	[0.60]	0.00	[0.00]	0.00	[0.08]	0.00	1	2.52	1	0.91	0.02-5.05
143-144	Oral cavity	[0.08]	0.00	1	1.19	[0.01]	0.00	[0.19]	0.00	[0.56]	0.00	1	0.60	0.02-3.32
145-148	Pharynx	[0.06]	0.00	[0.53]	0.00	[0.00]	0.00	[0.12]	0.00	[0.49]	0.00	[1.21]	0.00	0.00-3.05
145	-oropharynx ²	[0.04]	0.00	[0.18]	0.00	[0.00]	0.00	[0.06]	0.00	[0.25]	0.00	[0.53]	0.00	0.00-7.00
146	-nasopharynx ²	[0.01]	0.00	[0.15]	0.00	[0.00]	0.00	[0.02]	0.00	[0.11]	0.00	[0.29]	0.00	0.00-12.82
150	Oesophagus	1	8.75	2	0.97	[0.01]	0.00	[0.20]	0.00	2	2.75	5	1.60	0.52-3.74
	-adenocarcinoma ²	1	35.67	1	5.17	[0.00]	0.00	[0.04]	0.00	[0.13]	0.00	2	5.18	0.63-18.71
151	Stomach	[0.35]	0.00	11	1.07	[0.04]	0.00	2	1.29	5	1.17	18	1.09	0.16-1.72
151.1	-cardia ²	[0.06]	0.00	1	1.05	[0.00]	0.00	[0.21]	0.00	[0.31]	0.00	1	0.65	0.02-3.63
152	Small intestine	[0.04]	0.00	[0.79]	0.00	[0.01]	0.00	1	5.48	[0.70]	0.00	1	0.58	0.01-3.23
153	Colon	1	0.65	21	1.41	[0.09]	0.00	8	1.55	8	0.69	38	1.14	0.81-1.56
154	Rectum, rectosigma	[0.69]	0.00	6	0.67	[0.04]	0.00	4	1.81	8	1.29	18	0.99	0.59-1.57
155.0	Primary liver	[0.13]	0.00	5	2.12	[0.01]	0.00	[0.20]	0.00	[1.15]	0.00	5	1.30	0.42-3.04
	-hemangiosarcoma ²	-	-	[0.02]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	[0.03]	0.00	0.00-131.75
155.1	Gall bladder	[0.19]	0.00	3	0.72	[0.01]	0.00	[0.35]	0.00	1	0.54	4	0.60	0.16-1.55
157	Pancreas	[0.52]	0.00	13	1.44	[0.03]	0.00	2	1.40	6	1.47	21	1.39	0.86-2.12
160	Nose	[0.03]	0.00	[0.40]	0.00	[0.00]	0.00	[0.08]	0.00	[0.21]	0.00	[0.72]	0.00	0.00-5.15
	-adenocarcinoma ²	-	-	[0.03]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.05]	0.00	0.00-74.27
161	Larynx	[0.07]	0.00	[0.35]	0.00	[0.00]	0.00	1	11.65	1	4.42	2	2.70	0.33-9.75
162,163	Lung	3	1.60	20	1.72	[0.17]	0.00	9	2.96	15	1.88	47	1.90	1.40-2.53
	-adenocarcinoma ²	[0.60]	0.00	5	1.59	[0.06]	0.00	2	2.18	5	1.78	12	1.59	0.82-2.79
	-small cell ²	-	-	3	1.51	[0.03]	0.00	1	1.52	1	0.93	5	1.33	0.43-3.11
	-squamous cell ²	1	2.86	6	3.09	[0.03]	0.00	4	7.89	2	1.41	13	3.06	1.63-5.24
	-other ²	-	-	6	1.31	[0.06]	0.00	2	2.38	7	2.62	15	1.84	1.03-3.03
158, 162.2	Mesothelioma ²	[0.03]	0.00	1	2.24	[0.00]	0.00	[0.04]	0.00	[0.14]	0.00	1	1.54	0.04-8.58
170	Breast	6	1.41	71	0.93	[0.49]	0.00	14	1.19	41	0.84	132	0.93	0.78-1.10
	-ductal ²	-	-	54	0.98	[0.39]	0.00	9	1.13	21	1.38	84	1.07	0.86-1.33
	-lobular ²	-	-	11	1.23	[0.04]	0.00	[0.83]	0.00	1	0.30	12	0.91	0.47-1.59
171	Cervix uteri	[0.77]	0.00	10	2.14	[0.05]	0.00	2	1.04	6	1.04	18	1.36	0.81-2.15
172	Corpus uteri	[1.00]	0.00	17	0.93	[0.07]	0.00	6	2.09	8	0.78	31	0.96	0.65-1.36
173	Choriocarcinoma	[0.00]	0.00	[0.03]	0.00	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	[0.06]	0.00	0.00-60.70
175.0	Ovary	[0.92]	0.00	8	0.66	[0.06]	0.00	5	1.85	7	0.66	20	0.76	0.46-1.17
175.1	Fallopian tube	1	37.43	1	1.59	[0.00]	0.00	1	12.24	[0.26]	0.00	3	2.99	0.62-8.73
176.0	Vulva	[0.08]	0.00	3	2.02	[0.01]	0.00	[0.38]	0.00	[0.98]	0.00	3	1.03	0.21-3.00
176.1	Vagina	[0.04]	0.00	1	2.48	[0.00]	0.00	[0.08]	0.00	1	3.36	2	2.45	0.30-8.87
180	Kidney	[0.32]	0.00	6	0.77	[0.04]	0.00	[1.09]	0.00	2	0.52	8	0.61	0.26-1.21
180.1	-renal pelvis ²	1	8.81	[0.38]	0.00	[0.00]	0.00	[0.12]	0.00	[0.38]	0.00	1	0.99	0.03-5.54
181	Bladder	2	3.64	8	1.91	[0.04]	0.00	1	0.76	4	1.06	15	1.52	0.85-2.51
190	Melanoma	[0.45]	0.00	8	1.20	[0.05]	0.00	4	1.89	2	0.34	14	0.92	0.50-1.54
190.6	-upper limbs ²	[0.08]	0.00	1	0.84	[0.01]	0.00	2	5.66	1	0.87	4	1.44	0.39-3.68
192	Eye	[0.04]	0.00	[0.73]	0.00	[0.00]	0.00	[0.14]	0.00	[0.44]	0.00	[1.35]	0.00	0.00-2.74
	-melanoma ²	[0.04]	0.00	[0.68]	0.00	[0.00]	0.00	[0.12]	0.00	[0.34]	0.00	[1.17]	0.00	0.00-3.15
193	Brain	[0.50]	0.00	11	1.12	[0.06]	0.00	3	1.99	6	1.06	20	1.14	0.70-1.76
	-glioma ²	[0.04]	0.00	2	0.75	[0.02]	0.00	[0.51]	0.00	3	1.57	5	0.97	0.31-2.26
	-meningeoma ²	[0.12]	0.00	5	1.19	[0.03]	0.00	3	5.27	3	1.25	11	1.50	0.75-2.69
194	Thyroid	[0.08]	0.00	5	0.96	[0.06]	0.00	1	1.71	[1.96]	0.00	6	0.76	0.28-1.66
	-follicular ²	-	-	2	2.62	[0.01]	0.00	[0.08]	0.00	[0.10]	0.00	2	2.10	0.25-7.58
	-papillary ²	-	-	2	0.54	[0.04]	0.00	1	2.69	[0.45]	0.00	3	0.65	0.13-1.90
195.0	Glandula suprarenalis	[0.01]	0.00	[0.24]	0.00	[0.00]	0.00	[0.03]	0.00	[0.09]	0.00	[0.37]	0.00	0.00-9.87
195.1	Parathyreioeda	[0.00]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.02]	0.00	[0.03]	0.00	0.00-111.84
195.2	Thymus	[0.00]	0.00	[0.09]	0.00	-	-	[0.01]	0.00	[0.04]	0.00	[0.15]	0.00	0.00-25.43
195.3	Hypophysis	[0.00]	0.00	[0.01]	0.00	[0.01]	0.00	[0.00]	0.00	[0.01]	0.00	[0.03]	0.00	0.00-135.52
195.4	Corpus pineale	-	-	[0.02]	0.00	-	-	[0.00]	0.00	-	-	[0.03]	0.00	0.00-145.51
196	Bone	[0.01]	0.00	[0.32]	0.00	[0.00]	0.00	[0.05]	0.00	[0.21]	0.00	[0.60]	0.00	0.00-6.11
	-chondrosarcoma ²	-	-	[0.15]	0.00	[0.00]	0.00	[0.02]	0.00	[0.10]	0.00	[0.27]	0.00	0.00-13.72
197	Soft tissue	[0.05]	0.00	4	2.49	[0.01]	0.00	1	6.02	2	1.89	7	2.42	0.97-4.99
	-fibrosarcoma ²	-	-	1	2.01	[0.00]	0.00	[0.01]	0.00	[0.13]	0.00	1	1.56	0.04-8.70
	-liposarcoma ²	-	-	[0.34]	0.00	[0.00]	0.00	[0.02]	0.00	[0.16]	0.00	[0.52]	0.00	0.00-7.07
200,202	Non-Hodgkin lymphoma	[0.39]	0.00	10	1.11	[0.04]	0.00	1	0.82	3	0.71	14	0.94	0.51-1.58
201	Hodgkin lymphoma	[0.04]	0.00	[0.87]	0.00	[0.01]	0.00	[0.12]	0.00	[0.55]	0.00	[1.59]	0.00	0.00-2.33
203	Multiple myeloma	[0.19]	0.00	4	1.14	[0.02]	0.00	[0.71]	0.00	3	1.56	7	1.10	0.44-2.27
204	Leukaemia	[0.37]	0.00	4	0.82	[0.03]	0.00	[0.86]	0.00	2	0.70	6	0.67	0.25-1.46
	-chronic lymphatic ²	-	-	1	0.60	[0.01]	0.00	[0.29]	0.00	1	0.94	2	0.66	0.08-2.37
	-acute myeloid ²	[0.13]	0.00	2	1.19	[0.01]	0.00	[0.35]	0.00	[0.87]	0.00	2	0.66	0.08-2.37
	Mycosis fungoides ²	[0.01]	0.00	[0.13]	0.00	[0.00]	0.00	[0.02]	0.00	[0.23]	0.00	[0.38]	0.00	0.00-9.66
199	Other/unknown site	2	7.39	5	0.80	[0.04]	0.00	[1.66]	0.00	7	1.22	14	1.00	0.55-1.68
140-204	All sites	13	0.83	263	1.07	[1.51]	0.00	66	1.42	141	0.90	483	1.03	0.94-1.13
	Not included above													
	Ovary borderline ²	-	-	1	0.45	[0.03]	0.00	[0.42]	0.00	[1.71]	0.00	1	0.23	0.01-1.27
191	Other skin	-	-	8	1.23	[0.04]	0.00	3	1.92	3	0.66	14	1.11	0.61-1.86
191.6	-upper limbs ²	-	-	[0.51]	0.00	[0.00]	0.00	[0.17]	0.00	[0.55]	0.00	[1.23]	0.00	0.00-2.99

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Other construction workers. Men (N = 218 460). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	255	2.05	162	1.21	3	1.49	58	1.39	248	1.46	726	1.54	1.43-1.65
141	Tongue	43	1.13	39	1.06	1	0.86	19	1.08	72	1.12	174	1.10	0.95-1.28
142	Salivary glands	25	0.99	20	0.88	2	2.30	4	0.51	44	0.94	95	0.92	0.74-1.12
143-144	Oral cavity	93	1.20	47	1.26	1	0.64	35	1.42	113	1.18	289	1.22	1.09-1.37
145-148	Pharynx	81	0.89	72	1.50	1	0.55	42	1.43	150	1.08	346	1.12	1.01-1.24
145	-oropharynx ²	44	0.89	29	1.61	1	1.95	16	1.40	53	1.05	143	1.10	0.93-1.29
146	-nasopharynx ²	11	0.76	10	0.99	[0.55]	0.00	5	0.96	29	0.97	55	0.91	0.69-1.19
150	Oesophagus	239	1.20	168	1.39	12	1.80	66	1.39	330	1.32	815	1.31	1.22-1.40
	-adenocarcinoma ²	109	1.40	28	1.08	6	2.26	12	1.23	78	1.27	233	1.31	1.15-1.49
151	Stomach	576	1.21	685	1.16	25	1.28	332	1.25	1301	1.19	2919	1.20	1.15-1.24
151.1	-cardia ²	161	1.17	114	1.15	6	1.57	52	1.15	126	1.05	459	1.13	1.03-1.24
152	Small intestine	41	1.15	35	1.02	5	2.21	14	1.00	99	0.98	194	1.04	0.90-1.19
153	Colon	941	0.92	417	0.88	32	1.14	345	0.97	1387	0.98	3122	0.95	0.92-0.98
154	Rectum, rectosigma	705	0.97	402	1.02	13	1.27	222	1.01	962	0.99	2304	0.99	0.95-1.03
155.0	Primary liver	130	0.84	145	1.02	3	0.95	24	0.88	287	1.09	589	1.00	0.92-1.08
	-hemangiosarcoma ²	-	-	[0.61]	0.00	-	-	[0.03]	0.00	[1.20]	0.00	[1.84]	0.00	0.00-2.00
155.1	Gall bladder	82	0.94	76	1.00	1	0.60	20	1.01	82	0.78	261	0.90	0.80-1.02
157	Pancreas	410	1.05	378	1.07	6	0.57	152	1.13	574	0.95	1520	1.02	0.97-1.07
160	Nose	39	1.12	36	1.75	1	1.00	10	0.92	51	1.19	137	1.24	1.05-1.47
	-adenocarcinoma ²	-	-	3	2.07	[0.09]	0.00	2	1.36	6	0.84	11	1.09	0.54-1.94
161	Larynx	256	1.16	201	1.43	5	1.18	64	1.26	225	1.16	751	1.23	1.15-1.32
162,163	Lung	3075	1.19	3402	1.59	45	0.96	741	1.40	2217	1.18	9480	1.32	1.29-1.35
	-adenocarcinoma ²	532	1.11	423	1.53	14	1.03	118	1.17	337	1.01	1424	1.19	1.13-1.25
	-small cell ²	-	-	544	1.63	12	1.30	143	1.59	196	1.32	895	1.54	1.44-1.64
	-squamous cell ²	1078	1.20	1110	1.63	11	0.99	231	1.41	878	1.23	3308	1.34	1.29-1.39
	-other ²	-	-	1325	1.57	6	0.50	180	1.46	806	1.17	2317	1.39	1.33-1.44
158, 162.2	Mesothelioma ²	56	0.88	53	1.34	2	1.77	33	2.17	124	1.80	268	1.42	1.26-1.60
170	Breast	18	0.79	13	1.18	1	0.77	5	0.89	22	0.68	59	0.81	0.61-1.04
177	Prostate	1481	0.88	2031	0.92	95	1.01	841	0.95	5137	1.00	9585	0.96	0.94-0.97
178	Testis	54	0.85	18	0.66	8	1.50	21	0.72	57	0.75	158	0.79	0.67-0.92
	-seminoma ²	20	0.75	15	0.80	4	1.04	15	0.73	35	0.65	89	0.72	0.58-0.88
	-non-seminoma ²	34	0.91	3	0.38	4	2.74	6	0.91	22	1.02	69	0.92	0.72-1.17
179.0	Penis	43	0.96	19	1.16	[1.36]	0.00	14	1.01	70	1.10	146	1.04	0.89-1.22
180	Kidney	300	1.00	373	0.99	11	0.59	137	1.01	667	0.94	1488	0.97	0.92-1.02
180.1	-renal pelvis ²	96	0.81	18	0.75	1	1.01	22	1.44	68	0.92	205	0.88	0.77-1.01
181	Bladder	1259	0.98	583	1.07	27	1.00	336	1.09	1387	1.01	3592	1.02	0.98-1.05
190	Melanoma	198	0.83	191	0.79	5	0.58	108	0.76	386	0.76	888	0.78	0.73-0.83
190.6	-upper limbs ²	21	0.74	22	0.72	2	1.56	10	0.77	50	0.69	105	0.72	0.60-0.87
192	Eye	33	1.06	28	1.10	1	1.26	12	1.05	44	0.84	118	0.97	0.81-1.17
	-melanoma ²	27	0.98	25	1.10	1	1.67	10	0.99	41	0.94	104	0.99	0.82-1.20
193	Brain	273	0.94	233	0.96	11	0.92	90	0.88	437	0.90	1044	0.92	0.87-0.98
	-glioma ²	27	0.87	103	0.94	8	1.11	47	0.88	226	0.93	411	0.93	0.84-1.02
	-meningeoma ²	26	0.71	49	0.97	3	1.05	9	0.55	84	0.79	171	0.80	0.69-0.93
194	Thyroid	37	1.38	40	0.73	4	0.61	17	0.89	64	0.76	162	0.85	0.73-0.99
	-follicular ²	-	-	3	0.29	1	1.09	3	1.34	2	0.60	9	0.54	0.25-1.03
	-papillary ²	-	-	26	0.83	3	0.62	8	0.79	5	0.56	42	0.76	0.55-1.03
195.0	Glandula suprarenalis	9	1.27	13	1.17	[0.33]	0.00	2	0.85	10	1.09	34	1.13	0.78-1.58
195.1	Parathyreoidea	[0.41]	0.00	[0.13]	0.00	[0.05]	0.00	[0.08]	0.00	[0.67]	0.00	[1.34]	0.00	0.00-2.76
195.2	Thymus	2	0.60	3	1.04	[0.21]	0.00	3	2.95	5	1.33	13	1.16	0.62-1.99
195.3	Hypophysis	[0.89]	0.00	[0.21]	0.00	2	1.06	1	5.59	2	1.81	5	1.17	0.38-2.73
195.4	Corpus pineale	-	-	3	6.03	-	-	[0.05]	0.00	-	-	3	5.48	1.13-16.01
196	Bone	16	1.45	15	0.94	2	1.89	7	1.23	29	1.07	69	1.13	0.88-1.43
	-chondrosarcoma ²	-	-	7	0.87	2	2.17	1	0.64	14	1.20	24	1.08	0.69-1.61
197	Soft tissue	30	0.75	69	1.20	3	1.29	12	0.72	121	0.94	235	0.96	0.84-1.09
	-fibrosarcoma ²	-	-	24	1.18	-	-	1	0.63	25	1.19	50	1.16	0.86-1.54
	-liposarcoma ²	-	-	8	0.66	2	2.52	[2.79]	0.00	22	0.98	32	0.84	0.57-1.18
200,202	Non-Hodgkin lymphoma	272	0.96	295	0.91	11	0.85	84	0.91	527	0.94	1189	0.93	0.88-0.99
201	Hodgkin lymphoma	39	0.88	41	0.86	2	1.17	24	1.31	104	1.09	210	1.01	0.89-1.16
203	Multiple myeloma	200	1.19	116	0.94	8	1.55	75	1.08	292	0.97	691	1.04	0.96-1.12
204	Leukaemia	367	1.02	205	0.92	7	0.76	96	0.98	451	1.01	1126	0.99	0.93-1.05
	-chronic lymphatic ²	-	-	88	0.90	3	1.01	39	1.10	199	0.98	329	0.97	0.87-1.08
	-acute myeloid ²	103	1.00	54	0.88	2	0.66	33	0.94	101	1.08	293	0.99	0.88-1.11
	Mycosis fungoides ²	5	0.50	6	0.69	1	1.97	1	0.37	37	0.79	50	0.73	0.54-0.96
199	Other/unknown site	164	1.07	238	1.22	5	0.71	167	1.15	618	1.07	1192	1.10	1.04-1.17
140-204	All sites	11543	1.04	10939	1.14	360	1.00	4235	1.08	18733	1.03	45810	1.06	1.05-1.07
	Not included above													
191	Other skin	-	-	223	0.81	12	1.16	158	0.94	788	0.90	1181	0.89	0.84-0.94
191.6	-upper limbs ²	-	-	21	1.00	1	1.09	18	1.21	89	0.97	129	1.01	0.85-1.20

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Other construction workers. Women (N = 4 814). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.02]	0.00	6	1.79	[0.00]	0.00	[0.03]	0.00	[0.04]	0.00	6	1.74	0.64-3.79
141	Tongue	1	36.64	3	1.10	[0.00]	0.00	[0.05]	0.00	[0.06]	0.00	4	1.40	0.38-3.58
142	Salivary glands	[0.02]	0.00	4	2.04	[0.00]	0.00	[0.03]	0.00	[0.05]	0.00	4	1.93	0.53-4.94
143-144	Oral cavity	[0.06]	0.00	2	0.70	[0.00]	0.00	[0.08]	0.00	[0.07]	0.00	2	0.65	0.08-2.34
145-148	Pharynx	[0.04]	0.00	1	0.57	[0.00]	0.00	[0.05]	0.00	[0.07]	0.00	1	0.52	0.01-2.89
145	-oropharynx ²	[0.03]	0.00	[0.52]	0.00	[0.00]	0.00	[0.02]	0.00	[0.05]	0.00	[0.61]	0.00	0.00-6.01
146	-nasopharynx ²	[0.01]	0.00	1	2.08	[0.00]	0.00	[0.01]	0.00	[0.01]	0.00	1	1.96	0.05-10.92
150	Oesophagus	[0.09]	0.00	10	1.17	[0.00]	0.00	[0.08]	0.00	[0.07]	0.00	10	1.14	0.54-2.09
	-adenocarcinoma ²	[0.02]	0.00	[0.71]	0.00	[0.00]	0.00	[0.02]	0.00	[0.01]	0.00	[0.76]	0.00	0.00-4.86
151	Stomach	[0.29]	0.00	54	1.37	[0.02]	0.00	1	1.60	1	2.36	56	1.37	1.03-1.78
151.1	-cardia ²	[0.05]	0.00	5	1.33	[0.00]	0.00	[0.08]	0.00	[0.04]	0.00	5	1.28	0.41-2.98
152	Small intestine	[0.03]	0.00	1	0.38	[0.00]	0.00	[0.07]	0.00	[0.08]	0.00	1	0.35	0.01-1.95
153	Colon	2	1.58	52	0.96	[0.05]	0.00	3	1.50	1	0.83	58	0.98	0.75-1.27
154	Rectum, rectosigma	2	3.55	33	1.02	[0.02]	0.00	1	1.16	[0.70]	0.00	36	1.05	0.73-1.45
155.0	Primary liver	[0.10]	0.00	13	1.43	[0.00]	0.00	[0.08]	0.00	[0.12]	0.00	13	1.38	0.74-2.36
	-hemangiosarcoma ²	-	-	[0.06]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.06]	0.00	0.00-63.99
155.1	Gall bladder	[0.16]	0.00	16	0.98	[0.00]	0.00	[0.14]	0.00	[0.17]	0.00	16	0.95	0.54-1.54
157	Pancreas	[0.42]	0.00	35	1.01	[0.02]	0.00	[0.56]	0.00	1	2.41	36	1.00	0.70-1.39
160	Nose	[0.02]	0.00	1	0.71	[0.00]	0.00	[0.03]	0.00	[0.03]	0.00	1	0.68	0.02-3.76
	-adenocarcinoma ²	-	-	[0.09]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.09]	0.00	0.00-40.83
161	Larynx	[0.05]	0.00	10	8.09	[0.00]	0.00	[0.03]	0.00	[0.03]	0.00	10	7.39	3.54-13.58
162,163	Lung	3	2.12	88	2.17	[0.10]	0.00	1	0.85	4	3.42	96	2.17	1.75-2.65
	-adenocarcinoma ²	2	4.56	17	1.66	[0.04]	0.00	1	2.75	1	2.15	21	1.82	1.13-2.78
	-small cell ²	-	-	19	2.92	[0.01]	0.00	[0.25]	0.00	[0.17]	0.00	19	2.74	1.65-4.28
	-squamous cell ²	[0.27]	0.00	21	3.10	[0.02]	0.00	[0.18]	0.00	3	17.85	24	3.24	2.08-4.82
	-other ²	-	-	31	1.83	[0.03]	0.00	[0.33]	0.00	[0.37]	0.00	31	1.75	1.19-2.48
158, 162.2	Mesothelioma ²	[0.02]	0.00	3	1.97	[0.00]	0.00	[0.01]	0.00	[0.02]	0.00	3	1.90	0.39-5.57
170	Breast	[3.23]	0.00	190	0.90	[0.31]	0.00	2	0.42	8	0.96	200	0.88	0.76-1.01
	-ductal ²	-	-	131	0.90	[0.24]	0.00	1	0.29	4	1.09	136	0.89	0.75-1.06
	-lobular ²	-	-	16	0.74	[0.02]	0.00	[0.37]	0.00	[0.76]	0.00	16	0.70	0.40-1.14
171	Cervix uteri	1	1.71	33	2.07	[0.03]	0.00	[0.67]	0.00	[0.86]	0.00	34	1.88	1.30-2.63
172	Corpus uteri	[0.78]	0.00	53	0.91	[0.04]	0.00	3	2.79	[1.22]	0.00	56	0.91	0.69-1.18
173	Choriocarcinoma	[0.00]	0.00	[0.07]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	[0.08]	0.00	0.00-48.64
175.0	Ovary	1	1.41	39	1.02	[0.04]	0.00	1	0.98	[1.54]	0.00	41	0.99	0.71-1.34
175.1	Fallopian tube	[0.02]	0.00	1	0.56	[0.00]	0.00	[0.03]	0.00	[0.04]	0.00	1	0.53	0.01-2.95
176.0	Vulva	[0.07]	0.00	10	1.83	[0.00]	0.00	[0.15]	0.00	[0.11]	0.00	10	1.73	0.83-3.18
176.1	Vagina	[0.03]	0.00	2	1.39	[0.00]	0.00	[0.03]	0.00	[0.03]	0.00	2	1.30	0.16-4.70
180	Kidney	[0.25]	0.00	39	1.45	[0.03]	0.00	[0.41]	0.00	[0.41]	0.00	39	1.39	0.99-1.90
180.1	-renal pelvis ²	[0.09]	0.00	2	1.37	[0.00]	0.00	[0.05]	0.00	[0.04]	0.00	2	1.23	0.15-4.43
181	Bladder	[0.43]	0.00	15	0.95	[0.02]	0.00	[0.51]	0.00	[0.41]	0.00	15	0.87	0.49-1.44
190	Melanoma	[0.34]	0.00	18	0.92	[0.03]	0.00	1	1.14	[1.12]	0.00	19	0.87	0.52-1.36
190.6	-upper limbs ²	[0.06]	0.00	1	0.30	[0.00]	0.00	1	7.22	[0.21]	0.00	2	0.54	0.06-1.94
192	Eye	[0.03]	0.00	3	1.28	[0.00]	0.00	[0.05]	0.00	[0.06]	0.00	3	1.20	0.25-3.51
	-melanoma ²	[0.03]	0.00	3	1.37	[0.00]	0.00	[0.05]	0.00	[0.04]	0.00	3	1.30	0.27-3.80
193	Brain	[0.38]	0.00	31	1.09	[0.04]	0.00	1	1.71	1	1.08	33	1.09	0.75-1.53
	-glioma ²	[0.03]	0.00	9	1.23	[0.01]	0.00	[0.19]	0.00	1	3.36	10	1.28	0.61-2.35
	-meningioma ²	[0.09]	0.00	10	0.86	[0.02]	0.00	1	4.31	[0.42]	0.00	11	0.88	0.44-1.58
194	Thyroid	[0.06]	0.00	13	0.97	[0.04]	0.00	[0.25]	0.00	1	3.12	14	1.00	0.54-1.67
	-follicular ²	-	-	2	0.81	[0.00]	0.00	[0.03]	0.00	[0.02]	0.00	2	0.79	0.10-2.85
	-papillary ²	-	-	9	1.08	[0.03]	0.00	[0.17]	0.00	[0.12]	0.00	9	1.04	0.48-1.98
195.0	Glandula suprarenalis	[0.01]	0.00	[0.72]	0.00	[0.00]	0.00	[0.01]	0.00	[0.01]	0.00	[0.75]	0.00	0.00-4.89
195.1	Parathyreioeda	[0.00]	0.00	[0.02]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.03]	0.00	0.00-136.00
195.2	Thymus	[0.00]	0.00	1	3.73	-	-	[0.00]	0.00	[0.01]	0.00	1	3.56	0.09-19.84
195.3	Hypophysis	[0.00]	0.00	1	36.76	[0.01]	0.00	[0.00]	0.00	[0.00]	0.00	1	28.76	0.73-160.25
195.4	Corpus pineale	-	-	1	16.05	-	-	[0.00]	0.00	-	-	1	15.88	0.40-88.46
196	Bone	[0.01]	0.00	2	1.92	[0.00]	0.00	[0.02]	0.00	[0.03]	0.00	2	1.81	0.22-6.53
	-chondrosarcoma ²	-	-	[0.47]	0.00	[0.00]	0.00	[0.01]	0.00	[0.02]	0.00	[0.49]	0.00	0.00-7.52
197	Soft tissue	[0.04]	0.00	4	0.78	[0.00]	0.00	[0.07]	0.00	[0.15]	0.00	4	0.74	0.20-1.91
	-fibrosarcoma ²	-	-	1	0.58	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	1	0.58	0.01-3.22
	-liposarcoma ²	-	-	[0.99]	0.00	[0.00]	0.00	[0.01]	0.00	[0.02]	0.00	[1.02]	0.00	0.00-3.60
200,202	Non-Hodgkin lymphoma	1	3.37	34	1.14	[0.02]	0.00	[0.49]	0.00	[0.54]	0.00	35	1.12	0.78-1.56
201	Hodgkin lymphoma	[0.03]	0.00	3	1.14	[0.00]	0.00	[0.04]	0.00	[0.08]	0.00	3	1.07	0.22-3.14
203	Multiple myeloma	[0.15]	0.00	13	1.00	[0.01]	0.00	[0.27]	0.00	[0.20]	0.00	13	0.95	0.51-1.62
204	Leukaemia	[0.29]	0.00	15	0.86	[0.02]	0.00	[0.34]	0.00	[0.36]	0.00	15	0.81	0.45-1.34
	-chronic lymphatic ²	-	-	4	0.62	[0.00]	0.00	[0.12]	0.00	[0.12]	0.00	4	0.60	0.16-1.53
	-acute myeloid ²	[0.10]	0.00	5	0.87	[0.01]	0.00	[0.14]	0.00	[0.12]	0.00	5	0.81	0.26-1.90
	Mycosis fungoides ²	[0.01]	0.00	1	2.54	[0.00]	0.00	[0.01]	0.00	[0.02]	0.00	1	2.36	0.06-13.13
199	Other/unknown site	[0.21]	0.00	35	1.46	1	49.46	1	1.48	[0.66]	0.00	37	1.45	1.02-2.00
140-204	All sites	12	0.98	897	1.12	1	1.08	15	0.82	17	0.77	942	1.11	1.04-1.18
	Not included above													
	Ovary borderline ²	-	-	6	1.05	[0.02]	0.00	[0.19]	0.00	[0.37]	0.00	6	0.95	0.35-2.07
191	Other skin	-	-	24	0.88	[0.02]	0.00	[0.66]	0.00	[0.49]	0.00	24	0.85	0.54-1.26
191.6	-upper limbs ²	-	-	2	0.98	[0.00]	0.00	[0.07]	0.00	[0.06]	0.00	2	0.92	0.11-3.33

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Bricklayers. Men (N = 51 085). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	42	1.18	18	0.84	-	-	26	1.19	31	0.75	117	0.98	0.81-1.17
141	Tongue	17	1.40	8	1.36	-	-	15	1.85	15	0.99	55	1.33	1.00-1.73
142	Salivary glands	12	1.64	1	0.27	-	-	6	1.56	9	0.81	28	1.08	0.72-1.56
143-144	Oral cavity	36	1.50	9	1.52	-	-	14	1.18	28	1.22	87	1.34	1.07-1.65
145-148	Pharynx	38	1.31	11	1.44	-	-	20	1.47	46	1.41	115	1.39	1.16-1.67
145	-oropharynx ²	13	0.81	4	1.41	-	-	7	1.43	16	1.36	40	1.13	0.80-1.53
146	-nasopharynx ²	11	2.53	3	1.86	-	-	6	2.36	8	1.13	28	1.80	1.20-2.60
150	Oesophagus	74	1.27	19	0.98	-	-	26	1.08	61	1.02	180	1.11	0.96-1.29
	-adenocarcinoma ²	27	1.17	5	1.18	-	-	7	1.47	12	0.81	51	1.09	0.81-1.43
151	Stomach	140	1.06	89	0.95	-	-	168	1.20	292	1.12	689	1.10	1.02-1.18
151.1	-cardia ²	43	1.09	19	1.19	-	-	25	1.08	46	1.57	133	1.24	1.04-1.46
152	Small intestine	7	0.69	4	0.73	-	-	10	1.47	26	1.07	47	1.00	0.74-1.34
153	Colon	295	1.01	61	0.79	-	-	164	0.90	328	0.96	848	0.95	0.88-1.01
154	Rectum, rectosigma	237	1.15	71	1.12	-	-	126	1.13	264	1.12	698	1.13	1.05-1.22
155.0	Primary liver	52	1.19	29	1.25	-	-	24	1.70	61	0.96	166	1.15	0.99-1.34
	-hemangiosarcoma ²	-	-	[0.10]	0.00	-	-	[0.02]	0.00	1	3.42	1	2.43	0.06-13.51
155.1	Gall bladder	33	1.37	14	1.12	-	-	15	1.46	25	0.99	87	1.21	0.97-1.49
157	Pancreas	115	1.05	50	0.88	-	-	67	0.96	156	1.08	388	1.02	0.92-1.13
160	Nose	9	0.89	3	0.91	-	-	4	0.73	13	1.28	29	1.00	0.67-1.43
	-adenocarcinoma ²	-	-	[0.23]	0.00	-	-	1	1.39	1	0.58	2	0.75	0.09-2.71
161	Larynx	75	1.16	19	0.86	-	-	29	1.15	44	0.95	167	1.05	0.90-1.23
162,163	Lung	899	1.24	477	1.40	-	-	344	1.28	513	1.13	2233	1.25	1.20-1.30
	-adenocarcinoma ²	182	1.29	66	1.49	-	-	59	1.21	74	0.92	381	1.21	1.10-1.34
	-small cell ²	-	-	81	1.53	-	-	57	1.26	48	1.31	186	1.38	1.19-1.59
	-squamous cell ²	296	1.19	143	1.32	-	-	115	1.35	184	1.07	738	1.20	1.12-1.29
	-other ²	-	-	187	1.38	-	-	80	1.27	207	1.25	474	1.30	1.19-1.42
158, 162.2	Mesothelioma ²	20	1.07	13	2.07	-	-	16	2.15	28	1.68	77	1.57	1.24-1.96
170	Breast	6	0.92	2	1.13	-	-	1	0.35	9	1.15	18	0.95	0.56-1.50
177	Prostate	487	1.04	379	1.03	-	-	432	0.93	1218	0.96	2516	0.98	0.94-1.02
178	Testis	26	1.10	3	0.69	-	-	9	0.81	20	1.27	58	1.06	0.80-1.37
	-seminoma ²	12	1.21	1	0.33	-	-	6	0.78	14	1.24	33	1.03	0.71-1.45
	-non-seminoma ²	14	1.01	2	1.57	-	-	3	1.27	6	1.33	25	1.14	0.74-1.68
179.0	Penis	9	0.68	4	1.55	-	-	2	0.29	13	0.85	28	0.74	0.49-1.07
180	Kidney	90	1.04	51	0.84	-	-	72	1.07	172	1.01	385	1.00	0.90-1.10
180.1	-renal pelvis ²	32	0.96	3	0.77	-	-	11	1.40	19	1.07	65	1.03	0.80-1.32
181	Bladder	393	1.08	94	1.06	-	-	154	0.96	335	1.00	976	1.03	0.97-1.10
190	Melanoma	91	1.20	36	0.93	-	-	47	0.76	114	0.95	288	0.97	0.87-1.09
190.6	-upper limbs ²	10	1.11	7	1.43	-	-	2	0.35	15	0.88	34	0.93	0.64-1.30
192	Eye	10	1.07	4	1.00	-	-	5	0.90	11	0.88	30	0.96	0.65-1.37
	-melanoma ²	9	1.10	4	1.12	-	-	4	0.82	10	0.96	27	1.00	0.66-1.45
193	Brain	88	0.99	31	0.80	-	-	58	1.23	113	1.00	290	1.01	0.90-1.13
	-glioma ²	6	0.63	13	0.75	-	-	30	1.26	58	1.03	107	1.00	0.83-1.21
	-meningeoma ²	16	1.43	7	0.87	-	-	11	1.45	27	1.07	61	1.17	0.90-1.51
194	Thyroid	12	1.52	5	0.57	-	-	7	0.80	22	1.12	46	1.02	0.75-1.36
	-follicular ²	-	-	2	1.24	-	-	[1.07]	0.00	[0.78]	0.00	2	0.58	0.07-2.08
	-papillary ²	-	-	3	0.60	-	-	4	0.92	3	1.56	10	0.89	0.43-1.63
195.0	Glandula suprarenalis	4	1.97	[1.76]	0.00	-	-	1	0.90	[2.16]	0.00	5	0.71	0.23-1.65
195.1	Parathyreioeda	[0.11]	0.00	[0.02]	0.00	-	-	[0.03]	0.00	[0.15]	0.00	[0.31]	0.00	0.00-11.82
195.2	Thymus	1	1.07	[0.47]	0.00	-	-	2	4.44	[0.90]	0.00	3	1.09	0.23-3.19
195.3	Hypophysis	[0.26]	0.00	[0.03]	0.00	-	-	[0.09]	0.00	[0.27]	0.00	[0.65]	0.00	0.00-5.68
195.4	Corpus pineale	-	-	1	12.18	-	-	[0.01]	0.00	-	-	1	10.43	0.26-58.09
196	Bone	1	0.29	2	0.80	-	-	1	0.38	4	0.63	8	0.54	0.23-1.06
	-chondrosarcoma ²	-	-	1	0.79	-	-	[0.70]	0.00	[2.72]	0.00	1	0.21	0.01-1.19
197	Soft tissue	13	1.10	11	1.20	-	-	13	1.57	34	1.10	71	1.18	0.92-1.49
	-fibrosarcoma ²	-	-	4	1.22	-	-	1	1.21	3	0.60	8	0.88	0.38-1.73
	-liposarcoma ²	-	-	1	0.51	-	-	1	0.76	8	1.51	10	1.17	0.56-2.15
200,202	Non-Hodgkin lymphoma	84	1.00	51	0.97	-	-	33	0.77	143	1.05	311	0.99	0.88-1.10
201	Hodgkin lymphoma	13	0.95	13	1.75	-	-	12	1.40	31	1.39	69	1.33	1.04-1.68
203	Multiple myeloma	47	0.97	22	1.10	-	-	55	1.53	62	0.85	186	1.05	0.91-1.21
204	Leukaemia	106	1.04	35	0.98	-	-	49	0.99	103	0.95	293	0.99	0.88-1.11
	-chronic lymphatic ²	-	-	14	0.88	-	-	9	0.49	52	1.05	75	0.90	0.70-1.12
	-acute myeloid ²	27	0.93	9	0.92	-	-	16	0.90	17	0.74	69	0.87	0.67-1.10
	Mycosis fungoides ²	2	0.71	1	0.72	-	-	1	0.74	12	1.10	16	0.97	0.55-1.57
199	Other/unknown site	51	1.16	35	1.09	-	-	90	1.17	163	1.16	339	1.16	1.04-1.29
140-204	All sites	3503	1.10	1680	1.08	-	-	2120	1.07	4519	1.02	11822	1.06	1.04-1.08
	Not included above													
191	Other skin	-	-	36	0.78	-	-	75	0.84	188	0.87	299	0.85	0.76-0.95
191.6	-upper limbs ²	-	-	3	0.86	-	-	8	1.03	22	0.97	33	0.97	0.67-1.37

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Bricklayers. Women (N = 189). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.00]	0.00	[0.10]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.11]	0.00	0.00-34.41
141	Tongue	[0.01]	0.00	[0.10]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.11]	0.00	0.00-34.93
142	Salivary glands	[0.00]	0.00	[0.07]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.08]	0.00	0.00-47.70
143-144	Oral cavity	[0.01]	0.00	[0.10]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.12]	0.00	0.00-30.57
145-148	Pharynx	[0.01]	0.00	[0.06]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.07]	0.00	0.00-51.43
145	-oropharynx ²	[0.01]	0.00	[0.02]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.03]	0.00	0.00-128.18
146	-nasopharynx ²	[0.00]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-214.90
150	Oesophagus	[0.02]	0.00	[0.25]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.28]	0.00	0.00-13.29
	-adenocarcinoma ²	[0.00]	0.00	[0.03]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.03]	0.00	0.00-120.02
151	Stomach	[0.05]	0.00	2	1.68	-	-	[0.03]	0.00	[0.01]	0.00	2	1.56	0.19-5.65
151.1	-cardia ²	[0.01]	0.00	1	9.11	-	-	[0.00]	0.00	[0.00]	0.00	1	8.09	0.20-45.10
152	Small intestine	[0.01]	0.00	[0.09]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.11]	0.00	0.00-34.69
153	Colon	[0.26]	0.00	[1.81]	0.00	-	-	[0.10]	0.00	[0.03]	0.00	[2.21]	0.00	0.00-1.67
154	Rectum, rectosigma	[0.11]	0.00	1	0.94	-	-	[0.05]	0.00	1	49.94	2	1.61	0.20-5.82
155.0	Primary liver	[0.02]	0.00	[0.28]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.30]	0.00	0.00-12.10
	-hemangiosarcoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-1711.50
155.1	Gall bladder	[0.03]	0.00	[0.50]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.54]	0.00	0.00-6.86
157	Pancreas	[0.08]	0.00	[1.09]	0.00	-	-	[0.03]	0.00	[0.01]	0.00	[1.20]	0.00	0.00-3.07
160	Nose	[0.00]	0.00	[0.05]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.05]	0.00	0.00-70.69
	-adenocarcinoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-1203.80
161	Larynx	[0.01]	0.00	[0.04]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.05]	0.00	0.00-69.36
162,163	Lung	[0.27]	0.00	1	0.76	-	-	[0.08]	0.00	[0.04]	0.00	1	0.59	0.01-3.27
	-adenocarcinoma ²	[0.08]	0.00	[0.35]	0.00	-	-	[0.02]	0.00	[0.01]	0.00	[0.47]	0.00	0.00-7.86
	-small cell ²	-	-	1	4.62	-	-	[0.02]	0.00	[0.00]	0.00	1	4.19	0.11-23.37
	-squamous cell ²	[0.05]	0.00	[0.20]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.27]	0.00	0.00-13.47
	-other ²	-	-	[0.55]	0.00	-	-	[0.02]	0.00	[0.01]	0.00	[0.58]	0.00	0.00-6.38
158, 162.2	Mesothelioma ²	[0.00]	0.00	1	19.68	-	-	[0.00]	0.00	[0.00]	0.00	1	17.73	0.45-98.76
170	Breast	1	1.52	3	0.35	-	-	[0.27]	0.00	[0.30]	0.00	4	0.41	0.11-1.05
	-ductal ²	-	-	1	0.16	-	-	[0.19]	0.00	[0.14]	0.00	1	0.16	0.00-0.86
	-lobular ²	-	-	[1.03]	0.00	-	-	[0.02]	0.00	[0.03]	0.00	[1.08]	0.00	0.00-3.41
171	Cervix uteri	[0.12]	0.00	2	4.12	-	-	1	25.25	[0.03]	0.00	3	4.45	0.92-13.00
172	Corpus uteri	[0.17]	0.00	1	0.48	-	-	[0.07]	0.00	[0.04]	0.00	1	0.43	0.01-2.38
173	Choriocarcinoma	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-1075.69
175.0	Ovary	[0.14]	0.00	[1.33]	0.00	-	-	[0.06]	0.00	[0.06]	0.00	[1.59]	0.00	0.00-2.33
175.1	Fallopian tube	[0.00]	0.00	[0.07]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.08]	0.00	0.00-46.91
176.0	Vulva	[0.01]	0.00	[0.18]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.20]	0.00	0.00-18.24
176.1	Vagina	[0.01]	0.00	[0.05]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.05]	0.00	0.00-68.05
180	Kidney	[0.05]	0.00	[0.87]	0.00	-	-	[0.02]	0.00	[0.01]	0.00	[0.95]	0.00	0.00-3.87
180.1	-renal pelvis ²	[0.02]	0.00	[0.04]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.07]	0.00	0.00-55.57
181	Bladder	1	11.27	1	1.97	-	-	[0.03]	0.00	[0.01]	0.00	2	3.16	0.38-11.41
190	Melanoma	[0.07]	0.00	2	2.64	-	-	[0.05]	0.00	[0.04]	0.00	2	2.16	0.26-7.80
190.6	-upper limbs ²	[0.01]	0.00	[0.14]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.17]	0.00	0.00-22.04
192	Eye	[0.01]	0.00	[0.08]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.09]	0.00	0.00-41.74
	-melanoma ²	[0.01]	0.00	[0.07]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.08]	0.00	0.00-45.79
193	Brain	[0.08]	0.00	[1.07]	0.00	-	-	[0.03]	0.00	[0.03]	0.00	[1.22]	0.00	0.00-3.03
	-glioma ²	[0.01]	0.00	[0.28]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.31]	0.00	0.00-11.88
	-meningioma ²	[0.02]	0.00	[0.46]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.51]	0.00	0.00-7.26
194	Thyroid	[0.01]	0.00	[0.53]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.57]	0.00	0.00-6.46
	-follicular ²	-	-	[0.08]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.08]	0.00	0.00-43.72
	-papillary ²	-	-	[0.37]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.39]	0.00	0.00-9.54
195.0	Glandula suprarenalis	[0.00]	0.00	[0.03]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.03]	0.00	0.00-125.05
195.1	Parathyreioeda	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-3363.88
195.2	Thymus	[0.00]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-316.62
195.3	Hypophysis	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-3484.00
195.4	Corpus pineale	-	-	[0.00]	0.00	-	-	[0.00]	0.00	-	-	[0.00]	0.00	0.00-1411.33
196	Bone	[0.00]	0.00	[0.03]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.04]	0.00	0.00-98.27
	-chondrosarcoma ²	-	-	[0.02]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-214.51
197	Soft tissue	[0.01]	0.00	[0.18]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.20]	0.00	0.00-18.83
	-fibrosarcoma ²	-	-	[0.06]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.06]	0.00	0.00-64.26
	-liposarcoma ²	-	-	[0.04]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.04]	0.00	0.00-96.38
200,202	Non-Hodgkin lymphoma	[0.06]	0.00	2	1.93	-	-	[0.03]	0.00	[0.02]	0.00	2	1.75	0.21-6.34
201	Hodgkin lymphoma	[0.01]	0.00	[0.10]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.11]	0.00	0.00-34.61
203	Multiple myeloma	[0.03]	0.00	1	2.51	-	-	[0.01]	0.00	[0.01]	0.00	1	2.23	0.06-12.44
204	Leukaemia	[0.06]	0.00	[0.56]	0.00	-	-	[0.02]	0.00	[0.01]	0.00	[0.65]	0.00	0.00-5.71
	-chronic lymphatic ²	-	-	[0.20]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.21]	0.00	0.00-17.76
	-acute myeloid ²	[0.02]	0.00	[0.19]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.22]	0.00	0.00-16.86
	Mycosis fungoides ²	[0.00]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-230.45
199	Other/unknown site	[0.04]	0.00	[0.80]	0.00	-	-	[0.03]	0.00	[0.02]	0.00	[0.89]	0.00	0.00-4.15
140-204	All sites	2	0.81	17	0.60	-	-	1	1.00	1	1.36	21	0.65	0.40-0.99
	Not included above													
	Ovary borderline ²	-	-	[0.23]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.25]	0.00	0.00-14.60
191	Other skin	-	-	[0.93]	0.00	-	-	[0.03]	0.00	[0.01]	0.00	[0.97]	0.00	0.00-3.80
191.6	-upper limbs ²	-	-	[0.07]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.07]	0.00	0.00-51.73

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Printers and related workers. Men (N = 63 296). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	5	0.23	7	0.44	[0.31]	0.00	6	0.29	18	0.41	36	0.35	0.25-0.49
141	Tongue	9	1.07	6	0.89	[0.18]	0.00	16	1.72	27	1.32	58	1.28	0.98-1.66
142	Salivary glands	4	0.84	3	0.81	[0.13]	0.00	9	2.20	14	1.01	30	1.13	0.76-1.61
143-144	Oral cavity	20	1.23	6	0.87	[0.28]	0.00	17	1.33	41	1.41	84	1.29	1.03-1.59
145-148	Pharynx	31	1.55	6	0.72	[0.30]	0.00	13	0.84	64	1.46	114	1.30	1.08-1.56
145	-oropharynx ²	14	1.24	1	0.27	[0.09]	0.00	2	0.32	24	1.33	41	1.04	0.75-1.41
146	-nasopharynx ²	4	1.39	1	0.60	[0.09]	0.00	3	1.11	15	1.72	23	1.43	0.91-2.15
150	Oesophagus	53	1.39	18	1.01	[1.09]	0.00	31	1.27	98	1.36	200	1.30	1.13-1.50
	-adenocarcinoma ²	22	1.46	2	0.44	[0.44]	0.00	6	1.16	29	1.41	59	1.29	0.98-1.66
151	Stomach	72	0.89	72	0.96	2	0.64	121	0.91	265	0.97	532	0.94	0.87-1.03
151.1	-cardia ²	24	0.96	11	0.82	[0.61]	0.00	28	1.21	25	0.68	88	0.89	0.71-1.09
152	Small intestine	7	1.10	6	1.12	1	2.64	8	1.10	32	1.06	54	1.09	0.82-1.42
153	Colon	232	1.28	77	1.13	4	0.87	215	1.19	430	1.08	958	1.15	1.08-1.23
154	Rectum, rectosigma	129	1.01	63	1.11	1	0.58	133	1.19	315	1.13	641	1.11	1.03-1.20
155.0	Primary liver	42	1.52	27	1.40	1	1.98	27	1.97	87	1.22	184	1.39	1.20-1.60
	-hemangiosarcoma ²	-	-	[0.10]	0.00	-	-	[0.02]	0.00	2	5.92	2	4.42	0.54-15.98
155.1	Gall bladder	12	0.82	9	0.89	[0.29]	0.00	11	1.09	33	1.25	65	1.06	0.81-1.35
157	Pancreas	83	1.21	60	1.22	5	2.95	86	1.28	172	1.06	406	1.16	1.06-1.28
160	Nose	8	1.24	1	0.33	[0.15]	0.00	5	0.91	8	0.66	22	0.81	0.51-1.22
	-adenocarcinoma ²	-	-	1	4.96	[0.01]	0.00	1	1.31	1	0.49	3	0.99	0.20-2.89
161	Larynx	44	1.05	25	1.33	[0.69]	0.00	29	1.12	75	1.36	173	1.21	1.04-1.41
162,163	Lung	545	1.20	236	0.91	9	1.16	325	1.21	711	1.33	1826	1.20	1.14-1.26
	-adenocarcinoma ²	99	1.05	46	1.20	3	1.34	80	1.52	130	1.21	358	1.22	1.10-1.35
	-small cell ²	-	-	32	0.78	2	1.30	49	1.07	64	1.25	147	1.05	0.90-1.24
	-squamous cell ²	184	1.19	67	0.85	1	0.55	93	1.13	269	1.41	614	1.21	1.12-1.31
	-other ²	-	-	91	0.91	3	1.55	76	1.19	248	1.35	418	1.20	1.09-1.32
158, 162.2	Mesothelioma ²	11	0.90	4	0.59	[0.20]	0.00	6	0.75	14	0.63	35	0.71	0.49-0.99
170	Breast	7	1.71	2	1.09	1	4.61	4	1.41	20	2.14	34	1.86	1.28-2.59
177	Prostate	295	1.05	349	1.09	15	0.97	439	0.98	1508	1.00	2606	1.02	0.98-1.05
178	Testis	23	1.31	7	1.03	[0.73]	0.00	20	1.22	40	1.31	90	1.25	1.01-1.54
	-seminoma ²	8	1.09	6	1.30	[0.54]	0.00	14	1.22	30	1.38	58	1.27	0.96-1.64
	-non-seminoma ²	15	1.46	1	0.48	[0.19]	0.00	5	1.34	10	1.15	31	1.24	0.84-1.76
179.0	Penis	7	0.84	1	0.37	1	4.42	6	0.84	25	1.31	40	1.07	0.76-1.45
180	Kidney	49	0.88	63	1.08	1	0.34	83	1.20	199	0.98	395	1.01	0.92-1.12
180.1	-renal pelvis ²	35	1.66	4	1.20	[0.16]	0.00	11	1.42	24	1.14	74	1.39	1.09-1.74
181	Bladder	260	1.16	81	1.13	8	1.80	198	1.27	471	1.19	1018	1.19	1.12-1.27
190	Melanoma	67	1.30	57	1.27	[1.38]	0.00	88	1.15	219	1.23	431	1.22	1.11-1.34
190.6	-upper limbs ²	14	2.28	4	0.69	[0.21]	0.00	8	1.15	37	1.38	63	1.37	1.06-1.76
192	Eye	3	0.50	2	0.49	[0.13]	0.00	5	0.85	18	1.13	28	0.87	0.58-1.26
	-melanoma ²	3	0.57	2	0.53	[0.10]	0.00	5	0.97	14	1.10	24	0.89	0.57-1.32
193	Brain	64	1.08	41	0.92	[1.96]	0.00	56	1.04	156	0.99	317	1.00	0.90-1.12
	-glioma ²	6	0.92	19	0.90	[1.18]	0.00	27	0.95	89	1.10	141	1.02	0.87-1.21
	-meningeoma ²	9	1.22	5	0.56	[0.47]	0.00	8	0.92	30	0.93	52	0.90	0.67-1.18
194	Thyroid	9	1.76	9	0.86	[1.07]	0.00	5	0.50	20	0.79	43	0.83	0.60-1.11
	-follicular ²	-	-	1	0.65	[0.16]	0.00	1	0.87	4	2.97	6	1.43	0.52-3.11
	-papillary ²	-	-	5	0.72	[0.79]	0.00	3	0.55	2	0.51	10	0.58	0.28-1.08
195.0	Glandula suprarenalis	2	1.53	2	1.25	[0.06]	0.00	2	1.65	1	0.35	7	1.00	0.40-2.05
195.1	Parathyreioeda	[0.06]	0.00	[0.03]	0.00	[0.01]	0.00	[0.04]	0.00	[0.20]	0.00	[0.34]	0.00	0.00-10.94
195.2	Thymus	2	3.39	[0.46]	0.00	[0.03]	0.00	[0.55]	0.00	1	0.80	3	1.04	0.21-3.03
195.3	Hypophysis	[0.18]	0.00	[0.04]	0.00	[0.31]	0.00	[0.09]	0.00	[0.32]	0.00	[0.94]	0.00	0.00-3.92
195.4	Corpus pineale	-	-	[0.09]	0.00	-	-	[0.03]	0.00	-	-	[0.12]	0.00	0.00-30.93
196	Bone	1	0.45	3	1.08	[0.18]	0.00	5	1.68	5	0.58	14	0.84	0.46-1.40
	-chondrosarcoma ²	-	-	3	2.10	[0.16]	0.00	1	1.20	3	0.78	7	1.12	0.45-2.30
197	Soft tissue	9	1.18	8	0.84	[0.36]	0.00	6	0.70	50	1.28	73	1.12	0.88-1.41
	-fibrosarcoma ²	-	-	3	0.95	-	-	[0.79]	0.00	7	1.26	10	1.05	0.50-1.94
	-liposarcoma ²	-	-	1	0.45	[0.12]	0.00	[1.46]	0.00	7	1.03	8	0.76	0.33-1.49
200,202	Non-Hodgkin lymphoma	55	1.02	50	0.93	3	1.44	46	0.94	172	0.98	326	0.98	0.88-1.09
201	Hodgkin lymphoma	10	1.09	10	1.12	[0.29]	0.00	7	0.73	23	0.82	50	0.89	0.66-1.18
203	Multiple myeloma	28	0.92	17	0.99	[0.86]	0.00	27	0.77	63	0.74	135	0.80	0.68-0.95
204	Leukaemia	57	0.89	20	0.63	1	0.67	50	1.00	139	1.05	267	0.96	0.85-1.08
	-chronic lymphatic ²	-	-	12	0.93	[0.49]	0.00	19	1.05	66	1.08	97	1.05	0.85-1.28
	-acute myeloid ²	14	0.76	3	0.34	[0.51]	0.00	15	0.83	26	0.89	58	0.77	0.59-1.00
	Mycosis fungoides ²	[1.72]	0.00	1	0.77	[0.09]	0.00	4	2.93	15	1.29	20	1.24	0.76-1.92
199	Other/unknown site	32	1.15	27	1.00	[1.16]	0.00	62	0.85	176	1.04	297	0.99	0.89-1.11
140-204	All sites	2236	1.12	1383	1.02	53	0.90	2172	1.09	5725	1.09	11569	1.08	1.06-1.10
	Not included above													
191	Other skin	-	-	43	1.19	2	1.18	103	1.21	268	1.10	416	1.14	1.03-1.25
191.6	-upper limbs ²	-	-	6	2.02	[0.15]	0.00	4	0.54	27	1.01	37	0.99	0.70-1.37

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Printers and related workers. Women (N = 23 204). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	1	1.38	3	0.88	[0.03]	0.00	2	2.12	4	1.39	10	1.25	0.60-2.31
141	Tongue	2	1.91	7	1.93	[0.06]	0.00	[1.41]	0.00	7	1.97	16	1.65	0.94-2.68
142	Salivary glands	[0.85]	0.00	3	1.16	[0.04]	0.00	[1.00]	0.00	4	1.09	7	0.86	0.35-1.77
143-144	Oral cavity	2	0.84	6	1.66	[0.14]	0.00	1	0.43	8	1.53	17	1.24	0.72-1.99
145-148	Pharynx	1	0.56	2	0.87	[0.05]	0.00	1	0.68	3	0.66	7	0.69	0.28-1.42
145	-oropharynx ²	1	0.97	1	1.16	[0.03]	0.00	[0.64]	0.00	3	1.40	5	1.06	0.35-2.48
146	-nasopharynx ²	[0.29]	0.00	[0.62]	0.00	[0.03]	0.00	1	3.42	[1.06]	0.00	1	0.44	0.01-2.44
150	Oesophagus	3	0.89	8	0.92	[0.18]	0.00	2	0.79	10	1.40	23	1.05	0.67-1.58
	-adenocarcinoma ²	2	2.45	2	2.43	[0.05]	0.00	[0.40]	0.00	1	0.83	5	1.52	0.49-3.54
151	Stomach	14	1.41	39	0.90	[0.75]	0.00	35	1.50	56	1.30	144	1.19	1.01-1.41
151.1	-cardia ²	2	1.21	5	1.25	[0.07]	0.00	5	1.81	7	2.36	19	1.66	1.00-2.59
152	Small intestine	2	1.55	3	0.88	[0.11]	0.00	[2.12]	0.00	5	0.75	10	0.74	0.35-1.35
153	Colon	57	1.23	77	1.23	1	0.59	60	0.99	132	1.16	327	1.15	1.03-1.28
154	Rectum, rectosigma	21	1.01	48	1.26	[0.68]	0.00	39	1.49	56	0.94	164	1.13	0.97-1.32
155.0	Primary liver	6	1.62	11	1.12	[0.13]	0.00	2	0.81	19	1.67	38	1.38	0.98-1.90
	-hemangiosarcoma ²	-	-	[0.07]	0.00	[0.01]	0.00	[0.01]	0.00	[0.08]	0.00	[0.17]	0.00	0.00-22.15
155.1	Gall bladder	6	1.09	16	0.92	[0.16]	0.00	2	0.43	17	0.90	41	0.88	0.63-1.20
157	Pancreas	17	1.12	38	1.01	1	1.53	15	0.84	49	1.22	120	1.08	0.90-1.29
160	Nose	[0.91]	0.00	[1.65]	0.00	[0.07]	0.00	1	1.01	4	1.98	5	0.89	0.29-2.07
	-adenocarcinoma ²	-	-	[0.11]	0.00	-	-	[0.10]	0.00	[0.16]	0.00	[0.36]	0.00	0.00-10.13
161	Larynx	3	1.40	3	2.08	[0.06]	0.00	4	4.19	4	1.91	14	2.09	1.14-3.51
162,163	Lung	74	1.33	72	1.49	8	2.46	54	1.69	153	2.12	361	1.71	1.54-1.90
	-adenocarcinoma ²	25	1.43	20	1.53	3	2.61	12	1.24	41	1.66	101	1.53	1.26-1.86
	-small cell ²	-	-	15	1.86	1	1.94	15	2.30	23	2.41	54	2.19	1.65-2.86
	-squamous cell ²	13	1.25	10	1.28	1	1.93	10	1.97	35	2.65	69	1.86	1.45-2.36
	-other ²	-	-	27	1.40	3	2.83	10	1.15	54	2.19	94	1.75	1.42-2.14
158, 162.2	Mesothelioma ²	[0.77]	0.00	2	1.08	[0.01]	0.00	1	2.48	2	1.57	5	1.16	0.38-2.71
170	Breast	157	1.24	386	1.13	6	0.74	192	1.37	468	1.08	1209	1.15	1.09-1.22
	-ductal ²	-	-	281	1.13	4	0.63	121	1.32	107	0.89	513	1.10	1.01-1.20
	-lobular ²	-	-	41	0.99	[0.65]	0.00	15	1.77	26	0.98	82	1.06	0.84-1.32
171	Cervix uteri	32	1.41	20	0.97	1	1.27	36	1.47	61	1.14	150	1.23	1.05-1.44
172	Corpus uteri	27	0.87	63	0.85	1	0.71	33	1.01	99	1.04	223	0.95	0.83-1.08
173	Choriocarcinoma	[0.02]	0.00	1	6.59	[0.01]	0.00	[0.06]	0.00	[0.19]	0.00	1	2.32	0.06-12.92
175.0	Ovary	23	0.85	67	1.31	1	0.86	42	1.28	128	1.32	261	1.25	1.11-1.41
175.1	Fallopian tube	3	3.73	4	1.52	[0.03]	0.00	2	2.34	2	0.87	11	1.66	0.83-2.97
176.0	Vulva	[2.41]	0.00	4	0.63	[0.11]	0.00	9	1.82	9	0.95	22	0.95	0.59-1.44
176.1	Vagina	[1.05]	0.00	3	1.75	[0.03]	0.00	1	1.02	2	0.70	6	0.90	0.33-1.97
180	Kidney	13	1.38	28	0.88	1	1.24	14	1.08	42	1.12	98	1.06	0.86-1.29
180.1	-renal pelvis ²	4	1.17	2	1.27	[0.07]	0.00	3	2.18	6	1.60	15	1.47	0.82-2.43
181	Bladder	29	1.76	24	1.39	3	4.18	21	1.35	49	1.35	126	1.46	1.22-1.74
190	Melanoma	8	0.58	30	1.01	[0.76]	0.00	21	0.91	51	1.00	110	0.93	0.77-1.12
190.6	-upper limbs ²	5	2.00	9	1.69	[0.12]	0.00	1	0.26	9	0.91	24	1.11	0.71-1.65
192	Eye	1	0.83	1	0.32	[0.03]	0.00	1	0.62	2	0.50	5	0.50	0.16-1.17
	-melanoma ²	1	0.92	[2.88]	0.00	[0.03]	0.00	1	0.71	1	0.31	3	0.35	0.07-1.02
193	Brain	21	1.40	50	1.16	2	1.94	11	0.65	42	0.83	126	1.00	0.84-1.18
	-glioma ²	3	2.43	13	1.09	1	2.68	4	0.69	16	0.94	37	1.01	0.71-1.40
	-meningeoma ²	6	1.68	23	1.25	1	1.84	4	0.66	14	0.66	48	0.96	0.71-1.28
194	Thyroid	3	1.30	20	0.82	[0.92]	0.00	4	0.56	12	0.68	39	0.75	0.53-1.02
	-follicular ²	-	-	2	0.62	[0.11]	0.00	[0.99]	0.00	[0.82]	0.00	2	0.39	0.05-1.41
	-papillary ²	-	-	14	0.77	[0.75]	0.00	3	0.73	2	0.58	19	0.72	0.43-1.12
195.0	Glandula suprarenalis	[0.28]	0.00	1	0.96	[0.02]	0.00	[0.31]	0.00	[0.84]	0.00	1	0.40	0.01-2.24
195.1	Parathyreoidea	1	48.18	[0.04]	0.00	-	-	[0.03]	0.00	1	4.94	2	6.83	0.83-24.67
195.2	Thymus	1	8.02	1	2.47	-	-	[0.10]	0.00	[0.34]	0.00	2	2.06	0.25-7.44
195.3	Hypophysis	[0.03]	0.00	[0.03]	0.00	[0.11]	0.00	[0.03]	0.00	[0.09]	0.00	[0.29]	0.00	0.00-12.92
195.4	Corpus pineale	-	-	[0.12]	0.00	-	-	[0.02]	0.00	-	-	[0.14]	0.00	0.00-27.31
196	Bone	[0.39]	0.00	1	0.71	[0.06]	0.00	1	1.57	1	0.52	3	0.68	0.14-1.98
	-chondrosarcoma ²	-	-	[0.66]	0.00	[0.04]	0.00	[0.18]	0.00	[0.87]	0.00	[1.74]	0.00	0.00-2.12
197	Soft tissue	1	0.68	6	0.87	[0.11]	0.00	[2.16]	0.00	10	1.03	17	0.83	0.49-1.33
	-fibrosarcoma ²	-	-	[2.07]	0.00	[0.01]	0.00	[0.17]	0.00	1	0.75	1	0.28	0.01-1.56
	-liposarcoma ²	-	-	1	0.68	[0.03]	0.00	[0.28]	0.00	2	1.37	3	0.92	0.19-2.70
200,202	Non-Hodgkin lymphoma	11	0.97	36	0.94	[0.68]	0.00	12	0.92	37	0.94	96	0.93	0.76-1.14
201	Hodgkin lymphoma	[1.19]	0.00	5	1.26	[0.08]	0.00	[1.69]	0.00	4	0.78	9	0.75	0.34-1.42
203	Multiple myeloma	12	2.12	13	0.90	1	2.87	5	0.56	16	0.86	47	0.98	0.72-1.30
204	Leukaemia	4	0.37	17	0.83	[0.55]	0.00	12	1.08	28	1.06	61	0.88	0.67-1.13
	-chronic lymphatic ²	-	-	9	1.28	[0.17]	0.00	2	0.55	11	1.09	22	1.05	0.66-1.59
	-acute myeloid ²	1	0.27	2	0.28	[0.23]	0.00	8	1.79	10	1.26	21	0.89	0.55-1.37
	Mycosis fungoides ²	[0.23]	0.00	[0.56]	0.00	[0.02]	0.00	1	4.54	1	0.42	2	0.58	0.07-2.11
199	Other/unknown site	6	0.77	22	0.84	[0.68]	0.00	28	1.25	60	1.09	116	1.04	0.86-1.24
140-204	All sites	542	1.16	1148	1.08	26	0.96	666	1.19	1658	1.15	4040	1.13	1.10-1.17
Not included above														
	Ovary borderline ²	-	-	17	1.65	[0.47]	0.00	9	2.01	18	1.28	44	1.50	1.09-2.01
191	Other skin	-	-	22	0.79	[0.70]	0.00	14	0.76	39	0.90	75	0.83	0.65-1.04
191.6	-upper limbs ²	-	-	1	0.45	[0.09]	0.00	2	1.05	6	1.16	9	0.96	0.44-1.82

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Chemical process workers. Men (N = 84 542). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	24	1.14	29	1.00	1	4.70	62	1.22	86	1.12	202	1.14	0.99-1.31
141	Tongue	7	1.06	13	1.28	[0.10]	0.00	18	1.00	32	1.12	70	1.10	0.86-1.39
142	Salivary glands	4	0.94	6	1.03	[0.08]	0.00	7	0.81	19	0.91	36	0.91	0.64-1.26
143-144	Oral cavity	14	1.05	9	0.87	[0.13]	0.00	27	1.02	35	0.82	85	0.91	0.73-1.13
145-148	Pharynx	20	1.26	12	0.94	[0.14]	0.00	28	0.92	57	0.92	117	0.97	0.81-1.16
145	-oropharynx ²	11	1.27	5	0.96	[0.04]	0.00	13	1.21	15	0.67	44	0.94	0.68-1.26
146	-nasopharynx ²	2	0.81	4	1.53	[0.04]	0.00	5	0.87	14	1.04	25	1.03	0.67-1.52
150	Oesophagus	34	1.00	31	1.05	3	4.81	57	1.05	98	0.88	223	0.97	0.85-1.11
	-adenocarcinoma ²	15	1.12	10	1.42	1	4.31	13	1.29	36	1.32	75	1.29	1.02-1.62
151	Stomach	101	1.26	130	0.99	6	3.11	354	1.07	567	1.15	1158	1.12	1.06-1.18
151.1	-cardia ²	34	1.46	29	1.26	[0.35]	0.00	55	1.04	79	1.48	197	1.29	1.12-1.48
152	Small intestine	2	0.33	9	1.04	[0.19]	0.00	9	0.60	55	1.22	75	1.00	0.79-1.26
153	Colon	188	1.08	101	0.87	1	0.38	384	0.95	595	0.94	1269	0.95	0.90-1.01
154	Rectum, rectosigma	140	1.14	91	0.96	1	1.03	281	1.13	455	1.05	968	1.07	1.01-1.14
155.0	Primary liver	21	0.80	30	0.89	[0.30]	0.00	32	1.00	112	0.94	195	0.93	0.80-1.07
	-hemangiosarcoma ²	-	-	[0.16]	0.00	-	-	[0.04]	0.00	2	3.82	2	2.75	0.33-9.92
155.1	Gall bladder	18	1.24	22	1.25	[0.15]	0.00	26	1.11	55	1.16	121	1.18	0.98-1.41
157	Pancreas	70	1.06	76	0.90	[0.98]	0.00	178	1.11	298	1.10	622	1.07	0.99-1.16
160	Nose	9	1.51	7	1.40	[0.09]	0.00	10	0.80	21	1.10	47	1.10	0.81-1.46
	-adenocarcinoma ²	-	-	1	2.80	[0.01]	0.00	1	0.61	3	0.95	5	0.97	0.32-2.26
161	Larynx	58	1.53	42	1.29	[0.36]	0.00	72	1.28	75	0.87	247	1.16	1.02-1.31
162,163	Lung	534	1.21	522	1.11	6	1.34	786	1.32	857	1.02	2705	1.15	1.11-1.19
	-adenocarcinoma ²	94	1.14	79	1.19	1	0.80	117	1.12	139	0.94	430	1.07	0.97-1.18
	-small cell ²	-	-	93	1.24	2	2.23	120	1.23	83	1.27	298	1.25	1.11-1.40
	-squamous cell ²	178	1.16	159	1.08	1	0.93	256	1.35	345	1.08	939	1.16	1.09-1.24
	-other ²	-	-	191	1.05	2	1.76	170	1.24	290	0.93	653	1.03	0.96-1.12
158, 162.2	Mesothelioma ²	14	1.28	10	0.93	[0.10]	0.00	25	1.58	45	1.49	94	1.39	1.12-1.70
170	Breast	8	2.08	6	2.08	[0.12]	0.00	9	1.42	14	0.96	37	1.33	0.94-1.84
177	Prostate	261	0.92	483	0.87	8	0.87	873	0.84	2126	0.93	3751	0.90	0.87-0.93
178	Testis	13	1.16	9	1.04	[0.28]	0.00	15	0.63	27	0.80	64	0.82	0.63-1.05
	-seminoma ²	3	0.64	6	1.01	[0.20]	0.00	10	0.60	18	0.75	37	0.72	0.51-0.99
	-non-seminoma ²	10	1.51	3	1.16	[0.08]	0.00	5	0.98	9	0.93	27	1.12	0.74-1.63
179.0	Penis	5	0.66	3	0.71	[0.12]	0.00	18	1.14	29	1.02	55	0.98	0.74-1.27
180	Kidney	41	0.80	99	1.03	[1.61]	0.00	121	0.81	309	0.98	570	0.93	0.85-1.01
180.1	-renal pelvis ²	29	1.45	7	1.23	[0.09]	0.00	13	0.75	32	0.97	81	1.07	0.85-1.33
181	Bladder	219	1.01	141	1.11	2	0.81	367	1.03	660	1.07	1389	1.05	1.00-1.11
190	Melanoma	27	0.65	68	1.00	[0.61]	0.00	132	0.99	181	0.81	408	0.88	0.79-0.96
190.6	-upper limbs ²	3	0.61	7	0.81	[0.08]	0.00	10	0.83	23	0.72	43	0.75	0.54-1.01
192	Eye	5	0.94	5	0.78	[0.07]	0.00	11	0.89	25	1.07	46	0.97	0.71-1.29
	-melanoma ²	5	1.07	5	0.86	[0.06]	0.00	11	1.00	22	1.13	43	1.05	0.76-1.41
193	Brain	58	1.15	80	1.20	2	2.16	88	0.85	190	0.88	418	0.96	0.87-1.05
	-glioma ²	6	1.11	41	1.32	2	3.65	37	0.71	90	0.84	176	0.90	0.77-1.04
	-meningeoma ²	9	1.42	12	0.88	[0.23]	0.00	10	0.61	44	0.93	75	0.90	0.71-1.12
194	Thyroid	5	1.09	16	1.04	1	1.83	18	0.91	36	0.96	76	0.98	0.77-1.23
	-follicular ²	-	-	4	1.58	[0.09]	0.00	1	0.42	1	0.69	6	0.93	0.34-2.03
	-papillary ²	-	-	10	1.05	1	2.52	6	0.63	5	1.26	22	0.94	0.59-1.43
195.0	Glandula suprarenalis	2	1.67	3	1.13	[0.02]	0.00	1	0.41	2	0.49	8	0.77	0.33-1.52
195.1	Parathyreoidea	[0.07]	0.00	[0.04]	0.00	[0.00]	0.00	[0.06]	0.00	[0.30]	0.00	[0.47]	0.00	0.00-7.79
195.2	Thymus	1	1.74	[0.75]	0.00	[0.02]	0.00	1	1.05	2	1.22	4	1.02	0.28-2.61
195.3	Hypophysis	[0.15]	0.00	[0.06]	0.00	[0.16]	0.00	[0.21]	0.00	[0.49]	0.00	[1.07]	0.00	0.00-3.44
195.4	Corpus pineale	-	-	[0.13]	0.00	-	-	[0.03]	0.00	-	-	[0.16]	0.00	0.00-22.67
196	Bone	2	1.05	3	0.71	[0.07]	0.00	5	0.84	8	0.67	18	0.74	0.44-1.18
	-chondrosarcoma ²	-	-	2	0.93	[0.07]	0.00	[1.60]	0.00	6	1.16	8	0.89	0.38-1.75
197	Soft tissue	6	0.88	11	0.74	[0.18]	0.00	24	1.28	49	0.85	90	0.92	0.74-1.13
	-fibrosarcoma ²	-	-	4	0.79	-	-	1	0.52	7	0.74	12	0.73	0.38-1.28
	-liposarcoma ²	-	-	1	0.30	[0.05]	0.00	4	1.39	7	0.70	12	0.74	0.38-1.29
200,202	Non-Hodgkin lymphoma	45	0.93	90	1.06	[1.07]	0.00	101	1.09	239	0.96	475	0.99	0.91-1.09
201	Hodgkin lymphoma	13	1.72	13	1.00	[0.12]	0.00	16	0.82	39	0.92	81	0.98	0.78-1.22
203	Multiple myeloma	24	0.84	32	1.09	[0.48]	0.00	98	1.20	129	0.96	283	1.03	0.92-1.16
204	Leukaemia	48	0.79	49	0.92	1	1.23	130	1.15	219	1.10	447	1.05	0.95-1.15
	-chronic lymphatic ²	-	-	18	0.80	1	3.51	40	0.97	91	1.01	150	0.97	0.83-1.14
	-acute myeloid ²	15	0.85	16	1.08	[0.26]	0.00	53	1.32	44	1.06	128	1.12	0.94-1.33
	Mycosis fungoides ²	3	1.75	2	0.92	[0.04]	0.00	8	2.68	25	1.18	38	1.35	0.96-1.85
199	Other/unknown site	33	1.27	42	0.91	[0.65]	0.00	212	1.20	316	1.23	603	1.19	1.10-1.29
140-204	All sites	2035	1.08	2306	1.00	32	0.97	4608	1.03	8087	0.99	17068	1.01	1.00-1.03
	Not included above													
191	Other skin	-	-	79	1.23	[0.97]	0.00	179	0.91	331	0.85	589	0.90	0.83-0.98
191.6	-upper limbs ²	-	-	5	0.97	[0.08]	0.00	22	1.27	40	0.98	67	1.06	0.82-1.34

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Chemical process workers. Women (N = 15 778). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[1.16]	0.00	4	2.15	[0.01]	0.00	2	2.38	1	0.43	7	1.13	0.45-2.33
141	Tongue	[1.64]	0.00	[1.82]	0.00	[0.03]	0.00	1	0.82	7	2.53	8	1.07	0.46-2.11
142	Salivary glands	1	0.74	1	0.78	[0.01]	0.00	1	1.13	1	0.35	4	0.62	0.17-1.59
143-144	Oral cavity	2	0.53	[1.84]	0.00	[0.07]	0.00	1	0.49	3	0.72	6	0.51	0.19-1.10
145-148	Pharynx	[2.75]	0.00	[1.17]	0.00	[0.02]	0.00	2	1.54	8	2.31	10	1.15	0.55-2.11
145	-oropharynx ²	[1.58]	0.00	[0.42]	0.00	[0.01]	0.00	1	1.80	4	2.59	5	1.22	0.40-2.84
146	-nasopharynx ²	[0.45]	0.00	[0.31]	0.00	[0.01]	0.00	[0.25]	0.00	2	2.38	2	1.07	0.13-3.87
150	Oesophagus	6	1.13	5	1.04	[0.09]	0.00	4	1.79	7	1.19	22	1.20	0.75-1.82
	-adenocarcinoma ²	1	0.77	1	2.30	[0.03]	0.00	1	2.67	1	1.01	4	1.28	0.35-3.29
151	Stomach	18	1.13	32	1.38	[0.38]	0.00	16	0.79	42	1.18	108	1.13	0.94-1.37
151.1	-cardia ²	3	1.14	4	1.84	[0.03]	0.00	3	1.23	5	2.08	15	1.55	0.87-2.55
152	Small intestine	3	1.47	2	1.15	[0.05]	0.00	4	2.11	9	1.70	18	1.63	0.97-2.58
153	Colon	80	1.08	38	1.15	3	3.73	73	1.32	98	1.06	292	1.14	1.02-1.28
154	Rectum, rectosigma	38	1.15	24	1.20	[0.31]	0.00	22	0.93	49	1.02	133	1.06	0.90-1.26
155.0	Primary liver	4	0.67	7	1.32	[0.06]	0.00	5	2.24	7	0.75	23	1.01	0.64-1.51
	-hemangiosarcoma ²	-	-	[0.04]	0.00	[0.00]	0.00	[0.01]	0.00	[0.06]	0.00	[0.11]	0.00	0.00-32.14
155.1	Gall bladder	8	0.91	4	0.43	[0.08]	0.00	6	1.46	20	1.28	38	1.00	0.71-1.37
157	Pancreas	32	1.33	26	1.28	[0.31]	0.00	14	0.86	32	0.97	104	1.11	0.91-1.34
160	Nose	1	0.70	[0.87]	0.00	[0.03]	0.00	2	2.28	2	1.24	5	1.04	0.34-2.42
	-adenocarcinoma ²	-	-	[0.06]	0.00	-	-	[0.09]	0.00	[0.12]	0.00	[0.27]	0.00	0.00-13.55
161	Larynx	2	0.60	[0.77]	0.00	[0.03]	0.00	2	2.33	2	1.23	6	0.91	0.33-1.97
162,163	Lung	153	1.77	20	0.79	2	1.33	41	1.42	75	1.36	291	1.48	1.32-1.66
	-adenocarcinoma ²	49	1.83	3	0.45	2	3.85	8	0.93	28	1.52	90	1.47	1.18-1.81
	-small cell ²	-	-	6	1.44	[0.25]	0.00	16	2.70	14	1.98	36	2.07	1.45-2.86
	-squamous cell ²	27	1.65	3	0.72	[0.24]	0.00	9	1.92	10	0.96	49	1.37	1.01-1.81
	-other ²	-	-	8	0.78	[0.49]	0.00	7	0.88	23	1.20	38	1.01	0.71-1.38
158, 162.2	Mesothelioma ²	[1.22]	0.00	[0.97]	0.00	[0.00]	0.00	1	2.70	1	0.98	2	0.56	0.07-2.02
170	Breast	187	0.96	146	0.90	2	0.62	108	0.88	283	0.88	726	0.90	0.84-0.97
	-ductal ²	-	-	99	0.86	[2.51]	0.00	82	1.03	78	0.98	259	0.94	0.83-1.06
	-lobular ²	-	-	17	0.90	1	3.74	10	1.37	8	0.44	36	0.81	0.57-1.12
171	Cervix uteri	61	1.73	9	0.89	[0.28]	0.00	35	1.62	45	1.11	150	1.39	1.18-1.63
172	Corpus uteri	38	0.77	25	0.65	1	1.54	24	0.82	82	1.09	170	0.88	0.76-1.03
173	Choriocarcinoma	[0.03]	0.00	[0.06]	0.00	[0.00]	0.00	[0.05]	0.00	[0.13]	0.00	[0.27]	0.00	0.00-13.69
175.0	Ovary	47	1.11	41	1.60	[0.51]	0.00	32	1.10	66	0.89	186	1.08	0.94-1.25
175.1	Fallopian tube	2	1.59	1	0.76	[0.01]	0.00	[0.76]	0.00	5	2.94	8	1.58	0.68-3.12
176.0	Vulva	5	1.29	2	0.61	[0.05]	0.00	7	1.58	12	1.56	26	1.34	0.88-1.97
176.1	Vagina	3	1.80	3	3.35	[0.01]	0.00	2	2.28	7	3.04	15	2.61	1.46-4.30
180	Kidney	19	1.27	9	0.54	[0.37]	0.00	10	0.85	35	1.15	73	0.98	0.77-1.24
180.1	-renal pelvis ²	10	1.83	[0.85]	0.00	[0.04]	0.00	1	0.79	3	0.98	14	1.31	0.72-2.20
181	Bladder	39	1.49	7	0.76	[0.34]	0.00	19	1.34	38	1.28	103	1.29	1.07-1.57
190	Melanoma	27	1.28	11	0.78	[0.27]	0.00	22	1.10	29	0.78	89	0.96	0.77-1.18
190.6	-upper limbs ²	7	1.80	4	1.59	[0.04]	0.00	3	0.89	6	0.82	20	1.17	0.71-1.80
192	Eye	1	0.54	2	1.27	[0.01]	0.00	[1.44]	0.00	4	1.28	7	0.87	0.35-1.80
	-melanoma ²	1	0.59	2	1.37	[0.01]	0.00	[1.25]	0.00	3	1.20	6	0.87	0.32-1.89
193	Brain	26	1.12	20	0.97	[0.43]	0.00	19	1.26	36	0.95	101	1.04	0.85-1.26
	-glioma ²	4	2.10	5	0.91	[0.15]	0.00	8	1.55	7	0.55	24	0.94	0.60-1.40
	-meningeoma ²	3	0.55	4	0.45	[0.22]	0.00	5	0.94	19	1.21	31	0.87	0.59-1.24
194	Thyroid	3	0.84	5	0.46	[0.32]	0.00	6	0.98	12	0.91	26	0.77	0.50-1.12
	-follicular ²	-	-	[1.62]	0.00	[0.04]	0.00	[0.87]	0.00	[0.58]	0.00	[3.10]	0.00	0.00-1.19
	-papillary ²	-	-	4	0.53	[0.26]	0.00	5	1.44	3	1.38	12	0.89	0.46-1.55
195.0	Glandula suprarenalis	[0.43]	0.00	1	1.92	[0.01]	0.00	[0.28]	0.00	[0.63]	0.00	1	0.53	0.01-2.98
195.1	Parathyreoidea	[0.03]	0.00	[0.02]	0.00	-	-	[0.03]	0.00	[0.16]	0.00	[0.24]	0.00	0.00-15.60
195.2	Thymus	[0.19]	0.00	[0.19]	0.00	-	-	1	11.16	[0.25]	0.00	1	1.38	0.03-7.69
195.3	Hypophysis	[0.05]	0.00	[0.02]	0.00	[0.04]	0.00	[0.02]	0.00	[0.07]	0.00	[0.20]	0.00	0.00-18.24
195.4	Corpus pineale	-	-	[0.05]	0.00	-	-	[0.02]	0.00	-	-	[0.07]	0.00	0.00-52.17
196	Bone	[0.61]	0.00	[0.70]	0.00	[0.02]	0.00	[0.55]	0.00	[1.47]	0.00	[3.36]	0.00	0.00-1.10
	-chondrosarcoma ²	-	-	[0.32]	0.00	[0.01]	0.00	[0.15]	0.00	[0.65]	0.00	[1.14]	0.00	0.00-3.24
197	Soft tissue	3	1.31	8	2.34	[0.04]	0.00	4	2.11	7	0.92	22	1.44	0.90-2.18
	-fibrosarcoma ²	-	-	1	0.93	[0.00]	0.00	[0.14]	0.00	[1.07]	0.00	1	0.44	0.01-2.44
	-liposarcoma ²	-	-	3	4.25	[0.01]	0.00	[0.24]	0.00	1	0.89	4	1.92	0.52-4.91
200,202	Non-Hodgkin lymphoma	16	0.90	14	0.72	2	6.97	11	0.93	30	0.96	73	0.91	0.71-1.14
201	Hodgkin lymphoma	1	0.54	[1.85]	0.00	[0.03]	0.00	1	0.69	3	0.76	5	0.55	0.18-1.27
203	Multiple myeloma	7	0.77	10	1.29	[0.16]	0.00	5	0.62	20	1.31	42	1.04	0.75-1.41
204	Leukaemia	19	1.10	15	1.40	[0.23]	0.00	8	0.81	25	1.19	67	1.13	0.88-1.44
	-chronic lymphatic ²	-	-	5	1.31	[0.08]	0.00	2	0.61	14	1.71	21	1.37	0.85-2.09
	-acute myeloid ²	3	0.51	5	1.39	[0.09]	0.00	4	1.01	3	0.48	15	0.76	0.42-1.25
	Mycosis fungoides ²	[0.36]	0.00	[0.27]	0.00	[0.00]	0.00	[0.20]	0.00	4	2.04	4	1.43	0.39-3.66
199	Other/unknown site	17	1.38	10	0.72	1	3.23	21	1.05	64	1.45	113	1.24	1.04-1.50
140-204	All sites	842	1.15	508	0.96	11	0.95	534	1.08	1171	1.04	3066	1.06	1.02-1.10
Not included above														
	Ovary borderline ²	-	-	5	1.10	[0.16]	0.00	2	0.53	6	0.62	13	0.71	0.38-1.22
191	Other skin	-	-	15	1.00	1	3.14	14	0.83	45	1.23	75	1.09	0.86-1.37
191.6	-upper limbs ²	-	-	2	1.71	[0.04]	0.00	[1.76]	0.00	7	1.64	9	1.24	0.57-2.36

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Food manufacture workers. Men (N = 102 389). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	64	0.95	20	0.94	3	1.60	46	0.82	57	0.77	190	0.86	0.75-0.99
141	Tongue	24	1.05	5	0.69	1	1.17	24	1.14	34	1.17	88	1.08	0.87-1.33
142	Salivary glands	14	1.01	2	0.47	[0.70]	0.00	9	0.91	28	1.33	53	1.06	0.80-1.39
143-144	Oral cavity	39	0.86	11	1.49	2	2.12	35	1.15	48	1.10	135	1.06	0.89-1.25
145-148	Pharynx	59	1.08	11	1.21	[1.15]	0.00	49	1.39	64	1.02	183	1.13	0.97-1.30
145	-oropharynx ²	31	1.03	6	1.63	[0.33]	0.00	17	1.33	23	0.99	77	1.10	0.86-1.37
146	-nasopharynx ²	9	1.09	3	1.61	[0.33]	0.00	8	1.22	17	1.28	37	1.22	0.86-1.69
150	Oesophagus	114	1.02	27	1.26	6	1.10	80	1.30	144	1.28	371	1.19	1.07-1.31
	-adenocarcinoma ²	39	0.88	10	1.98	2	1.03	17	1.41	44	1.51	112	1.21	1.00-1.46
151	Stomach	280	1.12	98	1.02	18	1.06	411	1.14	528	1.13	1335	1.12	1.06-1.18
151.1	-cardia ²	84	1.12	15	0.89	5	1.66	79	1.33	62	1.11	245	1.17	1.03-1.32
152	Small intestine	24	1.24	5	0.80	3	1.93	14	0.81	41	0.89	87	0.96	0.77-1.18
153	Colon	499	0.90	87	1.03	22	0.99	454	0.98	610	0.96	1672	0.95	0.90-0.99
154	Rectum, rectosigma	388	0.99	68	0.98	11	1.35	284	1.00	510	1.16	1261	1.06	1.00-1.12
155.0	Primary liver	62	0.74	18	0.73	2	0.73	39	1.09	139	1.19	260	0.99	0.87-1.11
	-hemangiosarcoma ²	-	-	[0.12]	0.00	-	-	1	18.77	[0.52]	0.00	1	1.45	0.04-8.08
155.1	Gall bladder	53	1.17	8	0.62	2	1.58	31	1.18	40	0.89	134	1.02	0.86-1.21
157	Pancreas	199	0.95	81	1.32	7	0.84	205	1.15	255	0.97	747	1.04	0.96-1.11
160	Nose	13	0.67	3	0.84	2	2.42	13	0.92	16	0.84	47	0.83	0.61-1.10
	-adenocarcinoma ²	-	-	2	7.69	[0.08]	0.00	2	1.08	[3.25]	0.00	4	0.73	0.20-1.88
161	Larynx	166	1.34	25	1.07	6	1.99	86	1.34	96	1.11	379	1.26	1.14-1.39
162,163	Lung	1700	1.22	342	1.00	45	1.18	861	1.26	1000	1.18	3948	1.19	1.16-1.23
	-adenocarcinoma ²	296	1.09	39	0.81	11	1.04	139	1.13	161	1.03	646	1.06	0.98-1.14
	-small cell ²	-	-	56	1.03	7	0.95	143	1.26	76	1.02	282	1.13	1.00-1.27
	-squamous cell ²	613	1.28	109	1.02	9	0.96	308	1.43	390	1.24	1429	1.27	1.20-1.34
	-other ²	-	-	138	1.03	18	1.81	181	1.14	373	1.24	710	1.17	1.09-1.26
158, 162.2	Mesothelioma ²	16	0.45	5	0.65	[0.76]	0.00	5	0.27	12	0.37	38	0.40	0.28-0.55
170	Breast	13	1.04	3	1.43	[0.99]	0.00	2	0.28	16	1.09	34	0.91	0.63-1.27
177	Prostate	876	0.99	382	0.94	71	0.90	1155	0.98	2310	0.97	4794	0.97	0.95-1.00
178	Testis	39	0.92	6	0.97	[3.29]	0.00	31	1.04	31	0.90	107	0.92	0.76-1.11
	-seminoma ²	18	1.02	5	1.17	[2.36]	0.00	21	1.01	23	0.93	67	0.96	0.74-1.22
	-non-seminoma ²	21	0.84	1	0.54	[0.93]	0.00	7	1.09	8	0.82	37	0.84	0.59-1.16
179.0	Penis	18	0.73	2	0.66	[1.06]	0.00	24	1.35	32	1.11	76	1.01	0.79-1.26
180	Kidney	181	1.09	89	1.28	11	0.79	190	1.11	341	1.07	812	1.10	1.03-1.18
180.1	-renal pelvis ²	67	1.04	3	0.72	2	2.52	31	1.57	42	1.26	145	1.18	1.01-1.39
181	Bladder	790	1.14	111	1.20	23	1.09	442	1.09	702	1.11	2068	1.12	1.07-1.17
190	Melanoma	108	0.76	59	1.22	3	0.54	162	1.01	249	1.04	581	0.97	0.90-1.06
190.6	-upper limbs ²	8	0.47	5	0.82	[0.75]	0.00	16	1.10	31	0.89	60	0.82	0.63-1.06
192	Eye	15	0.86	5	1.06	1	1.63	13	0.92	21	0.89	55	0.91	0.68-1.18
	-melanoma ²	14	0.91	4	0.94	1	1.91	13	1.04	18	0.92	50	0.96	0.71-1.26
193	Brain	171	1.01	39	0.82	8	0.98	122	1.01	211	0.96	551	0.97	0.90-1.06
	-glioma ²	19	1.04	16	0.72	5	1.05	67	1.09	100	0.90	207	0.95	0.83-1.09
	-meningeoma ²	23	1.08	9	0.92	3	1.48	19	0.98	53	1.11	107	1.07	0.88-1.29
194	Thyroid	17	1.13	12	1.10	2	0.42	31	1.36	34	0.91	96	1.06	0.86-1.29
	-follicular ²	-	-	1	0.55	1	1.28	3	1.11	1	0.65	6	0.87	0.32-1.88
	-papillary ²	-	-	10	1.48	1	0.30	21	1.85	3	0.70	35	1.36	0.95-1.89
195.0	Glandula suprarenalis	4	1.04	2	1.05	[0.18]	0.00	4	1.42	4	0.98	14	1.09	0.60-1.83
195.1	Parathyreoidea	[0.20]	0.00	[0.03]	0.00	[0.03]	0.00	[0.08]	0.00	1	3.38	1	1.57	0.04-8.74
195.2	Thymus	1	0.55	[0.55]	0.00	[0.14]	0.00	[1.16]	0.00	4	2.34	5	0.93	0.30-2.17
195.3	Hypophysis	[0.52]	0.00	[0.04]	0.00	[1.33]	0.00	[0.23]	0.00	1	1.96	1	0.38	0.01-2.12
195.4	Corpus pineale	-	-	1	10.57	-	-	[0.04]	0.00	-	-	1	7.45	0.19-41.49
196	Bone	6	0.95	1	0.33	[0.59]	0.00	5	0.73	11	0.90	23	0.79	0.50-1.19
	-chondrosarcoma ²	-	-	1	0.66	[0.52]	0.00	2	1.09	4	0.75	7	0.76	0.31-1.57
197	Soft tissue	20	0.89	10	0.92	1	0.62	23	1.08	64	1.08	118	1.03	0.86-1.23
	-fibrosarcoma ²	-	-	3	0.80	-	-	1	0.47	12	1.33	16	1.07	0.61-1.74
	-liposarcoma ²	-	-	3	1.25	[0.47]	0.00	4	1.19	6	0.59	13	0.79	0.42-1.36
200,202	Non-Hodgkin lymphoma	163	1.03	50	0.82	12	1.30	99	0.90	268	1.03	592	0.99	0.91-1.07
201	Hodgkin lymphoma	26	1.02	8	0.87	2	1.98	26	1.16	50	1.20	112	1.12	0.93-1.35
203	Multiple myeloma	99	1.07	16	0.75	5	1.25	92	1.00	148	1.09	360	1.05	0.94-1.16
204	Leukaemia	210	1.08	40	1.03	9	1.30	137	1.08	204	1.00	600	1.05	0.97-1.14
	-chronic lymphatic ²	-	-	11	0.67	2	0.81	46	0.99	84	0.89	143	0.90	0.76-1.06
	-acute myeloid ²	55	0.98	15	1.39	2	0.92	59	1.30	49	1.12	180	1.14	0.98-1.32
	Mycosis fungoides ²	6	1.11	2	1.28	[0.31]	0.00	5	1.46	18	0.92	31	1.02	0.69-1.45
199	Other/unknown site	101	1.20	31	0.91	8	1.42	239	1.22	269	1.02	648	1.11	1.03-1.20
140-204	All sites	6389	1.05	1697	1.01	288	1.01	5450	1.08	8611	1.04	22435	1.05	1.04-1.06
	Not included above													
191	Other skin	-	-	35	0.74	10	1.12	189	0.84	401	0.99	635	0.93	0.86-1.00
191.6	-upper limbs ²	-	-	3	0.80	1	1.29	10	0.51	29	0.68	43	0.64	0.46-0.86

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Food manufacture workers. Women (N = 68 902). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	4	0.70	9	0.89	1	1.58	10	1.80	8	1.14	32	1.10	0.75-1.56
141	Tongue	11	1.36	7	0.74	3	1.92	7	0.89	10	1.22	38	1.08	0.77-1.48
142	Salivary glands	5	0.75	4	0.60	1	1.02	3	0.54	5	0.59	18	0.63	0.38-1.00
143-144	Oral cavity	26	1.41	6	0.62	4	1.13	12	0.90	16	1.27	64	1.11	0.86-1.42
145-148	Pharynx	17	1.25	3	0.51	2	1.47	11	1.37	13	1.28	46	1.18	0.86-1.57
145	-oropharynx ²	9	1.14	2	0.99	[0.63]	0.00	3	0.89	5	1.25	19	1.06	0.64-1.66
146	-nasopharynx ²	2	0.91	1	0.63	2	2.72	2	1.24	3	1.12	10	1.13	0.54-2.09
150	Oesophagus	25	0.97	22	0.86	5	1.10	18	1.19	31	1.66	101	1.12	0.93-1.37
	-adenocarcinoma ²	4	0.63	2	0.86	[1.31]	0.00	1	0.40	4	1.33	11	0.71	0.35-1.27
151	Stomach	85	1.12	128	1.05	23	1.20	153	1.12	137	1.14	526	1.11	1.02-1.21
151.1	-cardia ²	14	1.10	14	1.22	2	1.25	20	1.23	3	0.41	53	1.07	0.80-1.40
152	Small intestine	10	1.01	14	1.55	3	1.18	10	0.83	21	1.31	58	1.17	0.89-1.51
153	Colon	350	0.96	170	0.97	43	1.02	370	1.01	285	0.98	1218	0.98	0.93-1.04
154	Rectum, rectosigma	161	1.00	108	1.03	15	0.91	133	0.85	181	1.23	598	1.02	0.94-1.11
155.0	Primary liver	24	0.84	25	0.89	7	2.30	17	1.13	32	1.07	105	1.00	0.83-1.22
	-hemangiosarcoma ²	-	-	[0.19]	0.00	1	5.36	[0.05]	0.00	[0.19]	0.00	1	1.59	0.04-8.85
155.1	Gall bladder	55	1.31	48	0.96	4	0.98	26	0.93	51	0.97	184	1.04	0.90-1.20
157	Pancreas	136	1.17	99	0.92	13	0.84	126	1.15	104	0.98	478	1.05	0.96-1.15
160	Nose	10	1.41	3	0.66	2	1.16	9	1.56	7	1.41	31	1.29	0.87-1.83
	-adenocarcinoma ²	-	-	[0.30]	0.00	-	-	1	1.70	[0.37]	0.00	1	0.80	0.02-4.43
161	Larynx	30	1.82	3	0.76	2	1.40	5	0.93	6	1.30	46	1.44	1.06-1.92
162,163	Lung	529	1.25	158	1.19	120	1.51	227	1.27	213	1.41	1247	1.29	1.22-1.37
	-adenocarcinoma ²	152	1.15	45	1.30	30	1.07	56	1.07	58	1.19	341	1.15	1.04-1.28
	-small cell ²	-	-	27	1.25	18	1.40	53	1.48	34	1.92	132	1.50	1.26-1.78
	-squamous cell ²	99	1.24	33	1.52	28	2.21	52	1.78	47	1.59	259	1.50	1.33-1.69
	-other ²	-	-	53	0.98	44	1.70	54	1.10	74	1.36	225	1.22	1.07-1.40
158, 162.2	Mesothelioma ²	5	0.86	6	1.19	[0.19]	0.00	5	2.13	7	2.36	23	1.40	0.89-2.11
170	Breast	800	0.82	689	0.85	164	0.84	628	0.85	796	0.90	3077	0.86	0.83-0.89
	-ductal ²	-	-	491	0.85	126	0.82	416	0.88	144	0.82	1177	0.86	0.81-0.91
	-lobular ²	-	-	73	0.78	8	0.49	41	0.96	24	0.60	146	0.76	0.64-0.89
171	Cervix uteri	263	1.51	49	0.94	21	1.15	141	1.16	132	1.16	606	1.26	1.17-1.37
172	Corpus uteri	211	0.86	206	1.04	20	0.57	152	0.85	206	0.96	795	0.91	0.85-0.97
173	Choriocarcinoma	[0.17]	0.00	[0.29]	0.00	[0.10]	0.00	[0.24]	0.00	1	3.66	1	0.93	0.02-5.19
175.0	Ovary	185	0.90	112	0.85	31	1.09	189	1.07	220	1.05	737	0.98	0.91-1.05
175.1	Fallopian tube	2	0.32	6	0.90	2	2.46	9	2.03	6	1.36	25	1.11	0.72-1.64
176.0	Vulva	21	1.10	22	1.26	2	0.70	28	0.94	31	1.27	104	1.11	0.92-1.35
176.1	Vagina	6	0.73	2	0.43	1	1.25	7	1.24	10	1.41	26	0.99	0.64-1.44
180	Kidney	73	1.01	88	1.01	16	0.81	86	1.12	94	1.00	357	1.02	0.92-1.13
180.1	-renal pelvis ²	29	1.09	[4.49]	0.00	2	1.13	8	0.95	19	1.99	58	1.14	0.87-1.47
181	Bladder	133	1.03	47	0.95	13	0.77	99	1.04	86	0.93	378	0.99	0.89-1.09
190	Melanoma	97	0.91	68	0.94	16	0.88	70	0.60	79	0.83	330	0.81	0.72-0.90
190.6	-upper limbs ²	12	0.61	14	1.10	2	0.71	14	0.69	15	0.79	57	0.76	0.58-0.99
192	Eye	10	1.08	5	0.62	[0.76]	0.00	5	0.56	6	0.67	26	0.72	0.47-1.06
	-melanoma ²	10	1.19	5	0.67	[0.57]	0.00	5	0.65	6	0.81	26	0.82	0.54-1.21
193	Brain	117	1.02	99	0.95	28	1.12	75	0.84	104	0.99	423	0.96	0.88-1.06
	-glioma ²	5	0.55	27	0.97	8	0.89	22	0.74	41	1.17	103	0.93	0.77-1.13
	-meningeoma ²	33	1.20	46	1.04	14	1.09	37	1.18	43	0.99	173	1.08	0.93-1.26
194	Thyroid	21	1.20	49	0.92	15	0.71	39	1.07	40	1.09	164	0.99	0.85-1.16
	-follicular ²	-	-	3	0.36	2	0.78	5	0.93	1	0.72	11	0.62	0.31-1.11
	-papillary ²	-	-	36	0.97	10	0.58	21	1.05	4	0.86	71	0.90	0.70-1.14
195.0	Glandula suprarenalis	3	1.43	2	0.76	1	2.15	1	0.63	[1.76]	0.00	7	0.82	0.33-1.69
195.1	Parathyreoidea	[0.16]	0.00	[0.09]	0.00	-	-	1	5.65	[0.45]	0.00	1	1.14	0.03-6.34
195.2	Thymus	2	2.13	1	1.02	-	-	[0.55]	0.00	2	2.95	5	1.59	0.52-3.70
195.3	Hypophysis	[0.24]	0.00	[0.08]	0.00	[2.46]	0.00	[0.15]	0.00	1	4.39	1	0.32	0.01-1.76
195.4	Corpus pineale	-	-	[0.26]	0.00	-	-	[0.09]	0.00	-	-	[0.35]	0.00	0.00-10.40
196	Bone	5	1.68	5	1.41	1	0.68	4	1.18	4	0.94	19	1.22	0.73-1.90
	-chondrosarcoma ²	-	-	3	1.83	[0.94]	0.00	[0.94]	0.00	1	0.55	4	0.75	0.20-1.92
197	Soft tissue	6	0.53	13	0.73	6	2.28	9	0.76	21	0.95	55	0.84	0.63-1.09
	-fibrosarcoma ²	-	-	3	0.53	1	5.35	[0.88]	0.00	3	0.89	7	0.69	0.28-1.43
	-liposarcoma ²	-	-	5	1.38	[0.61]	0.00	2	1.33	4	1.21	11	1.22	0.61-2.18
200,202	Non-Hodgkin lymphoma	88	1.01	92	0.91	10	0.63	77	1.03	84	0.91	351	0.95	0.85-1.05
201	Hodgkin lymphoma	10	1.10	8	0.84	[1.89]	0.00	8	0.90	8	0.66	34	0.82	0.57-1.15
203	Multiple myeloma	44	1.00	30	0.73	8	0.97	52	0.96	59	1.23	193	0.99	0.86-1.14
204	Leukaemia	81	0.97	62	1.11	17	1.28	52	0.80	58	0.92	270	0.96	0.85-1.08
	-chronic lymphatic ²	-	-	18	0.90	7	1.60	21	0.95	24	0.97	70	0.98	0.76-1.24
	-acute myeloid ²	31	1.08	27	1.42	9	1.69	22	0.86	18	0.99	107	1.11	0.92-1.34
	Mycosis fungoides ²	2	1.11	1	0.72	[0.36]	0.00	[1.27]	0.00	3	0.45	6	0.52	0.19-1.14
199	Other/unknown site	55	0.92	72	0.96	23	1.35	148	1.08	168	1.25	466	1.10	1.00-1.20
140-204	All sites	3629	1.01	2560	0.93	653	1.00	3029	0.97	3346	1.02	13217	0.99	0.97-1.00
Not included above														
	Ovary borderline ²	-	-	16	0.70	10	0.93	22	1.04	33	1.41	81	1.04	0.82-1.29
191	Other skin	-	-	84	1.02	9	0.52	91	0.78	103	0.89	287	0.86	0.77-0.97
191.6	-upper limbs ²	-	-	3	0.47	2	0.91	13	1.09	12	0.92	30	0.90	0.60-1.28

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Beverage manufacture workers. Men (N = 7 266). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total				
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI		
140	Lip	10	1.28	[1.51]	0.00	[0.03]	0.00	[0.39]	0.00	6	1.33	16	1.12	0.64-1.82		
141	Tongue	11	4.03	[0.45]	0.00	[0.01]	0.00	[0.36]	0.00	7	4.34	18	3.49	2.07-5.51		
142	Salivary glands	1	0.60		1	3.77	[0.01]	0.00	[0.12]	0.00	2	1.68	4	1.22	0.33-3.14	
143-144	Oral cavity	11	2.05		1	2.25	[0.01]	0.00	1	2.30	3	1.23	16	1.84	1.05-2.98	
145-148	Pharynx	23	3.52	[0.57]	0.00	[0.02]	0.00	2	3.35	7	1.98	32	2.84	1.94-4.01		
145	-oropharynx ²	14	3.94	[0.22]	0.00	[0.01]	0.00	1	3.30	1	0.80	16	3.00	1.72-4.88		
146	-nasopharynx ²	1	0.97	[0.12]	0.00	[0.00]	0.00	[0.08]	0.00	[0.78]	0.00	1	0.50	0.01-2.77		
150	Oesophagus	44	3.20		4	2.78	[0.09]	0.00	[0.63]	0.00	13	2.03	61	2.73	2.09-3.51	
	-adenocarcinoma ²	7	1.32	[0.33]	0.00	[0.03]	0.00	[0.18]	0.00	3	1.98	10	1.36	0.65-2.50		
151	Stomach	40	1.24		8	1.16		1	3.70	2	0.97	30	1.01	0.91-1.42		
151.1	-cardia ²	17	1.80		3	2.56	[0.05]	0.00	[0.54]	0.00	5	1.70	25	1.77	1.14-2.61	
152	Small intestine	3	1.24	[0.41]	0.00	[0.02]	0.00	[0.24]	0.00	3	1.19	6	1.07	0.39-2.33		
153	Colon	88	1.32		6	1.06	[0.37]	0.00	3	0.66	45	1.25	142	1.25	1.06-1.48	
154	Rectum, rectosigma	71	1.49		4	0.86	[0.13]	0.00	5	1.69	32	1.29	112	1.40	1.16-1.68	
155.0	Primary liver	31	2.91		1	0.59	[0.04]	0.00	[0.31]	0.00	17	2.47	49	2.50	1.85-3.31	
	-hemangiosarcoma ²	-	-	[0.01]	0.00	-	-	[0.00]	0.00	[0.03]	0.00	[0.03]	0.00	0.00-106.30		
155.1	Gall bladder	7	1.21		1	1.10	[0.02]	0.00	[0.23]	0.00	[2.82]	0.00	8	0.82	0.35-1.61	
157	Pancreas	48	1.79		10	2.41	[0.14]	0.00	5	3.55	19	1.20	82	1.70	1.35-2.11	
160	Nose	6	2.58	[0.24]	0.00	[0.02]	0.00	[0.13]	0.00	2	1.79	8	2.09	0.90-4.12		
	-adenocarcinoma ²	-	-	[0.01]	0.00	[0.00]	0.00	[0.02]	0.00	1	5.58	1	4.58	0.12-25.54		
161	Larynx	43	2.89		3	1.91	[0.05]	0.00	2	2.64	11	2.20	59	2.65	2.02-3.42	
162, 163	Lung	275	1.54		19	0.78		2	3.31	7	0.98	65	1.33	368	1.42	1.28-1.57
	-adenocarcinoma ²	49	1.45		3	0.97	[0.17]	0.00	[1.89]	0.00	10	1.21	62	1.31	1.01-1.68	
	-small cell ²	-	-		3	0.81	[0.12]	0.00	2	1.45	4	1.16	9	1.04	0.48-1.97	
	-squamous cell ²	101	1.63		4	0.53		1	6.87	3	1.57	28	1.50	137	1.52	1.28-1.79
	-other ²	-	-		9	0.91	[0.16]	0.00	1	0.55	23	1.24	33	1.09	0.75-1.53	
158, 162.2	Mesothelioma ²	3	0.67		1	2.12		1	82.99	[0.28]	0.00	2	1.21	7	1.02	0.41-2.09
170	Breast	2	1.37	[0.13]	0.00	[0.02]	0.00	1	12.82	[0.84]	0.00	3	1.19	0.24-3.47		
177	Prostate	111	1.05		18	0.67	[1.35]	0.00	8	0.81	124	0.95	261	0.95	0.84-1.08	
178	Testis	5	1.06	[0.35]	0.00	[0.05]	0.00	2	2.10	3	1.61	10	1.26	0.61-2.32		
	-seminoma ²	4	2.03	[0.24]	0.00	[0.04]	0.00	2	3.01	3	2.27	9	2.13	0.97-4.04		
	-non-seminoma ²	1	0.36	[0.10]	0.00	[0.02]	0.00	[0.23]	0.00	[0.54]	0.00	1	0.28	0.01-1.53		
179.0	Penis	6	2.08		1	5.00	[0.02]	0.00	[0.19]	0.00	3	1.85	10	2.03	0.98-3.74	
180	Kidney	30	1.46		4	0.91	[0.24]	0.00	2	1.00	16	0.88	52	1.15	0.86-1.50	
180.1	-renal pelvis ²	6	0.77		1	3.58	[0.01]	0.00	[0.20]	0.00	1	0.53	8	0.79	0.34-1.55	
181	Bladder	98	1.19		2	0.31	[0.36]	0.00	3	0.81	50	1.44	153	1.20	1.02-1.40	
190	Melanoma	18	1.11		2	0.68	[0.09]	0.00	4	1.10	10	0.82	34	0.97	0.67-1.36	
190.6	-upper limbs ²	2	1.05	[0.37]	0.00	[0.01]	0.00	[0.33]	0.00	[1.72]	0.00	2	0.46	0.06-1.66		
192	Eye	[2.08]	0.00		1	3.37	[0.01]	0.00	[0.18]	0.00	1	0.75	2	0.51	0.06-1.85	
	-melanoma ²	[1.84]	0.00		1	3.76	[0.01]	0.00	[0.16]	0.00	1	0.89	2	0.59	0.07-2.12	
193	Brain	17	0.82		3	1.04	[0.13]	0.00	2	0.94	12	0.99	34	0.89	0.62-1.25	
	-glioma ²	3	1.27		2	1.55	[0.08]	0.00	1	0.83	7	1.15	13	1.18	0.63-2.02	
	-meningeoma ²	2	0.80	[0.60]	0.00	[0.03]	0.00	[0.36]	0.00	2	0.75	4	0.65	0.18-1.67		
194	Thyroid	7	3.80	[0.67]	0.00	[0.08]	0.00	[0.37]	0.00	1	0.47	8	1.57	0.68-3.09		
	-follicular ²	-	-	[0.12]	0.00	[0.01]	0.00	[0.04]	0.00	[0.08]	0.00	[0.25]	0.00	0.00-14.73		
	-papillary ²	-	-	[0.39]	0.00	[0.06]	0.00	[0.26]	0.00	[0.21]	0.00	[0.92]	0.00	0.00-4.02		
195.0	Glandula suprarenalis	[0.50]	0.00	[0.13]	0.00	[0.00]	0.00	[0.04]	0.00	[0.23]	0.00	[0.91]	0.00	0.00-4.05		
195.1	Parathyreoidea	[0.02]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	[0.05]	0.00	0.00-78.52		
195.2	Thymus	[0.24]	0.00	[0.03]	0.00	[0.00]	0.00	[0.03]	0.00	[0.09]	0.00	[0.39]	0.00	0.00-9.50		
195.3	Hypophysis	1	16.20	[0.00]	0.00	[0.03]	0.00	[0.00]	0.00	1	35.51	2	16.60	2.01-59.95		
195.4	Corpus pineale	-	-	[0.01]	0.00	-	-	[0.00]	0.00	-	-	[0.01]	0.00	0.00-419.43		
196	Bone	1	1.30	[0.18]	0.00	[0.01]	0.00	[0.11]	0.00	[0.68]	0.00	1	0.57	0.01-3.18		
	-chondrosarcoma ²	-	-	[0.09]	0.00	[0.01]	0.00	[0.03]	0.00	[0.29]	0.00	[0.42]	0.00	0.00-8.73		
197	Soft tissue	3	1.14		2	2.94	[0.03]	0.00	[0.24]	0.00	3	0.92	8	1.17	0.51-2.31	
	-fibrosarcoma ²	-	-	[0.24]	0.00	-	-	[0.01]	0.00	1	1.81	1	1.24	0.03-6.92		
	-liposarcoma ²	-	-		1	6.91	[0.01]	0.00	[0.06]	0.00	1	1.74	2	2.56	0.31-9.25	
200, 202	Non-Hodgkin lymphoma	20	1.05		4	1.03	[0.15]	0.00	4	2.00	11	0.79	39	1.00	0.71-1.36	
201	Hodgkin lymphoma	3	0.96	[0.57]	0.00	[0.02]	0.00	[0.32]	0.00	1	0.40	4	0.61	0.17-1.57		
203	Multiple myeloma	8	0.71		3	2.05	[0.07]	0.00	[0.79]	0.00	7	0.91	18	0.85	0.50-1.34	
204	Leukaemia	28	1.16		2	0.76		1	8.09	1	0.80	12	1.07	44	1.12	0.81-1.50
	-chronic lymphatic ²	-	-		2	1.73	[0.05]	0.00	[0.44]	0.00	4	0.80	6	0.90	0.33-1.96	
	-acute myeloid ²	10	1.42	[0.73]	0.00		1	27.78	[0.47]	0.00	2	0.89	13	1.23	0.66-2.11	
	Mycosis fungoides ²	2	3.10	[0.10]	0.00	[0.01]	0.00	[0.04]	0.00	3	2.23	5	2.34	0.76-5.46		
199	Other/unknown site	12	1.18		2	0.85	[0.10]	0.00	[1.35]	0.00	16	1.10	30	1.05	0.71-1.50	
140-204	All sites	1049	1.41		104	0.91		4	0.85	54	1.04	538	1.16	1749	1.27	1.21-1.33
Not included above																
191	Other skin	-	-		5	1.44	[0.16]	0.00	2	1.04	16	0.75	23	0.85	0.54-1.28	
191.6	-upper limbs ²	-	-		1	3.88	[0.01]	0.00	[0.17]	0.00	2	0.89	3	1.12	0.23-3.27	

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Beverage manufacture workers. Women (N = 3 674). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.51]	0.00	[0.59]	0.00	[0.00]	0.00	[0.05]	0.00	1	2.27	1	0.63	0.02-3.49
141	Tongue	2	2.66	[0.52]	0.00	[0.00]	0.00	[0.07]	0.00	[0.52]	0.00	2	1.07	0.13-3.87
142	Salivary glands	2	3.25	[0.37]	0.00	[0.00]	0.00	[0.05]	0.00	2	3.75	4	2.56	0.70-6.55
143-144	Oral cavity	4	2.34	[0.54]	0.00	[0.01]	0.00	[0.11]	0.00	[0.80]	0.00	4	1.26	0.34-3.22
145-148	Pharynx	3	2.39	[0.33]	0.00	[0.00]	0.00	[0.07]	0.00	1	1.54	4	1.73	0.47-4.43
145	-oropharynx ²	1	1.40	[0.11]	0.00	[0.00]	0.00	[0.04]	0.00	[0.24]	0.00	1	0.91	0.02-5.09
146	-nasopharynx ²	1	4.75	[0.09]	0.00	[0.00]	0.00	[0.01]	0.00	[0.18]	0.00	1	2.03	0.05-11.29
150	Oesophagus	5	2.01	1	0.65	[0.01]	0.00	[0.12]	0.00	1	0.82	7	1.30	0.52-2.69
	-adenocarcinoma ²	[0.60]	0.00	[0.13]	0.00	[0.00]	0.00	[0.02]	0.00	[0.19]	0.00	[0.94]	0.00	0.00-3.91
151	Stomach	11	1.44	6	0.83	[0.05]	0.00	2	2.21	12	1.48	31	1.29	0.88-1.84
151.1	-cardia ²	4	3.20	[0.69]	0.00	[0.00]	0.00	[0.12]	0.00	1	2.15	5	1.98	0.64-4.61
152	Small intestine	[0.96]	0.00	1	1.99	[0.01]	0.00	[0.11]	0.00	[1.01]	0.00	1	0.39	0.01-2.15
153	Colon	36	1.05	4	0.40	[0.10]	0.00	5	1.61	21	1.12	66	0.99	0.77-1.27
154	Rectum, rectosigma	12	0.78	1	0.17	[0.04]	0.00	[1.33]	0.00	6	0.64	19	0.59	0.36-0.92
155.0	Primary liver	4	1.41	1	0.61	[0.01]	0.00	[0.12]	0.00	4	2.05	9	1.37	0.63-2.60
	-hemangiosarcoma ²	-	-	[0.01]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	[0.02]	0.00	0.00-155.24
155.1	Gall bladder	6	1.40	3	1.01	[0.01]	0.00	[0.21]	0.00	1	0.28	10	0.91	0.44-1.67
157	Pancreas	25	2.16	4	0.64	[0.04]	0.00	1	1.16	4	0.57	34	1.32	0.92-1.85
160	Nose	2	3.03	1	3.89	[0.00]	0.00	[0.04]	0.00	[0.32]	0.00	3	2.33	0.48-6.82
	-adenocarcinoma ²	-	-	1	60.83	-	-	[0.00]	0.00	[0.02]	0.00	1	22.60	0.57-125.93
161	Larynx	5	3.27	[0.22]	0.00	[0.00]	0.00	[0.05]	0.00	[0.28]	0.00	5	2.39	0.78-5.58
162,163	Lung	82	2.05	10	1.33	[0.21]	0.00	3	1.65	15	1.65	110	1.88	1.56-2.26
	-adenocarcinoma ²	19	1.55	1	0.52	[0.08]	0.00	[0.55]	0.00	3	1.03	23	1.30	0.82-1.95
	-small cell ²	-	-	6	4.91	[0.03]	0.00	[0.39]	0.00	2	2.00	8	3.02	1.30-5.95
	-squamous cell ²	13	1.71	[1.24]	0.00	[0.03]	0.00	1	3.32	4	2.22	18	1.64	0.97-2.58
	-other ²	-	-	3	0.96	[0.07]	0.00	2	3.94	6	1.77	11	1.55	0.78-2.78
158, 162.2	Mesothelioma ²	[0.58]	0.00	[0.28]	0.00	[0.00]	0.00	[0.02]	0.00	1	5.48	1	0.93	0.02-5.19
170	Breast	90	1.02	44	1.03	1	2.26	6	0.86	54	1.01	195	1.02	0.88-1.17
	-ductal ²	-	-	31	1.04	1	2.90	2	0.42	6	0.65	40	0.91	0.65-1.23
	-lobular ²	-	-	4	0.85	[0.03]	0.00	1	1.98	5	2.32	10	1.35	0.65-2.49
171	Cervix uteri	31	1.90	5	1.69	[0.04]	0.00	2	1.86	17	2.42	55	2.01	1.51-2.61
172	Corpus uteri	14	0.63	8	0.72	[0.09]	0.00	3	1.76	8	0.60	33	0.68	0.47-0.96
173	Choriocarcinoma	[0.01]	0.00	[0.01]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	[0.05]	0.00	0.00-78.95
175.0	Ovary	21	1.06	3	0.41	1	13.97	3	1.89	6	0.46	34	0.82	0.56-1.14
175.1	Fallopian tube	[0.58]	0.00	[0.36]	0.00	[0.00]	0.00	[0.05]	0.00	[0.26]	0.00	[1.25]	0.00	0.00-2.95
176.0	Vulva	3	1.69	1	1.00	[0.01]	0.00	[0.23]	0.00	1	0.63	5	1.08	0.35-2.53
176.1	Vagina	2	2.59	[0.26]	0.00	[0.00]	0.00	[0.05]	0.00	[0.46]	0.00	2	1.30	0.16-4.68
180	Kidney	12	1.71	2	0.40	[0.05]	0.00	1	1.53	3	0.50	18	0.96	0.57-1.52
180.1	-renal pelvis ²	6	2.35	[0.26]	0.00	[0.00]	0.00	[0.07]	0.00	1	1.64	7	2.00	0.80-4.12
181	Bladder	16	1.33	3	1.05	[0.04]	0.00	[0.80]	0.00	10	1.70	29	1.34	0.90-1.93
190	Melanoma	7	0.74	4	1.04	[0.04]	0.00	1	0.79	2	0.36	14	0.69	0.38-1.17
190.6	-upper limbs ²	[1.73]	0.00	1	1.49	[0.00]	0.00	[0.21]	0.00	[1.11]	0.00	1	0.27	0.01-1.50
192	Eye	[0.85]	0.00	[0.45]	0.00	[0.00]	0.00	[0.08]	0.00	2	3.57	2	1.03	0.13-3.73
	-melanoma ²	[0.77]	0.00	[0.42]	0.00	[0.00]	0.00	[0.07]	0.00	2	4.26	2	1.16	0.14-4.19
193	Brain	11	1.03	2	0.36	[0.06]	0.00	[0.89]	0.00	4	0.62	17	0.72	0.42-1.15
	-glioma ²	1	1.10	[1.46]	0.00	[0.02]	0.00	[0.29]	0.00	1	0.47	2	0.41	0.05-1.50
	-meningeoma ²	3	1.21	1	0.43	[0.03]	0.00	[0.34]	0.00	1	0.38	5	0.64	0.21-1.49
194	Thyroid	1	0.60	3	1.08	[0.04]	0.00	[0.35]	0.00	1	0.44	5	0.70	0.23-1.64
	-follicular ²	-	-	[0.47]	0.00	[0.01]	0.00	[0.05]	0.00	[0.08]	0.00	[0.60]	0.00	0.00-6.13
	-papillary ²	-	-	3	1.64	[0.03]	0.00	[0.23]	0.00	[0.24]	0.00	3	1.28	0.26-3.75
195.0	Glandula suprarenalis	1	4.88	[0.14]	0.00	[0.00]	0.00	[0.02]	0.00	[0.11]	0.00	1	2.12	0.05-11.84
195.1	Parathyreoidea	[0.02]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.03]	0.00	[0.05]	0.00	0.00-74.33
195.2	Thymus	[0.09]	0.00	[0.05]	0.00	-	-	[0.01]	0.00	[0.04]	0.00	[0.19]	0.00	0.00-19.30
195.3	Hypophysis	[0.02]	0.00	[0.00]	0.00	[0.01]	0.00	[0.00]	0.00	[0.01]	0.00	[0.05]	0.00	0.00-75.10
195.4	Corpus pineale	-	-	[0.01]	0.00	-	-	[0.00]	0.00	-	-	[0.01]	0.00	0.00-257.41
196	Bone	1	3.56	[0.20]	0.00	[0.00]	0.00	[0.03]	0.00	[0.27]	0.00	1	1.28	0.03-7.14
	-chondrosarcoma ²	-	-	[0.09]	0.00	[0.00]	0.00	[0.01]	0.00	[0.11]	0.00	[0.21]	0.00	0.00-17.39
197	Soft tissue	1	0.95	3	3.07	[0.01]	0.00	[0.10]	0.00	2	1.44	6	1.71	0.63-3.71
	-fibrosarcoma ²	-	-	[0.32]	0.00	[0.00]	0.00	[0.01]	0.00	[0.22]	0.00	[0.55]	0.00	0.00-6.76
	-liposarcoma ²	-	-	1	5.08	[0.00]	0.00	[0.01]	0.00	1	4.79	2	4.75	0.58-17.18
200,202	Non-Hodgkin lymphoma	6	0.73	2	0.35	[0.04]	0.00	2	2.71	2	0.35	12	0.59	0.30-1.03
201	Hodgkin lymphoma	2	2.29	3	5.72	[0.00]	0.00	[0.07]	0.00	1	1.28	6	2.67	0.98-5.81
203	Multiple myeloma	6	1.41	1	0.42	[0.02]	0.00	2	4.66	2	0.65	11	1.08	0.54-1.93
204	Leukaemia	9	1.11	2	0.62	[0.03]	0.00	[0.51]	0.00	6	1.51	17	1.08	0.63-1.72
	-chronic lymphatic ²	-	-	2	1.71	[0.01]	0.00	[0.18]	0.00	3	1.91	5	1.71	0.55-3.99
	-acute myeloid ²	[2.82]	0.00	[1.08]	0.00	[0.01]	0.00	[0.21]	0.00	1	0.90	1	0.19	0.00-10.07
	Mycosis fungoides ²	1	6.04	[0.08]	0.00	[0.00]	0.00	[0.01]	0.00	1	2.18	2	2.80	0.34-10.13
199	Other/unknown site	12	2.09	2	0.46	[0.04]	0.00	3	3.01	8	0.93	25	1.27	0.82-1.88
140-204	All sites	430	1.28	120	0.79	2	1.28	34	1.23	199	0.97	785	1.09	1.01-1.16
	Not included above													
	Ovary borderline ²	-	-	1	0.84	[0.02]	0.00	[0.26]	0.00	1	0.76	2	0.72	0.09-2.59
191	Other skin	-	-	2	0.42	[0.04]	0.00	2	2.06	4	0.55	8	0.61	0.26-1.21
191.6	-upper limbs ²	-	-	[0.36]	0.00	[0.01]	0.00	1	9.66	1	1.22	2	1.56	0.19-5.62

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Tobacco manufacture workers. Men (N = 1 209). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	2	1.45	1	4.23	[0.00]	0.00	1	1.08	[0.31]	0.00	4	1.40	0.38-3.59
141	Tongue	2	5.35	[0.08]	0.00	[0.00]	0.00	[0.31]	0.00	1	7.14	3	3.31	0.68-9.67
142	Salivary glands	[0.27]	0.00	[0.05]	0.00	[0.00]	0.00	[0.15]	0.00	[0.10]	0.00	[0.57]	0.00	0.00-6.49
143-144	Oral cavity	1	1.26	[0.09]	0.00	[0.00]	0.00	1	2.19	[0.20]	0.00	2	1.30	0.16-4.70
145-148	Pharynx	1	1.08	[0.10]	0.00	[0.00]	0.00	[0.52]	0.00	[0.30]	0.00	1	0.54	0.01-3.01
145	-oropharynx ²	[0.49]	0.00	[0.04]	0.00	[0.00]	0.00	[0.18]	0.00	[0.12]	0.00	[0.83]	0.00	0.00-4.44
146	-nasopharynx ²	[0.15]	0.00	[0.02]	0.00	[0.00]	0.00	[0.10]	0.00	[0.06]	0.00	[0.34]	0.00	0.00-10.97
150	Oesophagus	5	2.36	[0.25]	0.00	[0.01]	0.00	[0.96]	0.00	[0.50]	0.00	5	1.30	0.42-3.03
	-adenocarcinoma ²	2	2.45	[0.06]	0.00	[0.00]	0.00	[0.16]	0.00	[0.14]	0.00	2	1.69	0.20-6.11
151	Stomach	3	0.55	1	0.90	[0.02]	0.00	6	0.99	1	0.52	11	0.75	0.38-1.35
151.1	-cardia ²	1	0.67	1	5.10	[0.00]	0.00	[0.93]	0.00	[0.26]	0.00	2	0.69	0.08-2.50
152	Small intestine	2	5.06	[0.07]	0.00	[0.00]	0.00	1	3.95	[0.21]	0.00	3	3.21	0.66-9.38
153	Colon	16	1.40	1	0.99	[0.03]	0.00	10	1.45	2	0.72	29	1.31	0.88-1.88
154	Rectum, rectosigma	6	0.74	1	1.19	[0.01]	0.00	2	0.47	3	1.55	12	0.79	0.41-1.38
155.0	Primary liver	2	1.17	1	3.45	[0.00]	0.00	1	1.79	2	4.02	6	1.96	0.72-4.27
	-hemangiosarcoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-813.64
155.1	Gall bladder	1	1.01	[0.15]	0.00	[0.00]	0.00	[0.40]	0.00	[0.18]	0.00	1	0.58	0.01-3.21
157	Pancreas	3	0.68	1	1.39	[0.01]	0.00	6	2.11	[1.13]	0.00	10	1.10	0.53-2.02
160	Nose	1	2.63	1	24.56	[0.00]	0.00	1	4.44	[0.08]	0.00	3	4.10	0.85-11.98
	-adenocarcinoma ²	-	-	[0.00]	0.00	-	-	[0.03]	0.00	[0.02]	0.00	[0.05]	0.00	0.00-78.29
161	Larynx	2	0.85	[0.26]	0.00	[0.00]	0.00	2	2.03	[0.39]	0.00	4	1.00	0.27-2.57
162,163	Lung	51	1.76	8	2.07	[0.05]	0.00	18	1.74	7	1.87	84	1.79	1.43-2.21
	-adenocarcinoma ²	7	1.39	1	1.84	[0.01]	0.00	1	0.58	1	1.35	10	1.24	0.59-2.28
	-small cell ²	-	-	[0.59]	0.00	[0.01]	0.00	6	3.58	1	2.79	7	2.65	1.07-5.46
	-squamous cell ²	19	1.86	5	4.31	[0.01]	0.00	4	1.20	3	2.23	31	1.93	1.31-2.74
	-other ²	-	-	2	1.28	[0.01]	0.00	6	2.59	2	1.54	10	1.93	0.92-3.54
158, 162.2	Mesothelioma ²	2	2.91	[0.09]	0.00	[0.00]	0.00	[0.26]	0.00	[0.15]	0.00	2	1.68	0.20-6.07
170	Breast	[0.25]	0.00	[0.03]	0.00	[0.00]	0.00	[0.11]	0.00	[0.07]	0.00	[0.45]	0.00	0.00-8.16
177	Prostate	22	1.16	4	0.78	[0.11]	0.00	13	0.73	11	1.06	50	0.95	0.71-1.26
178	Testis	1	1.78	[0.07]	0.00	[0.00]	0.00	[0.37]	0.00	1	4.82	2	1.66	0.20-5.98
	-seminoma ²	[0.24]	0.00	[0.05]	0.00	[0.00]	0.00	[0.26]	0.00	[0.15]	0.00	[0.69]	0.00	0.00-5.36
	-non-seminoma ²	1	3.05	[0.02]	0.00	-	-	[0.08]	0.00	1	16.91	2	4.12	0.50-14.87
179.0	Penis	1	2.03	[0.04]	0.00	[0.00]	0.00	1	3.62	[0.13]	0.00	2	2.12	0.26-7.67
180	Kidney	4	1.21	1	1.24	[0.01]	0.00	5	1.93	2	1.40	12	1.47	0.76-2.57
180.1	-renal pelvis ²	2	1.54	[0.05]	0.00	[0.00]	0.00	[0.30]	0.00	1	6.77	3	1.68	0.35-4.90
181	Bladder	15	1.06	1	0.91	[0.03]	0.00	9	1.48	4	1.44	29	1.20	0.80-1.72
190	Melanoma	5	2.06	1	1.76	[0.00]	0.00	3	1.42	[1.22]	0.00	9	1.42	0.65-2.69
190.6	-upper limbs ²	[0.28]	0.00	[0.07]	0.00	[0.00]	0.00	[0.19]	0.00	[0.18]	0.00	[0.73]	0.00	0.00-5.04
192	Eye	[0.34]	0.00	[0.06]	0.00	[0.00]	0.00	[0.22]	0.00	[0.11]	0.00	[0.72]	0.00	0.00-5.11
	-melanoma ²	[0.30]	0.00	[0.05]	0.00	[0.00]	0.00	[0.19]	0.00	[0.09]	0.00	[0.63]	0.00	0.00-5.84
193	Brain	3	0.98	1	1.83	[0.01]	0.00	2	1.15	2	1.86	8	1.24	0.54-2.45
	-glioma ²	[0.33]	0.00	1	3.93	[0.00]	0.00	2	2.29	[0.55]	0.00	3	1.49	0.31-4.36
	-meningeoma ²	[0.38]	0.00	[0.11]	0.00	[0.00]	0.00	[0.27]	0.00	2	8.96	2	2.03	0.25-7.33
194	Thyroid	1	3.41	[0.13]	0.00	[0.00]	0.00	[0.34]	0.00	[0.18]	0.00	1	1.06	0.03-5.92
	-follicular ²	-	-	[0.02]	0.00	[0.00]	0.00	[0.04]	0.00	[0.01]	0.00	[0.07]	0.00	0.00-50.80
	-papillary ²	-	-	[0.08]	0.00	[0.00]	0.00	[0.16]	0.00	[0.03]	0.00	[0.26]	0.00	0.00-14.15
195.0	Glandula suprarenalis	[0.08]	0.00	[0.02]	0.00	[0.00]	0.00	[0.04]	0.00	[0.02]	0.00	[0.16]	0.00	0.00-22.99
195.1	Parathyreoidea	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-524.88
195.2	Thymus	[0.04]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.07]	0.00	0.00-55.84
195.3	Hypophysis	[0.01]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-212.69
195.4	Corpus pineale	-	-	[0.00]	0.00	-	-	[0.00]	0.00	-	-	[0.00]	0.00	0.00-2954.60
196	Bone	[0.12]	0.00	[0.03]	0.00	[0.00]	0.00	[0.10]	0.00	[0.06]	0.00	[0.31]	0.00	0.00-11.74
	-chondrosarcoma ²	-	-	[0.02]	0.00	[0.00]	0.00	[0.03]	0.00	[0.03]	0.00	[0.07]	0.00	0.00-51.32
197	Soft tissue	2	4.68	[0.12]	0.00	[0.00]	0.00	[0.33]	0.00	[0.27]	0.00	2	1.73	0.21-6.23
	-fibrosarcoma ²	-	-	[0.04]	0.00	-	-	[0.04]	0.00	[0.04]	0.00	[0.12]	0.00	0.00-31.34
	-liposarcoma ²	-	-	[0.03]	0.00	[0.00]	0.00	[0.05]	0.00	[0.05]	0.00	[0.13]	0.00	0.00-29.36
200,202	Non-Hodgkin lymphoma	4	1.31	1	1.39	[0.01]	0.00	3	2.01	2	1.65	10	1.54	0.74-2.83
201	Hodgkin lymphoma	1	2.18	[0.11]	0.00	[0.00]	0.00	[0.34]	0.00	[0.19]	0.00	1	0.90	0.02-5.04
203	Multiple myeloma	1	0.54	1	4.00	[0.01]	0.00	1	0.70	[0.59]	0.00	3	0.73	0.15-2.13
204	Leukaemia	5	1.25	[0.46]	0.00	[0.01]	0.00	4	2.02	[0.91]	0.00	9	1.22	0.56-2.32
	-chronic lymphatic ²	-	-	[0.20]	0.00	[0.00]	0.00	3	4.20	[0.42]	0.00	3	2.25	0.46-6.56
	-acute myeloid ²	2	1.75	[0.13]	0.00	[0.00]	0.00	[0.69]	0.00	[0.20]	0.00	2	0.92	0.11-3.33
	Mycosis fungoides ²	[0.11]	0.00	[0.02]	0.00	[0.00]	0.00	[0.05]	0.00	[0.08]	0.00	[0.27]	0.00	0.00-13.79
199	Other/unknown site	2	1.21	1	2.45	[0.01]	0.00	6	1.93	2	1.68	11	1.73	0.86-3.09
140-204	All sites	154	1.25	26	1.30	[0.35]	0.00	96	1.24	40	1.09	316	1.23	1.10-1.37
Not included above														
191	Other skin	-	-	3	5.11	[0.01]	0.00	4	1.24	1	0.58	8	1.44	0.62-2.84
191.6	-upper limbs ²	-	-	1	21.90	[0.00]	0.00	[0.29]	0.00	[0.19]	0.00	1	1.90	0.05-10.57

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Tobacco manufacture workers. Women (N = 3 926). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	2	2.81	[0.34]	0.00	-	-	[0.19]	0.00	[0.27]	0.00	2	1.33	0.16-4.80
141	Tongue	[1.04]	0.00	[0.30]	0.00	-	-	[0.28]	0.00	[0.32]	0.00	[1.93]	0.00	0.00-1.91
142	Salivary glands	[0.85]	0.00	[0.21]	0.00	-	-	1	4.98	[0.33]	0.00	1	0.63	0.02-3.51
143-144	Oral cavity	7	2.94	[0.31]	0.00	-	-	[0.46]	0.00	[0.49]	0.00	7	1.92	0.77-3.96
145-148	Pharynx	7	3.97	[0.18]	0.00	-	-	1	3.39	[0.40]	0.00	8	3.03	1.31-5.97
145	-oropharynx ²	1	0.99	[0.06]	0.00	-	-	[0.11]	0.00	[0.19]	0.00	1	0.73	0.02-4.07
146	-nasopharynx ²	2	6.86	[0.05]	0.00	-	-	[0.07]	0.00	[0.09]	0.00	2	4.02	0.49-14.51
150	Oesophagus	3	0.88	1	1.19	-	-	3	5.64	[0.68]	0.00	7	1.28	0.52-2.64
	-adenocarcinoma ²	1	1.23	[0.08]	0.00	-	-	[0.07]	0.00	[0.12]	0.00	1	0.92	0.02-5.13
151	Stomach	14	1.34	5	1.27	-	-	5	0.89	3	0.77	27	1.13	0.74-1.64
151.1	-cardia ²	1	0.59	1	2.69	-	-	[0.61]	0.00	[0.28]	0.00	2	0.67	0.08-2.43
152	Small intestine	4	3.04	2	7.01	-	-	[0.41]	0.00	[0.64]	0.00	6	2.27	0.83-4.93
153	Colon	43	0.92	8	1.41	-	-	10	0.80	10	0.92	71	0.93	0.73-1.18
154	Rectum, rectosigma	36	1.71	2	0.59	-	-	9	1.67	11	1.96	58	1.64	1.24-2.12
155.0	Primary liver	8	2.07	1	1.08	-	-	1	1.87	3	2.82	13	2.04	1.08-3.48
	-hemangiosarcoma ²	-	-	[0.01]	0.00	-	-	[0.00]	0.00	[0.01]	0.00	[0.01]	0.00	0.00-252.44
155.1	Gall bladder	9	1.55	2	1.22	-	-	4	3.82	1	0.57	16	1.56	0.89-2.54
157	Pancreas	22	1.40	2	0.57	-	-	5	1.28	3	0.80	32	1.19	0.81-1.68
160	Nose	1	1.10	[0.15]	0.00	-	-	[0.22]	0.00	[0.19]	0.00	1	0.69	0.02-3.83
	-adenocarcinoma ²	-	-	[0.01]	0.00	-	-	[0.02]	0.00	[0.02]	0.00	[0.05]	0.00	0.00-77.97
161	Larynx	5	2.35	[0.13]	0.00	-	-	[0.18]	0.00	[0.20]	0.00	5	1.89	0.62-4.42
162,163	Lung	128	2.30	6	1.42	-	-	23	4.10	12	1.74	169	2.33	2.01-2.71
	-adenocarcinoma ²	41	2.36	3	2.74	-	-	6	3.67	2	0.87	52	2.32	1.74-3.05
	-small cell ²	-	-	[0.68]	0.00	-	-	7	6.49	3	3.11	10	3.67	1.76-6.75
	-squamous cell ²	21	1.99	[0.69]	0.00	-	-	6	6.63	1	0.76	28	2.08	1.38-3.01
	-other ²	-	-	3	1.70	-	-	3	2.02	6	2.59	12	2.15	1.11-3.76
158, 162.2	Mesothelioma ²	[0.80]	0.00	1	6.20	-	-	[0.07]	0.00	[0.12]	0.00	1	0.87	0.02-4.83
170	Breast	137	1.11	21	0.85	-	-	25	0.95	39	1.03	222	1.04	0.92-1.19
	-ductal ²	-	-	16	0.93	-	-	19	1.19	17	1.83	52	1.22	0.91-1.60
	-lobular ²	-	-	3	1.09	-	-	1	0.87	3	1.38	7	1.15	0.46-2.37
171	Cervix uteri	38	1.67	[1.61]	0.00	-	-	7	1.36	8	1.66	53	1.54	1.16-2.02
172	Corpus uteri	26	0.85	5	0.80	-	-	6	0.95	12	1.28	49	0.93	0.69-1.23
173	Choriocarcinoma	[0.02]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.01]	0.00	[0.06]	0.00	0.00-65.30
175.0	Ovary	22	0.80	4	0.97	-	-	10	1.50	15	1.71	51	1.09	0.81-1.43
175.1	Fallopian tube	1	1.24	[0.21]	0.00	-	-	[0.14]	0.00	[0.21]	0.00	1	0.73	0.02-4.07
176.0	Vulva	2	0.82	2	3.53	-	-	2	1.86	2	2.33	8	1.63	0.70-3.20
176.1	Vagina	1	0.94	[0.15]	0.00	-	-	[0.21]	0.00	[0.27]	0.00	1	0.59	0.02-3.30
180	Kidney	11	1.14	3	1.07	-	-	3	1.11	5	1.41	22	1.18	0.74-1.78
180.1	-renal pelvis ²	4	1.15	[0.15]	0.00	-	-	[0.28]	0.00	1	2.75	5	1.17	0.38-2.74
181	Bladder	32	1.94	4	2.46	-	-	9	2.78	5	1.43	50	2.01	1.49-2.65
190	Melanoma	11	0.83	2	0.90	-	-	[3.76]	0.00	2	0.46	15	0.64	0.36-1.05
190.6	-upper limbs ²	1	0.41	[0.39]	0.00	-	-	[0.66]	0.00	[0.86]	0.00	1	0.23	0.01-1.29
192	Eye	3	2.53	[0.25]	0.00	-	-	[0.32]	0.00	1	2.68	4	1.88	0.51-4.81
	-melanoma ²	3	2.79	[0.23]	0.00	-	-	[0.28]	0.00	1	3.37	4	2.12	0.58-5.43
193	Brain	14	0.94	10	3.14	-	-	2	0.65	4	0.90	30	1.17	0.79-1.67
	-glioma ²	3	2.37	3	3.63	-	-	[1.09]	0.00	3	1.96	9	1.91	0.87-3.62
	-meningeoma ²	4	1.14	4	3.00	-	-	1	1.03	[1.83]	0.00	9	1.18	0.54-2.24
194	Thyroid	2	0.86	3	1.92	-	-	[1.33]	0.00	1	0.66	6	0.89	0.33-1.94
	-follicular ²	-	-	1	3.83	-	-	[0.19]	0.00	[0.07]	0.00	1	1.93	0.05-10.75
	-papillary ²	-	-	2	1.92	-	-	[0.63]	0.00	[0.23]	0.00	2	1.05	0.13-3.78
195.0	Glandula suprarenalis	[0.29]	0.00	[0.08]	0.00	-	-	[0.06]	0.00	[0.08]	0.00	[0.50]	0.00	0.00-7.42
195.1	Parathyreoidea	[0.02]	0.00	[0.00]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.05]	0.00	0.00-73.68
195.2	Thymus	[0.13]	0.00	[0.03]	0.00	-	-	[0.02]	0.00	[0.03]	0.00	[0.20]	0.00	0.00-18.03
195.3	Hypophysis	[0.03]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.01]	0.00	[0.05]	0.00	0.00-80.06
195.4	Corpus pineale	-	-	[0.01]	0.00	-	-	[0.00]	0.00	-	-	[0.01]	0.00	0.00-347.60
196	Bone	1	2.56	[0.11]	0.00	-	-	[0.12]	0.00	[0.17]	0.00	1	1.25	0.03-6.99
	-chondrosarcoma ²	-	-	[0.05]	0.00	-	-	[0.03]	0.00	[0.07]	0.00	[0.16]	0.00	0.00-23.23
197	Soft tissue	[1.46]	0.00	[0.55]	0.00	-	-	[0.45]	0.00	1	1.13	1	0.30	0.01-1.66
	-fibrosarcoma ²	-	-	[0.18]	0.00	-	-	[0.04]	0.00	[0.12]	0.00	[0.35]	0.00	0.00-10.63
	-liposarcoma ²	-	-	[0.11]	0.00	-	-	[0.06]	0.00	[0.13]	0.00	[0.29]	0.00	0.00-12.53
200,202	Non-Hodgkin lymphoma	16	1.42	3	0.93	-	-	[2.28]	0.00	4	1.08	23	1.12	0.71-1.68
201	Hodgkin lymphoma	2	1.65	[0.28]	0.00	-	-	2	5.18	[0.44]	0.00	4	1.72	0.47-4.41
203	Multiple myeloma	5	0.86	3	2.26	-	-	3	1.54	1	0.57	12	1.11	0.57-1.94
204	Leukaemia	18	1.63	1	0.56	-	-	2	0.84	2	0.81	23	1.30	0.82-1.95
	-chronic lymphatic ²	-	-	1	1.54	-	-	[0.76]	0.00	[0.98]	0.00	1	0.42	0.01-2.33
	-acute myeloid ²	6	1.56	[0.60]	0.00	-	-	[0.94]	0.00	2	2.67	8	1.30	0.56-2.56
	Mycosis fungoides ²	[0.23]	0.00	[0.04]	0.00	-	-	[0.04]	0.00	[0.21]	0.00	[0.53]	0.00	0.00-7.02
199	Other/unknown site	15	1.91	3	1.21	-	-	6	1.18	5	0.95	29	1.40	0.94-2.01
140-204	All sites	624	1.33	95	1.10	-	-	139	1.26	150	1.13	1008	1.27	1.19-1.35
	Not included above													
	Ovary borderline ²	-	-	[0.67]	0.00	-	-	[0.62]	0.00	3	2.65	3	1.24	0.26-3.62
191	Other skin	-	-	4	1.41	-	-	1	0.28	6	1.42	11	1.03	0.52-1.85
191.6	-upper limbs ²	-	-	1	4.66	-	-	[0.36]	0.00	[0.51]	0.00	1	0.92	0.02-5.11

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Glass, ceramic and tile workers and others. Men (N = 93 526). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	52	1.30	28	0.92	[0.32]	0.00	21	0.82	106	1.32	207	1.17	1.02-1.34
141	Tongue	10	0.77	12	1.11	[0.16]	0.00	9	0.82	33	1.01	64	0.95	0.73-1.21
142	Salivary glands	3	0.37	5	0.81	[0.12]	0.00	2	0.41	31	1.34	41	0.97	0.69-1.31
143-144	Oral cavity	23	0.89	11	1.01	[0.19]	0.00	25	1.62	46	0.96	105	1.05	0.86-1.27
145-148	Pharynx	27	0.88	12	0.88	1	4.43	24	1.31	70	1.00	134	1.01	0.85-1.19
145	-oropharynx ²	15	0.89	5	0.89	[0.06]	0.00	9	1.25	21	0.79	50	0.89	0.66-1.17
146	-nasopharynx ²	6	1.26	4	1.43	[0.07]	0.00	10	3.06	13	0.89	33	1.29	0.89-1.81
150	Oesophagus	65	1.00	39	1.26	2	2.12	36	1.22	126	1.03	268	1.07	0.95-1.21
	-adenocarcinoma ²	26	1.01	11	1.49	[0.35]	0.00	3	0.48	36	1.13	76	1.06	0.83-1.33
151	Stomach	174	1.16	153	1.10	3	1.03	161	1.00	541	1.06	1032	1.07	1.01-1.14
151.1	-cardia ²	49	1.10	23	0.95	[0.52]	0.00	23	0.82	64	1.05	159	1.01	0.86-1.18
152	Small intestine	10	0.87	14	1.53	[0.28]	0.00	5	0.57	59	1.17	88	1.10	0.88-1.36
153	Colon	291	0.88	109	0.90	4	1.03	252	1.14	662	0.96	1318	0.97	0.91-1.02
154	Rectum, rectosigma	251	1.08	103	1.04	2	1.41	144	1.05	481	1.01	981	1.04	0.97-1.10
155.0	Primary liver	49	0.98	28	0.80	[0.45]	0.00	24	1.43	113	0.89	214	0.93	0.82-1.07
	-hemangiosarcoma ²	-	-	[0.16]	0.00	-	-	[0.02]	0.00	[0.58]	0.00	[0.77]	0.00	0.00-4.78
155.1	Gall bladder	25	0.92	21	1.13	1	4.49	16	1.31	42	0.85	105	0.98	0.81-1.18
157	Pancreas	132	1.06	88	1.00	1	0.68	90	1.09	259	0.90	570	0.98	0.90-1.06
160	Nose	10	0.88	6	1.14	1	6.87	14	2.09	19	0.91	50	1.13	0.84-1.49
	-adenocarcinoma ²	-	-	[0.36]	0.00	1	67.31	[0.92]	0.00	1	0.29	2	0.42	0.05-1.51
161	Larynx	81	1.12	37	1.08	1	1.80	40	1.26	125	1.32	284	1.22	1.08-1.37
162,163	Lung	1007	1.21	537	1.08	7	1.06	470	1.42	1034	1.12	3055	1.18	1.14-1.22
	-adenocarcinoma ²	171	1.08	71	1.03	2	1.08	73	1.14	181	1.06	498	1.07	0.98-1.17
	-small cell ²	-	-	85	1.08	2	1.55	95	1.68	104	1.31	286	1.33	1.18-1.49
	-squamous cell ²	365	1.27	168	1.08	2	1.25	159	1.55	396	1.16	1090	1.23	1.16-1.30
	-other ²	-	-	213	1.11	[1.71]	0.00	108	1.39	353	1.07	674	1.12	1.04-1.21
158, 162.2	Mesothelioma ²	17	0.81	15	1.36	1	6.97	14	1.44	50	1.42	97	1.26	1.02-1.53
170	Breast	7	0.95	2	0.66	1	5.49	5	1.44	7	0.44	22	0.73	0.46-1.11
177	Prostate	499	0.94	566	1.00	18	1.34	522	0.95	2379	0.93	3984	0.94	0.92-0.97
178	Testis	14	0.62	12	1.24	[0.62]	0.00	12	0.65	38	0.91	76	0.82	0.65-1.03
	-seminoma ²	5	0.54	7	1.06	[0.45]	0.00	8	0.62	29	0.98	49	0.83	0.62-1.10
	-non-seminoma ²	9	0.68	5	1.72	[0.17]	0.00	2	0.49	9	0.76	25	0.78	0.50-1.15
179.0	Penis	14	0.97	3	0.66	[0.17]	0.00	12	1.40	31	0.98	60	1.01	0.77-1.30
180	Kidney	91	0.93	87	0.87	4	1.60	91	1.08	323	0.93	596	0.94	0.87-1.02
180.1	-renal pelvis ²	46	1.21	4	0.67	[0.13]	0.00	12	1.25	38	1.05	100	1.11	0.91-1.35
181	Bladder	417	1.01	149	1.12	4	1.09	215	1.12	701	1.03	1486	1.05	0.99-1.10
190	Melanoma	62	0.77	66	0.92	3	2.91	88	0.98	235	0.88	454	0.89	0.81-0.97
190.6	-upper limbs ²	7	0.73	9	0.99	1	6.78	7	0.86	26	0.67	50	0.76	0.56-1.00
192	Eye	11	1.08	8	1.18	[0.11]	0.00	8	1.13	17	0.65	44	0.88	0.64-1.18
	-melanoma ²	9	1.01	8	1.30	[0.09]	0.00	7	1.12	14	0.65	38	0.89	0.63-1.22
193	Brain	79	0.81	71	1.00	1	0.66	59	0.92	247	1.00	457	0.95	0.87-1.04
	-glioma ²	10	0.96	33	1.00	1	1.12	31	0.93	127	1.02	202	1.00	0.87-1.15
	-meningeoma ²	10	0.82	10	0.69	[0.36]	0.00	14	1.36	44	0.83	78	0.86	0.68-1.08
194	Thyroid	6	0.69	9	0.55	1	1.15	9	0.77	36	0.86	61	0.77	0.59-0.99
	-follicular ²	-	-	1	0.38	[0.13]	0.00	2	1.44	[1.85]	0.00	3	0.50	0.10-1.45
	-papillary ²	-	-	5	0.49	1	1.58	5	0.80	4	0.78	15	0.67	0.38-1.11
195.0	Glandula suprarenalis	4	1.77	4	1.41	[0.04]	0.00	1	0.68	5	1.09	14	1.25	0.68-2.10
195.1	Parathyreoidea	[0.12]	0.00	[0.04]	0.00	[0.01]	0.00	[0.05]	0.00	2	6.06	2	3.63	0.44-13.13
195.2	Thymus	2	1.84	1	1.27	[0.03]	0.00	1	1.56	6	3.09	10	2.23	1.07-4.10
195.3	Hypophysis	[0.30]	0.00	[0.07]	0.00	[0.24]	0.00	[0.11]	0.00	[0.55]	0.00	[1.26]	0.00	0.00-2.92
195.4	Corpus pineale	-	-	1	6.95	-	-	[0.03]	0.00	-	-	1	5.64	0.14-31.45
196	Bone	4	1.10	4	0.89	1	8.58	2	0.56	11	0.80	22	0.86	0.54-1.31
	-chondrosarcoma ²	-	-	3	1.31	1	9.81	1	1.03	4	0.67	9	0.96	0.44-1.82
197	Soft tissue	15	1.15	16	1.02	[0.30]	0.00	8	0.77	55	0.85	94	0.90	0.73-1.11
	-fibrosarcoma ²	-	-	6	1.12	-	-	1	1.03	12	1.20	19	1.17	0.70-1.82
	-liposarcoma ²	-	-	4	1.13	[0.09]	0.00	2	1.13	7	0.63	13	0.79	0.42-1.34
200,202	Non-Hodgkin lymphoma	74	0.80	90	1.01	2	1.20	56	0.96	243	0.85	465	0.88	0.81-0.97
201	Hodgkin lymphoma	17	1.17	17	1.21	[0.20]	0.00	14	1.24	39	0.83	87	1.00	0.80-1.24
203	Multiple myeloma	45	0.83	35	1.14	1	1.39	57	1.33	147	1.00	285	1.03	0.92-1.16
204	Leukaemia	115	0.99	31	0.55	2	1.58	59	0.97	233	1.05	440	0.97	0.88-1.06
	-chronic lymphatic ²	-	-	16	0.67	1	2.27	22	1.00	99	0.97	138	0.93	0.79-1.10
	-acute myeloid ²	33	0.99	5	0.32	[0.40]	0.00	23	1.06	50	1.05	111	0.93	0.78-1.13
	Mycosis fungoides ²	5	1.54	[2.27]	0.00	[0.06]	0.00	4	2.39	18	0.84	27	0.94	0.62-1.36
199	Other/unknown site	51	1.03	51	1.05	1	1.04	111	1.25	338	1.18	552	1.16	1.07-1.26
140-204	All sites	3664	1.02	2454	1.01	62	1.24	2684	1.10	8908	0.99	17772	1.02	1.00-1.03
	Not included above													
191	Other skin	-	-	58	0.87	3	2.02	113	1.07	413	0.96	587	0.97	0.90-1.06
191.6	-upper limbs ²	-	-	5	0.94	[0.13]	0.00	7	0.76	45	0.99	57	0.95	0.72-1.23

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Glass, ceramic and tile workers and others. Women (N = 40 527). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[1.35]	0.00	8	1.20	[0.02]	0.00	3	1.67	10	1.63	21	1.31	0.81-2.01
141	Tongue	[1.99]	0.00	7	1.05	[0.04]	0.00	2	0.76	13	1.77	22	1.18	0.74-1.78
142	Salivary glands	[1.60]	0.00	4	0.84	[0.03]	0.00	2	1.06	7	0.91	13	0.82	0.43-1.40
143-144	Oral cavity	3	0.67	8	1.18	[0.09]	0.00	10	2.27	12	1.08	33	1.23	0.85-1.73
145-148	Pharynx	5	1.43	2	0.47	[0.04]	0.00	4	1.43	13	1.41	24	1.21	0.78-1.81
145	-oropharynx ²	2	0.99	2	1.31	[0.02]	0.00	2	1.63	4	0.94	10	1.11	0.53-2.04
146	-nasopharynx ²	2	3.59	[1.13]	0.00	[0.02]	0.00	2	3.75	4	1.83	8	1.81	0.78-3.56
150	Oesophagus	5	0.79	19	1.11	1	8.18	6	1.26	20	1.30	51	1.17	0.87-1.54
	-adenocarcinoma ²	1	0.65	[1.60]	0.00	1	29.24	[0.80]	0.00	4	1.52	6	0.91	0.33-1.98
151	Stomach	12	0.66	93	1.12	1	1.96	47	1.13	98	1.07	251	1.07	0.94-1.21
151.1	-cardia ²	2	0.65	7	0.90	[0.04]	0.00	9	1.76	3	0.47	21	0.94	0.58-1.43
152	Small intestine	2	0.83	2	0.31	[0.07]	0.00	2	0.49	9	0.64	15	0.55	0.31-0.91
153	Colon	91	1.06	122	1.02	[1.12]	0.00	121	1.02	286	1.17	620	1.09	1.01-1.18
154	Rectum, rectosigma	43	1.12	79	1.09	[0.45]	0.00	49	0.96	119	0.94	290	1.00	0.90-1.13
155.0	Primary liver	9	1.30	28	1.48	[0.08]	0.00	6	1.26	26	1.07	69	1.25	0.98-1.59
	-hemangiosarcoma ²	-	-	[0.14]	0.00	[0.01]	0.00	[0.02]	0.00	1	5.88	1	2.97	0.08-16.57
155.1	Gall bladder	8	0.80	28	0.83	[0.11]	0.00	16	1.85	34	0.84	86	0.93	0.74-1.14
157	Pancreas	37	1.32	65	0.89	[0.40]	0.00	36	1.05	97	1.13	235	1.06	0.93-1.20
160	Nose	2	1.17	1	0.32	[0.05]	0.00	2	1.08	6	1.42	11	1.00	0.50-1.80
	-adenocarcinoma ²	-	-	[0.20]	0.00	-	-	[0.19]	0.00	1	3.03	1	1.38	0.04-7.71
161	Larynx	6	1.45	3	1.09	[0.04]	0.00	2	1.06	7	1.57	18	1.36	0.80-2.14
162,163	Lung	161	1.50	115	1.26	3	1.44	102	1.58	224	1.48	605	1.45	1.34-1.57
	-adenocarcinoma ²	40	1.16	26	1.06	2	2.67	29	1.51	78	1.53	175	1.35	1.16-1.56
	-small cell ²	-	-	22	1.44	[0.33]	0.00	24	1.78	37	1.84	83	1.69	1.34-2.09
	-squamous cell ²	28	1.40	25	1.68	1	3.00	16	1.51	35	1.23	105	1.41	1.17-1.71
	-other ²	-	-	42	1.14	[0.68]	0.00	31	1.76	74	1.43	147	1.38	1.17-1.62
158, 162.2	Mesothelioma ²	3	2.10	7	1.99	[0.00]	0.00	1	1.22	5	1.84	16	1.89	1.08-3.06
170	Breast	207	0.85	510	0.84	4	0.74	260	0.99	825	0.94	1806	0.91	0.87-0.95
	-ductal ²	-	-	372	0.86	3	0.70	166	0.97	201	0.90	742	0.89	0.83-0.96
	-lobular ²	-	-	55	0.76	[0.45]	0.00	11	0.68	43	0.85	109	0.78	0.65-0.94
171	Cervix uteri	70	1.60	50	1.36	3	5.94	58	1.25	147	1.36	328	1.39	1.25-1.55
172	Corpus uteri	67	1.14	130	0.93	1	1.09	63	0.98	168	0.82	429	0.92	0.83-1.01
173	Choriocarcinoma	[0.05]	0.00	[0.24]	0.00	[0.00]	0.00	[0.11]	0.00	[0.35]	0.00	[0.74]	0.00	0.00-4.96
175.0	Ovary	54	1.05	118	1.25	[0.75]	0.00	76	1.21	212	1.06	460	1.12	1.03-1.23
175.1	Fallopian tube	2	1.29	5	1.02	[0.02]	0.00	4	2.36	5	1.06	16	1.24	0.71-2.02
176.0	Vulva	7	1.58	9	0.75	[0.08]	0.00	15	1.62	26	1.30	57	1.25	0.94-1.62
176.1	Vagina	[1.97]	0.00	3	0.93	[0.02]	0.00	3	1.60	9	1.49	15	1.14	0.64-1.88
180	Kidney	17	0.97	49	0.81	1	1.87	27	1.07	75	0.93	169	0.92	0.79-1.07
180.1	-renal pelvis ²	4	0.62	2	0.66	[0.04]	0.00	3	1.10	11	1.35	20	0.98	0.60-1.52
181	Bladder	37	1.19	29	0.87	1	2.33	46	1.51	88	1.12	201	1.16	1.01-1.33
190	Melanoma	20	0.76	44	0.83	2	4.00	47	1.06	80	0.79	193	0.86	0.74-0.99
190.6	-upper limbs ²	5	1.04	6	0.64	[0.08]	0.00	7	0.94	22	1.10	40	0.96	0.68-1.31
192	Eye	4	1.74	8	1.40	[0.02]	0.00	3	0.97	10	1.19	25	1.28	0.83-1.89
	-melanoma ²	4	1.93	8	1.51	[0.01]	0.00	3	1.12	7	1.05	22	1.31	0.82-1.99
193	Brain	27	0.94	76	0.99	[0.69]	0.00	23	0.70	108	1.06	234	0.97	0.85-1.10
	-glioma ²	3	1.27	22	1.06	[0.26]	0.00	8	0.71	36	1.03	69	0.99	0.77-1.26
	-meningeoma ²	8	1.16	32	0.97	[0.35]	0.00	10	0.85	51	1.20	101	1.07	0.88-1.30
194	Thyroid	4	0.93	37	0.90	1	1.69	19	1.44	39	1.11	100	1.06	0.87-1.29
	-follicular ²	-	-	9	1.52	[0.07]	0.00	6	3.19	5	3.14	20	2.11	1.29-3.26
	-papillary ²	-	-	24	0.82	1	2.09	10	1.31	6	0.99	41	0.94	0.67-1.28
195.0	Glandula suprarenalis	[0.53]	0.00	1	0.52	[0.01]	0.00	[0.61]	0.00	1	0.59	2	0.42	0.05-1.51
195.1	Parathyreoidea	[0.04]	0.00	[0.06]	0.00	-	-	[0.06]	0.00	1	2.29	1	1.66	0.04-9.28
195.2	Thymus	[0.24]	0.00	[0.72]	0.00	-	-	[0.20]	0.00	1	1.44	1	0.54	0.01-3.02
195.3	Hypophysis	[0.06]	0.00	[0.06]	0.00	[0.07]	0.00	[0.05]	0.00	[0.19]	0.00	[0.43]	0.00	0.00-8.63
195.4	Corpus pineale	-	-	[0.20]	0.00	-	-	[0.04]	0.00	-	-	[0.23]	0.00	0.00-15.88
196	Bone	[0.74]	0.00	3	1.18	[0.04]	0.00	2	1.66	3	0.76	8	0.94	0.41-1.86
	-chondrosarcoma ²	-	-	2	1.68	[0.03]	0.00	[0.33]	0.00	2	1.15	4	1.22	0.33-3.12
197	Soft tissue	2	0.71	11	0.87	[0.08]	0.00	2	0.50	28	1.38	43	1.08	0.78-1.45
	-fibrosarcoma ²	-	-	4	1.03	[0.00]	0.00	[0.28]	0.00	2	0.71	6	0.86	0.31-1.87
	-liposarcoma ²	-	-	4	1.50	[0.02]	0.00	1	1.86	4	1.34	9	1.45	0.66-2.75
200,202	Non-Hodgkin lymphoma	22	1.03	79	1.10	[0.43]	0.00	27	1.04	87	1.04	215	1.06	0.93-1.21
201	Hodgkin lymphoma	2	0.89	11	1.59	[0.05]	0.00	2	0.65	8	0.77	23	1.01	0.64-1.52
203	Multiple myeloma	11	1.04	23	0.83	1	4.76	19	1.11	41	1.02	95	0.99	0.80-1.21
204	Leukaemia	18	0.89	39	1.01	[0.38]	0.00	21	1.01	57	1.02	135	0.99	0.84-1.17
	-chronic lymphatic ²	-	-	14	1.03	[0.12]	0.00	6	0.87	26	1.19	46	1.08	0.79-1.44
	-acute myeloid ²	5	0.71	8	0.61	[0.16]	0.00	9	1.07	12	0.71	34	0.74	0.52-1.04
	Mycosis fungoides ²	1	2.28	[1.00]	0.00	[0.01]	0.00	1	2.33	7	1.40	9	1.31	0.60-2.48
199	Other/unknown site	20	1.38	49	0.96	1	2.09	41	0.98	113	0.96	224	0.99	0.87-1.13
140-204	All sites	962	1.09	1883	0.96	20	1.13	1172	1.10	3125	1.04	7162	1.03	1.01-1.06
Not included above														
	Ovary borderline ²	-	-	12	0.69	1	3.33	16	1.92	31	1.16	60	1.14	0.87-1.46
191	Other skin	-	-	49	0.89	1	2.10	36	0.99	93	0.98	179	0.96	0.83-1.11
191.6	-upper limbs ²	-	-	4	0.94	1	16.96	4	1.06	8	0.71	17	0.88	0.51-1.40

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Packers, loaders and warehouse workers. Men (N = 166 710). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	42	1.18	81	1.20	[1.08]	0.00	71	0.83	161	1.05	355	1.03	0.93-1.15
141	Tongue	15	1.38	27	1.30	[0.49]	0.00	49	1.56	82	1.44	173	1.44	1.24-1.67
142	Salivary glands	10	1.38	8	0.64	[0.41]	0.00	14	0.94	36	0.86	68	0.89	0.69-1.12
143-144	Oral cavity	31	1.40	27	1.29	[0.57]	0.00	61	1.34	74	0.87	193	1.11	0.96-1.27
145-148	Pharynx	39	1.49	34	1.28	[0.64]	0.00	85	1.61	166	1.34	324	1.41	1.26-1.57
145	-oropharynx ²	23	1.62	15	1.44	[0.19]	0.00	32	1.69	56	1.25	126	1.43	1.20-1.70
146	-nasopharynx ²	8	1.92	6	1.09	[0.18]	0.00	8	0.80	26	0.96	48	1.02	0.76-1.36
150	Oesophagus	89	1.56	78	1.21	3	0.96	153	1.65	293	1.32	616	1.40	1.30-1.52
	-adenocarcinoma ²	34	1.52	10	0.69	2	1.79	19	1.09	69	1.28	134	1.22	1.03-1.45
151	Stomach	164	1.18	359	1.18	7	0.72	673	1.21	1148	1.16	2351	1.18	1.13-1.23
151.1	-cardia ²	43	1.09	66	1.27	1	0.58	109	1.21	119	1.13	338	1.17	1.05-1.30
152	Small intestine	9	0.87	27	1.46	1	1.10	20	0.77	76	0.85	133	0.92	0.77-1.09
153	Colon	304	1.03	269	1.07	10	0.77	811	1.18	1294	1.03	2688	1.07	1.03-1.11
154	Rectum, rectosigma	216	1.03	241	1.15	7	1.47	501	1.18	953	1.10	1918	1.12	1.07-1.17
155.0	Primary liver	50	1.12	93	1.24	2	1.27	78	1.44	288	1.22	511	1.24	1.14-1.36
	-hemangiosarcoma ²	-	-	[0.33]	0.00	-	-	[0.07]	0.00	3	2.89	3	2.09	0.43-6.10
155.1	Gall bladder	31	1.23	43	1.08	4	5.44	39	0.99	104	1.10	221	1.11	0.97-1.26
157	Pancreas	104	0.92	253	1.36	12	2.49	316	1.17	642	1.19	1327	1.19	1.13-1.26
160	Nose	10	0.99	13	1.19	1	2.12	14	0.66	39	1.02	77	0.95	0.75-1.19
	-adenocarcinoma ²	-	-	[0.75]	0.00	[0.05]	0.00	1	0.36	6	0.95	7	0.71	0.28-1.45
161	Larynx	87	1.37	94	1.29	[1.74]	0.00	140	1.45	215	1.24	536	1.32	1.21-1.43
162,163	Lung	883	1.18	1390	1.28	21	0.96	1449	1.42	2170	1.29	5913	1.30	1.26-1.33
	-adenocarcinoma ²	139	1.01	205	1.42	7	1.15	254	1.40	306	1.05	911	1.20	1.12-1.28
	-small cell ²	-	-	207	1.22	4	0.93	240	1.43	153	1.19	604	1.28	1.18-1.39
	-squamous cell ²	343	1.31	437	1.27	4	0.75	468	1.45	860	1.35	2112	1.34	1.29-1.40
	-other ²	-	-	541	1.25	6	1.06	322	1.37	851	1.37	1720	1.33	1.27-1.39
158, 162.2	Mesothelioma ²	19	1.03	24	1.10	[0.44]	0.00	30	1.09	60	1.01	133	1.04	0.88-1.23
170	Breast	3	0.46	13	2.14	[0.57]	0.00	8	0.74	27	0.93	51	0.96	0.72-1.27
177	Prostate	484	1.00	1155	0.97	40	0.87	1752	1.00	4424	0.97	7855	0.98	0.96-1.00
178	Testis	12	0.67	15	0.89	4	2.25	38	0.86	75	1.09	144	0.96	0.82-1.13
	-seminoma ²	5	0.66	11	0.95	4	3.15	27	0.88	49	1.00	96	0.96	0.78-1.17
	-non-seminoma ²	7	0.66	4	0.80	[0.51]	0.00	9	0.94	26	1.33	46	1.02	0.74-1.36
179.0	Penis	21	1.63	6	0.67	2	3.24	33	1.23	73	1.28	135	1.27	1.07-1.50
180	Kidney	101	1.16	194	0.96	12	1.52	264	1.03	693	1.10	1264	1.07	1.01-1.13
180.1	-renal pelvis ²	54	1.59	19	1.51	[0.47]	0.00	29	0.98	75	1.15	177	1.25	1.08-1.44
181	Bladder	380	1.03	302	1.06	12	0.97	706	1.17	1300	1.06	2700	1.08	1.04-1.13
190	Melanoma	43	0.63	140	1.02	3	0.95	218	0.93	381	0.86	785	0.88	0.82-0.95
190.6	-upper limbs ²	4	0.49	18	1.04	1	2.40	16	0.75	40	0.63	79	0.72	0.57-0.89
192	Eye	10	1.12	15	1.09	[0.35]	0.00	24	1.12	36	0.77	85	0.93	0.74-1.15
	-melanoma ²	9	1.14	13	1.05	[0.30]	0.00	20	1.06	32	0.82	74	0.94	0.74-1.18
193	Brain	81	0.96	136	1.00	5	1.09	185	1.02	435	1.01	842	1.01	0.94-1.08
	-glioma ²	11	1.21	57	0.92	4	1.50	105	1.14	224	1.04	401	1.05	0.95-1.16
	-meningeoma ²	7	0.67	25	0.89	1	0.89	29	1.02	89	0.95	151	0.93	0.79-1.09
194	Thyroid	4	0.52	31	0.99	2	0.75	29	0.84	79	1.06	145	0.96	0.82-1.13
	-follicular ²	-	-	4	0.73	[0.45]	0.00	5	1.23	1	0.35	10	0.78	0.37-1.43
	-papillary ²	-	-	21	1.13	2	1.06	13	0.77	7	0.88	43	0.95	0.69-1.28
195.0	Glandula suprarenalis	1	0.49	11	1.88	1	9.93	11	2.61	11	1.35	35	1.72	1.20-2.39
195.1	Parathyreoidea	[0.12]	0.00	[0.08]	0.00	[0.02]	0.00	[0.12]	0.00	[0.61]	0.00	[0.94]	0.00	0.00-3.93
195.2	Thymus	1	1.03	[1.55]	0.00	[0.07]	0.00	4	2.38	4	1.23	9	1.20	0.55-2.27
195.3	Hypophysis	[0.26]	0.00	[0.13]	0.00	2	2.59	1	2.87	2	2.03	5	2.01	0.65-4.70
195.4	Corpus pineale	-	-	1	3.63	-	-	[0.06]	0.00	-	-	1	2.99	0.08-16.64
196	Bone	2	0.63	10	1.14	1	2.89	8	0.77	29	1.20	50	1.07	0.79-1.41
	-chondrosarcoma ²	-	-	1	0.22	1	3.26	3	1.07	9	0.87	14	0.78	0.43-1.31
197	Soft tissue	8	0.70	31	0.99	4	4.26	26	0.81	88	0.77	157	0.82	0.70-0.96
	-fibrosarcoma ²	-	-	12	1.10	-	-	2	0.61	14	0.74	28	0.85	0.56-1.22
	-liposarcoma ²	-	-	7	1.03	1	3.63	6	1.19	14	0.70	28	0.87	0.58-1.26
200,202	Non-Hodgkin lymphoma	79	0.97	187	1.05	8	1.50	183	1.13	502	1.01	959	1.04	0.98-1.11
201	Hodgkin lymphoma	13	1.02	25	0.93	[0.58]	0.00	29	0.85	97	1.13	164	1.03	0.88-1.20
203	Multiple myeloma	39	0.81	67	1.03	3	1.31	121	0.88	268	1.00	498	0.96	0.88-1.04
204	Leukaemia	101	0.97	107	0.91	6	1.52	182	0.95	383	0.97	779	0.96	0.89-1.03
	-chronic lymphatic ²	-	-	49	0.96	3	2.13	59	0.85	168	0.94	279	0.93	0.82-1.04
	-acute myeloid ²	30	1.00	26	0.80	[1.24]	0.00	69	1.01	77	0.94	202	0.94	0.82-1.08
	Mycosis fungoides ²	3	1.04	7	1.51	[0.17]	0.00	7	1.37	50	1.15	67	1.19	0.92-1.51
199	Other/unknown site	57	1.30	130	1.26	2	0.62	374	1.26	525	1.02	1088	1.13	1.07-1.20
140-204	All sites	3491	1.09	5670	1.11	179	1.09	8722	1.15	17283	1.07	35345	1.10	1.08-1.11
	Not included above	-	-	-	-	-	-	-	-	-	-	-	-	-
191	Other skin	-	-	135	0.92	5	0.97	270	0.82	748	0.97	1158	0.93	0.87-0.98
191.6	-upper limbs ²	-	-	9	0.80	[0.46]	0.00	19	0.65	90	1.12	118	0.97	0.81-1.16

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Packers, loaders and warehouse workers. Women (N = 61 721). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	1	2.52	16	1.34	[0.07]	0.00	5	1.15	6	0.65	28	1.07	0.71-1.55
141	Tongue	2	3.54	13	1.11		6.62	7	1.12	12	1.09	35	1.18	0.82-1.64
142	Salivary glands	1	2.15	6	0.72	[0.08]	0.00	5	1.13	9	0.79	21	0.85	0.52-1.30
143-144	Oral cavity	2	1.55	11	0.92		2.69	14	1.32	26	1.56	54	1.32	0.99-1.72
145-148	Pharynx	4	4.15	5	0.68	[0.13]	0.00	7	1.07	20	1.45	36	1.25	0.88-1.73
145	-oropharynx ²	4	7.17	2	0.76	[0.06]	0.00	4	1.39	11	1.82	21	1.73	1.07-2.64
146	-nasopharynx ²	[0.16]	0.00	2	1.01	[0.07]	0.00	[1.24]	0.00	3	0.89	5	0.73	0.24-1.71
150	Oesophagus	4	2.21	39	1.30		4.13	12	1.03	23	0.97	80	1.18	0.94-1.47
	-adenocarcinoma ²	3	6.76	5	1.76	[0.14]	0.00	[1.98]	0.00	6	1.51	14	1.49	0.82-2.51
151	Stomach	10	1.88	168	1.15		2.10	117	1.16	166	1.15	463	1.16	1.06-1.27
151.1	-cardia ²	3	3.36	25	1.82	[0.17]	0.00	12	0.97	12	1.24	52	1.41	1.05-1.85
152	Small intestine	1	1.44	14	1.24		3.94	13	1.32	23	1.09	52	1.20	0.90-1.58
153	Colon	31	1.23	224	1.05		4.92	308	1.06	372	1.00	939	1.04	0.97-1.10
154	Rectum, rectosigma	11	0.98	134	1.05		3.65	127	1.03	202	1.05	480	1.05	0.96-1.15
155.0	Primary liver	2	1.00	33	0.98	[0.32]	0.00	8	0.69	49	1.31	92	1.08	0.87-1.33
	-hemangiosarcoma ²	-	-	[0.25]	0.00	[0.02]	0.00	[0.05]	0.00	[0.26]	0.00	[0.58]	0.00	0.00-6.41
155.1	Gall bladder	6	2.03	61	1.02	[0.43]	0.00	26	1.22	60	0.95	153	1.03	0.88-1.21
157	Pancreas	13	1.60	115	0.89		2.51	87	1.03	138	1.04	357	1.00	0.90-1.11
160	Nose	3	6.05	7	1.26	[0.17]	0.00	10	2.25	6	0.94	26	1.52	0.99-2.23
	-adenocarcinoma ²	-	-	1	2.73	-	-	1	2.20	1	2.02	3	2.28	0.47-6.67
161	Larynx	1	0.85	6	1.22	[0.13]	0.00	5	1.11	5	0.78	17	0.99	0.58-1.59
162,163	Lung	48	1.59	230	1.41	10	1.27	238	1.56	331	1.53	857	1.50	1.41-1.61
	-adenocarcinoma ²	13	1.38	53	1.22	2	0.74	63	1.40	107	1.48	238	1.38	1.21-1.56
	-small cell ²	-	-	44	1.62	4	3.10	57	1.79	51	1.85	156	1.77	1.52-2.08
	-squamous cell ²	5	0.88	46	1.72	2	1.58	47	1.86	63	1.53	163	1.63	1.40-1.90
	-other ²	-	-	87	1.33	2	0.77	63	1.50	110	1.46	262	1.41	1.25-1.59
158, 162.2	Mesothelioma ²	3	7.30	7	1.12	[0.02]	0.00	[1.99]	0.00	5	1.24	15	1.18	0.66-1.95
170	Breast	62	0.91	1007	0.95		0.92	588	0.97	1199	0.95	2872	0.95	0.92-0.99
	-ductal ²	-	-	735	0.97		0.74	380	0.96	303	0.98	1428	0.97	0.92-1.02
	-lobular ²	-	-	91	0.73	[1.45]	0.00	44	1.16	76	1.09	211	0.90	0.79-1.03
171	Cervix uteri	15	1.23	100	1.55	1	0.66	130	1.27	222	1.39	468	1.38	1.26-1.51
172	Corpus uteri	11	0.64	219	0.87	2	0.59	156	1.04	310	1.05	698	0.97	0.90-1.05
173	Choriocarcinoma	[0.01]	0.00	1	2.48	[0.01]	0.00	[0.21]	0.00	1	2.13	2	1.81	0.22-6.52
175.0	Ovary	10	0.69	188	1.13	4	1.47	154	1.06	332	1.14	688	1.11	1.03-1.19
175.1	Fallopian tube	[0.44]	0.00	12	1.38	[0.07]	0.00	6	1.53	14	2.12	32	1.62	1.11-2.29
176.0	Vulva	1	0.76	22	1.04	[0.27]	0.00	20	0.88	35	1.13	78	1.02	0.81-1.28
176.1	Vagina	2	3.50	9	1.58	[0.07]	0.00	6	1.34	9	0.98	26	1.30	0.85-1.90
180	Kidney	3	0.59	124	1.15	2	1.03	78	1.28	123	1.01	330	1.11	1.00-1.24
180.1	-renal pelvis ²	3	1.60	2	0.37	[0.19]	0.00	7	1.05	19	1.55	31	1.17	0.80-1.66
181	Bladder	7	0.78	71	1.19	3	1.71	90	1.20	143	1.20	314	1.19	1.06-1.33
190	Melanoma	10	1.35	78	0.84	2	1.33	90	0.88	130	0.90	310	0.89	0.80-1.00
190.6	-upper limbs ²	3	2.19	18	1.09	1	4.37	17	0.97	22	0.77	61	0.95	0.73-1.22
192	Eye	1	1.53	8	0.79	[0.06]	0.00	11	1.52	4	0.32	24	0.79	0.51-1.17
	-melanoma ²	1	1.69	8	0.85	[0.04]	0.00	11	1.75	4	0.40	24	0.91	0.59-1.36
193	Brain	12	1.49	143	1.06	2	0.87	76	1.00	151	1.01	384	1.04	0.94-1.15
	-glioma ²	[0.65]	0.00	44	1.21	1	1.21	28	1.10	53	1.05	126	1.11	0.93-1.32
	-meningeoma ²	2	1.04	53	0.92	1	0.85	28	1.02	62	1.00	146	0.97	0.83-1.14
194	Thyroid	1	0.82	69	0.98	1	0.56	21	0.70	58	1.12	150	0.96	0.82-1.13
	-follicular ²	-	-	13	1.24	[0.21]	0.00	6	1.36	2	0.88	21	1.21	0.75-1.85
	-papillary ²	-	-	44	0.88	1	0.70	13	0.75	12	1.41	70	0.90	0.70-1.14
195.0	Glandula suprarenalis	[0.15]	0.00	2	0.59	[0.04]	0.00	[1.38]	0.00	2	0.81	4	0.54	0.15-1.38
195.1	Parathyreoidea	[0.01]	0.00	[0.11]	0.00	-	-	1	6.73	[0.63]	0.00	1	1.12	0.03-6.22
195.2	Thymus	[0.07]	0.00	2	1.58	-	-	[0.46]	0.00	[1.00]	0.00	2	0.72	0.09-2.59
195.3	Hypophysis	[0.02]	0.00	[0.10]	0.00	[0.22]	0.00	[0.12]	0.00	1	3.47	1	1.35	0.03-7.50
195.4	Corpus pineale	-	-	[0.34]	0.00	-	-	[0.08]	0.00	-	-	[0.42]	0.00	0.00-8.73
196	Bone	[0.21]	0.00	10	2.24	[0.12]	0.00	2	0.72	2	0.34	14	1.04	0.57-1.75
	-chondrosarcoma ²	-	-	3	1.43	[0.08]	0.00	[0.78]	0.00	2	0.78	5	0.91	0.30-2.12
197	Soft tissue	[0.80]	0.00	22	0.99	[0.23]	0.00	7	0.74	32	1.06	61	0.97	0.74-1.25
	-fibrosarcoma ²	-	-	5	0.72	[0.02]	0.00	1	1.54	6	1.41	12	1.01	0.52-1.76
	-liposarcoma ²	-	-	4	0.86	[0.05]	0.00	[1.23]	0.00	6	1.35	10	0.96	0.46-1.77
200,202	Non-Hodgkin lymphoma	4	0.65	142	1.12	1	0.65	60	0.97	132	1.06	339	1.06	0.95-1.18
201	Hodgkin lymphoma	1	1.57	12	1.00	[0.17]	0.00	5	0.72	15	0.95	33	0.93	0.64-1.30
203	Multiple myeloma	3	0.98	54	1.09	[0.84]	0.00	42	1.00	63	1.03	162	1.04	0.89-1.21
204	Leukaemia	4	0.68	88	1.29	3	2.32	49	0.98	89	1.06	233	1.11	0.98-1.26
	-chronic lymphatic ²	-	-	29	1.20	[0.45]	0.00	15	0.88	36	1.10	80	1.08	0.85-1.34
	-acute myeloid ²	2	0.99	37	1.58	2	4.04	22	1.09	22	0.88	85	1.20	0.96-1.48
	Mycosis fungoides ²	[0.13]	0.00	5	2.86	[0.03]	0.00	[1.04]	0.00	4	0.51	9	0.83	0.38-1.57
199	Other/unknown site	2	0.48	88	0.97	3	1.75	107	1.05	177	1.00	377	1.00	0.91-1.11
140-204	All sites	281	1.11	3592	1.04	71	1.15	2694	1.07	4701	1.05	11339	1.06	1.04-1.08
Not included above														
	Ovary borderline ²	-	-	34	1.13	1	1.13	19	1.00	47	1.25	101	1.15	0.95-1.40
191	Other skin	-	-	95	0.98	4	2.25	79	0.88	151	1.02	329	0.98	0.88-1.09
191.6	-upper limbs ²	-	-	8	1.06	1	4.45	7	0.75	23	1.34	39	1.13	0.81-1.55

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Engine and motor operator workers. Men (N = 168 692). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	55	1.54	88	1.08	[1.22]	0.00	42	0.99	131	1.14	316	1.15	1.03-1.28
141	Tongue	13	1.03	33	1.06	1	1.45	21	1.01	42	0.81	110	0.94	0.78-1.13
142	Salivary glands	10	1.34	13	0.75	[0.51]	0.00	11	1.24	34	0.95	68	0.97	0.76-1.23
143-144	Oral cavity	18	0.73	28	0.88	[0.96]	0.00	31	1.10	73	0.98	150	0.94	0.80-1.10
145-148	Pharynx	30	1.01	30	0.77	1	0.92	30	0.87	106	0.95	197	0.91	0.79-1.05
145	-oropharynx ²	12	0.73	16	0.98	[0.30]	0.00	12	0.83	45	0.99	85	0.91	0.73-1.13
146	-nasopharynx ²	11	2.50	10	1.26	[0.33]	0.00	4	0.68	24	1.07	49	1.20	0.88-1.58
150	Oesophagus	62	1.04	88	1.02	5	1.26	63	1.22	204	1.10	422	1.09	0.99-1.20
	-adenocarcinoma ²	31	1.30	24	1.11	4	2.53	17	1.46	55	1.06	131	1.19	1.00-1.41
151	Stomach	159	1.22	413	1.12	13	1.10	317	1.21	809	1.12	1711	1.15	1.09-1.20
151.1	-cardia ²	42	1.06	70	1.06	2	0.88	60	1.25	101	1.07	275	1.10	0.98-1.24
152	Small intestine	9	0.88	29	1.13	[1.34]	0.00	12	0.75	86	1.11	136	1.04	0.88-1.23
153	Colon	288	0.98	355	1.05	21	1.25	386	1.01	1076	1.05	2126	1.03	0.99-1.08
154	Rectum, rectosigma	236	1.14	291	1.05	8	1.32	267	1.12	707	0.99	1509	1.05	0.99-1.10
155.0	Primary liver	52	1.18	106	1.10	1	0.53	28	0.98	216	1.16	403	1.13	1.02-1.25
	-hemangiosarcoma ²	-	-	[0.49]	0.00	-	-	[0.04]	0.00	[0.87]	0.00	[1.41]	0.00	0.00-2.62
155.1	Gall bladder	25	1.06	55	1.09	[1.01]	0.00	21	1.01	74	1.06	175	1.06	0.91-1.23
157	Pancreas	110	1.01	240	0.99	5	0.80	158	1.14	457	1.08	970	1.05	0.99-1.12
160	Nose	8	0.78	18	1.23	1	1.65	11	0.95	34	1.08	72	1.05	0.82-1.32
	-adenocarcinoma ²	-	-	3	2.78	[0.06]	0.00	2	1.22	4	0.75	9	1.11	0.51-2.12
161	Larynx	80	1.20	116	1.23	2	0.79	65	1.15	172	1.21	435	1.20	1.09-1.32
162,163	Lung	815	1.11	1501	1.13	25	0.89	828	1.43	1679	1.22	4848	1.20	1.17-1.23
	-adenocarcinoma ²	149	1.02	222	1.14	5	0.62	171	1.44	329	1.21	876	1.18	1.11-1.26
	-small cell ²	-	-	237	1.11	6	1.08	134	1.32	173	1.34	550	1.22	1.13-1.33
	-squamous cell ²	307	1.23	475	1.16	7	1.05	263	1.49	625	1.26	1677	1.25	1.19-1.31
	-other ²	-	-	567	1.12	5	0.70	193	1.39	552	1.15	1317	1.16	1.10-1.23
158, 162.2	Mesothelioma ²	34	1.78	41	1.26	2	2.95	26	1.45	54	0.96	157	1.24	1.06-1.45
170	Breast	3	0.45	7	0.81	2	2.55	4	0.66	13	0.54	29	0.63	0.42-0.90
177	Prostate	465	1.00	1591	0.99	61	1.08	948	1.02	3716	0.97	6781	0.98	0.96-1.00
178	Testis	15	0.63	17	0.61	5	1.64	32	0.80	57	0.76	126	0.74	0.62-0.88
	-seminoma ²	7	0.70	12	0.63	4	1.81	26	0.92	43	0.80	92	0.81	0.66-1.00
	-non-seminoma ²	8	0.57	5	0.61	1	1.20	4	0.43	14	0.65	32	0.60	0.41-0.84
179.0	Penis	13	0.99	14	1.10	[0.81]	0.00	18	1.20	50	1.02	95	1.05	0.85-1.28
180	Kidney	87	0.99	326	1.14	12	1.08	147	0.98	570	1.08	1142	1.08	1.02-1.14
180.1	-renal pelvis ²	24	0.70	18	1.09	1	1.71	15	0.89	47	0.87	105	0.86	0.71-1.04
181	Bladder	360	0.98	416	1.15	15	0.93	363	1.10	1066	1.05	2220	1.06	1.02-1.10
190	Melanoma	68	0.87	196	0.94	[5.11]	0.00	171	0.95	363	0.81	798	0.87	0.81-0.93
190.6	-upper limbs ²	5	0.54	24	0.91	[0.76]	0.00	12	0.74	53	0.79	94	0.79	0.64-0.96
192	Eye	11	1.17	24	1.24	2	4.22	15	1.17	46	1.13	98	1.18	0.96-1.44
	-melanoma ²	8	0.97	23	1.31	1	2.77	13	1.14	37	1.13	82	1.17	0.93-1.45
193	Brain	81	0.89	197	0.97	10	1.40	120	0.98	396	0.99	804	0.98	0.91-1.05
	-glioma ²	7	0.72	78	0.81	5	1.16	63	0.96	182	0.89	335	0.88	0.79-0.98
	-meningeoma ²	16	1.40	49	1.18	3	1.75	19	0.95	106	1.28	193	1.23	1.06-1.41
194	Thyroid	8	1.00	42	0.89	3	0.76	28	1.27	70	1.07	151	1.03	0.88-1.21
	-follicular ²	-	-	9	1.22	1	1.80	8	3.13	2	0.61	20	1.45	0.89-2.24
	-papillary ²	-	-	26	0.87	2	0.68	14	1.11	11	1.15	53	0.96	0.72-1.26
195.0	Glandula suprarenalis	2	0.99	11	1.42	1	5.06	6	2.16	11	1.51	31	1.55	1.05-2.19
195.1	Parathyreoidea	[0.10]	0.00	[0.11]	0.00	[0.03]	0.00	[0.11]	0.00	[0.51]	0.00	[0.86]	0.00	0.00-4.29
195.2	Thymus	1	1.04	3	1.31	[0.12]	0.00	3	2.33	4	1.26	11	1.40	0.70-2.51
195.3	Hypophysis	[0.28]	0.00	1	4.96	1	0.90	1	5.13	[0.83]	0.00	3	1.14	0.24-3.34
195.4	Corpus pineale	-	-	[0.40]	0.00	-	-	1	12.30	-	-	1	2.08	0.05-11.58
196	Bone	5	1.48	14	1.10	1	1.61	2	0.30	19	0.87	41	0.91	0.65-1.23
	-chondrosarcoma ²	-	-	7	1.07	1	1.83	1	0.54	7	0.72	16	0.86	0.49-1.39
197	Soft tissue	12	1.00	46	1.03	2	1.45	14	0.76	103	1.03	177	1.00	0.87-1.16
	-fibrosarcoma ²	-	-	16	1.06	-	-	1	0.61	13	0.89	30	0.96	0.65-1.37
	-liposarcoma ²	-	-	15	1.47	[0.47]	0.00	1	0.30	14	0.80	30	0.96	0.64-1.36
200,202	Non-Hodgkin lymphoma	84	0.99	275	1.08	4	0.52	124	1.11	435	0.98	922	1.02	0.96-1.09
201	Hodgkin lymphoma	16	1.16	44	1.12	1	1.00	21	1.00	73	1.01	155	1.05	0.90-1.23
203	Multiple myeloma	47	0.96	88	1.04	4	1.29	72	0.98	212	0.97	423	0.99	0.90-1.09
204	Leukaemia	108	1.05	146	0.95	8	1.44	114	1.08	356	1.05	732	1.04	0.96-1.11
	-chronic lymphatic ²	-	-	62	0.96	1	0.55	37	0.98	171	1.10	271	1.04	0.93-1.17
	-acute myeloid ²	22	0.74	45	1.04	5	2.78	42	1.10	81	1.09	195	1.04	0.90-1.20
	Mycosis fungoides ²	2	0.71	9	1.40	1	3.21	5	1.69	30	0.98	47	1.09	0.80-1.45
199	Other/unknown site	40	0.89	115	0.86	2	0.48	170	1.15	474	1.09	801	1.05	0.98-1.12
140-204	All sites	3343	1.04	7058	1.05	218	1.01	4703	1.11	14018	1.03	29340	1.05	1.04-1.06
	Not included above													
191	Other skin	-	-	200	1.10	11	1.77	169	0.94	589	0.95	969	0.98	0.92-1.04
191.6	-upper limbs ²	-	-	16	1.08	1	1.79	26	1.66	71	1.04	114	1.15	0.96-1.38

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Engine and motor operator workers. Women (N = 7 186). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.01]	0.00	5	2.76	[0.00]	0.00	[0.06]	0.00	1	1.76	6	2.45	0.90-5.33
141	Tongue	[0.02]	0.00	1	0.52	[0.00]	0.00	[0.10]	0.00	[0.79]	0.00	1	0.35	0.01-1.96
142	Salivary glands	[0.01]	0.00	1	0.73	[0.00]	0.00	[0.07]	0.00	[0.77]	0.00	1	0.45	0.01-2.50
143-144	Oral cavity	[0.04]	0.00	3	1.57	[0.00]	0.00	[0.14]	0.00	[1.02]	0.00	3	0.96	0.20-2.81
145-148	Pharynx	[0.04]	0.00	5	4.06	[0.00]	0.00	[0.10]	0.00	1	1.01	6	2.54	0.93-5.54
145	-oropharynx ²	[0.02]	0.00	2	4.26	[0.00]	0.00	[0.05]	0.00	[0.60]	0.00	2	1.75	0.21-6.31
146	-nasopharynx ²	[0.01]	0.00	1	3.13	[0.00]	0.00	[0.02]	0.00	[0.18]	0.00	1	1.92	0.05-10.67
150	Oesophagus	[0.05]	0.00	3	0.66	[0.01]	0.00	[0.14]	0.00	4	3.49	7	1.18	0.48-2.44
	-adenocarcinoma ²	[0.01]	0.00	[0.45]	0.00	[0.00]	0.00	[0.03]	0.00	[0.22]	0.00	[0.71]	0.00	0.00-5.17
151	Stomach	[0.14]	0.00	19	0.83	[0.03]	0.00	2	2.19	12	2.11	33	1.12	0.77-1.57
151.1	-cardia ²	[0.02]	0.00	3	1.43	[0.00]	0.00	[0.14]	0.00	4	7.45	7	2.50	1.01-5.15
152	Small intestine	[0.02]	0.00	2	1.09	[0.00]	0.00	[0.14]	0.00	1	0.78	3	0.91	0.19-2.67
153	Colon	1	1.66	28	0.84	[0.06]	0.00	4	1.16	13	0.69	46	0.82	0.60-1.09
154	Rectum, rectosigma	2	7.15	19	0.94	[0.02]	0.00	[1.54]	0.00	7	0.65	28	0.85	0.57-1.23
155.0	Primary liver	[0.05]	0.00	7	1.35	[0.00]	0.00	[0.12]	0.00	3	1.66	10	1.39	0.67-2.56
	-hemangiosarcoma ²	-	-	[0.04]	0.00	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	[0.06]	0.00	0.00-62.09
155.1	Gall bladder	[0.07]	0.00	7	0.76	[0.01]	0.00	[0.22]	0.00	1	0.39	8	0.67	0.29-1.31
157	Pancreas	[0.21]	0.00	19	0.94	[0.02]	0.00	[0.89]	0.00	8	1.26	27	0.98	0.64-1.42
160	Nose	[0.01]	0.00	1	1.13	[0.00]	0.00	[0.05]	0.00	[0.37]	0.00	1	0.76	0.02-4.22
	-adenocarcinoma ²	-	-	[0.06]	0.00	-	-	[0.00]	0.00	[0.03]	0.00	[0.09]	0.00	0.00-40.16
161	Larynx	[0.04]	0.00	4	4.97	[0.00]	0.00	[0.07]	0.00	[0.48]	0.00	4	2.87	0.78-7.35
162,163	Lung	5	4.61	68	2.61	1	9.61	7	2.74	44	2.43	125	2.61	2.19-3.11
	-adenocarcinoma ²	3	7.65	14	1.97	1	28.32	4	4.84	12	1.77	34	2.24	1.55-3.13
	-small cell ²	-	-	10	2.27	[0.02]	0.00	2	3.56	11	3.97	23	2.97	1.88-4.45
	-squamous cell ²	1	5.22	11	2.57	[0.02]	0.00	1	2.57	11	3.74	24	3.07	1.97-4.57
	-other ²	-	-	33	3.21	[0.04]	0.00	[0.71]	0.00	10	1.78	43	2.58	1.87-3.48
158, 162.2	Mesothelioma ²	[0.01]	0.00	3	2.94	-	-	[0.03]	0.00	1	3.85	4	3.02	0.82-7.74
170	Breast	4	1.65	157	0.86	[0.28]	0.00	11	1.01	83	0.75	255	0.83	0.73-0.94
	-ductal ²	-	-	117	0.89	[0.22]	0.00	6	0.75	30	0.71	153	0.84	0.71-0.98
	-lobular ²	-	-	10	0.45	[0.02]	0.00	[0.91]	0.00	4	0.43	14	0.43	0.24-0.72
171	Cervix uteri	[0.44]	0.00	13	1.23	[0.03]	0.00	3	1.82	13	1.13	29	1.20	0.80-1.72
172	Corpus uteri	1	2.22	44	1.08	[0.04]	0.00	2	0.84	12	0.58	59	0.92	0.70-1.18
173	Choriocarcinoma	[0.00]	0.00	[0.07]	0.00	[0.00]	0.00	[0.01]	0.00	[0.07]	0.00	[0.14]	0.00	0.00-25.45
175.0	Ovary	1	2.02	25	0.90	[0.04]	0.00	4	1.80	19	0.86	49	0.93	0.69-1.23
175.1	Fallopian tube	[0.02]	0.00	2	1.36	[0.00]	0.00	1	12.60	[0.64]	0.00	3	1.36	0.28-3.98
176.0	Vulva	[0.03]	0.00	5	1.51	[0.01]	0.00	[0.25]	0.00	1	0.66	6	1.17	0.43-2.55
176.1	Vagina	[0.02]	0.00	3	3.29	[0.00]	0.00	[0.06]	0.00	1	2.00	4	2.70	0.73-6.90
180	Kidney	[0.14]	0.00	19	1.11	[0.03]	0.00	1	1.32	3	0.45	23	0.93	0.59-1.40
180.1	-renal pelvis ²	[0.05]	0.00	2	2.37	[0.00]	0.00	[0.08]	0.00	[0.63]	0.00	2	1.24	0.15-4.50
181	Bladder	[0.24]	0.00	9	0.97	[0.03]	0.00	1	1.17	4	0.63	14	0.84	0.46-1.41
190	Melanoma	1	3.91	10	0.64	[0.03]	0.00	[2.12]	0.00	9	0.63	20	0.62	0.38-0.96
190.6	-upper limbs ²	[0.04]	0.00	[2.80]	0.00	[0.00]	0.00	[0.32]	0.00	1	0.37	1	0.17	0.00-0.94
192	Eye	[0.02]	0.00	3	1.80	[0.00]	0.00	[0.11]	0.00	[0.87]	0.00	3	1.12	0.23-3.27
	-melanoma ²	[0.02]	0.00	2	1.29	[0.00]	0.00	[0.10]	0.00	[0.63]	0.00	2	0.87	0.11-3.15
193	Brain	[0.28]	0.00	21	0.92	[0.04]	0.00	4	2.93	19	1.53	44	1.19	0.86-1.60
	-glioma ²	[0.03]	0.00	4	0.64	[0.01]	0.00	1	2.16	5	1.18	10	0.91	0.44-1.67
	-meningeoma ²	[0.07]	0.00	9	0.91	[0.02]	0.00	2	3.55	10	1.87	21	1.32	0.82-2.02
194	Thyroid	[0.04]	0.00	13	1.04	[0.04]	0.00	[0.57]	0.00	2	0.48	15	0.87	0.48-1.43
	-follicular ²	-	-	[1.72]	0.00	[0.00]	0.00	[0.07]	0.00	[0.25]	0.00	[2.04]	0.00	0.00-1.81
	-papillary ²	-	-	12	1.30	[0.03]	0.00	[0.41]	0.00	2	1.65	14	1.29	0.70-2.16
195.0	Glandula suprarenalis	[0.01]	0.00	[0.56]	0.00	[0.00]	0.00	[0.03]	0.00	[0.20]	0.00	[0.80]	0.00	0.00-4.63
195.1	Parathyreoidea	[0.00]	0.00	[0.02]	0.00	-	-	[0.00]	0.00	[0.04]	0.00	[0.06]	0.00	0.00-58.00
195.2	Thymus	[0.00]	0.00	1	4.77	-	-	[0.01]	0.00	[0.08]	0.00	1	3.30	0.08-18.37
195.3	Hypophysis	[0.00]	0.00	[0.02]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	[0.04]	0.00	0.00-100.49
195.4	Corpus pineale	-	-	[0.06]	0.00	-	-	[0.00]	0.00	-	-	[0.06]	0.00	0.00-58.36
196	Bone	[0.01]	0.00	[0.74]	0.00	[0.00]	0.00	[0.05]	0.00	[0.44]	0.00	[1.24]	0.00	0.00-2.97
	-chondrosarcoma ²	-	-	[0.35]	0.00	[0.00]	0.00	[0.01]	0.00	[0.21]	0.00	[0.57]	0.00	0.00-6.44
197	Soft tissue	[0.03]	0.00	6	1.64	[0.00]	0.00	[0.13]	0.00	1	0.48	7	1.19	0.48-2.45
	-fibrosarcoma ²	-	-	3	2.71	[0.00]	0.00	[0.01]	0.00	[0.22]	0.00	3	2.25	0.46-6.59
	-liposarcoma ²	-	-	1	1.28	[0.00]	0.00	[0.02]	0.00	[0.31]	0.00	1	0.90	0.02-4.99
200,202	Non-Hodgkin lymphoma	[0.18]	0.00	17	0.83	[0.02]	0.00	[1.02]	0.00	8	0.98	25	0.84	0.54-1.23
201	Hodgkin lymphoma	[0.02]	0.00	3	1.50	[0.01]	0.00	[0.09]	0.00	1	1.01	4	1.29	0.35-3.30
203	Multiple myeloma	[0.08]	0.00	4	0.52	[0.01]	0.00	[0.45]	0.00	1	0.32	5	0.44	0.14-1.03
204	Leukaemia	[0.15]	0.00	9	0.83	[0.02]	0.00	1	1.67	5	0.95	15	0.89	0.50-1.46
	-chronic lymphatic ²	-	-	5	1.34	[0.01]	0.00	1	5.29	2	1.06	8	1.37	0.59-2.70
	-acute myeloid ²	[0.06]	0.00	4	1.07	[0.01]	0.00	[0.25]	0.00	1	0.59	5	0.86	0.28-2.02
	Mycosis fungoides ²	[0.00]	0.00	[0.29]	0.00	[0.00]	0.00	[0.02]	0.00	1	3.89	1	1.77	0.04-9.86
199	Other/unknown site	1	8.88	19	1.36	[0.03]	0.00	3	3.03	11	1.08	34	1.34	0.93-1.87
140-204	All sites	14	1.78	578	1.02	1	1.06	44	1.18	290	0.92	927	1.00	0.94-1.07
	Not included above													
	Ovary borderline ²	-	-	12	2.26	[0.02]	0.00	[0.50]	0.00	5	1.14	17	1.67	0.97-2.67
191	Other skin	-	-	13	0.88	[0.03]	0.00	[1.02]	0.00	3	0.43	16	0.71	0.40-1.15
191.6	-upper limbs ²	-	-	3	2.56	[0.00]	0.00	[0.12]	0.00	[0.92]	0.00	3	1.36	0.28-3.97

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Public safety and protection workers. Men (N = 105 404). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	20	0.58	30	0.61	2	2.13	25	0.72	46	0.72	123	0.67	0.56-0.80
141	Tongue	5	0.46	13	0.76	[0.47]	0.00	16	1.16	29	0.92	63	0.86	0.66-1.09
142	Salivary glands	11	1.66	4	0.41	1	2.72	6	0.94	23	1.09	45	1.02	0.74-1.36
143-144	Oral cavity	26	1.17	13	0.75	[0.63]	0.00	22	1.12	43	0.98	104	1.00	0.83-1.22
145-148	Pharynx	17	0.65	10	0.47	1	1.38	17	0.75	53	0.79	98	0.71	0.58-0.86
145	-oropharynx ²	11	0.75	4	0.46	[0.20]	0.00	5	0.58	22	0.77	42	0.69	0.50-0.94
146	-nasopharynx ²	3	0.75	4	0.92	[0.20]	0.00	6	1.46	11	0.83	24	0.93	0.59-1.38
150	Oesophagus	48	0.89	35	0.70	1	0.34	49	1.25	87	0.80	220	0.86	0.76-0.99
	-adenocarcinoma ²	21	0.96	13	1.10	[1.10]	0.00	9	1.13	31	0.98	74	1.00	0.78-1.25
151	Stomach	113	0.93	224	0.99	9	1.01	230	1.03	398	0.99	974	0.99	0.93-1.06
151.1	-cardia ²	34	0.93	39	0.98	3	1.86	29	0.77	67	1.20	172	1.00	0.86-1.16
152	Small intestine	3	0.32	15	1.03	1	1.11	14	1.24	44	0.96	77	0.94	0.74-1.17
153	Colon	341	1.21	218	1.11	14	1.16	332	1.11	730	1.23	1635	1.18	1.13-1.24
154	Rectum, rectosigma	213	1.09	183	1.14	5	1.15	212	1.17	442	1.06	1055	1.10	1.04-1.17
155.0	Primary liver	46	1.14	66	1.15	1	0.71	29	1.27	114	1.07	256	1.12	0.99-1.27
	-hemangiosarcoma ²	-	-	[0.26]	0.00	-	-	[0.04]	0.00	[0.51]	0.00	[0.81]	0.00	0.00-4.57
155.1	Gall bladder	25	1.13	31	1.02	1	1.38	16	0.96	55	1.42	128	1.18	0.99-1.40
157	Pancreas	92	0.91	162	1.14	5	1.10	133	1.18	271	1.13	663	1.10	1.02-1.19
160	Nose	9	0.93	12	1.42	[0.45]	0.00	8	0.89	13	0.72	42	0.92	0.66-1.24
	-adenocarcinoma ²	-	-	1	1.78	[0.04]	0.00	[1.18]	0.00	3	0.98	4	0.83	0.22-2.11
161	Larynx	60	0.98	45	0.81	[1.74]	0.00	55	1.34	73	0.89	233	0.97	0.85-1.10
162,163	Lung	686	1.02	688	0.85	16	0.78	476	1.09	787	1.00	2653	0.97	0.93-1.01
	-adenocarcinoma ²	141	1.08	95	0.86	3	0.52	97	1.21	161	0.99	497	1.02	0.93-1.11
	-small cell ²	-	-	102	0.80	5	1.23	80	1.09	73	0.94	260	0.92	0.82-1.04
	-squamous cell ²	227	0.98	196	0.77	3	0.61	149	1.08	268	0.96	843	0.93	0.87-0.99
	-other ²	-	-	295	0.93	5	0.95	106	1.03	285	1.05	691	0.99	0.92-1.07
158, 162.2	Mesothelioma ²	14	0.81	14	0.79	[0.46]	0.00	13	1.06	33	0.98	74	0.91	0.71-1.14
170	Breast	8	1.28	4	0.83	2	3.54	10	2.13	18	1.28	42	1.38	0.99-1.86
177	Prostate	509	1.12	1073	1.16	47	1.10	781	1.04	2483	1.10	4893	1.11	1.08-1.14
178	Testis	14	0.69	10	0.68	3	2.19	24	1.14	59	1.16	110	1.02	0.84-1.23
	-seminoma ²	10	1.18	9	0.90	3	2.98	16	1.10	47	1.29	85	1.21	0.96-1.49
	-non-seminoma ²	5	0.42	1	0.23	[0.36]	0.00	6	1.28	12	0.83	24	0.67	0.43-0.99
179.0	Penis	8	0.63	8	1.12	1	1.81	12	1.07	31	1.07	60	0.99	0.75-1.27
180	Kidney	91	1.12	174	1.09	9	1.17	144	1.30	350	1.15	768	1.16	1.08-1.24
180.1	-renal pelvis ²	48	1.52	12	1.24	[0.43]	0.00	13	1.01	42	1.34	115	1.34	1.12-1.61
181	Bladder	430	1.22	242	1.12	8	0.69	260	1.00	625	1.05	1565	1.09	1.04-1.15
190	Melanoma	110	1.53	122	1.08	2	0.65	150	1.38	368	1.32	752	1.31	1.22-1.41
190.6	-upper limbs ²	12	1.43	9	0.62	[0.46]	0.00	14	1.40	52	1.24	87	1.15	0.92-1.42
192	Eye	15	1.73	12	1.13	[0.33]	0.00	6	0.65	19	0.78	52	0.98	0.73-1.28
	-melanoma ²	13	1.71	10	1.04	[0.28]	0.00	4	0.49	12	0.63	39	0.87	0.62-1.19
193	Brain	68	0.83	107	0.97	3	0.64	84	1.04	244	1.01	506	0.97	0.89-1.06
	-glioma ²	9	1.06	43	0.84	1	0.36	52	1.27	128	1.04	233	1.03	0.90-1.17
	-meningeoma ²	7	0.67	27	1.19	2	1.72	12	0.91	51	1.03	99	1.02	0.83-1.24
194	Thyroid	10	1.38	31	1.20	5	1.87	15	1.00	51	1.31	112	1.25	1.04-1.50
	-follicular ²	-	-	7	1.65	2	4.67	1	0.55	7	3.16	17	1.95	1.14-3.12
	-papillary ²	-	-	14	0.87	3	1.53	9	1.16	14	2.06	40	1.23	0.88-1.67
195.0	Glandula suprarenalis	2	1.12	4	0.89	[0.12]	0.00	[1.87]	0.00	1	0.23	7	0.55	0.22-1.14
195.1	Parathyreoidea	[0.11]	0.00	[0.07]	0.00	[0.02]	0.00	[0.05]	0.00	[0.30]	0.00	[0.55]	0.00	0.00-6.69
195.2	Thymus	[0.87]	0.00	[1.23]	0.00	[0.08]	0.00	1	1.28	1	0.52	2	0.41	0.05-1.48
195.3	Hypophysis	[0.23]	0.00	[0.11]	0.00	[0.73]	0.00	[0.17]	0.00	[0.48]	0.00	[1.70]	0.00	0.00-2.17
195.4	Corpus pineale	-	-	[0.23]	0.00	-	-	[0.03]	0.00	-	-	[0.26]	0.00	0.00-14.13
196	Bone	3	0.95	9	1.27	1	2.74	9	2.02	20	1.52	42	1.49	1.07-2.01
	-chondrosarcoma ²	-	-	4	1.10	[0.33]	0.00	3	2.59	9	1.50	16	1.44	0.82-2.34
197	Soft tissue	12	1.08	27	1.08	1	1.24	11	0.81	79	1.32	130	1.18	0.99-1.40
	-fibrosarcoma ²	-	-	9	1.05	-	-	[1.30]	0.00	6	0.74	15	0.83	0.47-1.38
	-liposarcoma ²	-	-	8	1.44	1	3.72	4	1.84	17	1.64	30	1.64	1.10-2.34
200,202	Non-Hodgkin lymphoma	86	1.09	154	1.08	5	1.00	84	1.13	268	1.01	597	1.05	0.97-1.14
201	Hodgkin lymphoma	21	1.70	20	0.92	[0.60]	0.00	18	1.26	41	0.97	100	1.10	0.90-1.33
203	Multiple myeloma	45	0.98	56	1.12	5	2.25	68	1.16	143	1.13	317	1.12	1.00-1.25
204	Leukaemia	101	1.05	107	1.18	5	1.28	101	1.24	209	1.04	523	1.11	1.02-1.21
	-chronic lymphatic ²	-	-	42	1.09	1	0.73	37	1.25	97	1.05	177	1.09	0.94-1.27
	-acute myeloid ²	27	1.00	26	1.04	2	1.63	40	1.38	46	1.03	141	1.11	0.94-1.31
	Mycosis fungoides ²	6	2.07	2	0.55	[0.21]	0.00	3	1.35	14	0.84	25	0.97	0.63-1.43
199	Other/unknown site	47	1.12	67	0.85	4	1.31	118	0.95	267	1.04	503	1.00	0.91-1.09
140-204	All sites	3176	1.06	4015	1.02	158	1.02	3555	1.09	8532	1.08	19436	1.07	1.05-1.08
	Not included above													
191	Other skin	-	-	124	1.12	7	1.51	178	1.21	479	1.30	788	1.25	1.16-1.34
191.6	-upper limbs ²	-	-	8	0.92	[0.42]	0.00	15	1.17	49	1.20	72	1.15	0.90-1.45

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Public safety and protection workers. Women (N = 8 378). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.04]	0.00	1	2.45	[0.01]	0.00	[0.58]	0.00	1	1.33	2	1.11	0.13-4.02
141	Tongue	[0.06]	0.00	[0.48]	0.00	[0.03]	0.00	[0.80]	0.00	[1.09]	0.00	[2.47]	0.00	0.00-1.50
142	Salivary glands	[0.05]	0.00	[0.34]	0.00	[0.02]	0.00	[0.53]	0.00	1	0.95	1	0.50	0.01-2.81
143-144	Oral cavity	[0.14]	0.00	1	2.10	1	13.55	[1.35]	0.00	2	1.47	4	1.18	0.32-3.02
145-148	Pharynx	[0.09]	0.00	[0.31]	0.00	[0.02]	0.00	1	1.35	[1.43]	0.00	1	0.39	0.01-2.15
145	-oropharynx ²	[0.05]	0.00	[0.13]	0.00	[0.01]	0.00	1	2.95	[0.89]	0.00	1	0.70	0.02-3.92
146	-nasopharynx ²	[0.02]	0.00	[0.08]	0.00	[0.01]	0.00	[0.13]	0.00	[0.27]	0.00	[0.51]	0.00	0.00-7.23
150	Oesophagus	[0.21]	0.00	[1.11]	0.00	[0.10]	0.00	[1.53]	0.00	3	2.06	3	0.68	0.14-1.99
	-adenocarcinoma ²	[0.05]	0.00	[0.10]	0.00	[0.03]	0.00	[0.29]	0.00	[0.27]	0.00	[0.74]	0.00	0.00-5.00
151	Stomach	2	2.79	12	2.18	[0.39]	0.00	13	1.03	9	1.05	36	1.30	0.91-1.79
151.1	-cardia ²	1	9.01	2	3.87	[0.03]	0.00	4	2.55	2	2.71	9	3.03	1.39-5.75
152	Small intestine	[0.08]	0.00	[0.44]	0.00	[0.04]	0.00	[1.21]	0.00	2	1.22	2	0.59	0.07-2.12
153	Colon	3	0.99	7	0.89	[0.86]	0.00	43	1.15	26	1.06	79	1.07	0.85-1.34
154	Rectum, rectosigma	3	2.20	3	0.63	[0.31]	0.00	13	0.84	23	1.64	42	1.17	0.84-1.58
155.0	Primary liver	[0.26]	0.00	[1.21]	0.00	[0.06]	0.00	1	0.67	1	0.41	2	0.37	0.04-1.33
	-hemangiosarcoma ²	-	-	[0.01]	0.00	[0.00]	0.00	[0.01]	0.00	[0.02]	0.00	[0.04]	0.00	0.00-99.98
155.1	Gall bladder	[0.41]	0.00	3	1.42	[0.09]	0.00	5	1.82	5	1.45	13	1.47	0.79-2.52
157	Pancreas	[1.06]	0.00	2	0.43	[0.31]	0.00	6	0.54	12	1.44	20	0.79	0.48-1.22
160	Nose	[0.05]	0.00	[0.20]	0.00	[0.03]	0.00	[0.55]	0.00	1	1.98	1	0.75	0.02-4.15
	-adenocarcinoma ²	-	-	[0.01]	0.00	-	-	[0.05]	0.00	[0.04]	0.00	[0.11]	0.00	0.00-34.81
161	Larynx	[0.11]	0.00	1	5.84	[0.02]	0.00	[0.54]	0.00	4	7.33	5	3.61	1.17-8.42
162,163	Lung	1	0.35	8	1.38	1	0.67	22	1.21	29	1.37	61	1.23	0.94-1.58
	-adenocarcinoma ²	[0.81]	0.00	2	1.24	[0.51]	0.00	4	0.74	14	1.73	20	1.22	0.74-1.88
	-small cell ²	-	-	[0.95]	0.00	1	4.07	7	1.93	5	1.69	13	1.67	0.89-2.85
	-squamous cell ²	[0.57]	0.00	2	2.26	[0.24]	0.00	3	1.02	1	0.31	6	0.76	0.28-1.66
	-other ²	-	-	4	1.69	[0.50]	0.00	7	1.36	9	1.31	20	1.34	0.82-2.08
158, 162.2	Mesothelioma ²	[0.05]	0.00	[0.22]	0.00	[0.00]	0.00	[0.24]	0.00	1	3.14	1	1.20	0.03-6.66
170	Breast	7	1.09	65	1.36	6	1.73	81	1.12	158	1.01	317	1.11	0.99-1.24
	-ductal ²	-	-	48	1.37	4	1.48	50	1.02	64	0.95	166	1.08	0.92-1.25
	-lobular ²	-	-	7	1.14	1	3.48	4	0.80	18	1.32	30	1.20	0.81-1.71
171	Cervix uteri	[1.21]	0.00	3	1.12	1	3.01	12	1.20	19	1.05	35	1.08	0.75-1.50
172	Corpus uteri	3	1.69	7	0.82	[0.65]	0.00	15	0.90	19	0.82	44	0.87	0.63-1.16
173	Choriocarcinoma	[0.00]	0.00	[0.02]	0.00	[0.00]	0.00	[0.02]	0.00	[0.10]	0.00	[0.15]	0.00	0.00-25.18
175.0	Ovary	2	1.31	6	0.93	1	1.85	18	1.11	28	0.93	55	1.00	0.76-1.31
175.1	Fallopian tube	[0.04]	0.00	[0.33]	0.00	[0.02]	0.00	[0.45]	0.00	1	1.29	1	0.62	0.02-3.45
176.0	Vulva	[0.16]	0.00	[0.81]	0.00	[0.05]	0.00	4	1.36	4	1.76	8	1.28	0.55-2.53
176.1	Vagina	[0.07]	0.00	[0.22]	0.00	[0.02]	0.00	[0.55]	0.00	[0.68]	0.00	[1.53]	0.00	0.00-2.42
180	Kidney	[0.61]	0.00	11	2.90	[0.39]	0.00	7	0.94	7	0.85	25	1.22	0.79-1.80
180.1	-renal pelvis ²	[0.22]	0.00	[0.19]	0.00	[0.04]	0.00	2	2.35	1	1.28	3	1.44	0.30-4.22
181	Bladder	1	1.00	2	0.95	[0.34]	0.00	11	1.14	11	1.37	25	1.18	0.77-1.75
190	Melanoma	1	1.48	3	0.75	[0.32]	0.00	21	1.71	29	1.34	54	1.39	1.04-1.81
190.6	-upper limbs ²	[0.12]	0.00	1	1.39	[0.06]	0.00	6	2.88	4	0.99	11	1.57	0.78-2.81
192	Eye	[0.06]	0.00	1	2.61	[0.02]	0.00	[0.85]	0.00	[1.19]	0.00	1	0.40	0.01-2.23
	-melanoma ²	[0.06]	0.00	1	2.81	[0.01]	0.00	[0.73]	0.00	[0.83]	0.00	1	0.50	0.01-2.80
193	Brain	[0.81]	0.00	9	1.55	1	2.16	15	1.72	22	1.23	47	1.39	1.02-1.85
	-glioma ²	[0.07]	0.00	4	2.50	[0.17]	0.00	4	1.48	9	1.56	17	1.65	0.96-2.64
	-meningioma ²	[0.18]	0.00	1	0.40	1	4.39	4	1.22	7	0.88	13	0.92	0.49-1.57
194	Thyroid	[0.14]	0.00	4	1.11	[0.38]	0.00	3	0.84	3	0.47	10	0.71	0.34-1.30
	-follicular ²	-	-	[0.39]	0.00	[0.05]	0.00	[0.52]	0.00	[0.41]	0.00	[1.36]	0.00	0.00-2.71
	-papillary ²	-	-	4	1.40	[0.31]	0.00	2	0.93	2	0.83	8	1.04	0.45-2.04
195.0	Glandula suprarenalis	[0.02]	0.00	1	7.22	[0.01]	0.00	[0.16]	0.00	[0.28]	0.00	1	1.66	0.04-9.27
195.1	Parathyreoidea	[0.00]	0.00	[0.00]	0.00	-	-	[0.02]	0.00	[0.05]	0.00	[0.07]	0.00	0.00-50.59
195.2	Thymus	1	148.35	[0.05]	0.00	-	-	[0.06]	0.00	[0.12]	0.00	1	4.17	0.11-23.21
195.3	Hypophysis	[0.00]	0.00	[0.00]	0.00	[0.04]	0.00	[0.02]	0.00	[0.02]	0.00	[0.08]	0.00	0.00-44.31
195.4	Corpus pineale	-	-	[0.02]	0.00	-	-	[0.01]	0.00	-	-	[0.03]	0.00	0.00-143.85
196	Bone	[0.02]	0.00	[0.19]	0.00	[0.03]	0.00	[0.33]	0.00	[0.61]	0.00	[1.17]	0.00	0.00-3.15
	-chondrosarcoma ²	-	-	[0.08]	0.00	[0.01]	0.00	[0.09]	0.00	[0.32]	0.00	[0.51]	0.00	0.00-7.24
197	Soft tissue	[0.08]	0.00	2	2.21	[0.05]	0.00	2	1.81	5	1.68	9	1.76	0.80-3.34
	-fibrosarcoma ²	-	-	[0.25]	0.00	[0.00]	0.00	[0.06]	0.00	[0.28]	0.00	[0.59]	0.00	0.00-6.22
	-liposarcoma ²	-	-	[0.20]	0.00	[0.01]	0.00	[0.14]	0.00	2	4.29	2	2.44	0.30-8.83
200,202	Non-Hodgkin lymphoma	[0.68]	0.00	6	1.21	[0.31]	0.00	8	1.00	17	1.63	31	1.27	0.86-1.80
201	Hodgkin lymphoma	[0.07]	0.00	2	3.66	[0.03]	0.00	[0.73]	0.00	2	1.25	4	1.34	0.37-3.43
203	Multiple myeloma	[0.38]	0.00	1	0.57	[0.16]	0.00	7	1.33	5	1.24	13	1.12	0.60-1.92
204	Leukaemia	[0.71]	0.00	4	1.55	[0.28]	0.00	8	1.27	3	0.42	15	0.88	0.49-1.45
	-chronic lymphatic ²	-	-	1	1.13	[0.09]	0.00	2	0.89	2	0.86	5	0.90	0.29-2.10
	-acute myeloid ²	[0.24]	0.00	3	3.42	[0.11]	0.00	3	1.20	1	0.43	7	1.15	0.46-2.38
	Mycosis fungoides ²	[0.01]	0.00	[0.08]	0.00	[0.01]	0.00	[0.13]	0.00	1	2.46	1	1.57	0.04-8.76
199	Other/unknown site	[0.50]	0.00	6	1.81	[0.36]	0.00	8	0.59	10	0.78	24	0.79	0.50-1.17
140-204	All sites	24	0.89	175	1.27	11	0.90	324	1.06	464	1.09	998	1.10	1.03-1.17
Not included above														
	Ovary borderline ²	-	-	2	1.34	[0.19]	0.00	2	0.85	5	0.71	9	0.82	0.37-1.55
191	Other skin	-	-	3	0.81	[0.34]	0.00	11	0.85	11	1.17	25	0.95	0.61-1.40
191.6	-upper limbs ²	-	-	[0.28]	0.00	[0.04]	0.00	1	0.76	2	1.69	3	1.06	0.22-3.11

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Cooks and stewards. Men (N = 26 665). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	2	0.82	[2.53]	0.00	[0.39]	0.00	15	1.05	9	0.82	26	0.85	0.56-1.25
141	Tongue	6	6.02	3	2.27	1	4.22	13	1.90	17	2.74	40	2.56	1.83-3.49
142	Salivary glands	1	1.82	[0.69]	0.00	[0.17]	0.00	3	1.02	5	1.26	9	1.08	0.50-2.06
143-144	Oral cavity	7	3.67	3	2.30	1	2.97	30	3.22	23	2.81	64	3.04	2.34-3.88
145-148	Pharynx	17	7.14	6	3.75	[0.38]	0.00	27	2.38	26	1.97	76	2.63	2.07-3.29
145	-oropharynx ²	9	6.74	4	5.29	[0.11]	0.00	9	1.92	12	2.00	34	2.64	1.83-3.69
146	-nasopharynx ²	[0.35]	0.00	1	2.99	[0.12]	0.00	4	2.05	7	2.68	12	2.24	1.16-3.91
150	Oesophagus	8	1.78	6	2.01	4	3.03	41	2.40	37	1.93	96	2.13	1.72-2.60
	-adenocarcinoma ²	1	0.58	1	1.23	[0.54]	0.00	11	2.86	7	1.20	20	1.57	0.96-2.42
151	Stomach	11	1.13	10	0.80	5	1.29	97	1.10	83	1.21	206	1.13	0.98-1.29
151.1	-cardia ²	3	1.01	1	0.43	2	2.60	10	0.62	6	0.59	22	0.68	0.43-1.03
152	Small intestine	2	2.65	1	1.00	1	2.13	5	0.95	7	0.83	16	1.01	0.57-1.63
153	Colon	21	1.01	15	1.28	5	0.90	107	0.83	111	1.09	259	0.96	0.85-1.09
154	Rectum, rectosigma	13	0.88	16	1.70	3	1.47	91	1.15	82	1.13	205	1.15	1.00-1.32
155.0	Primary liver	10	3.03	6	1.89	[0.61]	0.00	20	2.09	55	2.99	91	2.60	2.09-3.19
	-hemangiosarcoma ²	-	-	[0.01]	0.00	-	-	[0.01]	0.00	[0.09]	0.00	[0.12]	0.00	0.00-30.32
155.1	Gall bladder	1	0.57	3	1.73	[0.34]	0.00	10	1.42	13	2.00	27	1.56	1.03-2.27
157	Pancreas	11	1.34	12	1.47	1	0.48	66	1.42	53	1.26	143	1.34	1.13-1.57
160	Nose	2	2.69	[0.55]	0.00	1	5.15	2	0.52	6	1.81	11	1.27	0.63-2.27
	-adenocarcinoma ²	-	-	[0.03]	0.00	[0.02]	0.00	[0.54]	0.00	[0.55]	0.00	[1.14]	0.00	0.00-3.23
161	Larynx	14	2.88	7	2.20	1	1.14	47	2.51	27	1.84	96	2.27	1.84-2.77
162,163	Lung	89	1.64	41	0.99	17	1.81	292	1.51	240	1.74	679	1.56	1.44-1.68
	-adenocarcinoma ²	14	1.26	11	1.74	5	1.82	73	1.87	50	1.69	153	1.72	1.47-2.01
	-small cell ²	-	-	4	0.59	6	3.25	34	1.01	24	1.75	68	1.22	0.94-1.54
	-squamous cell ²	27	1.46	7	0.55	4	1.82	85	1.45	90	1.90	213	1.53	1.34-1.75
	-other ²	-	-	19	1.21	1	0.42	74	1.60	76	1.62	170	1.53	1.31-1.77
158, 162.2	Mesothelioma ²	[1.45]	0.00	[1.13]	0.00	1	4.27	4	0.68	5	0.81	10	0.67	0.32-1.23
170	Breast	2	4.35	1	3.10	1	3.76	6	2.97	1	0.40	11	1.97	0.98-3.52
177	Prostate	40	1.26	42	0.84	19	1.05	311	1.01	339	0.90	751	0.96	0.89-1.03
178	Testis	1	0.48	[1.76]	0.00	[1.14]	0.00	10	0.76	16	1.22	27	0.86	0.57-1.25
	-seminoma ²	[0.87]	0.00	[1.19]	0.00	[0.83]	0.00	5	0.54	7	0.75	12	0.56	0.29-0.98
	-non-seminoma ²	1	0.83	[0.56]	0.00	[0.31]	0.00	3	1.00	9	2.39	13	1.47	0.78-2.51
179.0	Penis	1	1.06	[0.53]	0.00	[0.27]	0.00	3	0.60	9	1.64	13	1.06	0.57-1.82
180	Kidney	11	1.68	14	1.37	3	0.80	59	1.18	68	1.24	155	1.24	1.06-1.45
180.1	-renal pelvis ²	3	1.24	1	1.73	[0.19]	0.00	3	0.54	3	0.55	10	0.70	0.34-1.29
181	Bladder	36	1.42	8	0.66	7	1.31	116	1.05	142	1.38	309	1.21	1.08-1.35
190	Melanoma	5	0.85	14	1.59	[1.80]	0.00	62	1.05	53	0.93	134	1.01	0.86-1.20
190.6	-upper limbs ²	[0.70]	0.00	[1.13]	0.00	[0.28]	0.00	6	1.12	8	0.92	14	0.87	0.47-1.45
192	Eye	1	1.43	2	2.72	[0.16]	0.00	3	0.70	1	0.21	7	0.66	0.27-1.37
	-melanoma ²	1	1.63	2	2.95	[0.12]	0.00	3	0.80	[3.63]	0.00	6	0.68	0.25-1.48
193	Brain	1	0.14	8	0.88	3	1.19	41	1.01	49	0.99	102	0.94	0.77-1.14
	-glioma ²	[0.83]	0.00	7	1.60	1	0.66	19	0.88	24	0.94	51	0.95	0.70-1.24
	-meningeoma ²	1	1.19	[1.72]	0.00	1	1.69	6	0.91	10	1.05	18	0.93	0.55-1.48
194	Thyroid	[0.60]	0.00	3	1.34	[1.37]	0.00	8	1.09	7	0.90	18	0.93	0.55-1.48
	-follicular ²	-	-	[0.28]	0.00	[0.19]	0.00	2	2.38	[0.47]	0.00	2	1.13	0.14-4.07
	-papillary ²	-	-	2	1.27	[1.02]	0.00	2	0.48	2	1.21	6	0.71	0.26-1.56
195.0	Glandula suprarenalis	[0.16]	0.00	[0.31]	0.00	[0.07]	0.00	1	1.08	1	1.16	2	0.86	0.10-3.11
195.1	Parathyreoidea	[0.01]	0.00	[0.01]	0.00	[0.01]	0.00	1	30.13	[0.06]	0.00	1	8.64	0.22-48.16
195.2	Thymus	[0.07]	0.00	[0.09]	0.00	[0.04]	0.00	1	2.38	[0.38]	0.00	1	1.00	0.03-5.56
195.3	Hypophysis	[0.02]	0.00	[0.01]	0.00	[0.38]	0.00	[0.06]	0.00	[0.08]	0.00	[0.56]	0.00	0.00-6.60
195.4	Corpus pineale	-	-	[0.02]	0.00	-	-	[0.03]	0.00	-	-	[0.05]	0.00	0.00-76.34
196	Bone	[0.27]	0.00	[0.54]	0.00	[0.23]	0.00	2	0.91	[2.69]	0.00	2	0.34	0.04-1.22
	-chondrosarcoma ²	-	-	[0.29]	0.00	[0.20]	0.00	[0.59]	0.00	[1.25]	0.00	[2.32]	0.00	0.00-1.59
197	Soft tissue	1	1.14	1	0.55	[0.49]	0.00	9	1.47	11	0.96	22	1.06	0.66-1.60
	-fibrosarcoma ²	-	-	[0.60]	0.00	-	-	3	5.39	3	1.98	6	2.25	0.82-4.89
	-liposarcoma ²	-	-	1	2.30	[0.17]	0.00	3	2.76	2	0.99	6	1.62	0.59-3.53
200,202	Non-Hodgkin lymphoma	4	0.64	7	0.69	1	0.38	30	0.81	46	0.92	88	0.83	0.67-1.03
201	Hodgkin lymphoma	1	0.90	3	1.55	1	2.70	4	0.57	3	0.35	12	0.64	0.33-1.11
203	Multiple myeloma	5	1.41	7	2.39	[1.05]	0.00	21	0.86	21	0.94	54	0.99	0.75-1.30
204	Leukaemia	6	0.80	5	0.88	3	1.61	28	0.79	39	1.07	81	0.93	0.74-1.16
	-chronic lymphatic ²	-	-	2	0.92	2	3.39	7	0.55	18	1.11	29	0.92	0.61-1.31
	-acute myeloid ²	2	0.91	3	1.88	[0.63]	0.00	13	1.02	5	0.60	23	0.90	0.57-1.35
	Mycosis fungoides ²	[0.20]	0.00	[0.23]	0.00	[0.11]	0.00	3	3.00	9	3.00	12	2.65	1.37-4.63
199	Other/unknown site	4	1.25	6	1.30	[1.39]	0.00	65	1.30	61	1.35	136	1.30	1.10-1.54
140-204	All sites	331	1.42	252	1.10	78	1.08	1655	1.17	1675	1.20	3991	1.19	1.16-1.23
	Not included above	-	-	3	0.48	1	0.50	37	0.61	54	0.88	95	0.73	0.59-0.89
191	Other skin	-	-	[0.53]	0.00	[0.17]	0.00	6	1.13	8	1.15	14	1.08	0.59-1.81
191.6	-upper limbs ²	-	-	[0.53]	0.00	[0.17]	0.00	6	1.13	8	1.15	14	1.08	0.59-1.81

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Cooks and stewards. Women (N = 79 755). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.02]	0.00	13	0.96	[0.26]	0.00	7	1.09	8	0.58	28	0.82	0.55-1.19
141	Tongue	[0.02]	0.00	12	0.89	[0.58]	0.00	11	1.21	16	0.98	39	0.99	0.70-1.35
142	Salivary glands	[0.02]	0.00	11	1.14	1	3.25	6	0.96	18	1.08	36	1.10	0.77-1.52
143-144	Oral cavity	[0.05]	0.00	11	0.80	[1.45]	0.00	17	1.11	38	1.53	66	1.19	0.92-1.51
145-148	Pharynx	[0.03]	0.00	10	1.14	[0.47]	0.00	16	1.79	15	0.74	41	1.06	0.76-1.44
145	-oropharynx ²	[0.02]	0.00	4	1.26	[0.23]	0.00	5	1.41	5	0.67	14	0.97	0.53-1.62
146	-nasopharynx ²	[0.01]	0.00	5	2.15	[0.24]	0.00	4	2.14	7	1.27	16	1.60	0.92-2.60
150	Oesophagus	[0.07]	0.00	36	1.01	3	1.57	17	0.95	40	1.06	96	1.03	0.83-1.26
	-adenocarcinoma ²	[0.02]	0.00	5	1.58	2	3.77	3	1.05	5	0.86	15	1.21	0.68-2.00
151	Stomach	[0.22]	0.00	200	1.17	7	0.90	175	1.03	244	0.97	626	1.04	0.96-1.12
	-cardia ²	[0.04]	0.00	19	1.18	[0.62]	0.00	26	1.33	22	1.52	67	1.32	1.02-1.68
152	Small intestine	[0.03]	0.00	14	1.10	2	2.16	16	1.19	34	1.10	66	1.14	0.88-1.45
153	Colon	2	2.01	261	1.08	28	1.66	467	1.11	502	0.87	1260	1.00	0.95-1.06
154	Rectum, rectosigma	[0.44]	0.00	159	1.09	4	0.64	190	1.07	298	1.03	651	1.05	0.97-1.14
155.0	Primary liver	[0.08]	0.00	46	1.19	[1.25]	0.00	15	0.86	65	1.08	126	1.07	0.90-1.27
	-hemangiosarcoma ²	-	-	[0.25]	0.00	[0.09]	0.00	[0.05]	0.00	[0.39]	0.00	[0.78]	0.00	0.00-4.70
155.1	Gall bladder	[0.12]	0.00	56	0.82	3	1.78	37	1.09	114	1.05	210	0.99	0.86-1.13
157	Pancreas	1	3.15	132	0.89	6	0.97	124	0.96	250	1.17	513	1.03	0.94-1.12
160	Nose	[0.02]	0.00	8	1.27	[0.64]	0.00	5	0.73	7	0.71	20	0.85	0.52-1.31
	-adenocarcinoma ²	-	-	1	2.45	-	-	[0.68]	0.00	1	1.39	2	1.11	0.13-4.00
161	Larynx	[0.04]	0.00	4	0.75	[0.47]	0.00	12	2.08	16	1.88	32	1.59	1.09-2.24
162,163	Lung	1	0.94	191	1.06	24	0.81	199	1.07	346	1.25	761	1.13	1.05-1.21
	-adenocarcinoma ²	1	3.03	53	1.10	7	0.70	68	1.26	116	1.30	245	1.21	1.07-1.37
	-small cell ²	-	-	32	1.09	7	1.44	49	1.38	57	1.92	145	1.46	1.24-1.72
	-squamous cell ²	[0.20]	0.00	26	0.90	4	0.83	26	0.87	61	1.13	117	1.00	0.83-1.19
	-other ²	-	-	80	1.08	6	0.61	44	0.86	112	1.08	242	1.02	0.89-1.15
158, 162.2	Mesothelioma ²	[0.02]	0.00	9	1.33	[0.08]	0.00	3	1.22	6	1.07	18	1.21	0.72-1.91
170	Breast	3	1.20	1158	0.95	70	1.09	787	0.98	1675	0.99	3693	0.98	0.94-1.01
	-ductal ²	-	-	829	0.95	49	0.98	475	0.94	318	0.99	1671	0.95	0.91-1.00
	-lobular ²	-	-	135	0.93	10	1.84	49	1.12	58	0.80	252	0.95	0.84-1.07
171	Cervix uteri	1	2.23	76	0.99	8	1.44	168	1.29	290	1.33	543	1.26	1.16-1.37
172	Corpus uteri	2	3.18	262	0.98	13	1.01	202	1.06	413	1.04	892	1.03	0.96-1.10
173	Choriocarcinoma	[0.00]	0.00	1	2.01	[0.02]	0.00	[0.23]	0.00	1	2.00	2	1.61	0.19-5.80
175.0	Ovary	[0.53]	0.00	211	1.13	9	0.86	215	1.11	459	1.14	894	1.13	1.06-1.20
175.1	Fallopian tube	[0.02]	0.00	10	1.08	1	4.16	7	1.58	5	0.63	23	1.05	0.67-1.58
176.0	Vulva	[0.05]	0.00	23	0.93	1	0.99	35	0.99	51	1.02	110	0.99	0.82-1.20
176.1	Vagina	[0.02]	0.00	6	0.91	[0.32]	0.00	10	1.55	19	1.35	35	1.27	0.89-1.77
180	Kidney	[0.19]	0.00	120	1.01	8	1.08	104	1.20	176	0.95	408	1.03	0.93-1.13
180.1	-renal pelvis ²	[0.07]	0.00	6	0.98	[0.77]	0.00	10	1.07	14	0.75	30	0.86	0.58-1.23
181	Bladder	[0.34]	0.00	75	1.12	8	1.21	129	1.18	192	1.06	404	1.11	1.00-1.22
190	Melanoma	1	3.70	96	0.90	8	1.45	113	0.93	157	0.87	375	0.91	0.82-1.00
190.6	-upper limbs ²	[0.05]	0.00	14	0.74	1	1.08	26	1.22	38	1.07	79	1.03	0.82-1.29
192	Eye	[0.02]	0.00	14	1.24	1	3.61	9	0.92	7	0.41	31	0.80	0.55-1.14
	-melanoma ²	[0.02]	0.00	13	1.24	1	5.43	8	0.94	7	0.48	29	0.86	0.58-1.24
193	Brain	[0.29]	0.00	164	1.06	5	0.58	93	0.98	219	1.09	481	1.05	0.96-1.15
	-glioma ²	[0.02]	0.00	45	1.08	1	0.32	35	1.13	68	1.03	149	1.05	0.89-1.23
	-meningeoma ²	[0.07]	0.00	68	1.04	4	0.93	27	0.84	91	1.08	190	1.02	0.89-1.18
194	Thyroid	[0.05]	0.00	103	1.19	5	0.77	38	0.96	63	0.88	209	1.02	0.89-1.17
	-follicular ²	-	-	15	1.30	[0.81]	0.00	7	1.19	1	0.39	23	1.11	0.70-1.66
	-papillary ²	-	-	74	1.17	3	0.57	17	0.83	9	1.00	103	1.05	0.87-1.28
195.0	Glandula suprarenalis	[0.01]	0.00	5	1.32	[0.15]	0.00	3	1.84	4	1.19	12	1.34	0.69-2.34
195.1	Parathyreoidea	[0.00]	0.00	[0.12]	0.00	-	-	1	5.30	[0.82]	0.00	1	0.88	0.02-4.92
195.2	Thymus	[0.00]	0.00	3	2.10	-	-	[0.58]	0.00	2	1.62	5	1.54	0.50-3.60
195.3	Hypophysis	[0.00]	0.00	[0.12]	0.00	[0.78]	0.00	[0.17]	0.00	[0.45]	0.00	[1.52]	0.00	0.00-2.43
195.4	Corpus pineale	-	-	1	2.44	-	-	[0.10]	0.00	-	-	1	1.97	0.05-10.99
196	Bone	[0.01]	0.00	6	1.15	1	2.14	1	0.27	9	1.09	17	0.96	0.56-1.54
	-chondrosarcoma ²	-	-	2	0.83	1	3.56	[1.08]	0.00	5	1.42	8	1.10	0.48-2.17
197	Soft tissue	[0.03]	0.00	33	1.30	[0.89]	0.00	10	0.73	38	0.88	81	0.97	0.77-1.21
	-fibrosarcoma ²	-	-	7	0.91	[0.08]	0.00	[1.09]	0.00	5	0.74	12	0.77	0.40-1.34
	-liposarcoma ²	-	-	6	1.12	[0.22]	0.00	[1.66]	0.00	4	0.61	10	0.73	0.35-1.34
200,202	Non-Hodgkin lymphoma	[0.23]	0.00	123	0.86	7	1.20	80	1.00	169	0.95	379	0.93	0.84-1.03
201	Hodgkin lymphoma	[0.02]	0.00	17	1.18	[0.61]	0.00	18	1.73	23	0.94	58	1.16	0.88-1.50
203	Multiple myeloma	[0.12]	0.00	63	1.13	4	1.27	73	1.16	104	1.09	244	1.12	0.99-1.27
204	Leukaemia	[0.23]	0.00	85	1.08	7	1.37	76	1.00	128	1.04	296	1.05	0.93-1.17
	-chronic lymphatic ²	-	-	26	0.94	2	1.13	20	0.77	61	1.27	109	1.05	0.87-1.27
	-acute myeloid ²	[0.08]	0.00	28	1.06	3	1.54	35	1.18	32	0.93	98	1.06	0.86-1.29
	Mycosis fungoides ²	[0.00]	0.00	[2.08]	0.00	[0.10]	0.00	1	0.72	11	0.79	12	0.68	0.35-1.19
199	Other/unknown site	[0.17]	0.00	82	0.79	6	0.90	154	0.92	299	1.14	541	1.00	0.92-1.09
140-204	All sites	10	1.06	3944	1.01	246	1.06	3647	1.05	6531	1.03	14378	1.03	1.01-1.04
	Not included above													
	Ovary borderline ²	-	-	37	1.02	3	0.94	33	1.56	53	1.21	126	1.21	1.01-1.44
191	Other skin	-	-	110	0.96	3	0.45	143	1.03	204	0.88	460	0.94	0.86-1.03
191.6	-upper limbs ²	-	-	6	0.69	[0.86]	0.00	15	1.09	22	0.86	43	0.88	0.64-1.19

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Domestic assistants. Men (N = 3 047). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.03]	0.00	[0.22]	0.00	[0.00]	0.00	[0.10]	0.00	[0.68]	0.00	[1.02]	0.00	0.00-3.61
141	Tongue	[0.01]	0.00	[0.06]	0.00	[0.00]	0.00	[0.07]	0.00	2	2.67	2	2.26	0.27-8.16
142	Salivary glands	[0.01]	0.00	[0.04]	0.00	[0.00]	0.00	[0.03]	0.00	[0.41]	0.00	[0.48]	0.00	0.00-7.67
143-144	Oral cavity	[0.02]	0.00	[0.05]	0.00	[0.00]	0.00	[0.08]	0.00	[0.76]	0.00	[0.92]	0.00	0.00-4.02
145-148	Pharynx	[0.03]	0.00	[0.06]	0.00	[0.00]	0.00	[0.11]	0.00	3	1.89	3	1.68	0.35-4.90
145	-oropharynx ²	[0.02]	0.00	[0.03]	0.00	[0.00]	0.00	[0.05]	0.00	1	1.10	1	1.00	0.03-5.57
146	-nasopharynx ²	[0.00]	0.00	[0.01]	0.00	[0.00]	0.00	[0.02]	0.00	[0.32]	0.00	[0.35]	0.00	0.00-10.46
150	Oesophagus	[0.05]	0.00	[0.20]	0.00	[0.00]	0.00	[0.14]	0.00	3	1.98	3	1.57	0.32-4.60
	-adenocarcinoma ²	[0.02]	0.00	[0.05]	0.00	[0.00]	0.00	[0.04]	0.00	2	3.34	2	2.86	0.35-10.32
151	Stomach	[0.11]	0.00	1	0.93	[0.01]	0.00	[0.59]	0.00	6	1.28	7	1.08	0.44-2.23
151.1	-cardia ²	[0.03]	0.00	[0.17]	0.00	[0.00]	0.00	[0.13]	0.00	2	2.11	2	1.55	0.19-5.62
152	Small intestine	[0.01]	0.00	[0.06]	0.00	[0.00]	0.00	[0.05]	0.00	2	2.42	2	2.13	0.26-7.71
153	Colon	[0.23]	0.00	[0.88]	0.00	[0.02]	0.00	[1.05]	0.00	11	1.45	11	1.13	0.56-2.01
154	Rectum, rectosigma	1	6.14	2	2.92	[0.00]	0.00	2	3.09	3	0.53	8	1.12	0.48-2.21
155.0	Primary liver	[0.04]	0.00	[0.25]	0.00	[0.00]	0.00	[0.07]	0.00	4	2.84	4	2.26	0.62-5.78
	-hemangiosarcoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.01]	0.00	[0.01]	0.00	0.00-405.62
155.1	Gall bladder	[0.02]	0.00	[0.16]	0.00	[0.00]	0.00	1	17.42	1	2.50	2	3.12	0.38-11.28
157	Pancreas	[0.09]	0.00	[0.61]	0.00	[0.01]	0.00	[0.36]	0.00	2	0.66	2	0.49	0.06-1.76
160	Nose	[0.01]	0.00	[0.03]	0.00	[0.00]	0.00	[0.03]	0.00	[0.31]	0.00	[0.39]	0.00	0.00-9.58
	-adenocarcinoma ²	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.05]	0.00	[0.05]	0.00	0.00-71.92
161	Larynx	[0.05]	0.00	[0.19]	0.00	[0.00]	0.00	1	6.52	[1.10]	0.00	1	0.67	0.02-3.73
162,163	Lung	1	1.74	[3.29]	0.00	[0.03]	0.00	3	1.93	6	0.64	10	0.68	0.32-1.24
	-adenocarcinoma ²	[0.12]	0.00	[0.36]	0.00	[0.01]	0.00	2	5.62	2	0.78	4	1.18	0.32-3.01
	-small cell ²	-	-	[0.44]	0.00	[0.01]	0.00	1	3.52	[1.00]	0.00	1	0.58	0.01-3.23
	-squamous cell ²	1	5.18	[0.98]	0.00	[0.01]	0.00	[0.45]	0.00	1	0.37	2	0.47	0.06-1.68
	-other ²	-	-	[1.51]	0.00	[0.01]	0.00	[0.38]	0.00	3	0.96	3	0.59	0.12-1.74
158, 162.2	Mesothelioma ²	[0.02]	0.00	[0.05]	0.00	[0.00]	0.00	[0.06]	0.00	[0.50]	0.00	[0.62]	0.00	0.00-5.92
170	Breast	[0.01]	0.00	[0.02]	0.00	[0.00]	0.00	[0.02]	0.00	[0.22]	0.00	[0.27]	0.00	0.00-13.86
177	Prostate	1	2.94	[4.25]	0.00	[0.06]	0.00	2	0.82	17	0.70	20	0.63	0.39-0.98
178	Testis	[0.03]	0.00	[0.05]	0.00	[0.00]	0.00	[0.17]	0.00	1	0.30	1	0.28	0.01-1.54
	-seminoma ²	[0.01]	0.00	[0.04]	0.00	[0.00]	0.00	[0.12]	0.00	1	0.42	1	0.39	0.01-2.18
	-non-seminoma ²	[0.02]	0.00	[0.02]	0.00	[0.00]	0.00	[0.04]	0.00	[0.97]	0.00	[1.05]	0.00	0.00-3.52
179.0	Penis	[0.01]	0.00	[0.03]	0.00	[0.00]	0.00	[0.04]	0.00	1	1.64	1	1.44	0.04-8.04
180	Kidney	[0.07]	0.00	1	1.77	[0.01]	0.00	1	2.35	2	0.45	4	0.72	0.20-1.84
180.1	-renal pelvis ²	[0.03]	0.00	[0.04]	0.00	[0.00]	0.00	[0.05]	0.00	[0.41]	0.00	[0.53]	0.00	0.00-7.01
181	Bladder	1	3.74	[1.04]	0.00	[0.02]	0.00	2	2.23	4	0.54	7	0.72	0.29-1.49
190	Melanoma	[0.07]	0.00	[0.38]	0.00	[0.01]	0.00	[0.66]	0.00	3	0.38	3	0.33	0.07-0.97
190.6	-upper limbs ²	[0.01]	0.00	[0.05]	0.00	[0.00]	0.00	[0.06]	0.00	[1.25]	0.00	[1.37]	0.00	0.00-2.69
192	Eye	[0.01]	0.00	[0.04]	0.00	[0.00]	0.00	[0.04]	0.00	[0.52]	0.00	[0.61]	0.00	0.00-6.06
	-melanoma ²	[0.01]	0.00	[0.04]	0.00	[0.00]	0.00	[0.03]	0.00	[0.36]	0.00	[0.43]	0.00	0.00-8.58
193	Brain	1	12.18	[0.36]	0.00	[0.01]	0.00	1	2.46	7	1.05	9	1.20	0.55-2.27
	-glioma ²	[0.01]	0.00	[0.14]	0.00	[0.01]	0.00	[0.22]	0.00	4	1.18	4	1.06	0.29-2.71
	-meningeoma ²	[0.01]	0.00	[0.07]	0.00	[0.00]	0.00	1	14.83	1	0.90	2	1.58	0.19-5.70
194	Thyroid	[0.01]	0.00	[0.09]	0.00	[0.00]	0.00	[0.07]	0.00	2	2.05	2	1.74	0.21-6.27
	-follicular ²	-	-	[0.02]	0.00	[0.00]	0.00	[0.01]	0.00	[0.08]	0.00	[0.11]	0.00	0.00-33.48
	-papillary ²	-	-	[0.05]	0.00	[0.00]	0.00	[0.05]	0.00	2	5.07	2	4.00	0.48-14.45
195.0	Glandula suprarenalis	[0.00]	0.00	[0.02]	0.00	[0.00]	0.00	[0.01]	0.00	[0.10]	0.00	[0.12]	0.00	0.00-29.73
195.1	Parathyreoidea	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	[0.01]	0.00	0.00-443.84
195.2	Thymus	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.04]	0.00	[0.05]	0.00	0.00-74.74
195.3	Hypophysis	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-518.16
195.4	Corpus pineale	-	-	[0.00]	0.00	-	-	[0.00]	0.00	-	-	[0.00]	0.00	0.00-3696.98
196	Bone	[0.00]	0.00	[0.02]	0.00	[0.00]	0.00	[0.02]	0.00	[0.36]	0.00	[0.41]	0.00	0.00-8.97
	-chondrosarcoma ²	-	-	[0.01]	0.00	[0.00]	0.00	[0.00]	0.00	[0.18]	0.00	[0.20]	0.00	0.00-18.53
197	Soft tissue	[0.01]	0.00	[0.10]	0.00	[0.00]	0.00	[0.05]	0.00	2	1.47	2	1.32	0.16-4.76
	-fibrosarcoma ²	-	-	[0.04]	0.00	-	-	[0.00]	0.00	[0.14]	0.00	[0.18]	0.00	0.00-21.00
	-liposarcoma ²	-	-	[0.02]	0.00	[0.00]	0.00	[0.01]	0.00	[0.24]	0.00	[0.27]	0.00	0.00-13.58
200,202	Non-Hodgkin lymphoma	[0.07]	0.00	[0.55]	0.00	[0.01]	0.00	1	2.45	3	0.58	4	0.65	0.18-1.65
201	Hodgkin lymphoma	[0.01]	0.00	[0.08]	0.00	[0.00]	0.00	[0.06]	0.00	1	0.94	1	0.82	0.02-4.58
203	Multiple myeloma	[0.04]	0.00	[0.22]	0.00	[0.00]	0.00	[0.19]	0.00	[1.77]	0.00	[2.23]	0.00	0.00-1.66
204	Leukaemia	[0.08]	0.00	[0.42]	0.00	[0.01]	0.00	[0.29]	0.00	4	1.12	4	0.91	0.25-2.34
	-chronic lymphatic ²	-	-	[0.19]	0.00	[0.00]	0.00	[0.10]	0.00	3	2.25	3	1.84	0.38-5.39
	-acute myeloid ²	[0.02]	0.00	[0.11]	0.00	[0.00]	0.00	[0.11]	0.00	1	1.18	1	0.92	0.02-5.12
	Mycosis fungoides ²	[0.00]	0.00	[0.01]	0.00	[0.00]	0.00	[0.01]	0.00	[0.22]	0.00	[0.24]	0.00	0.00-15.06
199	Other/unknown site	[0.04]	0.00	[0.42]	0.00	[0.00]	0.00	[0.37]	0.00	3	0.80	3	0.66	0.14-1.92
140-204	All sites	4	1.57	4	0.24	[0.23]	0.00	14	1.20	93	0.81	115	0.79	0.66-0.95
Not included above														
191	Other skin	-	-	[0.75]	0.00	[0.00]	0.00	[0.52]	0.00	4	0.92	4	0.71	0.19-1.82
191.6	-upper limbs ²	-	-	[0.05]	0.00	[0.00]	0.00	[0.04]	0.00	[0.58]	0.00	[0.67]	0.00	0.00-5.48

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Domestic assistants. Women (N = 248 175). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	18	1.96	16	1.24	[0.08]	0.00	20	1.22	37	1.04	91	1.23	0.99-1.51
141	Tongue	9	0.72	16	1.07	[0.17]	0.00	26	1.09	31	0.66	82	0.84	0.66-1.04
142	Salivary glands	18	1.73	6	0.57	[0.08]	0.00	17	1.04	45	0.98	86	1.03	0.82-1.27
143-144	Oral cavity	25	0.87	14	0.93	[0.45]	0.00	33	0.83	56	0.86	128	0.86	0.72-1.02
145-148	Pharynx	14	0.68	7	0.70	[0.13]	0.00	16	0.67	66	1.10	103	0.90	0.74-1.09
145	-oropharynx ²	6	0.51	3	0.73	[0.06]	0.00	7	0.71	28	0.99	44	0.81	0.59-1.09
146	-nasopharynx ²	2	0.60	1	0.39	[0.07]	0.00	1	0.21	14	0.99	18	0.72	0.43-1.14
150	Oesophagus	43	1.07	36	1.00	1	1.68	39	0.85	78	0.88	197	0.93	0.81-1.07
	-adenocarcinoma ²	18	1.81	3	0.93	1	6.18	10	1.38	8	0.57	40	1.15	0.82-1.57
151	Stomach	126	1.04	172	0.97	3	1.24	420	0.99	628	1.10	1349	1.04	0.99-1.10
151.1	-cardia ²	21	1.05	17	1.03	[0.19]	0.00	52	1.05	32	0.89	122	1.00	0.84-1.19
152	Small intestine	19	1.23	11	0.80	[0.27]	0.00	35	0.99	73	0.91	138	0.95	0.81-1.13
153	Colon	554	0.96	241	0.97	6	1.17	1009	0.93	1319	0.96	3129	0.95	0.92-0.99
154	Rectum, rectosigma	238	0.93	154	1.03	3	1.62	440	0.96	732	1.01	1567	0.99	0.94-1.04
155.0	Primary liver	38	0.85	38	0.99	[0.39]	0.00	38	0.86	111	0.78	225	0.83	0.73-0.95
	-hemangiosarcoma ²	-	-	[0.25]	0.00	[0.03]	0.00	1	6.29	1	1.01	2	1.40	0.17-5.04
155.1	Gall bladder	59	0.88	41	0.60	2	3.83	77	0.90	258	1.06	437	0.94	0.86-1.03
157	Pancreas	191	1.05	148	1.00	2	1.06	314	0.96	482	0.96	1137	0.98	0.92-1.04
160	Nose	11	0.99	9	1.40	[0.19]	0.00	13	0.76	31	1.22	64	1.06	0.82-1.35
	-adenocarcinoma ²	-	-	[0.41]	0.00	-	-	1	0.59	3	1.55	4	0.99	0.27-2.54
161	Larynx	32	1.28	5	0.92	[0.13]	0.00	12	0.76	21	0.87	70	0.99	0.77-1.25
162,163	Lung	709	1.11	153	0.84	6	0.68	465	0.90	923	1.08	2256	1.02	0.98-1.07
	-adenocarcinoma ²	237	1.20	52	1.03	2	0.69	149	0.98	323	1.07	763	1.08	1.01-1.16
	-small cell ²	-	-	26	0.87	3	2.08	86	0.84	122	1.15	237	0.99	0.87-1.12
	-squamous cell ²	133	1.10	18	0.64	[1.45]	0.00	77	0.92	160	1.07	388	1.01	0.92-1.12
	-other ²	-	-	57	0.77	1	0.34	119	0.84	318	1.07	495	0.96	0.88-1.05
158, 162.2	Mesothelioma ²	16	1.75	3	0.44	[0.03]	0.00	4	0.59	9	0.61	32	0.85	0.58-1.20
170	Breast	1316	0.89	1346	0.92	19	1.09	2003	0.93	5226	0.93	9910	0.93	0.91-0.94
	-ductal ²	-	-	977	0.91	16	1.19	1295	0.93	1593	0.93	3881	0.92	0.89-0.95
	-lobular ²	-	-	145	0.78	[1.47]	0.00	81	0.66	318	0.87	544	0.80	0.74-0.87
171	Cervix uteri	285	1.08	79	0.92	1	0.70	340	0.98	779	1.17	1484	1.09	1.04-1.15
172	Corpus uteri	363	0.95	286	1.06	4	1.07	529	1.03	1150	1.06	2332	1.03	0.99-1.08
173	Choriocarcinoma	[0.25]	0.00	[0.68]	0.00	[0.00]	0.00	[0.70]	0.00	3	1.14	3	0.70	0.15-2.06
175.0	Ovary	346	1.10	208	1.03	5	1.63	523	1.02	1230	1.02	2312	1.03	0.99-1.08
175.1	Fallopian tube	12	1.29	13	1.26	[0.06]	0.00	7	0.55	29	1.05	61	1.02	0.78-1.31
176.0	Vulva	32	1.05	20	0.77	[0.29]	0.00	112	1.27	144	1.19	308	1.16	1.04-1.30
176.1	Vagina	8	0.62	6	0.87	[0.10]	0.00	15	0.90	31	0.89	60	0.84	0.64-1.08
180	Kidney	130	1.15	108	0.91	2	0.92	192	0.85	435	0.96	867	0.95	0.89-1.02
180.1	-renal pelvis ²	32	0.77	5	0.83	[0.24]	0.00	28	1.15	44	1.00	109	0.94	0.78-1.13
181	Bladder	193	0.95	69	1.04	1	0.49	292	1.04	481	1.10	1036	1.05	0.99-1.11
190	Melanoma	147	0.90	122	0.98	1	0.71	289	0.86	618	0.92	1177	0.91	0.86-0.96
190.6	-upper limbs ²	21	0.70	19	0.86	[0.24]	0.00	43	0.74	130	1.01	213	0.89	0.78-1.02
192	Eye	14	0.98	7	0.58	[0.08]	0.00	30	1.16	54	1.09	105	1.03	0.85-1.25
	-melanoma ²	13	1.01	7	0.63	[0.05]	0.00	26	1.15	41	1.06	87	1.02	0.82-1.26
193	Brain	178	1.02	164	0.91	5	2.06	231	0.90	585	0.90	1163	0.92	0.87-0.97
	-glioma ²	17	1.23	51	1.03	3	3.48	78	0.91	202	0.95	351	0.97	0.87-1.07
	-meningeoma ²	33	0.79	76	0.99	2	1.68	89	0.99	260	0.93	460	0.94	0.85-1.03
194	Thyroid	28	1.02	108	0.97	3	1.80	97	0.92	219	0.96	455	0.96	0.87-1.05
	-follicular ²	-	-	12	0.98	[0.21]	0.00	14	0.93	18	1.64	44	1.14	0.83-1.53
	-papillary ²	-	-	88	1.01	3	2.24	54	0.95	51	0.94	196	0.98	0.86-1.13
195.0	Glandula suprarenalis	2	0.63	2	0.46	[0.04]	0.00	7	1.54	5	0.47	16	0.71	0.40-1.15
195.1	Parathyreoidea	1	3.97	[0.12]	0.00	-	-	[0.50]	0.00	4	1.76	5	1.59	0.52-3.71
195.2	Thymus	2	1.40	2	1.21	-	-	3	1.94	6	1.45	13	1.48	0.79-2.53
195.3	Hypophysis	[0.36]	0.00	[0.14]	0.00	[0.21]	0.00	[0.44]	0.00	1	0.96	1	0.46	0.01-2.55
195.4	Corpus pineale	-	-	[0.52]	0.00	-	-	1	3.95	-	-	1	1.30	0.03-7.24
196	Bone	3	0.66	8	1.35	1	8.17	6	0.60	24	0.97	42	0.93	0.67-1.25
	-chondrosarcoma ²	-	-	4	1.50	1	14.54	1	0.35	8	0.70	14	0.82	0.45-1.38
197	Soft tissue	16	0.91	19	0.68	[0.24]	0.00	38	1.09	110	0.90	183	0.90	0.78-1.04
	-fibrosarcoma ²	-	-	7	0.90	[0.03]	0.00	5	1.86	18	1.10	30	1.12	0.75-1.59
	-liposarcoma ²	-	-	6	0.96	[0.06]	0.00	3	0.69	17	0.90	26	0.88	0.58-1.29
200,202	Non-Hodgkin lymphoma	157	1.15	131	0.85	1	0.60	223	1.04	447	0.94	959	0.98	0.92-1.04
201	Hodgkin lymphoma	13	0.93	16	0.94	[0.17]	0.00	19	0.72	60	0.88	108	0.86	0.71-1.04
203	Multiple myeloma	58	0.84	61	1.10	3	3.17	168	1.05	224	0.99	514	1.01	0.92-1.10
204	Leukaemia	121	0.92	70	0.86	1	0.66	203	1.04	326	1.00	721	0.98	0.91-1.06
	-chronic lymphatic ²	-	-	25	0.89	[0.54]	0.00	64	0.98	130	1.09	219	1.03	0.90-1.17
	-acute myeloid ²	48	1.08	21	0.76	1	1.79	78	1.03	94	0.99	242	0.99	0.88-1.13
	Mycosis fungoides ²	1	0.36	2	0.84	[0.02]	0.00	3	0.83	35	1.13	41	1.03	0.74-1.40
199	Other/unknown site	96	1.02	95	0.91	2	1.01	413	1.00	734	1.11	1340	1.05	1.00-1.11
140-204	All sites	5459	0.98	4046	0.94	74	1.11	8745	0.96	17860	0.99	36184	0.97	0.96-0.98
Not included above														
	Ovary borderline ²	-	-	47	1.03	[0.80]	0.00	57	0.94	185	0.95	289	0.96	0.85-1.08
191	Other skin	-	-	115	1.00	[1.98]	0.00	310	0.90	460	0.88	885	0.90	0.84-0.96
191.6	-upper limbs ²	-	-	7	0.81	[0.25]	0.00	28	0.80	49	0.81	84	0.80	0.64-1.00

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Waiters. Men (N = 16 134). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[4.95]	0.00	1	0.43	[0.03]	0.00	3	0.46	3	0.53	7	0.36	0.14-0.74
141	Tongue	11	5.62	4	2.97	[0.03]	0.00	13	4.64	13	4.16	41	4.43	3.18-6.01
142	Salivary glands	2	1.77	1	1.49	[0.02]	0.00	2	1.61	4	1.95	9	1.76	0.80-3.34
143-144	Oral cavity	30	7.98	4	3.01	[0.04]	0.00	9	2.31	24	5.65	67	5.05	3.91-6.41
145-148	Pharynx	35	7.46	7	4.24	[0.04]	0.00	32	6.91	36	5.40	110	6.22	5.16-7.50
145	-oropharynx ²	18	7.03	4	4.97	[0.01]	0.00	12	6.64	17	5.79	51	6.28	4.68-8.26
146	-nasopharynx ²	5	6.81	[0.33]	0.00	[0.01]	0.00	4	4.79	3	2.25	12	3.69	1.91-6.45
150	Oesophagus	41	4.34	7	2.37	[0.14]	0.00	21	2.83	31	3.12	100	3.34	2.75-4.07
	-adenocarcinoma ²	3	0.85	4	4.75	[0.06]	0.00	1	0.64	9	3.02	17	1.90	1.10-3.04
151	Stomach	28	1.28	10	0.85	1	2.71	30	0.74	55	1.59	124	1.14	0.95-1.35
151.1	-cardia ²	9	1.39	2	0.90	[0.08]	0.00	7	0.99	4	0.76	22	1.04	0.65-1.58
152	Small intestine	3	1.83	3	3.10	[0.05]	0.00	3	1.36	2	0.46	11	1.20	0.60-2.14
153	Colon	67	1.54	7	0.63	[0.58]	0.00	84	1.51	62	1.17	220	1.34	1.18-1.53
154	Rectum, rectosigma	51	1.62	6	0.67	[0.21]	0.00	57	1.66	45	1.19	159	1.41	1.21-1.65
155.0	Primary liver	33	4.54	9	3.01	[0.06]	0.00	22	5.19	37	3.94	101	4.22	3.47-5.13
	-hemangiosarcoma ²	-	-	[0.01]	0.00	-	-	[0.01]	0.00	[0.05]	0.00	[0.07]	0.00	0.00-56.53
155.1	Gall bladder	5	1.27	4	2.50	[0.04]	0.00	2	0.65	3	0.91	14	1.17	0.64-1.96
157	Pancreas	29	1.58	14	1.80	1	4.60	23	1.11	33	1.53	100	1.45	1.19-1.77
160	Nose	3	1.94	1	1.86	[0.02]	0.00	1	0.59	3	1.74	8	1.45	0.63-2.86
	-adenocarcinoma ²	-	-	[0.03]	0.00	[0.00]	0.00	[0.23]	0.00	[0.30]	0.00	[0.56]	0.00	0.00-6.61
161	Larynx	59	5.91	4	1.29	[0.09]	0.00	23	2.86	16	2.05	102	3.52	2.90-4.27
162,163	Lung	248	2.03	40	1.04	1	1.04	145	1.73	169	2.32	603	1.90	1.75-2.05
	-adenocarcinoma ²	53	2.26	11	1.85	[0.28]	0.00	27	1.68	35	2.23	126	2.05	1.72-2.44
	-small cell ²	-	-	6	0.96	[0.18]	0.00	26	1.81	16	2.11	48	1.69	1.25-2.25
	-squamous cell ²	86	2.03	8	0.69	1	4.49	36	1.39	55	2.19	186	1.77	1.53-2.04
	-other ²	-	-	15	1.03	[0.24]	0.00	43	2.18	63	2.57	121	2.05	1.71-2.45
158, 162.2	Mesothelioma ²	3	0.97	1	0.89	[0.03]	0.00	[2.43]	0.00	2	0.62	6	0.61	0.22-1.32
170	Breast	1	1.07	[0.32]	0.00	[0.03]	0.00	4	4.59	1	0.78	6	1.74	0.64-3.79
177	Prostate	77	1.16	50	1.09	2	1.12	149	1.10	212	1.09	490	1.10	1.01-1.20
178	Testis	7	1.95	[1.79]	0.00	[0.17]	0.00	4	0.82	10	1.64	21	1.27	0.79-1.94
	-seminoma ²	2	1.31	[1.20]	0.00	[0.13]	0.00	3	0.88	9	2.08	14	1.32	0.72-2.21
	-non-seminoma ²	5	2.40	[0.57]	0.00	[0.05]	0.00	[1.10]	0.00	1	0.57	6	1.08	0.40-2.35
179.0	Penis	4	2.13	[0.53]	0.00	[0.03]	0.00	4	1.86	3	1.08	11	1.49	0.75-2.67
180	Kidney	28	2.00	11	1.11	[0.42]	0.00	29	1.36	28	0.97	96	1.29	1.04-1.57
180.1	-renal pelvis ²	7	1.37	1	1.83	[0.02]	0.00	2	0.83	1	0.34	11	1.00	0.50-1.79
181	Bladder	103	1.96	11	1.00	2	3.59	50	1.03	83	1.54	249	1.50	1.32-1.69
190	Melanoma	12	1.09	4	0.45	[0.23]	0.00	26	1.13	20	0.69	62	0.86	0.66-1.11
190.6	-upper limbs ²	3	2.30	1	0.87	[0.04]	0.00	2	0.96	3	0.69	9	1.00	0.46-1.91
192	Eye	1	0.71	[0.72]	0.00	[0.02]	0.00	[1.81]	0.00	1	0.42	2	0.32	0.04-1.14
	-melanoma ²	1	0.80	[0.67]	0.00	[0.01]	0.00	[1.60]	0.00	1	0.53	2	0.37	0.04-1.34
193	Brain	16	1.09	15	1.64	[0.31]	0.00	10	0.60	31	1.24	72	1.09	0.86-1.38
	-glioma ²	1	0.57	6	1.35	[0.19]	0.00	5	0.57	15	1.14	27	0.96	0.63-1.39
	-meningeoma ²	3	1.79	4	2.32	[0.07]	0.00	1	0.38	6	1.24	14	1.28	0.70-2.14
194	Thyroid	2	1.59	2	0.88	[0.16]	0.00	2	0.66	6	1.53	12	1.13	0.58-1.97
	-follicular ²	-	-	1	3.68	[0.02]	0.00	[0.35]	0.00	1	4.56	2	2.31	0.28-8.36
	-papillary ²	-	-	1	0.61	[0.12]	0.00	[1.63]	0.00	3	4.17	4	0.98	0.27-2.50
195.0	Glandula suprarenalis	2	5.50	[0.30]	0.00	[0.01]	0.00	[0.38]	0.00	[0.44]	0.00	2	1.34	0.16-4.84
195.1	Parathyreoidea	[0.02]	0.00	[0.01]	0.00	[0.00]	0.00	[0.01]	0.00	[0.03]	0.00	[0.07]	0.00	0.00-56.39
195.2	Thymus	[0.16]	0.00	[0.08]	0.00	[0.01]	0.00	[0.16]	0.00	1	5.18	1	1.64	0.04-9.12
195.3	Hypophysis	[0.04]	0.00	[0.01]	0.00	[0.04]	0.00	1	35.78	[0.05]	0.00	1	5.84	0.15-32.56
195.4	Corpus pineale	-	-	[0.02]	0.00	-	-	[0.01]	0.00	-	-	[0.03]	0.00	0.00-136.43
196	Bone	[0.55]	0.00	[0.54]	0.00	[0.03]	0.00	[0.91]	0.00	[1.39]	0.00	[3.41]	0.00	0.00-1.08
	-chondrosarcoma ²	-	-	[0.30]	0.00	[0.03]	0.00	[0.24]	0.00	[0.64]	0.00	[1.20]	0.00	0.00-3.09
197	Soft tissue	3	1.69	1	0.55	[0.06]	0.00	3	1.13	8	1.38	15	1.24	0.69-2.04
	-fibrosarcoma ²	-	-	1	1.75	-	-	1	3.88	2	2.52	4	2.47	0.67-6.32
	-liposarcoma ²	-	-	[0.44]	0.00	[0.02]	0.00	[0.44]	0.00	2	1.93	2	1.03	0.12-3.72
200,202	Non-Hodgkin lymphoma	14	1.09	13	1.31	[0.31]	0.00	17	1.15	25	0.98	69	1.09	0.84-1.37
201	Hodgkin lymphoma	1	0.44	1	0.51	[0.05]	0.00	2	0.68	3	0.69	7	0.61	0.24-1.25
203	Multiple myeloma	8	1.06	4	1.44	1	9.01	13	1.20	11	0.95	37	1.13	0.79-1.55
204	Leukaemia	18	1.12	6	1.10	[0.20]	0.00	21	1.37	21	1.13	66	1.19	0.92-1.51
	-chronic lymphatic ²	-	-	[2.03]	0.00	[0.06]	0.00	6	1.09	7	0.83	13	0.81	0.43-1.38
	-acute myeloid ²	4	0.83	[1.53]	0.00	[0.07]	0.00	7	1.27	5	1.17	16	0.99	0.56-1.60
	Mycosis fungoides ²	[0.41]	0.00	[0.21]	0.00	[0.01]	0.00	1	2.34	2	1.26	3	1.13	0.23-3.30
199	Other/unknown site	12	1.78	5	1.15	[0.15]	0.00	26	1.16	42	1.79	85	1.49	1.19-1.84
140-204	All sites	913	1.84	251	1.15	8	1.05	832	1.36	1046	1.45	3050	1.48	1.43-1.54
Not included above														
191	Other skin	-	-	3	0.54	[0.21]	0.00	23	0.87	40	1.29	66	1.04	0.81-1.33
191.6	-upper limbs ²	-	-	[0.48]	0.00	[0.02]	0.00	1	0.43	4	1.13	5	0.79	0.26-1.83

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Waiters. Women (N = 81 838). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	2	1.37	2	0.19	[0.02]	0.00	7	1.05	15	1.05	26	0.79	0.52-1.16
141	Tongue	5	2.33	15	1.31	[0.07]	0.00	13	1.35	22	1.36	55	1.39	1.05-1.81
142	Salivary glands	1	0.57	9	1.10	[0.04]	0.00	8	1.17	20	1.17	38	1.12	0.79-1.54
143-144	Oral cavity	13	2.68	22	1.94	1	6.84	31	1.92	46	1.82	113	1.96	1.63-2.35
145-148	Pharynx	10	2.73	13	1.79	[0.05]	0.00	10	1.00	31	1.55	64	1.56	1.20-2.00
145	-oropharynx ²	7	3.33	9	3.21	[0.02]	0.00	4	0.91	15	1.88	35	2.02	1.41-2.81
146	-nasopharynx ²	2	3.33	1	0.53	[0.03]	0.00	4	2.09	8	1.55	15	1.56	0.87-2.57
150	Oesophagus	16	2.31	23	0.89	[0.19]	0.00	27	1.52	53	1.43	119	1.35	1.13-1.62
	-adenocarcinoma ²	4	2.39	1	0.38	[0.05]	0.00	4	1.32	5	0.81	14	1.03	0.57-1.73
151	Stomach	25	1.21	128	0.98	1	1.27	185	1.19	248	1.07	587	1.09	1.00-1.18
151.1	-cardia ²	4	1.16	13	1.08	1	14.88	31	1.63	19	1.27	68	1.38	1.07-1.74
152	Small intestine	2	0.75	11	1.02	[0.10]	0.00	16	1.07	32	1.00	61	1.01	0.77-1.29
153	Colon	108	1.14	230	1.18	3	1.70	488	1.11	579	0.99	1408	1.07	1.02-1.13
154	Rectum, rectosigma	45	1.06	139	1.18	1	1.46	203	1.09	311	1.05	699	1.09	1.01-1.17
155.0	Primary liver	14	1.80	34	1.14	[0.13]	0.00	26	1.48	81	1.38	155	1.36	1.16-1.59
	-hemangiosarcoma ²	-	-	[0.24]	0.00	[0.01]	0.00	[0.07]	0.00	1	2.55	1	1.41	0.04-7.86
155.1	Gall bladder	9	0.79	49	0.94	2	11.83	30	0.93	94	0.92	184	0.93	0.80-1.07
157	Pancreas	43	1.37	122	1.06	1	1.50	149	1.16	232	1.11	547	1.13	1.04-1.23
160	Nose	2	1.08	3	0.58	[0.07]	0.00	7	1.03	8	0.82	20	0.84	0.52-1.30
	-adenocarcinoma ²	-	-	[0.35]	0.00	-	-	1	1.46	1	1.36	2	1.13	0.14-4.08
161	Larynx	19	4.33	8	1.75	[0.05]	0.00	10	1.49	18	1.92	55	2.19	1.65-2.85
162,163	Lung	276	2.40	320	2.12	7	2.08	396	1.74	525	1.71	1524	1.89	1.80-1.99
	-adenocarcinoma ²	75	2.08	65	1.56	3	2.58	114	1.68	152	1.53	409	1.66	1.51-1.83
	-small cell ²	-	-	57	2.23	[0.54]	0.00	80	1.71	70	1.89	207	1.88	1.64-2.16
	-squamous cell ²	68	3.14	75	3.07	3	5.55	76	2.05	118	1.95	340	2.36	2.12-2.62
	-other ²	-	-	123	2.07	1	0.91	108	1.72	185	1.68	417	1.79	1.62-1.97
158, 162.2	Mesothelioma ²	2	1.25	8	1.36	[0.01]	0.00	5	1.70	7	1.15	22	1.33	0.84-2.02
170	Breast	297	1.16	1072	0.96	9	1.11	948	1.01	1745	0.98	4071	0.99	0.96-1.03
	-ductal ²	-	-	785	0.97	8	1.26	603	0.98	371	1.04	1767	0.99	0.94-1.04
	-lobular ²	-	-	122	0.89	[0.66]	0.00	57	0.97	66	0.80	245	0.88	0.77-0.99
171	Cervix uteri	106	2.26	102	1.61	1	1.26	239	1.54	368	1.59	816	1.64	1.53-1.75
172	Corpus uteri	47	0.74	203	0.86	[1.45]	0.00	194	0.86	361	0.82	805	0.83	0.78-0.89
173	Choriocarcinoma	[0.05]	0.00	[0.49]	0.00	[0.00]	0.00	[0.34]	0.00	[0.54]	0.00	[1.42]	0.00	0.00-2.60
175.0	Ovary	83	1.48	154	0.94	1	0.84	213	0.97	431	1.02	882	1.02	0.96-1.09
175.1	Fallopian tube	6	3.61	6	0.69	[0.04]	0.00	5	0.85	8	0.88	25	0.99	0.64-1.46
176.0	Vulva	6	1.22	31	1.60	1	8.36	38	1.10	47	0.97	123	1.14	0.96-1.36
176.1	Vagina	3	1.39	8	1.50	[0.03]	0.00	11	1.62	18	1.27	40	1.40	1.00-1.91
180	Kidney	21	1.08	96	0.96	[0.83]	0.00	85	0.92	198	1.05	400	1.00	0.91-1.10
180.1	-renal pelvis ²	9	1.27	6	1.25	[0.07]	0.00	5	0.50	26	1.35	46	1.12	0.82-1.49
181	Bladder	61	1.82	75	1.42	1	1.37	146	1.30	271	1.46	554	1.44	1.32-1.56
190	Melanoma	20	0.72	83	0.87	[0.78]	0.00	116	0.74	172	0.88	391	0.82	0.75-0.91
190.6	-upper limbs ²	5	0.99	18	1.04	[0.11]	0.00	20	0.76	35	0.90	78	0.89	0.70-1.11
192	Eye	1	0.41	10	1.02	[0.03]	0.00	6	0.54	19	1.05	36	0.87	0.61-1.20
	-melanoma ²	1	0.45	10	1.10	[0.02]	0.00	5	0.52	16	1.07	32	0.89	0.61-1.26
193	Brain	30	0.98	131	0.94	[1.05]	0.00	113	0.98	221	1.05	495	1.00	0.91-1.09
	-glioma ²	3	1.15	37	0.96	[0.37]	0.00	36	0.93	69	0.98	145	0.96	0.82-1.13
	-meningeoma ²	6	0.83	55	0.92	[0.55]	0.00	39	0.93	89	1.03	189	0.96	0.84-1.11
194	Thyroid	3	0.64	68	0.87	[0.92]	0.00	39	0.83	78	1.06	188	0.92	0.80-1.06
	-follicular ²	-	-	11	1.09	[0.11]	0.00	5	0.74	3	1.05	19	0.96	0.58-1.49
	-papillary ²	-	-	50	0.84	[0.75]	0.00	29	1.07	8	0.87	87	0.90	0.72-1.11
195.0	Glandula suprarenalis	[0.58]	0.00	5	1.47	[0.02]	0.00	2	0.95	2	0.57	9	0.93	0.43-1.77
195.1	Parathyreoidea	[0.04]	0.00	[0.11]	0.00	-	-	[0.23]	0.00	1	1.08	1	0.76	0.02-4.26
195.2	Thymus	[0.26]	0.00	1	0.78	-	-	1	1.40	[1.37]	0.00	2	0.55	0.07-1.99
195.3	Hypophysis	[0.07]	0.00	[0.10]	0.00	[0.11]	0.00	1	5.30	1	2.16	2	2.17	0.26-7.85
195.4	Corpus pineale	-	-	[0.39]	0.00	-	-	[0.13]	0.00	-	-	[0.51]	0.00	0.00-7.16
196	Bone	[0.81]	0.00	4	0.90	[0.06]	0.00	4	0.93	9	1.07	17	0.94	0.55-1.51
	-chondrosarcoma ²	-	-	3	1.43	[0.04]	0.00	[1.20]	0.00	4	1.11	7	1.01	0.40-2.07
197	Soft tissue	2	0.66	12	0.55	[0.11]	0.00	15	1.04	56	1.25	85	1.01	0.81-1.25
	-fibrosarcoma ²	-	-	3	0.46	[0.01]	0.00	1	1.00	10	1.51	14	0.99	0.54-1.66
	-liposarcoma ²	-	-	2	0.42	[0.02]	0.00	3	1.60	9	1.38	14	1.07	0.58-1.79
200,202	Non-Hodgkin lymphoma	32	1.39	122	1.01	[0.68]	0.00	86	0.91	166	0.89	406	0.95	0.86-1.05
201	Hodgkin lymphoma	2	0.82	15	1.20	[0.09]	0.00	9	0.84	26	1.10	52	1.06	0.79-1.38
203	Multiple myeloma	11	0.94	47	1.06	1	2.86	59	0.93	89	0.92	207	0.96	0.84-1.10
204	Leukaemia	22	0.99	59	0.93	[0.53]	0.00	72	0.94	109	0.86	262	0.90	0.80-1.02
	-chronic lymphatic ²	-	-	17	0.79	[0.18]	0.00	31	1.19	52	1.03	100	1.02	0.84-1.24
	-acute myeloid ²	7	0.90	21	0.96	[0.22]	0.00	23	0.75	28	0.75	79	0.81	0.64-1.01
	Mycosis fungoides ²	[0.47]	0.00	3	1.70	[0.02]	0.00	[1.57]	0.00	9	0.70	12	0.72	0.37-1.26
199	Other/unknown site	23	1.44	97	1.20	[0.68]	0.00	186	1.18	293	1.08	599	1.14	1.05-1.23
140-204	All sites	1321	1.38	3560	1.06	30	1.10	4204	1.10	7020	1.07	16135	1.09	1.08-1.11
Not included above														
	Ovary borderline ²	-	-	37	1.11	[0.48]	0.00	32	1.08	46	0.97	115	1.04	0.86-1.25
191	Other skin	-	-	65	0.76	[0.69]	0.00	113	0.82	223	0.94	401	0.87	0.79-0.96
191.6	-upper limbs ²	-	-	7	1.03	[0.09]	0.00	16	1.12	35	1.30	58	1.20	0.91-1.56

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Building caretakers and cleaners. Men (N = 86 429). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	33	0.92	34	0.75	1	2.02	15	0.82	71	1.21	154	0.97	0.83-1.14
141	Tongue	13	1.17	12	0.90	[0.19]	0.00	9	1.22	23	0.98	57	1.03	0.78-1.33
142	Salivary glands	11	1.51	5	0.62	[0.17]	0.00	4	1.21	19	1.15	39	1.10	0.79-1.51
143-144	Oral cavity	30	1.33	16	1.19	[0.22]	0.00	14	1.35	33	0.99	93	1.16	0.94-1.42
145-148	Pharynx	33	1.24	19	1.10	[0.24]	0.00	12	0.98	51	1.01	115	1.07	0.89-1.29
145	-oropharynx ²	18	1.24	6	0.90	[0.07]	0.00	5	1.04	17	0.86	46	1.00	0.74-1.34
146	-nasopharynx ²	2	0.48	7	1.96	[0.06]	0.00	1	0.46	13	1.19	23	1.10	0.70-1.65
150	Oesophagus	55	0.95	28	0.66	1	0.73	28	1.38	98	1.14	210	1.01	0.88-1.16
	-adenocarcinoma ²	17	0.75	6	0.63	[0.47]	0.00	4	1.02	15	0.69	42	0.72	0.52-0.97
151	Stomach	157	1.15	225	1.10	5	1.15	144	1.21	425	1.10	956	1.12	1.06-1.20
151.1	-cardia ²	47	1.18	47	1.35	[0.72]	0.00	23	1.18	44	1.07	161	1.18	1.01-1.38
152	Small intestine	14	1.36	11	0.91	[0.36]	0.00	7	1.20	32	0.91	64	1.00	0.77-1.28
153	Colon	292	0.98	169	1.01	9	1.62	164	1.10	554	1.15	1188	1.08	1.02-1.14
154	Rectum, rectosigma	220	1.05	138	1.00	5	2.41	93	1.00	330	0.99	786	1.01	0.94-1.09
155.0	Primary liver	44	0.98	52	1.04	[0.71]	0.00	16	1.37	97	1.06	209	1.05	0.92-1.20
	-hemangiosarcoma ²	-	-	1	5.06	-	-	[0.01]	0.00	[0.41]	0.00	1	1.61	0.04-8.98
155.1	Gall bladder	25	1.01	26	0.96	[0.33]	0.00	12	1.39	40	1.09	103	1.06	0.87-1.28
157	Pancreas	136	1.21	107	0.87	2	0.97	82	1.41	239	1.14	566	1.12	1.03-1.22
160	Nose	14	1.38	10	1.40	[0.19]	0.00	5	1.08	9	0.60	38	1.02	0.72-1.41
	-adenocarcinoma ²	-	-	[0.47]	0.00	[0.02]	0.00	1	1.61	3	1.27	4	1.15	0.31-2.94
161	Larynx	86	1.34	54	1.13	[0.68]	0.00	40	1.90	75	1.14	255	1.28	1.13-1.45
162,163	Lung	978	1.30	738	1.01	10	1.05	317	1.45	752	1.18	2795	1.19	1.15-1.24
	-adenocarcinoma ²	181	1.29	82	0.87	2	0.78	58	1.44	132	1.17	455	1.17	1.06-1.28
	-small cell ²	-	-	115	1.02	3	1.58	47	1.30	67	1.43	232	1.17	1.03-1.34
	-squamous cell ²	346	1.32	234	1.01	1	0.42	97	1.44	285	1.19	963	1.20	1.13-1.28
	-other ²	-	-	307	1.05	3	1.21	72	1.41	268	1.12	650	1.11	1.03-1.20
158, 162.2	Mesothelioma ²	16	0.86	12	0.86	1	5.47	12	1.95	28	1.21	69	1.11	0.86-1.41
170	Breast	13	1.97	7	1.78	[0.24]	0.00	1	0.42	18	1.58	39	1.59	1.13-2.17
177	Prostate	506	1.05	782	0.99	25	1.20	389	1.02	1759	1.01	3461	1.01	0.98-1.05
178	Testis	27	1.45	13	1.22	[0.27]	0.00	14	1.18	42	1.13	96	1.22	0.99-1.50
	-seminoma ²	17	2.20	5	0.68	[0.20]	0.00	8	0.98	31	1.17	61	1.22	0.94-1.57
	-non-seminoma ²	10	0.92	7	2.22	[0.07]	0.00	6	2.26	11	1.03	34	1.24	0.86-1.73
179.0	Penis	7	0.54	4	0.68	[0.25]	0.00	9	1.49	23	1.00	43	0.90	0.65-1.21
180	Kidney	86	0.98	133	1.01	2	0.63	61	1.08	249	1.03	531	1.02	0.93-1.11
180.1	-renal pelvis ²	30	0.88	8	0.95	[0.20]	0.00	7	1.11	31	1.25	76	1.03	0.81-1.29
181	Bladder	413	1.11	215	1.12	9	1.71	148	1.14	491	1.05	1276	1.10	1.04-1.16
190	Melanoma	60	0.85	73	0.83	1	0.99	62	1.07	155	0.83	351	0.87	0.78-0.96
190.6	-upper limbs ²	6	0.72	9	0.80	[0.13]	0.00	4	0.76	20	0.73	39	0.75	0.53-1.02
192	Eye	10	1.11	7	0.79	[0.15]	0.00	6	1.26	16	0.85	39	0.94	0.67-1.28
	-melanoma ²	8	1.01	7	0.88	[0.14]	0.00	5	1.19	14	0.92	34	0.96	0.66-1.34
193	Brain	105	1.23	86	0.99	4	2.39	39	0.93	152	0.85	386	0.98	0.88-1.08
	-glioma ²	9	0.98	48	1.22	2	2.13	23	1.07	69	0.78	151	0.95	0.81-1.11
	-meningeoma ²	16	1.49	15	0.83	1	2.25	6	0.90	29	0.76	67	0.90	0.70-1.15
194	Thyroid	9	1.15	21	1.04	2	1.95	13	1.61	30	0.98	75	1.10	0.87-1.38
	-follicular ²	-	-	3	0.84	[0.21]	0.00	3	3.18	1	0.71	7	1.14	0.46-2.35
	-papillary ²	-	-	13	1.09	[0.70]	0.00	8	1.88	2	0.44	23	1.07	0.68-1.61
195.0	Glandula suprarenalis	[2.04]	0.00	4	1.03	[0.04]	0.00	[0.95]	0.00	5	1.51	9	0.88	0.40-1.67
195.1	Parathyreioeda	[0.11]	0.00	[0.06]	0.00	[0.01]	0.00	[0.03]	0.00	[0.24]	0.00	[0.46]	0.00	0.00-8.11
195.2	Thymus	3	3.07	[1.01]	0.00	[0.02]	0.00	[0.41]	0.00	[1.32]	0.00	3	0.80	0.17-2.34
195.3	Hypophysis	[0.26]	0.00	[0.08]	0.00	[0.28]	0.00	[0.08]	0.00	[0.36]	0.00	[1.07]	0.00	0.00-3.46
195.4	Corpus pineale	-	-	[0.18]	0.00	-	-	[0.03]	0.00	-	-	[0.21]	0.00	0.00-17.82
196	Bone	1	0.31	7	1.25	[0.11]	0.00	3	1.27	10	1.01	21	0.99	0.61-1.51
	-chondrosarcoma ²	-	-	5	1.75	[0.10]	0.00	[0.67]	0.00	4	0.92	9	1.13	0.52-2.14
197	Soft tissue	19	1.64	22	1.08	[0.29]	0.00	7	0.99	63	1.36	111	1.30	1.08-1.56
	-fibrosarcoma ²	-	-	14	1.95	-	-	1	1.53	11	1.49	26	1.71	1.12-2.50
	-liposarcoma ²	-	-	1	0.23	[0.07]	0.00	[1.14]	0.00	16	1.99	17	1.25	0.73-2.00
200,202	Non-Hodgkin lymphoma	101	1.23	112	0.96	4	2.02	53	1.37	198	1.00	468	1.07	0.98-1.17
201	Hodgkin lymphoma	15	1.17	15	0.88	[0.18]	0.00	6	0.78	34	0.98	70	0.96	0.75-1.22
203	Multiple myeloma	54	1.11	37	0.85	3	3.09	26	0.87	117	1.13	237	1.05	0.92-1.19
204	Leukaemia	111	1.07	85	1.08	1	0.61	40	0.94	166	1.06	403	1.05	0.95-1.16
	-chronic lymphatic ²	-	-	38	1.11	[0.64]	0.00	11	0.72	73	1.06	122	1.02	0.86-1.22
	-acute myeloid ²	32	1.07	27	1.26	1	2.03	15	0.99	35	1.09	110	1.11	0.92-1.34
	Mycosis fungoides ²	5	1.72	4	1.32	[0.06]	0.00	1	0.90	19	1.14	29	1.22	0.82-1.75
199	Other/unknown site	51	1.15	76	1.10	3	2.10	69	1.08	198	1.00	397	1.05	0.95-1.16
140-204	All sites	3643	1.13	3376	1.00	87	1.25	1922	1.15	6622	1.05	15650	1.07	1.05-1.09
Not included above														
191	Other skin	-	-	92	0.92	1	0.43	92	1.27	274	0.92	459	0.97	0.89-1.06
191.6	-upper limbs ²	-	-	8	1.06	1	5.19	5	0.78	32	1.02	46	1.01	0.74-1.35

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Building caretakers and cleaners. Women (N = 351 964). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	30	1.14	59	1.22	[0.51]	0.00	21	0.73	45	1.23	155	1.10	0.94-1.29
141	Tongue	36	1.00	47	1.03	1	0.82	44	1.06	49	1.08	177	1.04	0.90-1.21
142	Salivary glands	33	1.10	29	0.90	2	2.97	34	1.19	50	1.10	148	1.08	0.92-1.27
143-144	Oral cavity	96	1.16	62	1.33	3	1.05	75	1.08	61	0.92	297	1.11	0.99-1.24
145-148	Pharynx	70	1.20	37	1.24	[0.99]	0.00	51	1.20	60	1.06	218	1.16	1.01-1.32
145	-oropharynx ²	49	1.45	12	1.15	[0.47]	0.00	25	1.29	27	1.11	113	1.28	1.06-1.54
146	-nasopharynx ²	8	0.83	15	1.90	[0.52]	0.00	11	1.40	10	0.71	44	1.10	0.80-1.48
150	Oesophagus	111	0.95	135	1.05	2	0.53	84	1.10	110	1.17	442	1.05	0.96-1.16
	-adenocarcinoma ²	21	0.73	8	0.73	1	0.94	15	1.14	22	1.46	67	0.97	0.75-1.23
151	Stomach	359	1.01	623	1.03	18	1.15	724	1.14	697	1.16	2421	1.10	1.05-1.14
151.1	-cardia ²	62	1.06	57	1.00	[1.27]	0.00	104	1.31	43	1.16	266	1.14	1.01-1.28
152	Small intestine	39	0.86	34	0.78	1	0.53	65	1.01	88	1.07	227	0.96	0.84-1.09
153	Colon	1553	0.93	764	0.91	38	1.13	1791	0.95	1435	0.98	5581	0.95	0.92-0.97
154	Rectum, rectosigma	710	0.96	495	0.98	17	1.36	809	1.01	760	1.01	2791	0.99	0.96-1.03
155.0	Primary liver	147	1.12	174	1.27	[2.46]	0.00	92	1.23	187	1.25	600	1.21	1.12-1.31
	-hemangiosarcoma ²	-	-	3	3.43	[0.17]	0.00	[0.34]	0.00	2	1.88	5	2.04	0.66-4.76
155.1	Gall bladder	217	1.09	272	1.12	5	1.50	139	1.02	323	1.24	956	1.13	1.06-1.21
157	Pancreas	564	1.05	571	1.09	16	1.30	619	1.14	637	1.19	2407	1.12	1.08-1.17
160	Nose	28	0.87	31	1.43	3	2.29	34	1.20	18	0.70	114	1.04	0.87-1.25
	-adenocarcinoma ²	-	-	1	0.73	-	-	2	0.71	1	0.52	4	0.66	0.18-1.68
161	Larynx	101	1.40	27	1.43	1	0.99	40	1.36	46	1.86	215	1.47	1.29-1.68
162,163	Lung	2319	1.26	818	1.31	68	1.12	1262	1.25	1190	1.41	5657	1.29	1.26-1.32
	-adenocarcinoma ²	642	1.14	182	1.11	27	1.29	340	1.13	375	1.30	1566	1.17	1.11-1.23
	-small cell ²	-	-	169	1.67	12	1.19	276	1.30	170	1.64	627	1.47	1.36-1.59
	-squamous cell ²	476	1.36	144	1.42	7	0.71	244	1.47	260	1.68	1131	1.45	1.36-1.53
	-other ²	-	-	323	1.25	22	1.11	354	1.27	385	1.29	1084	1.27	1.19-1.35
158, 162.2	Mesothelioma ²	25	0.93	33	1.40	[0.16]	0.00	14	1.06	27	1.76	99	1.25	1.02-1.52
170	Breast	3692	0.87	3291	0.83	102	0.76	3404	0.86	4463	0.87	14952	0.86	0.84-0.87
	-ductal ²	-	-	2368	0.85	78	0.75	2273	0.86	1106	0.85	5825	0.85	0.83-0.87
	-lobular ²	-	-	343	0.76	13	1.14	217	0.82	198	0.68	771	0.76	0.70-0.81
171	Cervix uteri	990	1.30	359	1.38	9	0.79	810	1.33	937	1.54	3105	1.38	1.34-1.43
172	Corpus uteri	985	0.91	812	0.89	35	1.31	899	0.93	1046	0.92	3777	0.92	0.89-0.95
173	Choriocarcinoma	[0.69]	0.00	3	2.08	[0.03]	0.00	[1.22]	0.00	1	0.50	4	0.74	0.20-1.91
175.0	Ovary	900	0.99	629	1.00	23	1.07	870	0.95	1131	0.98	3553	0.98	0.95-1.01
175.1	Fallopian tube	17	0.63	30	0.97	[0.50]	0.00	18	0.69	31	1.19	96	0.87	0.70-1.06
176.0	Vulva	99	1.12	110	1.29	1	0.49	161	1.11	127	1.02	498	1.12	1.02-1.22
176.1	Vagina	54	1.45	32	1.41	[0.64]	0.00	32	1.12	44	1.22	162	1.30	1.11-1.51
180	Kidney	362	1.10	446	1.08	21	1.40	444	1.13	540	1.13	1813	1.11	1.06-1.17
180.1	-renal pelvis ²	104	0.86	29	1.34	2	1.34	52	1.20	38	0.80	225	0.96	0.84-1.09
181	Bladder	682	1.17	248	1.05	8	0.61	487	1.00	521	1.12	1946	1.09	1.04-1.14
190	Melanoma	416	0.90	311	0.90	8	0.70	475	0.70	443	0.76	1653	0.80	0.76-0.83
190.6	-upper limbs ²	70	0.82	46	0.76	3	1.55	84	0.73	79	0.70	282	0.75	0.67-0.84
192	Eye	53	1.30	42	1.10	[0.58]	0.00	47	1.01	49	1.01	191	1.10	0.95-1.26
	-melanoma ²	46	1.25	39	1.10	[0.41]	0.00	44	1.09	37	0.95	166	1.09	0.94-1.27
193	Brain	471	0.94	471	0.94	23	1.32	460	0.94	607	1.01	2032	0.96	0.92-1.00
	-glioma ²	39	0.97	120	0.90	8	1.25	154	0.95	191	0.95	512	0.95	0.87-1.03
	-meningeoma ²	119	1.00	214	1.01	12	1.36	176	0.96	273	1.08	794	1.02	0.95-1.10
194	Thyroid	71	0.89	291	1.08	12	0.90	218	1.11	235	1.13	827	1.08	1.01-1.15
	-follicular ²	-	-	48	1.22	1	0.62	34	1.19	9	1.03	92	1.17	0.95-1.44
	-papillary ²	-	-	197	1.04	10	0.94	122	1.03	56	1.57	385	1.08	0.98-1.20
195.0	Glandula suprarenalis	12	1.30	22	1.74	[0.31]	0.00	12	1.34	12	1.22	58	1.42	1.07-1.83
195.1	Parathyreoidea	[0.73]	0.00	1	2.63	-	-	1	1.02	3	1.30	5	1.14	0.37-2.65
195.2	Thymus	[4.19]	0.00	2	0.43	-	-	8	2.55	2	0.54	12	0.76	0.39-1.33
195.3	Hypophysis	1	0.97	[0.43]	0.00	3	1.98	1	1.23	1	0.91	6	1.23	0.45-2.67
195.4	Corpus pineale	-	-	2	1.56	-	-	1	1.80	-	-	3	1.63	0.34-4.78
196	Bone	10	0.76	14	0.80	2	2.11	22	1.21	23	0.97	71	0.97	0.76-1.22
	-chondrosarcoma ²	-	-	6	0.76	1	1.71	8	1.54	9	0.87	24	1.00	0.64-1.49
197	Soft tissue	46	0.91	80	0.94	2	1.10	64	1.07	107	0.90	299	0.95	0.85-1.06
	-fibrosarcoma ²	-	-	19	0.72	[0.15]	0.00	3	0.78	13	0.76	35	0.74	0.51-1.02
	-liposarcoma ²	-	-	21	1.20	[0.45]	0.00	8	1.03	17	0.94	46	1.05	0.77-1.40
200,202	Non-Hodgkin lymphoma	404	1.03	481	0.99	12	1.03	431	1.04	506	1.05	1834	1.03	0.98-1.07
201	Hodgkin lymphoma	55	1.35	44	0.94	[1.09]	0.00	40	0.95	70	1.08	209	1.07	0.94-1.23
203	Multiple myeloma	209	1.04	207	1.06	4	0.62	272	1.01	234	0.97	926	1.01	0.95-1.08
204	Leukaemia	369	0.96	266	0.98	7	0.69	347	1.08	342	1.04	1331	1.01	0.96-1.07
	-chronic lymphatic ²	-	-	93	0.95	1	0.28	105	0.95	119	0.94	318	0.94	0.84-1.05
	-acute myeloid ²	134	1.03	92	1.01	2	0.53	143	1.11	112	1.18	483	1.08	0.99-1.18
	Mycosis fungoides ²	6	0.75	4	0.59	[0.19]	0.00	8	1.19	34	1.05	52	0.96	0.72-1.26
199	Other/unknown site	324	1.18	361	1.00	11	0.83	663	1.01	735	1.07	2094	1.05	1.01-1.10
140-204	All sites	16237	1.01	12891	0.97	464	0.97	16124	0.99	18027	1.02	63743	1.00	0.99-1.01
Not included above														
191	Ovary borderline ²	-	-	107	0.95	11	1.70	139	1.06	164	1.06	421	1.04	0.94-1.14
	Other skin	-	-	363	0.90	9	0.67	504	0.85	488	0.86	1364	0.87	0.82-0.92
191.6	-upper limbs ²	-	-	29	0.95	2	1.16	49	0.79	47	0.73	127	0.80	0.67-0.95

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Chimney sweeps. Men (N = 5 498). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	1	1.14	6	1.78	-	-	[1.84]	0.00	4	1.07	11	1.12	0.56-2.00
141	Tongue	1	2.94	[0.99]	0.00	-	-	2	2.73	3	1.71	6	1.57	0.58-3.42
142	Salivary glands	[0.19]	0.00	[0.59]	0.00	-	-	[0.33]	0.00	1	0.83	1	0.43	0.01-2.40
143-144	Oral cavity	2	3.07	1	1.00	-	-	1	0.96	6	2.40	10	1.93	0.92-3.54
145-148	Pharynx	2	2.49	3	2.34	-	-	4	3.29	8	2.12	17	2.41	1.40-3.85
145	-oropharynx ²	1	2.22	1	2.04	-	-	1	2.20	4	2.59	7	2.38	0.96-4.91
146	-nasopharynx ²	[0.12]	0.00	1	3.71	-	-	[0.22]	0.00	2	2.63	3	2.19	0.45-6.40
150	Oesophagus	1	0.64	9	2.90	-	-	5	2.43	9	1.45	24	1.86	1.19-2.76
	-adenocarcinoma ²	[0.62]	0.00	3	4.41	-	-	2	4.91	2	1.14	7	2.02	0.81-4.17
151	Stomach	9	2.73	15	1.00	-	-	17	1.45	25	1.07	66	1.24	0.96-1.58
151.1	-cardia ²	4	3.89	2	0.78	-	-	1	0.51	4	1.27	11	1.26	0.63-2.26
152	Small intestine	[0.26]	0.00	1	1.12	-	-	1	1.70	4	1.54	6	1.38	0.51-3.01
153	Colon	20	2.71	15	1.25	-	-	23	1.50	46	1.36	104	1.52	1.25-1.84
154	Rectum, rectosigma	5	0.97	12	1.19	-	-	10	1.06	24	1.01	51	1.05	0.78-1.38
155.0	Primary liver	1	0.87	5	1.38	-	-	1	0.84	12	1.96	19	1.57	0.94-2.45
	-hemangiosarcoma ²	-	-	[0.02]	0.00	-	-	[0.00]	0.00	[0.03]	0.00	[0.05]	0.00	0.00-79.98
155.1	Gall bladder	[0.60]	0.00	1	0.52	-	-	[0.86]	0.00	1	0.44	2	0.36	0.04-1.28
157	Pancreas	4	1.42	14	1.55	-	-	10	1.70	16	1.15	44	1.39	1.01-1.87
160	Nose	[0.26]	0.00	1	1.87	-	-	[0.47]	0.00	1	0.96	2	0.86	0.10-3.12
	-adenocarcinoma ²	-	-	[0.04]	0.00	-	-	[0.06]	0.00	[0.18]	0.00	[0.28]	0.00	0.00-13.20
161	Larynx	2	1.16	4	1.09	-	-	[2.19]	0.00	7	1.46	13	1.05	0.56-1.80
162,163	Lung	30	1.58	62	1.14	-	-	41	1.77	79	1.71	212	1.49	1.30-1.70
	-adenocarcinoma ²	2	0.51	5	0.70	-	-	10	2.35	17	1.83	34	1.38	0.96-1.93
	-small cell ²	-	-	9	1.04	-	-	5	1.28	5	1.12	19	1.11	0.67-1.74
	-squamous cell ²	11	1.71	22	1.25	-	-	12	1.65	23	1.39	68	1.42	1.10-1.80
	-other ²	-	-	26	1.23	-	-	8	1.49	34	2.14	68	1.61	1.25-2.04
158, 162.2	Mesothelioma ²	1	1.99	2	1.90	-	-	[0.64]	0.00	5	2.63	8	1.95	0.84-3.85
170	Breast	[0.17]	0.00	[0.28]	0.00	-	-	[0.24]	0.00	1	1.25	1	0.67	0.02-3.74
177	Prostate	11	0.97	52	0.94	-	-	40	1.05	136	1.07	239	1.03	0.91-1.17
178	Testis	1	1.49	[0.76]	0.00	-	-	2	1.82	4	1.50	7	1.35	0.54-2.77
	-seminoma ²	[0.28]	0.00	[0.53]	0.00	-	-	2	2.60	2	1.05	4	1.15	0.31-2.94
	-non-seminoma ²	1	2.52	[0.22]	0.00	-	-	[0.24]	0.00	2	2.63	3	1.85	0.38-5.41
179.0	Penis	[0.33]	0.00	1	2.32	-	-	[0.59]	0.00	1	0.61	2	0.67	0.08-2.42
180	Kidney	2	0.88	8	0.81	-	-	6	1.03	26	1.47	42	1.18	0.85-1.59
180.1	-renal pelvis ²	1	1.15	1	1.63	-	-	1	1.49	4	2.19	7	1.76	0.71-3.62
181	Bladder	16	1.74	16	1.17	-	-	15	1.12	58	1.71	105	1.49	1.23-1.81
190	Melanoma	1	0.49	3	0.46	-	-	3	0.53	11	0.72	18	0.61	0.36-0.96
190.6	-upper limbs ²	[0.24]	0.00	[0.82]	0.00	-	-	[0.52]	0.00	4	1.75	4	1.03	0.28-2.64
192	Eye	[0.24]	0.00	[0.66]	0.00	-	-	1	2.06	1	0.73	2	0.72	0.09-2.62
	-melanoma ²	[0.21]	0.00	[0.59]	0.00	-	-	1	2.33	1	0.91	2	0.86	0.10-3.09
193	Brain	5	2.05	3	0.46	-	-	4	0.94	9	0.66	21	0.78	0.49-1.20
	-glioma ²	[0.27]	0.00	1	0.34	-	-	2	0.91	3	0.43	6	0.48	0.18-1.05
	-meningeoma ²	[0.30]	0.00	[1.36]	0.00	-	-	1	1.47	4	1.43	5	0.98	0.32-2.28
194	Thyroid	[0.21]	0.00	1	0.68	-	-	2	2.53	3	1.36	6	1.28	0.47-2.79
	-follicular ²	-	-	[0.26]	0.00	-	-	[0.09]	0.00	[0.11]	0.00	[0.47]	0.00	0.00-7.84
	-papillary ²	-	-	1	1.16	-	-	[0.41]	0.00	1	3.02	2	1.25	0.15-4.52
195.0	Glandula suprarenalis	[0.05]	0.00	[0.29]	0.00	-	-	[0.10]	0.00	[0.25]	0.00	[0.69]	0.00	0.00-5.36
195.1	Parathyreoidea	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.02]	0.00	[0.03]	0.00	0.00-142.56
195.2	Thymus	[0.03]	0.00	[0.08]	0.00	-	-	[0.04]	0.00	[0.11]	0.00	[0.25]	0.00	0.00-14.83
195.3	Hypophysis	[0.01]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.03]	0.00	[0.05]	0.00	0.00-75.16
195.4	Corpus pineale	-	-	[0.01]	0.00	-	-	[0.00]	0.00	-	-	[0.02]	0.00	0.00-238.60
196	Bone	[0.09]	0.00	1	2.36	-	-	[0.24]	0.00	[0.74]	0.00	1	0.67	0.02-3.74
	-chondrosarcoma ²	-	-	1	4.63	-	-	[0.06]	0.00	[0.33]	0.00	1	1.63	0.04-9.10
197	Soft tissue	[0.31]	0.00	3	2.00	-	-	[0.72]	0.00	1	0.30	4	0.68	0.19-1.74
	-fibrosarcoma ²	-	-	1	1.91	-	-	[0.07]	0.00	[0.48]	0.00	1	0.93	0.02-5.17
	-liposarcoma ²	-	-	2	6.19	-	-	[0.12]	0.00	[0.59]	0.00	2	1.94	0.24-7.03
200,202	Non-Hodgkin lymphoma	2	0.91	7	0.83	-	-	2	0.52	11	0.73	22	0.75	0.47-1.13
201	Hodgkin lymphoma	[0.37]	0.00	1	0.78	-	-	[0.76]	0.00	3	1.23	4	0.82	0.22-2.11
203	Multiple myeloma	4	3.22	2	0.63	-	-	3	0.99	8	1.10	17	1.15	0.67-1.85
204	Leukaemia	1	0.38	7	1.24	-	-	5	1.19	11	0.97	24	1.01	0.65-1.50
	-chronic lymphatic ²	-	-	3	1.21	-	-	3	1.96	5	0.96	11	1.19	0.60-2.14
	-acute myeloid ²	[0.76]	0.00	3	1.92	-	-	2	1.33	3	1.19	8	1.26	0.54-2.48
	Mycosis fungoides ²	[0.07]	0.00	[0.23]	0.00	-	-	[0.12]	0.00	3	2.96	3	2.10	0.43-6.14
199	Other/unknown site	[1.14]	0.00	5	1.02	-	-	5	0.79	19	1.31	29	1.08	0.72-1.55
140-204	All sites	114	1.40	261	1.06	-	-	203	1.20	557	1.23	1135	1.20	1.13-1.27
Not included above														
191	Other skin	-	-	10	1.50	-	-	7	0.97	18	0.89	35	1.02	0.71-1.43
191.6	-upper limbs ²	-	-	[0.51]	0.00	-	-	1	1.56	1	0.44	2	0.59	0.07-2.12

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Chimney sweeps. Women (N = 59). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.00]	0.00	[0.02]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.03]	0.00	0.00-125.55
141	Tongue	[0.00]	0.00	[0.02]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.03]	0.00	0.00-115.41
142	Salivary glands	[0.00]	0.00	[0.02]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-153.18
143-144	Oral cavity	[0.01]	0.00	[0.02]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.04]	0.00	0.00-89.92
145-148	Pharynx	[0.00]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-150.33
145	-oropharynx ²	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-366.81
146	-nasopharynx ²	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-657.30
150	Oesophagus	[0.01]	0.00	[0.05]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.07]	0.00	0.00-49.31
	-adenocarcinoma ²	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-355.30
151	Stomach	[0.04]	0.00	[0.26]	0.00	-	-	[0.08]	0.00	[0.01]	0.00	[0.39]	0.00	0.00-9.53
151.1	-cardia ²	[0.01]	0.00	[0.02]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.04]	0.00	0.00-90.75
152	Small intestine	[0.00]	0.00	[0.02]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.04]	0.00	0.00-103.96
153	Colon	[0.20]	0.00	1	2.62	-	-	[0.28]	0.00	[0.02]	0.00	1	1.13	0.03-6.30
154	Rectum, rectosigma	[0.08]	0.00	1	4.22	-	-	2	17.37	[0.01]	0.00	3	6.71	1.38-19.61
155.0	Primary liver	[0.01]	0.00	[0.06]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.08]	0.00	0.00-43.69
	-hemangiosarcoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-5739.71
155.1	Gall bladder	[0.02]	0.00	[0.11]	0.00	-	-	[0.02]	0.00	[0.00]	0.00	[0.15]	0.00	0.00-24.49
157	Pancreas	[0.05]	0.00	[0.24]	0.00	-	-	1	12.38	[0.01]	0.00	1	2.68	0.07-14.91
160	Nose	[0.00]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-204.43
	-adenocarcinoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-3341.99
161	Larynx	[0.00]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-183.92
162,163	Lung	[0.11]	0.00	[0.32]	0.00	-	-	[0.15]	0.00	[0.03]	0.00	[0.61]	0.00	0.00-6.06
	-adenocarcinoma ²	[0.03]	0.00	[0.09]	0.00	-	-	[0.04]	0.00	[0.01]	0.00	[0.17]	0.00	0.00-21.67
	-small cell ²	-	-	[0.06]	0.00	-	-	[0.03]	0.00	[0.00]	0.00	[0.09]	0.00	0.00-38.86
	-squamous cell ²	[0.02]	0.00	[0.06]	0.00	-	-	[0.03]	0.00	[0.00]	0.00	[0.11]	0.00	0.00-34.50
	-other ²	-	-	[0.12]	0.00	-	-	[0.04]	0.00	[0.01]	0.00	[0.17]	0.00	0.00-21.68
158, 162.2	Mesothelioma ²	[0.00]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-212.47
170	Breast	[0.36]	0.00	1	0.51	-	-	[0.49]	0.00	[0.23]	0.00	1	0.33	0.01-1.84
	-ductal ²	-	-	1	0.72	-	-	[0.33]	0.00	[0.11]	0.00	1	0.55	0.01-3.05
	-lobular ²	-	-	[0.21]	0.00	-	-	[0.04]	0.00	[0.02]	0.00	[0.27]	0.00	0.00-13.50
171	Cervix uteri	[0.05]	0.00	[0.13]	0.00	-	-	[0.07]	0.00	[0.02]	0.00	[0.28]	0.00	0.00-13.29
172	Corpus uteri	[0.11]	0.00	1	1.88	-	-	[0.13]	0.00	[0.02]	0.00	1	1.26	0.03-7.03
173	Choriocarcinoma	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-3155.71
175.0	Ovary	[0.06]	0.00	1	2.98	-	-	[0.12]	0.00	[0.04]	0.00	1	1.79	0.05-9.99
175.1	Fallopian tube	[0.00]	0.00	[0.02]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-152.94
176.0	Vulva	[0.01]	0.00	[0.04]	0.00	-	-	[0.02]	0.00	[0.00]	0.00	[0.07]	0.00	0.00-51.04
176.1	Vagina	[0.00]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-198.01
180	Kidney	[0.03]	0.00	[0.21]	0.00	-	-	[0.06]	0.00	[0.01]	0.00	[0.31]	0.00	0.00-11.91
180.1	-renal pelvis ²	[0.01]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.03]	0.00	0.00-128.93
181	Bladder	[0.06]	0.00	[0.11]	0.00	-	-	[0.07]	0.00	[0.01]	0.00	[0.25]	0.00	0.00-14.65
190	Melanoma	[0.04]	0.00	[0.17]	0.00	-	-	[0.09]	0.00	[0.03]	0.00	[0.34]	0.00	0.00-10.96
190.6	-upper limbs ²	[0.01]	0.00	[0.03]	0.00	-	-	[0.02]	0.00	[0.01]	0.00	[0.06]	0.00	0.00-61.10
192	Eye	[0.00]	0.00	[0.02]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.03]	0.00	0.00-117.52
	-melanoma ²	[0.00]	0.00	[0.02]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.03]	0.00	0.00-130.09
193	Brain	[0.04]	0.00	[0.26]	0.00	-	-	[0.06]	0.00	[0.03]	0.00	[0.39]	0.00	0.00-9.54
	-glioma ²	[0.00]	0.00	[0.07]	0.00	-	-	[0.02]	0.00	[0.01]	0.00	[0.10]	0.00	0.00-35.57
	-meningeoma ²	[0.01]	0.00	[0.11]	0.00	-	-	[0.02]	0.00	[0.01]	0.00	[0.16]	0.00	0.00-23.45
194	Thyroid	[0.01]	0.00	[0.13]	0.00	-	-	[0.02]	0.00	[0.01]	0.00	[0.17]	0.00	0.00-22.00
	-follicular ²	-	-	[0.02]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.03]	0.00	0.00-145.03
	-papillary ²	-	-	[0.09]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.11]	0.00	0.00-34.85
195.0	Glandula suprarenalis	[0.00]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-430.31
195.1	Parathyreioeda	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-8666.04
195.2	Thymus	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-1165.35
195.3	Hypophysis	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-10860.65
195.4	Corpus pineale	-	-	[0.00]	0.00	-	-	[0.00]	0.00	-	-	[0.00]	0.00	0.00-7244.66
196	Bone	[0.00]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-295.10
	-chondrosarcoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-689.92
197	Soft tissue	[0.00]	0.00	[0.04]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.06]	0.00	0.00-62.81
	-fibrosarcoma ²	-	-	[0.01]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-256.47
	-liposarcoma ²	-	-	[0.01]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-341.62
200,202	Non-Hodgkin lymphoma	[0.04]	0.00	1	4.24	-	-	[0.06]	0.00	[0.01]	0.00	1	2.88	0.07-16.04
201	Hodgkin lymphoma	[0.00]	0.00	[0.02]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.03]	0.00	0.00-113.90
203	Multiple myeloma	[0.02]	0.00	[0.09]	0.00	-	-	[0.04]	0.00	[0.00]	0.00	[0.15]	0.00	0.00-23.93
204	Leukaemia	[0.04]	0.00	[0.13]	0.00	-	-	[0.04]	0.00	[0.01]	0.00	[0.22]	0.00	0.00-16.88
	-chronic lymphatic ²	-	-	[0.04]	0.00	-	-	[0.02]	0.00	[0.00]	0.00	[0.06]	0.00	0.00-59.82
	-acute myeloid ²	[0.01]	0.00	[0.05]	0.00	-	-	[0.02]	0.00	[0.00]	0.00	[0.08]	0.00	0.00-48.46
	Mycosis fungoides ²	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-673.62
199	Other/unknown site	[0.03]	0.00	[0.16]	0.00	-	-	[0.09]	0.00	[0.01]	0.00	[0.29]	0.00	0.00-12.73
140-204	All sites	[1.43]	0.00	6	0.93	-	-	3	1.36	[0.54]	0.00	9	0.85	0.39-1.60
	Not included above													
	Ovary borderline ²	-	-	[0.06]	0.00	-	-	[0.02]	0.00	[0.01]	0.00	[0.08]	0.00	0.00-43.78
191	Other skin	-	-	[0.14]	0.00	-	-	[0.10]	0.00	[0.01]	0.00	[0.25]	0.00	0.00-14.93
191.6	-upper limbs ²	-	-	[0.01]	0.00	-	-	[0.01]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-154.90

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Hairdressers. Men (N = 13 726). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	3	0.29	[0.92]	0.00	[0.05]	0.00	3	0.56	7	0.47	13	0.41	0.22-0.70
141	Tongue	7	2.24	[0.30]	0.00	[0.03]	0.00	5	2.46	12	2.16	24	2.17	1.39-3.23
142	Salivary glands	4	1.95	[0.18]	0.00	[0.02]	0.00	[0.96]	0.00	3	0.73	7	0.96	0.39-1.98
143-144	Oral cavity	4	0.62	1	3.29	[0.05]	0.00	6	2.06	16	1.90	27	1.49	0.98-2.16
145-148	Pharynx	5	0.66	[0.39]	0.00	[0.06]	0.00	10	2.97	25	2.10	40	1.72	1.23-2.34
145	-oropharynx ²	2	0.48	[0.16]	0.00	[0.01]	0.00	3	2.47	11	2.56	16	1.63	0.93-2.64
146	-nasopharynx ²	2	1.69	[0.08]	0.00	[0.02]	0.00	[0.64]	0.00	6	2.33	8	1.78	0.77-3.51
150	Oesophagus	13	0.80	1	1.10	1	5.21	7	1.18	23	1.05	45	1.00	0.73-1.33
	-adenocarcinoma ²	2	0.31	[0.19]	0.00	1	12.67	[1.15]	0.00	5	0.91	8	0.60	0.26-1.18
151	Stomach	27	0.70	3	0.69	1	1.92	36	1.03	91	0.99	158	0.93	0.79-1.08
151.1	-cardia ²	5	0.45	1	1.36	1	9.73	6	1.05	8	0.74	21	0.73	0.45-1.12
152	Small intestine	3	1.02	[0.26]	0.00	[0.06]	0.00	1	0.61	10	1.12	14	1.01	0.55-1.69
153	Colon	84	0.98	2	0.60	[0.82]	0.00	39	0.88	149	1.19	274	1.06	0.94-1.19
154	Rectum, rectosigma	64	1.07	2	0.70	[0.29]	0.00	24	0.89	110	1.28	200	1.13	0.99-1.30
155.0	Primary liver	13	1.04	1	0.98	[0.08]	0.00	9	2.61	34	1.49	57	1.43	1.08-1.85
	-hemangiosarcoma ²	-	-	[0.00]	0.00	-	-	[0.01]	0.00	1	9.32	1	8.63	0.22-48.07
155.1	Gall bladder	10	1.41	[0.53]	0.00	[0.05]	0.00	4	1.58	12	1.36	26	1.37	0.89-2.01
157	Pancreas	27	0.85	6	2.38	1	3.34	16	0.93	62	1.20	112	1.08	0.90-1.30
160	Nose	2	0.69	[0.15]	0.00	[0.03]	0.00	3	2.21	3	0.81	8	0.98	0.42-1.94
	-adenocarcinoma ²	-	-	[0.01]	0.00	[0.00]	0.00	[0.18]	0.00	[0.64]	0.00	[0.83]	0.00	0.00-4.44
161	Larynx	13	0.71	1	0.99	[0.13]	0.00	12	1.94	40	2.35	66	1.55	1.20-1.97
162,163	Lung	241	1.14	12	0.79	2	1.48	87	1.33	218	1.32	560	1.22	1.12-1.33
	-adenocarcinoma ²	51	1.31	3	1.57	1	2.54	15	1.28	40	1.35	110	1.33	1.10-1.60
	-small cell ²	-	-	1	0.44	[0.27]	0.00	9	0.83	16	1.12	26	0.94	0.61-1.37
	-squamous cell ²	77	1.05	2	0.42	[0.31]	0.00	34	1.64	82	1.31	195	1.21	1.05-1.39
	-other ²	-	-	6	0.96	1	2.96	22	1.45	80	1.35	109	1.35	1.12-1.63
158, 162.2	Mesothelioma ²	2	0.38	[0.29]	0.00	[0.04]	0.00	[1.78]	0.00	2	0.32	4	0.29	0.08-0.75
170	Breast	2	1.06	[0.09]	0.00	[0.04]	0.00	2	2.95	3	1.05	7	1.26	0.51-2.60
177	Prostate	138	0.99	7	0.46	3	1.11	111	1.00	437	0.95	696	0.95	0.88-1.02
178	Testis	6	1.10	1	3.58	[0.12]	0.00	1	0.34	6	1.07	14	0.97	0.53-1.63
	-seminoma ²	2	0.88	1	5.26	[0.09]	0.00	[2.05]	0.00	5	1.24	8	0.93	0.40-1.82
	-non-seminoma ²	4	1.24	[0.09]	0.00	[0.03]	0.00	[0.65]	0.00	1	0.63	5	0.90	0.29-2.10
179.0	Penis	5	1.32	[0.13]	0.00	[0.04]	0.00	1	0.58	5	0.90	11	0.98	0.49-1.75
180	Kidney	36	1.45	2	0.73	[0.54]	0.00	20	1.21	61	0.98	119	1.11	0.93-1.33
180.1	-renal pelvis ²	6	0.62	1	5.84	[0.03]	0.00	1	0.53	10	1.54	18	0.98	0.58-1.55
181	Bladder	142	1.33	5	1.34	1	1.28	53	1.37	158	1.27	359	1.31	1.18-1.45
190	Melanoma	20	0.98	2	1.05	[0.24]	0.00	12	0.78	63	1.41	97	1.17	0.95-1.43
190.6	-upper limbs ²	2	0.83	[0.24]	0.00	[0.04]	0.00	1	0.71	11	1.72	14	1.33	0.73-2.24
192	Eye	3	1.16	[0.19]	0.00	[0.02]	0.00	2	1.47	4	0.87	9	1.03	0.47-1.95
	-melanoma ²	3	1.31	[0.18]	0.00	[0.02]	0.00	2	1.66	3	0.78	8	1.06	0.46-2.10
193	Brain	27	1.12	[1.97]	0.00	1	2.81	9	0.77	38	0.91	75	0.94	0.74-1.18
	-glioma ²	4	1.57	[0.90]	0.00	1	4.60	4	0.67	20	0.96	29	0.95	0.64-1.37
	-meningeoma ²	5	1.62	[0.40]	0.00	[0.09]	0.00	2	1.08	11	1.20	18	1.24	0.73-1.95
194	Thyroid	3	1.35	[0.47]	0.00	[0.20]	0.00	4	1.81	12	1.67	19	1.55	0.93-2.41
	-follicular ²	-	-	[0.08]	0.00	[0.03]	0.00	[0.26]	0.00	1	3.35	1	1.51	0.04-8.42
	-papillary ²	-	-	[0.29]	0.00	[0.15]	0.00	1	0.91	1	1.41	2	0.89	0.11-3.21
195.0	Glandula suprarenalis	1	1.76	[0.08]	0.00	[0.01]	0.00	[0.27]	0.00	1	1.27	2	1.16	0.14-4.20
195.1	Parathyreoidea	[0.03]	0.00	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	[0.05]	0.00	[0.10]	0.00	0.00-37.36
195.2	Thymus	1	3.69	[0.02]	0.00	[0.01]	0.00	[0.11]	0.00	[0.33]	0.00	1	1.34	0.03-7.48
195.3	Hypophysis	[0.07]	0.00	[0.00]	0.00	[0.05]	0.00	[0.02]	0.00	[0.10]	0.00	[0.25]	0.00	0.00-14.77
195.4	Corpus pineale	-	-	[0.00]	0.00	-	-	[0.00]	0.00	-	-	[0.01]	0.00	0.00-510.80
196	Bone	4	4.28	[0.13]	0.00	[0.03]	0.00	2	3.02	1	0.42	7	1.70	0.68-3.50
	-chondrosarcoma ²	-	-	[0.06]	0.00	[0.03]	0.00	[0.17]	0.00	[1.02]	0.00	[1.29]	0.00	0.00-2.86
197	Soft tissue	3	0.90	[0.44]	0.00	[0.06]	0.00	1	0.49	15	1.31	19	1.10	0.66-1.72
	-fibrosarcoma ²	-	-	[0.15]	0.00	-	-	[0.21]	0.00	2	1.13	2	0.94	0.11-3.38
	-liposarcoma ²	-	-	[0.10]	0.00	[0.02]	0.00	[0.32]	0.00	1	0.52	1	0.42	0.01-2.34
200,202	Non-Hodgkin lymphoma	28	1.19	4	1.64	[0.37]	0.00	14	1.33	49	0.98	95	1.09	0.88-1.33
201	Hodgkin lymphoma	5	1.37	[0.41]	0.00	[0.05]	0.00	1	0.46	9	1.12	15	1.05	0.59-1.73
203	Multiple myeloma	7	0.50	2	2.28	[0.16]	0.00	6	0.68	31	1.17	46	0.91	0.67-1.22
204	Leukaemia	25	0.84	1	0.61	[0.27]	0.00	13	1.06	33	0.84	72	0.86	0.68-1.09
	-chronic lymphatic ²	-	-	[0.70]	0.00	[0.09]	0.00	5	1.13	15	0.82	20	0.85	0.52-1.31
	-acute myeloid ²	7	0.83	[0.45]	0.00	[0.09]	0.00	6	1.37	5	0.58	18	0.82	0.49-1.30
	Mycosis fungoides ²	1	1.17	[0.06]	0.00	[0.02]	0.00	[0.33]	0.00	4	1.05	5	0.98	0.32-2.29
199	Other/unknown site	9	0.71	[1.34]	0.00	[0.20]	0.00	23	1.23	76	1.47	108	1.28	1.06-1.54
140-204	All sites	950	1.04	54	0.78	10	0.97	539	1.11	1823	1.13	3376	1.09	1.06-1.13
	Not included above													
191	Other skin	-	-	[1.78]	0.00	[0.29]	0.00	24	1.13	84	1.03	108	1.03	0.85-1.25
191.6	-upper limbs ²	-	-	[0.14]	0.00	[0.03]	0.00	2	1.07	11	1.30	13	1.24	0.66-2.11

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Hairdressers. Women (N = 39 879). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	1	0.62	2	0.52	[0.02]	0.00	[1.70]	0.00	6	1.01	9	0.69	0.31-1.30
141	Tongue	4	1.79	4	0.90	[0.06]	0.00	4	1.60	10	1.39	22	1.34	0.84-2.03
142	Salivary glands	[1.80]	0.00	4	1.26	[0.05]	0.00	2	1.12	9	1.21	15	1.05	0.59-1.74
143-144	Oral cavity	3	0.59	4	0.92	[0.11]	0.00	4	0.97	11	1.04	22	0.91	0.57-1.38
145-148	Pharynx	5	1.33	7	2.43	[0.05]	0.00	3	1.14	10	1.11	25	1.37	0.88-2.02
145	-oropharynx ²	2	0.92	5	4.34	[0.03]	0.00	1	0.86	7	1.56	15	1.66	0.93-2.74
146	-nasopharynx ²	1	1.72	2	2.66	[0.02]	0.00	[0.51]	0.00	1	0.50	4	1.04	0.28-2.66
150	Oesophagus	6	0.87	6	0.59	[0.14]	0.00	8	1.81	18	1.29	38	1.07	0.76-1.47
	-adenocarcinoma ²	2	1.18	1	1.02	[0.04]	0.00	2	2.55	5	2.01	10	1.67	0.80-3.08
151	Stomach	15	0.74	51	1.00	[0.62]	0.00	25	0.64	79	0.99	170	0.89	0.76-1.03
151.1	-cardia ²	[3.37]	0.00	4	0.84	[0.07]	0.00	2	0.42	7	1.16	13	0.69	0.36-1.17
152	Small intestine	3	1.12	3	0.72	[0.10]	0.00	5	1.30	13	0.98	24	1.00	0.64-1.48
153	Colon	95	0.97	86	1.16	[1.49]	0.00	126	1.15	243	1.08	550	1.08	1.00-1.18
154	Rectum, rectosigma	48	1.11	45	1.00	1	1.63	36	0.77	126	1.06	256	1.01	0.89-1.14
155.0	Primary liver	9	1.21	15	1.31	[0.09]	0.00	8	1.83	20	0.91	52	1.15	0.86-1.50
	-hemangiosarcoma ²	-	-	[0.09]	0.00	[0.01]	0.00	[0.02]	0.00	[0.16]	0.00	[0.27]	0.00	0.00-13.62
155.1	Gall bladder	9	0.83	16	0.80	[0.12]	0.00	9	1.12	27	0.77	61	0.82	0.63-1.06
157	Pancreas	32	1.05	48	1.09	[0.58]	0.00	41	1.29	97	1.25	218	1.18	1.03-1.35
160	Nose	3	1.60	3	1.54	[0.07]	0.00	[1.75]	0.00	7	1.76	13	1.35	0.72-2.31
	-adenocarcinoma ²	-	-	1	7.89	-	-	[0.17]	0.00	[0.31]	0.00	1	1.63	0.04-9.09
161	Larynx	2	0.46	9	5.30	[0.06]	0.00	4	2.31	6	1.40	21	1.74	1.07-2.65
162,163	Lung	105	0.94	81	1.43	1	0.33	86	1.46	223	1.48	496	1.30	1.19-1.42
	-adenocarcinoma ²	40	1.10	23	1.47	[1.07]	0.00	28	1.56	80	1.52	171	1.38	1.19-1.61
	-small cell ²	-	-	7	0.74	1	2.15	18	1.49	25	1.20	51	1.19	0.89-1.57
	-squamous cell ²	19	0.93	13	1.45	[0.48]	0.00	14	1.50	39	1.43	85	1.28	1.02-1.58
	-other ²	-	-	38	1.69	[1.00]	0.00	21	1.27	79	1.57	138	1.53	1.29-1.80
158, 162.2	Mesothelioma ²	1	0.64	[2.18]	0.00	[0.01]	0.00	[0.76]	0.00	2	0.76	3	0.42	0.09-1.23
170	Breast	300	1.10	432	0.99	9	0.90	265	1.02	977	1.09	1983	1.06	1.01-1.10
	-ductal ²	-	-	332	1.05	6	0.77	179	1.04	287	1.07	804	1.05	0.98-1.13
	-lobular ²	-	-	48	0.89	1	1.19	21	1.27	73	1.22	143	1.09	0.92-1.28
171	Cervix uteri	52	1.10	34	1.37	[1.18]	0.00	48	1.03	148	1.36	282	1.23	1.10-1.38
172	Corpus uteri	80	1.26	93	1.07	1	0.71	57	0.96	192	0.98	423	1.04	0.95-1.14
173	Choriocarcinoma	[0.05]	0.00	[0.19]	0.00	[0.01]	0.00	[0.14]	0.00	[0.42]	0.00	[0.81]	0.00	0.00-4.58
175.0	Ovary	66	1.20	77	1.24	[1.24]	0.00	71	1.19	220	1.12	434	1.16	1.05-1.27
175.1	Fallopian tube	3	1.86	8	2.47	[0.05]	0.00	2	1.23	12	2.45	25	2.19	1.41-3.23
176.0	Vulva	3	0.59	7	0.93	[0.14]	0.00	10	1.14	13	0.70	33	0.82	0.57-1.16
176.1	Vagina	2	0.92	3	1.46	[0.04]	0.00	1	0.57	2	0.35	8	0.68	0.30-1.35
180	Kidney	23	1.21	34	0.92	1	1.29	21	0.90	70	0.95	149	0.97	0.82-1.14
180.1	-renal pelvis ²	9	1.31	3	1.65	[0.05]	0.00	7	2.77	7	0.94	26	1.39	0.91-2.04
181	Bladder	43	1.25	25	1.25	[0.61]	0.00	37	1.33	88	1.21	193	1.24	1.08-1.43
190	Melanoma	36	1.20	36	0.97	1	0.89	44	1.00	117	1.08	234	1.06	0.93-1.21
190.6	-upper limbs ²	3	0.56	3	0.45	[0.18]	0.00	7	0.98	18	0.85	31	0.77	0.52-1.09
192	Eye	2	0.80	9	2.41	[0.05]	0.00	2	0.67	6	0.73	19	1.09	0.66-1.70
	-melanoma ²	2	0.89	9	2.60	[0.05]	0.00	2	0.77	3	0.47	16	1.09	0.62-1.77
193	Brain	31	0.99	58	1.08	1	0.87	23	0.72	108	1.04	221	1.00	0.87-1.14
	-glioma ²	2	0.77	21	1.41	[0.40]	0.00	6	0.55	33	0.94	62	0.97	0.74-1.24
	-meningeoma ²	7	0.92	23	0.99	1	1.57	11	0.95	46	1.05	88	1.02	0.81-1.25
194	Thyroid	4	0.79	26	0.82	2	1.54	7	0.53	21	0.59	60	0.69	0.53-0.89
	-follicular ²	-	-	5	1.32	[0.14]	0.00	3	1.64	1	0.56	9	1.19	0.54-2.26
	-papillary ²	-	-	20	0.82	2	1.83	2	0.25	7	0.93	31	0.76	0.51-1.07
195.0	Glandula suprarenalis	[0.56]	0.00	3	2.28	[0.02]	0.00	[0.59]	0.00	2	1.16	5	1.19	0.39-2.78
195.1	Parathyreoidea	[0.04]	0.00	[0.04]	0.00	-	-	[0.06]	0.00	[0.41]	0.00	[0.56]	0.00	0.00-6.63
195.2	Thymus	[0.25]	0.00	[0.49]	0.00	-	-	1	5.36	1	1.43	2	1.23	0.15-4.43
195.3	Hypophysis	[0.07]	0.00	[0.04]	0.00	[0.12]	0.00	[0.04]	0.00	[0.18]	0.00	[0.45]	0.00	0.00-8.21
195.4	Corpus pineale	-	-	[0.15]	0.00	-	-	[0.03]	0.00	-	-	[0.19]	0.00	0.00-19.85
196	Bone	[0.83]	0.00	2	1.15	[0.08]	0.00	[1.15]	0.00	7	1.81	9	1.17	0.54-2.23
	-chondrosarcoma ²	-	-	1	1.25	[0.05]	0.00	[0.33]	0.00	3	1.69	4	1.35	0.37-3.47
197	Soft tissue	2	0.64	11	1.31	[0.13]	0.00	2	0.51	25	1.26	40	1.13	0.81-1.54
	-fibrosarcoma ²	-	-	5	2.05	[0.00]	0.00	[0.29]	0.00	4	1.60	9	1.72	0.79-3.26
	-liposarcoma ²	-	-	5	2.72	[0.03]	0.00	[0.51]	0.00	4	1.38	9	1.70	0.78-3.23
200,202	Non-Hodgkin lymphoma	32	1.34	47	1.02	[0.72]	0.00	23	0.94	73	0.90	175	0.99	0.86-1.15
201	Hodgkin lymphoma	2	0.80	5	1.01	[0.13]	0.00	2	0.66	7	0.70	16	0.78	0.44-1.26
203	Multiple myeloma	10	0.87	12	0.72	[0.29]	0.00	14	0.89	28	0.76	64	0.79	0.61-1.01
204	Leukaemia	19	0.84	18	0.74	[0.60]	0.00	19	0.96	48	0.89	104	0.86	0.71-1.04
	-chronic lymphatic ²	-	-	8	0.96	[0.16]	0.00	6	0.94	17	0.82	31	0.87	0.59-1.24
	-acute myeloid ²	9	1.17	4	0.48	[0.28]	0.00	7	0.88	15	0.91	35	0.86	0.60-1.19
	Mycosis fungoides ²	[0.49]	0.00	1	1.44	[0.03]	0.00	[0.42]	0.00	5	1.18	6	1.02	0.37-2.22
199	Other/unknown site	14	0.87	32	1.04	[0.68]	0.00	40	1.03	94	0.85	180	0.91	0.79-1.05
140-204	All sites	1026	1.05	1367	1.06	17	0.58	1050	1.03	3171	1.08	6631	1.06	1.03-1.09
	Not included above													
	Ovary borderline ²	-	-	16	1.21	1	1.44	8	0.92	31	1.02	56	1.06	0.80-1.37
191	Other skin	-	-	28	0.85	[0.66]	0.00	45	1.32	95	1.06	168	1.07	0.92-1.24
191.6	-upper limbs ²	-	-	3	1.16	[0.08]	0.00	2	0.56	11	1.02	16	0.94	0.54-1.53

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or biological code

Launderers and dry cleaners. Men (N = 8 744). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	2	0.39	1	1.11	[0.05]	0.00	3	0.93	4	0.38	10	0.50	0.24-0.93
141	Tongue	[1.54]	0.00	1	3.28	[0.02]	0.00	[1.19]	0.00	3	0.76	4	0.57	0.16-1.46
142	Salivary glands	[1.02]	0.00	[0.18]	0.00	[0.02]	0.00	[0.56]	0.00	2	0.69	2	0.43	0.05-1.54
143-144	Oral cavity	2	0.64	1	3.26	[0.02]	0.00	2	1.15	4	0.66	9	0.80	0.37-1.52
145-148	Pharynx	[3.64]	0.00	[0.38]	0.00	[0.02]	0.00	3	1.51	13	1.52	16	1.10	0.63-1.78
145	-oropharynx ²	[1.99]	0.00	[0.15]	0.00	[0.01]	0.00	[0.71]	0.00	7	2.27	7	1.18	0.47-2.42
146	-nasopharynx ²	[0.57]	0.00	[0.08]	0.00	[0.01]	0.00	2	5.34	2	1.09	4	1.39	0.38-3.57
150	Oesophagus	8	1.00	2	2.26	[0.13]	0.00	8	2.27	10	0.64	28	0.99	0.66-1.44
	-adenocarcinoma ²	4	1.25	[0.20]	0.00	[0.04]	0.00	1	1.48	2	0.51	7	0.87	0.35-1.79
151	Stomach	21	1.13	5	1.22	2	4.53	20	0.96	69	1.06	117	1.07	0.90-1.29
151.1	-cardia ²	6	1.10	1	1.41	2	27.71	4	1.17	11	1.41	24	1.38	0.88-2.05
152	Small intestine	1	0.70	[0.26]	0.00	[0.03]	0.00	1	1.01	10	1.56	12	1.31	0.68-2.30
153	Colon	46	1.10	4	1.16	1	1.88	26	0.98	90	1.01	167	1.03	0.89-1.20
154	Rectum, rectosigma	29	0.99	2	0.69	[0.20]	0.00	16	0.98	51	0.83	98	0.89	0.72-1.08
155.0	Primary liver	5	0.82	3	2.95	[0.07]	0.00	5	2.42	16	0.98	29	1.13	0.76-1.63
	-hemangiosarcoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.07]	0.00	[0.08]	0.00	0.00-45.39
155.1	Gall bladder	1	0.29	2	3.70	[0.03]	0.00	5	3.31	11	1.76	19	1.62	0.97-2.53
157	Pancreas	21	1.37	4	1.57	1	4.89	17	1.66	35	0.95	78	1.19	0.94-1.49
160	Nose	4	2.80	[0.15]	0.00	[0.02]	0.00	[0.81]	0.00	4	1.51	8	1.58	0.68-3.12
	-adenocarcinoma ²	-	-	[0.01]	0.00	[0.00]	0.00	[0.11]	0.00	[0.46]	0.00	[0.58]	0.00	0.00-6.34
161	Larynx	4	0.44	1	1.01	[0.07]	0.00	5	1.35	15	1.23	25	0.96	0.62-1.42
162,163	Lung	121	1.18	15	1.04	[0.92]	0.00	59	1.50	158	1.33	353	1.28	1.15-1.42
	-adenocarcinoma ²	22	1.14	2	1.03	[0.25]	0.00	9	1.28	31	1.44	64	1.28	0.99-1.63
	-small cell ²	-	-	3	1.33	[0.18]	0.00	4	0.61	13	1.24	20	1.03	0.63-1.58
	-squamous cell ²	38	1.07	3	0.66	[0.24]	0.00	27	2.17	60	1.34	128	1.31	1.10-1.56
	-other ²	-	-	7	1.23	[0.24]	0.00	13	1.43	54	1.28	74	1.29	1.01-1.62
158, 162.2	Mesothelioma ²	1	0.39	1	3.23	[0.02]	0.00	1	0.94	4	0.90	7	0.83	0.34-1.72
170	Breast	[0.95]	0.00	[0.09]	0.00	[0.02]	0.00	[0.41]	0.00	3	1.47	3	0.86	0.18-2.50
177	Prostate	67	0.98	20	1.25	3	1.51	75	1.12	345	1.05	510	1.05	0.97-1.15
178	Testis	3	1.18	[0.27]	0.00	[0.02]	0.00	2	1.25	5	1.20	10	1.16	0.56-2.13
	-seminoma ²	[1.05]	0.00	[0.19]	0.00	[0.02]	0.00	1	0.89	4	1.33	5	0.93	0.30-2.16
	-non-seminoma ²	3	1.99	[0.08]	0.00	[0.01]	0.00	1	2.91	1	0.86	5	1.61	0.52-3.76
179.0	Penis	2	1.08	[0.13]	0.00	[0.02]	0.00	4	3.94	4	1.01	10	1.43	0.69-2.63
180	Kidney	11	0.91	3	1.06	[0.30]	0.00	10	1.02	38	0.85	62	0.89	0.68-1.14
180.1	-renal pelvis ²	4	0.83	[0.17]	0.00	[0.02]	0.00	[1.14]	0.00	3	0.64	7	0.65	0.26-1.33
181	Bladder	49	0.93	4	1.05	1	2.00	30	1.28	102	1.15	186	1.10	0.95-1.27
190	Melanoma	3	0.30	1	0.50	[0.09]	0.00	8	0.90	28	0.86	40	0.75	0.53-1.02
190.6	-upper limbs ²	[1.19]	0.00	[0.25]	0.00	[0.01]	0.00	1	1.23	1	0.22	2	0.29	0.04-1.05
192	Eye	1	0.80	[0.19]	0.00	[0.01]	0.00	1	1.23	2	0.61	4	0.72	0.20-1.85
	-melanoma ²	1	0.90	[0.18]	0.00	[0.01]	0.00	1	1.40	2	0.73	4	0.84	0.23-2.16
193	Brain	13	1.10	[2.00]	0.00	[0.15]	0.00	6	0.87	27	0.90	46	0.91	0.66-1.21
	-glioma ²	3	2.45	[0.92]	0.00	[0.08]	0.00	2	0.58	15	1.00	20	0.97	0.59-1.49
	-meningeoma ²	1	0.66	[0.41]	0.00	[0.04]	0.00	1	0.92	6	0.91	8	0.83	0.36-1.64
194	Thyroid	2	1.85	1	2.16	[0.10]	0.00	1	0.78	3	0.58	7	0.87	0.35-1.79
	-follicular ²	-	-	[0.07]	0.00	[0.02]	0.00	1	6.42	[0.21]	0.00	1	2.18	0.06-12.14
	-papillary ²	-	-	1	3.48	[0.07]	0.00	[0.63]	0.00	[0.51]	0.00	1	0.67	0.02-3.72
195.0	Glandula suprarenalis	[0.27]	0.00	[0.08]	0.00	[0.00]	0.00	[0.16]	0.00	[0.56]	0.00	[1.08]	0.00	0.00-3.42
195.1	Parathyreoidea	[0.02]	0.00	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	[0.04]	0.00	[0.06]	0.00	0.00-59.70
195.2	Thymus	[0.13]	0.00	[0.02]	0.00	[0.00]	0.00	1	15.51	[0.24]	0.00	1	2.17	0.05-12.10
195.3	Hypophysis	[0.04]	0.00	[0.00]	0.00	[0.02]	0.00	[0.01]	0.00	[0.07]	0.00	[0.15]	0.00	0.00-24.70
195.4	Corpus pineale	-	-	[0.00]	0.00	-	-	[0.00]	0.00	-	-	[0.01]	0.00	0.00-630.09
196	Bone	[0.44]	0.00	[0.13]	0.00	[0.01]	0.00	[0.39]	0.00	1	0.59	1	0.38	0.01-2.10
	-chondrosarcoma ²	-	-	[0.06]	0.00	[0.01]	0.00	[0.10]	0.00	1	1.36	1	1.10	0.03-6.13
197	Soft tissue	2	1.23	1	2.20	1	35.63	[1.22]	0.00	8	0.98	12	1.04	0.54-1.82
	-fibrosarcoma ²	-	-	1	6.49	-	-	[0.12]	0.00	[1.26]	0.00	1	0.65	0.02-3.61
	-liposarcoma ²	-	-	[0.10]	0.00	[0.01]	0.00	[0.19]	0.00	2	1.43	2	1.18	0.14-4.26
200,202	Non-Hodgkin lymphoma	15	1.30	[2.52]	0.00	[0.19]	0.00	5	0.81	34	0.94	54	0.96	0.72-1.25
201	Hodgkin lymphoma	[1.75]	0.00	[0.40]	0.00	[0.02]	0.00	1	0.79	6	1.05	7	0.77	0.31-1.58
203	Multiple myeloma	13	1.92	1	1.11	[0.09]	0.00	6	1.14	22	1.16	42	1.31	0.95-1.78
204	Leukaemia	7	0.48	1	0.61	1	6.38	6	0.82	22	0.78	37	0.71	0.50-0.99
	-chronic lymphatic ²	-	-	[0.70]	0.00	[0.06]	0.00	3	1.13	12	0.91	15	0.90	0.50-1.49
	-acute myeloid ²	2	0.49	[0.45]	0.00	1	21.59	2	0.77	3	0.49	8	0.60	0.26-1.18
	Mycosis fungoides ²	[0.41]	0.00	[0.06]	0.00	[0.01]	0.00	[0.20]	0.00	3	1.11	3	0.88	0.18-2.59
199	Other/unknown site	8	1.30	1	0.70	[0.13]	0.00	11	0.97	36	0.97	56	1.00	0.76-1.30
140-204	All sites	454	1.01	75	1.08	10	1.50	339	1.17	1188	1.03	2066	1.05	1.01-1.10
Not included above														
191	Other skin	-	-	7	3.53	[0.22]	0.00	16	1.24	55	0.96	78	1.08	0.85-1.35
191.6	-upper limbs ²	-	-	[0.15]	0.00	[0.02]	0.00	[1.13]	0.00	4	0.66	4	0.55	0.15-1.40

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Launderers and dry cleaners. Women (N = 34 752). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	2	0.67	3	0.72	[0.08]	0.00	3	1.20	5	0.67	13	0.75	0.40-1.29
141	Tongue	1	0.25	1	0.28	[0.21]	0.00	1	0.28	7	0.83	10	0.50	0.24-0.93
142	Salivary glands	6	1.76	[2.51]	0.00	[0.09]	0.00	5	2.01	6	0.68	17	0.98	0.57-1.57
143-144	Oral cavity	9	0.96	1	0.27	2	3.96	10	1.66	28	2.10	50	1.52	1.13-2.00
145-148	Pharynx	4	0.62	1	0.44	1	6.87	4	1.10	12	1.15	22	0.96	0.60-1.45
145	-oropharynx ²	1	0.27	[0.72]	0.00	[0.07]	0.00	[1.46]	0.00	5	1.35	6	0.62	0.23-1.34
146	-nasopharynx ²	2	1.86	[0.61]	0.00	1	13.88	4	5.38	4	1.39	11	2.04	1.02-3.65
150	Oesophagus	17	1.29	13	1.22	[0.67]	0.00	9	1.30	28	1.37	67	1.29	1.00-1.64
	-adenocarcinoma ²	3	0.92	1	1.11	[0.19]	0.00	1	0.90	4	1.24	9	1.03	0.47-1.96
151	Stomach	46	1.15	50	1.01	2	0.73	71	1.09	163	1.21	332	1.14	1.02-1.27
151.1	-cardia ²	10	1.52	4	0.85	[0.20]	0.00	4	0.53	12	1.52	30	1.11	0.75-1.59
152	Small intestine	4	0.79	3	0.88	[0.30]	0.00	4	0.74	18	1.07	29	0.93	0.63-1.34
153	Colon	193	1.02	55	0.80	2	0.35	149	0.89	324	1.02	723	0.97	0.90-1.04
154	Rectum, rectosigma	77	0.92	37	0.91	[2.06]	0.00	82	1.16	151	0.96	347	0.98	0.88-1.09
155.0	Primary liver	26	1.76	17	1.49	[0.44]	0.00	8	1.16	33	1.01	84	1.27	1.01-1.57
	-hemangiosarcoma ²	-	-	[0.07]	0.00	[0.04]	0.00	[0.02]	0.00	1	4.90	1	3.02	0.08-16.81
155.1	Gall bladder	21	0.94	18	0.88	3	5.09	12	0.92	55	0.95	109	0.95	0.79-1.15
157	Pancreas	77	1.27	40	0.93	5	2.34	59	1.16	124	1.07	305	1.12	1.00-1.25
160	Nose	5	1.37	2	1.13	[0.21]	0.00	3	1.13	4	0.76	14	1.03	0.56-1.73
	-adenocarcinoma ²	-	-	[0.11]	0.00	-	-	[0.27]	0.00	[0.39]	0.00	[0.77]	0.00	0.00-4.79
161	Larynx	7	0.87	5	3.25	1	7.50	4	1.69	5	1.08	22	1.31	0.82-1.99
162,163	Lung	269	1.31	58	1.13	13	1.33	89	1.15	183	1.24	612	1.25	1.15-1.35
	-adenocarcinoma ²	87	1.40	18	1.37	4	1.24	27	1.20	60	1.29	196	1.33	1.15-1.53
	-small cell ²	-	-	10	1.21	4	2.48	19	1.24	26	1.62	59	1.43	1.09-1.85
	-squamous cell ²	65	1.66	12	1.42	[1.63]	0.00	15	1.19	42	1.41	134	1.46	1.23-1.73
	-other ²	-	-	18	0.84	5	1.52	23	1.08	55	1.00	101	1.00	0.82-1.21
158, 162.2	Mesothelioma ²	2	0.66	4	2.06	[0.03]	0.00	1	0.97	3	0.97	10	1.10	0.53-2.02
170	Breast	426	0.90	250	0.88	16	0.84	257	0.79	808	0.93	1757	0.89	0.85-0.94
	-ductal ²	-	-	181	0.92	12	0.82	187	0.91	143	1.04	523	0.94	0.86-1.03
	-lobular ²	-	-	20	0.65	[1.60]	0.00	8	0.45	29	0.90	57	0.69	0.52-0.89
171	Cervix uteri	85	1.00	27	1.34	[1.49]	0.00	73	1.36	147	1.27	332	1.20	1.08-1.34
172	Corpus uteri	110	0.89	65	0.88	5	1.20	57	0.72	200	0.91	437	0.87	0.80-0.96
173	Choriocarcinoma	[0.07]	0.00	[0.09]	0.00	[0.00]	0.00	[0.10]	0.00	1	4.59	1	2.07	0.05-11.56
175.0	Ovary	111	1.09	56	1.14	4	1.17	89	1.13	216	1.02	476	1.07	0.98-1.17
175.1	Fallopian tube	7	2.33	1	0.42	[0.06]	0.00	1	0.53	3	0.72	12	1.05	0.54-1.83
176.0	Vulva	13	1.29	4	0.58	[0.32]	0.00	17	1.24	32	1.19	66	1.14	0.88-1.45
176.1	Vagina	7	1.67	3	1.64	[0.11]	0.00	2	0.78	13	1.70	25	1.53	0.99-2.26
180	Kidney	41	1.10	24	0.71	[2.45]	0.00	25	0.72	111	1.10	201	0.96	0.84-1.10
180.1	-renal pelvis ²	11	0.80	2	1.10	[0.27]	0.00	3	0.80	17	1.66	33	1.11	0.76-1.55
181	Bladder	66	1.00	22	1.12	1	0.44	48	1.11	111	1.12	248	1.07	0.95-1.22
190	Melanoma	42	0.81	21	0.82	2	1.31	48	0.96	71	0.79	184	0.84	0.73-0.97
190.6	-upper limbs ²	9	0.93	4	0.90	[0.27]	0.00	9	1.02	19	1.06	41	1.00	0.72-1.35
192	Eye	4	0.87	2	0.66	[0.08]	0.00	3	0.76	16	1.74	25	1.20	0.78-1.77
	-melanoma ²	4	0.96	2	0.71	[0.05]	0.00	3	0.87	15	1.93	24	1.31	0.84-1.96
193	Brain	63	1.12	31	0.83	3	1.13	47	1.20	109	1.06	253	1.06	0.94-1.20
	-glioma ²	10	2.26	9	0.93	3	3.21	19	1.47	37	1.07	78	1.25	0.99-1.56
	-meningeoma ²	13	0.97	11	0.71	[1.31]	0.00	18	1.35	48	1.13	90	1.04	0.84-1.28
194	Thyroid	9	1.01	19	1.03	[1.81]	0.00	8	0.50	26	0.71	62	0.76	0.58-0.97
	-follicular ²	-	-	[3.14]	0.00	[0.23]	0.00	1	0.42	[1.23]	0.00	1	0.14	0.00-0.80
	-papillary ²	-	-	14	1.16	[1.44]	0.00	5	0.59	1	0.29	20	0.79	0.48-1.22
195.0	Glandula suprarenalis	2	1.95	[0.94]	0.00	[0.05]	0.00	[0.68]	0.00	[1.75]	0.00	2	0.45	0.05-1.63
195.1	Parathyreoidea	[0.08]	0.00	[0.03]	0.00	-	-	[0.08]	0.00	[0.46]	0.00	[0.65]	0.00	0.00-5.72
195.2	Thymus	[0.46]	0.00	[0.35]	0.00	-	-	[0.24]	0.00	[0.66]	0.00	[1.71]	0.00	0.00-2.16
195.3	Hypophysis	[0.12]	0.00	[0.04]	0.00	1	4.40	[0.07]	0.00	[0.25]	0.00	1	1.44	0.04-8.01
195.4	Corpus pineale	-	-	[0.09]	0.00	-	-	[0.04]	0.00	-	-	[0.13]	0.00	0.00-29.32
196	Bone	2	1.36	2	1.49	[0.13]	0.00	3	2.00	4	0.93	11	1.26	0.63-2.25
	-chondrosarcoma ²	-	-	2	3.31	[0.08]	0.00	1	2.36	2	1.11	5	1.72	0.56-4.02
197	Soft tissue	4	0.71	3	0.45	1	3.92	3	0.56	23	1.00	34	0.83	0.58-1.16
	-fibrosarcoma ²	-	-	2	0.93	[0.03]	0.00	[0.42]	0.00	2	0.55	4	0.64	0.17-1.64
	-liposarcoma ²	-	-	[1.31]	0.00	1	16.13	1	1.50	3	0.88	5	0.92	0.30-2.15
200,202	Non-Hodgkin lymphoma	47	1.06	43	1.12	4	2.16	31	0.95	85	0.88	210	0.98	0.86-1.13
201	Hodgkin lymphoma	8	1.76	1	0.29	[0.19]	0.00	2	0.49	15	1.18	26	1.04	0.68-1.53
203	Multiple myeloma	14	0.62	16	0.98	[1.06]	0.00	27	1.08	53	1.02	110	0.94	0.78-1.13
204	Leukaemia	48	1.11	16	0.73	[1.65]	0.00	23	0.77	80	1.21	167	1.03	0.88-1.19
	-chronic lymphatic ²	-	-	6	0.74	[0.60]	0.00	8	0.79	32	1.21	46	1.02	0.74-1.36
	-acute myeloid ²	15	1.03	7	0.95	[0.61]	0.00	6	0.51	19	1.02	47	0.89	0.65-1.18
	Mycosis fungoides ²	2	2.22	1	1.96	[0.03]	0.00	[0.56]	0.00	5	0.66	8	0.84	0.36-1.65
199	Other/unknown site	28	0.90	32	1.07	[2.17]	0.00	50	0.78	146	1.02	256	0.95	0.84-1.07
140-204	All sites	1850	1.03	955	0.93	66	0.90	1331	0.95	3424	1.02	7626	1.00	0.97-1.02
Not included above														
	Ovary borderline ²	-	-	10	1.28	[0.86]	0.00	9	1.03	31	1.51	50	1.32	0.98-1.74
191	Other skin	-	-	32	0.95	3	1.36	53	1.00	111	0.87	199	0.92	0.80-1.05
191.6	-upper limbs ²	-	-	5	1.96	[0.29]	0.00	5	0.93	13	0.92	23	1.03	0.65-1.54

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Military personnel. Men (N = 55 903). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	4	0.24	8	0.61	-	-	19	0.76	35	0.95	66	0.72	0.55-0.91
141	Tongue	7	0.99	5	0.77	-	-	12	0.96	20	1.11	44	1.00	0.72-1.34
142	Salivary glands	3	0.81	4	1.16	-	-	6	1.07	11	0.90	24	0.96	0.62-1.43
143-144	Oral cavity	12	0.90	5	0.76	-	-	17	0.97	34	1.33	68	1.08	0.84-1.37
145-148	Pharynx	15	0.93	5	0.64	-	-	18	0.86	31	0.82	69	0.83	0.65-1.05
145	-oropharynx ²	9	0.97	3	0.86	-	-	6	0.71	19	1.19	37	0.99	0.70-1.37
146	-nasopharynx ²	[2.21]	0.00	1	0.63	-	-	2	0.57	4	0.53	7	0.47	0.19-0.97
150	Oesophagus	28	0.93	14	0.88	-	-	30	0.91	66	1.04	138	0.97	0.82-1.14
	-adenocarcinoma ²	9	0.72	3	0.68	-	-	9	1.07	18	0.96	39	0.88	0.63-1.21
151	Stomach	45	0.82	47	0.78	-	-	138	0.92	203	0.91	433	0.89	0.81-0.98
151.1	-cardia ²	23	1.23	8	0.70	-	-	33	1.11	36	1.05	100	1.06	0.87-1.29
152	Small intestine	5	1.06	2	0.39	-	-	13	1.28	27	0.99	47	1.00	0.73-1.32
153	Colon	166	1.20	70	1.11	-	-	265	1.05	401	1.13	902	1.12	1.05-1.19
154	Rectum, rectosigma	118	1.24	45	0.88	-	-	162	1.06	243	0.99	568	1.04	0.96-1.13
155.0	Primary liver	22	1.08	11	0.65	-	-	15	0.83	57	0.92	105	0.90	0.74-1.08
	-hemangiosarcoma ²	-	-	[0.11]	0.00	-	-	[0.05]	0.00	[0.33]	0.00	[0.48]	0.00	0.00-7.72
155.1	Gall bladder	12	1.21	6	0.69	-	-	12	0.92	19	0.88	49	0.92	0.68-1.22
157	Pancreas	52	1.08	35	0.80	-	-	85	1.01	121	0.88	293	0.93	0.83-1.05
160	Nose	1	0.20	1	0.36	-	-	3	0.42	6	0.57	11	0.43	0.22-0.77
	-adenocarcinoma ²	-	-	[0.21]	0.00	-	-	[1.06]	0.00	[1.87]	0.00	[3.15]	0.00	0.00-1.17
161	Larynx	31	0.91	13	0.78	-	-	33	0.91	53	1.10	130	0.96	0.81-1.14
162,163	Lung	292	0.87	137	0.63	-	-	372	0.97	494	1.06	1295	0.92	0.88-0.98
	-adenocarcinoma ²	83	1.10	30	0.84	-	-	93	1.14	96	0.99	302	1.04	0.93-1.16
	-small cell ²	-	-	20	0.55	-	-	70	1.02	43	0.84	133	0.85	0.72-1.01
	-squamous cell ²	97	0.88	37	0.56	-	-	100	0.85	180	1.10	414	0.91	0.82-1.00
	-other ²	-	-	50	0.64	-	-	85	0.90	175	1.14	310	0.95	0.85-1.06
158, 162.2	Mesothelioma ²	12	1.28	2	0.30	-	-	14	1.14	17	0.83	45	0.92	0.67-1.23
170	Breast	4	1.24	2	1.16	-	-	4	1.05	7	0.85	17	1.00	0.58-1.60
177	Prostate	240	1.16	325	1.07	-	-	641	1.06	1510	1.11	2716	1.10	1.06-1.14
178	Testis	14	0.94	12	1.83	-	-	32	1.47	23	0.87	81	1.16	0.92-1.44
	-seminoma ²	5	0.82	10	2.20	-	-	20	1.29	17	0.90	52	1.15	0.86-1.51
	-non-seminoma ²	9	1.01	2	1.03	-	-	9	1.89	6	0.80	26	1.13	0.74-1.65
179.0	Penis	9	1.42	2	0.79	-	-	12	1.31	18	1.07	41	1.18	0.84-1.60
180	Kidney	41	0.97	76	1.37	-	-	118	1.24	182	1.02	417	1.12	1.02-1.24
180.1	-renal pelvis ²	13	0.79	6	2.00	-	-	14	1.24	16	0.86	49	0.99	0.74-1.31
181	Bladder	204	1.16	62	0.98	-	-	245	1.13	404	1.12	915	1.12	1.05-1.19
190	Melanoma	42	0.96	48	1.09	-	-	124	1.12	209	1.27	423	1.17	1.06-1.28
190.6	-upper limbs ²	5	0.94	9	1.59	-	-	6	0.60	29	1.16	49	1.07	0.79-1.41
192	Eye	2	0.43	5	1.33	-	-	10	1.28	21	1.50	38	1.26	0.89-1.72
	-melanoma ²	2	0.49	5	1.44	-	-	8	1.16	19	1.72	34	1.33	0.92-1.86
193	Brain	61	1.27	50	1.17	-	-	78	1.05	150	1.09	339	1.12	1.01-1.25
	-glioma ²	9	1.75	31	1.48	-	-	44	1.12	83	1.19	167	1.24	1.06-1.44
	-meningeoma ²	5	0.82	10	1.18	-	-	16	1.26	24	0.84	55	0.98	0.74-1.28
194	Thyroid	7	1.79	20	2.01	-	-	15	1.19	21	0.95	63	1.29	0.99-1.66
	-follicular ²	-	-	6	4.29	-	-	1	0.70	2	1.52	9	2.17	0.99-4.12
	-papillary ²	-	-	11	1.63	-	-	10	1.38	2	0.54	23	1.30	0.82-1.95
195.0	Glandula suprarenalis	1	1.06	3	2.11	-	-	2	1.16	4	1.63	10	1.53	0.73-2.82
195.1	Parathyreoidea	[0.04]	0.00	[0.02]	0.00	-	-	[0.08]	0.00	[0.15]	0.00	[0.30]	0.00	0.00-12.36
195.2	Thymus	1	2.19	[0.45]	0.00	-	-	1	1.23	2	1.74	4	1.40	0.38-3.57
195.3	Hypophysis	[0.16]	0.00	[0.04]	0.00	-	-	[0.11]	0.00	[0.31]	0.00	[0.62]	0.00	0.00-5.92
195.4	Corpus pineale	-	-	[0.08]	0.00	-	-	[0.03]	0.00	-	-	[0.11]	0.00	0.00-32.70
196	Bone	2	1.18	4	1.53	-	-	6	1.50	13	1.70	25	1.57	1.02-2.32
	-chondrosarcoma ²	-	-	4	2.94	-	-	4	3.76	9	2.59	17	2.88	1.68-4.61
197	Soft tissue	9	1.48	11	1.23	-	-	16	1.46	42	1.19	78	1.27	1.01-1.59
	-fibrosarcoma ²	-	-	4	1.39	-	-	2	2.00	2	0.44	8	0.95	0.41-1.87
	-liposarcoma ²	-	-	3	1.42	-	-	2	0.97	11	1.82	16	1.57	0.90-2.55
200,202	Non-Hodgkin lymphoma	46	1.09	55	1.08	-	-	78	1.12	164	1.03	343	1.06	0.96-1.18
201	Hodgkin lymphoma	9	1.24	6	0.73	-	-	19	1.59	20	0.86	54	1.07	0.80-1.39
203	Multiple myeloma	22	0.95	19	1.24	-	-	35	0.77	75	1.00	151	0.95	0.81-1.11
204	Leukaemia	51	1.06	35	1.25	-	-	63	0.97	131	1.10	280	1.08	0.96-1.21
	-chronic lymphatic ²	-	-	17	1.53	-	-	20	0.84	63	1.12	100	1.09	0.90-1.33
	-acute myeloid ²	19	1.38	13	1.64	-	-	29	1.23	27	0.98	88	1.21	0.97-1.49
	Mycosis fungoides ²	[1.30]	0.00	3	2.42	-	-	4	2.11	7	0.81	14	1.07	0.59-1.80
199	Other/unknown site	26	1.20	17	0.72	-	-	87	0.96	155	1.01	285	0.98	0.88-1.10
140-204	All sites	1557	1.03	1175	0.96	-	-	2807	1.04	4996	1.07	10535	1.04	1.02-1.06
	Not included above													
191	Other skin	-	-	41	1.32	-	-	150	1.24	309	1.32	500	1.29	1.19-1.41
191.6	-upper limbs ²	-	-	7	2.56	-	-	11	1.08	34	1.33	52	1.35	1.01-1.77

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Military personnel. Women (N = 440). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	[0.01]	0.00	[0.02]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.06]	0.00	0.00-59.73
141	Tongue	[0.02]	0.00	1	19.70	-	-	[0.01]	0.00	[0.04]	0.00	1	8.19	0.21-45.61
142	Salivary glands	[0.02]	0.00	[0.03]	0.00	-	-	[0.01]	0.00	[0.03]	0.00	[0.10]	0.00	0.00-38.52
143-144	Oral cavity	[0.05]	0.00	[0.04]	0.00	-	-	[0.02]	0.00	[0.04]	0.00	[0.15]	0.00	0.00-24.73
145-148	Pharynx	[0.03]	0.00	[0.03]	0.00	-	-	[0.01]	0.00	[0.05]	0.00	[0.13]	0.00	0.00-28.26
145	-oropharynx ²	[0.02]	0.00	[0.02]	0.00	-	-	[0.01]	0.00	[0.04]	0.00	[0.08]	0.00	0.00-44.81
146	-nasopharynx ²	[0.01]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.01]	0.00	[0.02]	0.00	0.00-159.79
150	Oesophagus	[0.07]	0.00	1	20.68	-	-	[0.02]	0.00	1	31.72	2	12.03	1.46-43.44
	-adenocarcinoma ²	[0.02]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.01]	0.00	[0.04]	0.00	0.00-103.52
151	Stomach	[0.21]	0.00	[0.34]	0.00	-	-	[0.12]	0.00	[0.17]	0.00	[0.83]	0.00	0.00-4.43
151.1	-cardia ²	[0.03]	0.00	[0.03]	0.00	-	-	[0.02]	0.00	[0.02]	0.00	[0.10]	0.00	0.00-36.60
152	Small intestine	[0.03]	0.00	1	21.70	-	-	[0.02]	0.00	[0.05]	0.00	1	7.26	0.18-40.47
153	Colon	[0.98]	0.00	2	3.46	-	-	1	2.22	[0.57]	0.00	3	1.17	0.24-3.41
154	Rectum, rectosigma	[0.43]	0.00	[0.38]	0.00	-	-	[0.20]	0.00	1	2.68	1	0.72	0.02-4.02
155.0	Primary liver	1	13.01	[0.07]	0.00	-	-	[0.02]	0.00	[0.06]	0.00	1	4.58	0.12-25.52
	-hemangiosarcoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-1924.42
155.1	Gall bladder	[0.12]	0.00	[0.11]	0.00	-	-	[0.03]	0.00	[0.06]	0.00	[0.31]	0.00	0.00-11.75
157	Pancreas	[0.31]	0.00	[0.29]	0.00	-	-	[0.12]	0.00	[0.19]	0.00	[0.91]	0.00	0.00-4.07
160	Nose	[0.02]	0.00	[0.02]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.06]	0.00	0.00-64.05
	-adenocarcinoma ²	-	-	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-1292.67
161	Larynx	[0.04]	0.00	[0.02]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.09]	0.00	0.00-43.20
162,163	Lung	[1.07]	0.00	[0.51]	0.00	-	-	1	2.93	[0.79]	0.00	1	0.37	0.01-2.06
	-adenocarcinoma ²	[0.32]	0.00	[0.17]	0.00	-	-	[0.11]	0.00	[0.33]	0.00	[0.93]	0.00	0.00-3.95
	-small cell ²	-	-	[0.10]	0.00	-	-	[0.07]	0.00	[0.12]	0.00	[0.29]	0.00	0.00-12.79
	-squamous cell ²	[0.20]	0.00	[0.07]	0.00	-	-	1	19.80	[0.10]	0.00	1	2.33	0.06-13.01
	-other ²	-	-	[0.17]	0.00	-	-	[0.10]	0.00	[0.24]	0.00	[0.50]	0.00	0.00-7.37
158, 162.2	Mesothelioma ²	[0.02]	0.00	[0.02]	0.00	-	-	[0.00]	0.00	[0.01]	0.00	[0.05]	0.00	0.00-71.35
170	Breast	5	2.06	10	1.52	-	-	3	2.00	8	1.32	26	1.57	1.03-2.30
	-ductal ²	-	-	8	1.59	-	-	2	1.77	3	0.99	13	1.41	0.75-2.42
	-lobular ²	-	-	1	1.06	-	-	[0.13]	0.00	[0.62]	0.00	1	0.59	0.02-3.30
171	Cervix uteri	1	2.27	1	4.22	-	-	[0.21]	0.00	[0.61]	0.00	2	1.33	0.16-4.82
172	Corpus uteri	1	1.49	[0.91]	0.00	-	-	[0.32]	0.00	[0.72]	0.00	1	0.38	0.01-2.13
173	Choriocarcinoma	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-409.10
175.0	Ovary	2	3.81	1	1.39	-	-	[0.29]	0.00	[1.06]	0.00	3	1.15	0.24-3.37
175.1	Fallopian tube	[0.02]	0.00	[0.05]	0.00	-	-	[0.01]	0.00	[0.03]	0.00	[0.11]	0.00	0.00-34.80
176.0	Vulva	[0.05]	0.00	1	16.96	-	-	[0.03]	0.00	1	16.55	2	9.81	1.19-35.43
176.1	Vagina	[0.02]	0.00	[0.02]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.07]	0.00	0.00-56.25
180	Kidney	2	10.28	[0.32]	0.00	-	-	[0.10]	0.00	[0.21]	0.00	2	2.44	0.30-8.80
180.1	-renal pelvis ²	[0.07]	0.00	[0.01]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.11]	0.00	0.00-33.20
181	Bladder	1	2.89	[0.13]	0.00	-	-	[0.11]	0.00	[0.20]	0.00	1	1.26	0.03-7.03
190	Melanoma	1	3.75	[0.50]	0.00	-	-	[0.29]	0.00	1	1.16	2	1.04	0.13-3.75
190.6	-upper limbs ²	1	20.07	[0.09]	0.00	-	-	[0.04]	0.00	[0.16]	0.00	1	2.91	0.07-16.19
192	Eye	[0.02]	0.00	[0.04]	0.00	-	-	[0.02]	0.00	[0.04]	0.00	[0.12]	0.00	0.00-30.20
	-melanoma ²	[0.02]	0.00	[0.04]	0.00	-	-	[0.01]	0.00	[0.03]	0.00	[0.10]	0.00	0.00-36.76
193	Brain	[0.29]	0.00	1	1.37	-	-	[0.19]	0.00	[0.67]	0.00	1	0.53	0.01-2.96
	-glioma ²	[0.02]	0.00	[0.21]	0.00	-	-	[0.06]	0.00	[0.21]	0.00	[0.51]	0.00	0.00-7.18
	-meningioma ²	[0.07]	0.00	1	2.93	-	-	[0.08]	0.00	[0.30]	0.00	1	1.26	0.03-7.02
194	Thyroid	[0.05]	0.00	[0.51]	0.00	-	-	[0.08]	0.00	[0.23]	0.00	[0.86]	0.00	0.00-4.28
	-follicular ²	-	-	[0.04]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.06]	0.00	0.00-57.00
	-papillary ²	-	-	[0.44]	0.00	-	-	[0.06]	0.00	[0.10]	0.00	[0.60]	0.00	0.00-6.16
195.0	Glandula suprarenalis	[0.01]	0.00	[0.02]	0.00	-	-	[0.00]	0.00	[0.01]	0.00	[0.04]	0.00	0.00-99.57
195.1	Parathyreoidea	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-1425.86
195.2	Thymus	[0.00]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.01]	0.00	0.00-268.70
195.3	Hypophysis	[0.00]	0.00	[0.00]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.00]	0.00	0.00-2243.28
195.4	Corpus pineale	-	-	[0.00]	0.00	-	-	[0.00]	0.00	-	-	[0.00]	0.00	0.00-1474.28
196	Bone	[0.01]	0.00	[0.02]	0.00	-	-	[0.01]	0.00	[0.02]	0.00	[0.06]	0.00	0.00-64.94
	-chondrosarcoma ²	-	-	[0.01]	0.00	-	-	[0.00]	0.00	[0.01]	0.00	[0.02]	0.00	0.00-154.87
197	Soft tissue	[0.03]	0.00	[0.10]	0.00	-	-	[0.02]	0.00	[0.10]	0.00	[0.24]	0.00	0.00-15.24
	-fibrosarcoma ²	-	-	[0.02]	0.00	-	-	[0.00]	0.00	[0.01]	0.00	[0.03]	0.00	0.00-129.50
	-liposarcoma ²	-	-	[0.03]	0.00	-	-	[0.00]	0.00	[0.02]	0.00	[0.04]	0.00	0.00-86.17
200,202	Non-Hodgkin lymphoma	[0.23]	0.00	[0.50]	0.00	-	-	[0.14]	0.00	1	3.05	1	0.83	0.02-4.65
201	Hodgkin lymphoma	[0.02]	0.00	[0.06]	0.00	-	-	[0.01]	0.00	[0.05]	0.00	[0.14]	0.00	0.00-25.50
203	Multiple myeloma	[0.12]	0.00	[0.11]	0.00	-	-	[0.06]	0.00	[0.10]	0.00	[0.39]	0.00	0.00-9.56
204	Leukaemia	[0.22]	0.00	[0.20]	0.00	-	-	[0.08]	0.00	[0.22]	0.00	[0.72]	0.00	0.00-5.12
	-chronic lymphatic ²	-	-	[0.05]	0.00	-	-	[0.02]	0.00	[0.06]	0.00	[0.14]	0.00	0.00-25.65
	-acute myeloid ²	[0.07]	0.00	[0.08]	0.00	-	-	[0.03]	0.00	[0.07]	0.00	[0.25]	0.00	0.00-14.49
	Mycosis fungoides ²	[0.00]	0.00	[0.01]	0.00	-	-	[0.00]	0.00	[0.00]	0.00	[0.02]	0.00	0.00-191.22
199	Other/unknown site	2	12.53	1	4.94	-	-	[0.13]	0.00	[0.35]	0.00	3	3.56	0.73-10.40
140-204	All sites	16	1.71	20	1.36	-	-	5	1.00	13	0.90	54	1.24	0.93-1.62
	Not included above													
	Ovary borderline ²	-	-	[0.21]	0.00	-	-	[0.07]	0.00	[0.30]	0.00	[0.58]	0.00	0.00-6.34
191	Other skin	-	-	[0.16]	0.00	-	-	[0.13]	0.00	[0.22]	0.00	[0.51]	0.00	0.00-7.25
191.6	-upper limbs ²	-	-	[0.02]	0.00	-	-	[0.02]	0.00	[0.03]	0.00	[0.06]	0.00	0.00-62.99

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Other economically active persons. Men (N = 240 396). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	132	1.25	53	0.98	3	0.76	238	1.42	251	1.34	677	1.31	1.21-1.41
141	Tongue	76	2.06	28	1.75	1	0.55	46	0.80	66	0.96	217	1.20	1.05-1.37
142	Salivary glands	26	1.16	16	1.66	1	0.66	32	1.15	52	1.03	127	1.14	0.95-1.35
143-144	Oral cavity	112	1.55	22	1.36	2	0.81	91	1.08	112	1.08	339	1.22	1.09-1.35
145-148	Pharynx	149	1.70	30	1.44	3	1.13	108	1.14	191	1.28	481	1.35	1.24-1.48
145	-oropharynx ²	82	1.70	11	1.36	[0.75]	0.00	37	1.11	68	1.28	198	1.38	1.20-1.58
146	-nasopharynx ²	22	1.62	1	0.23	3	4.14	25	1.37	35	1.08	86	1.24	0.99-1.53
150	Oesophagus	277	1.53	65	1.29	14	1.18	204	1.16	365	1.35	925	1.34	1.26-1.43
	-adenocarcinoma ²	87	1.24	11	1.00	3	0.68	36	1.16	88	1.34	225	1.23	1.08-1.41
151	Stomach	481	1.16	254	1.04	35	0.97	1206	1.08	1386	1.15	3362	1.11	1.08-1.15
151.1	-cardia ²	134	1.09	48	1.16	6	0.92	180	1.04	127	0.99	495	1.05	0.96-1.14
152	Small intestine	37	1.17	11	0.76	4	1.10	40	0.84	94	0.87	186	0.90	0.78-1.04
153	Colon	920	1.04	182	0.93	56	1.12	1252	0.95	1408	0.92	3818	0.96	0.93-0.99
154	Rectum, rectosigma	689	1.10	160	0.98	16	0.87	793	0.99	1121	1.06	2779	1.04	1.00-1.08
155.0	Primary liver	228	1.65	78	1.33	3	0.51	119	1.14	315	1.09	743	1.25	1.16-1.34
	-hemangiosarcoma ²	-	-	[0.24]	0.00	-	-	[0.14]	0.00	2	1.57	2	1.21	0.15-4.38
155.1	Gall bladder	89	1.18	22	0.70	4	1.35	94	1.22	140	1.21	349	1.16	1.04-1.28
157	Pancreas	368	1.06	143	0.98	19	1.04	546	1.03	677	1.03	1753	1.03	0.99-1.08
160	Nose	38	1.23	6	0.70	1	0.58	39	0.95	40	0.86	124	0.96	0.81-1.15
	-adenocarcinoma ²	-	-	[0.58]	0.00	[0.17]	0.00	1	0.19	2	0.26	3	0.22	0.05-0.64
161	Larynx	318	1.61	77	1.33	10	1.45	200	1.12	230	1.10	835	1.28	1.20-1.37
162,163	Lung	2981	1.29	1121	1.29	97	1.15	2128	1.12	2186	1.07	8513	1.18	1.16-1.21
	-adenocarcinoma ²	552	1.24	133	1.18	31	1.31	327	1.02	397	1.12	1440	1.15	1.09-1.21
	-small cell ²	-	-	190	1.41	19	1.12	378	1.24	152	0.97	739	1.21	1.12-1.30
	-squamous cell ²	1040	1.31	348	1.26	17	0.83	685	1.14	820	1.05	2910	1.18	1.13-1.22
	-other ²	-	-	450	1.29	29	1.35	475	1.09	817	1.08	1771	1.13	1.08-1.19
158, 162.2	Mesothelioma ²	65	1.11	11	0.67	1	0.53	44	0.90	58	0.80	179	0.90	0.78-1.04
170	Breast	26	1.33	7	1.50	2	0.91	23	1.11	26	0.74	84	1.02	0.81-1.26
177	Prostate	1401	1.00	774	0.86	195	1.09	3346	0.98	5402	0.97	11118	0.97	0.95-0.99
178	Testis	63	0.94	10	0.75	9	1.65	62	0.85	67	0.86	211	0.89	0.78-1.02
	-seminoma ²	23	0.82	7	0.77	8	2.02	44	0.87	53	0.95	135	0.92	0.77-1.08
	-non-seminoma ²	40	1.02	3	0.76	1	0.67	15	0.95	14	0.63	73	0.89	0.69-1.11
179.0	Penis	41	1.05	9	1.28	2	0.84	51	0.98	75	1.09	178	1.05	0.91-1.22
180	Kidney	280	1.04	147	0.93	37	1.22	510	1.06	697	0.91	1671	0.98	0.93-1.03
180.1	-renal pelvis ²	113	1.10	5	0.50	3	1.68	70	1.27	87	1.09	278	1.12	0.99-1.25
181	Bladder	1268	1.16	195	0.88	63	1.32	1155	1.00	1400	0.94	4081	1.02	0.99-1.05
190	Melanoma	199	0.90	105	1.00	10	0.84	327	0.80	485	0.91	1126	0.88	0.83-0.93
190.6	-upper limbs ²	21	0.80	7	0.53	[1.65]	0.00	34	0.90	64	0.85	126	0.82	0.68-0.97
192	Eye	32	1.15	9	0.84	2	1.53	39	0.98	59	1.04	141	1.03	0.88-1.22
	-melanoma ²	28	1.14	6	0.62	2	1.80	32	0.91	50	1.06	118	1.00	0.84-1.20
193	Brain	247	0.90	77	0.73	17	0.95	334	1.03	485	0.94	1160	0.94	0.88-0.99
	-glioma ²	23	0.75	29	0.60	10	0.96	163	1.01	242	0.94	467	0.92	0.84-1.01
	-meningeoma ²	39	1.17	20	0.92	4	0.90	61	1.20	106	0.93	230	1.03	0.90-1.17
194	Thyroid	22	0.91	21	0.86	9	0.87	55	0.86	84	0.93	191	0.90	0.78-1.03
	-follicular ²	-	-	6	1.39	4	2.33	9	1.19	3	0.88	22	1.29	0.81-1.96
	-papillary ²	-	-	11	0.76	5	0.68	20	0.66	11	1.21	47	0.77	0.56-1.02
195.0	Glandula suprarenalis	9	1.38	6	1.28	[0.44]	0.00	7	0.92	7	0.71	29	1.00	0.67-1.43
195.1	Parathyreioeda	1	3.10	[0.06]	0.00	[0.09]	0.00	1	5.78	[0.73]	0.00	2	1.46	0.18-5.26
195.2	Thymus	3	0.99	[1.21]	0.00	2	6.93	2	0.69	6	1.52	13	1.14	0.61-1.95
195.3	Hypophysis	1	1.21	[0.09]	0.00	2	0.67	[0.70]	0.00	3	2.52	6	1.03	0.38-2.25
195.4	Corpus pineale	-	-	[0.21]	0.00	-	-	[0.09]	0.00	-	-	[0.30]	0.00	0.00-12.24
196	Bone	11	1.07	4	0.58	[1.43]	0.00	23	1.21	12	0.41	50	0.75	0.56-0.99
	-chondrosarcoma ²	-	-	2	0.57	[1.32]	0.00	5	1.00	3	0.24	10	0.45	0.22-0.83
197	Soft tissue	39	1.10	30	1.23	2	0.59	73	1.20	138	0.99	282	1.07	0.95-1.20
	-fibrosarcoma ²	-	-	15	1.75	-	-	8	1.27	23	1.01	46	1.22	0.89-1.63
	-liposarcoma ²	-	-	4	0.76	[1.06]	0.00	6	0.67	23	0.96	33	0.84	0.58-1.18
200,202	Non-Hodgkin lymphoma	269	1.06	112	0.82	15	0.74	290	0.99	606	1.01	1292	0.99	0.94-1.04
201	Hodgkin lymphoma	51	1.22	29	1.37	[2.28]	0.00	59	0.94	117	1.13	256	1.11	0.98-1.25
203	Multiple myeloma	150	1.01	49	0.96	6	0.66	281	1.05	317	0.98	803	1.00	0.93-1.07
204	Leukaemia	360	1.14	89	0.96	10	0.65	364	0.98	465	0.97	1288	1.01	0.96-1.07
	-chronic lymphatic ²	-	-	36	0.89	3	0.56	132	0.98	246	1.13	417	1.05	0.95-1.15
	-acute myeloid ²	105	1.14	26	1.01	2	0.41	131	0.99	77	0.77	341	0.96	0.87-1.07
	Mycosis fungoides ²	13	1.53	6	1.67	2	2.58	4	0.42	48	0.92	73	0.98	0.76-1.23
199	Other/unknown site	161	1.20	99	1.22	8	0.64	641	1.09	672	1.08	1581	1.10	1.05-1.15
140-204	All sites	11351	1.16	4090	1.03	668	1.06	14839	1.02	19863	1.01	50811	1.05	1.04-1.05
	Not included above													
191	Other skin	-	-	95	0.84	27	1.41	690	1.07	851	0.90	1663	0.96	0.92-1.01
191.6	-upper limbs ²	-	-	4	0.46	3	1.76	73	1.27	82	0.83	162	0.97	0.83-1.14

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Other economically active persons. Women (N = 153 246). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	11	1.48	13	0.93	[0.47]	0.00	13	0.88	20	1.23	57	1.08	0.81-1.39
141	Tongue	13	1.26	21	1.46	2	1.65	18	0.84	17	0.84	71	1.05	0.82-1.33
142	Salivary glands	5	0.59	12	1.17	1	1.38	13	0.87	18	0.88	49	0.89	0.66-1.18
143-144	Oral cavity	38	1.61	19	1.31	5	1.84	37	1.04	27	0.92	126	1.19	1.00-1.42
145-148	Pharynx	23	1.36	14	1.52	2	1.94	20	0.91	29	1.15	88	1.18	0.95-1.46
145	-oropharynx ²	19	1.96	6	1.76	2	4.26	7	0.70	10	0.87	44	1.25	0.91-1.68
146	-nasopharynx ²	1	0.36	2	0.81	[0.56]	0.00	4	0.97	4	0.66	11	0.69	0.34-1.23
150	Oesophagus	41	1.24	33	0.91	2	0.58	29	0.75	50	1.22	155	1.02	0.87-1.19
	-adenocarcinoma ²	8	0.99	2	0.60	1	1.00	6	0.87	13	1.93	30	1.15	0.78-1.64
151	Stomach	102	1.01	185	1.05	14	0.95	333	1.02	288	1.13	922	1.06	0.99-1.13
151.1	-cardia ²	15	0.91	17	1.03	2	1.65	38	0.93	15	0.90	87	0.95	0.76-1.17
152	Small intestine	9	0.70	17	1.26	2	1.02	28	0.84	36	0.98	92	0.94	0.75-1.15
153	Colon	472	1.00	244	0.96	31	0.96	916	0.96	693	1.08	2356	1.00	0.96-1.04
154	Rectum, rectosigma	247	1.18	140	0.92	9	0.71	440	1.08	349	1.05	1185	1.06	1.00-1.13
155.0	Primary liver	36	0.97	41	1.02	2	0.85	33	0.87	67	1.03	179	0.98	0.85-1.14
	-hemangiosarcoma ²	-	-	[0.27]	0.00	[0.15]	0.00	[0.18]	0.00	[0.46]	0.00	[1.06]	0.00	0.00-3.49
155.1	Gall bladder	58	1.05	71	1.00	3	0.96	71	1.02	105	0.95	308	0.99	0.89-1.11
157	Pancreas	162	1.07	153	1.00	13	1.09	290	1.05	278	1.20	896	1.09	1.02-1.16
160	Nose	9	1.00	4	0.61	1	0.75	12	0.82	11	0.97	37	0.86	0.61-1.19
	-adenocarcinoma ²	-	-	1	2.31	-	-	1	0.70	[0.86]	0.00	2	0.74	0.09-2.66
161	Larynx	38	1.86	5	0.88	[1.07]	0.00	23	1.52	15	1.33	81	1.51	1.20-1.88
162,163	Lung	719	1.37	230	1.21	61	1.01	528	1.02	540	1.40	2078	1.23	1.18-1.29
	-adenocarcinoma ²	209	1.28	52	1.01	19	0.90	158	1.01	173	1.31	611	1.16	1.08-1.26
	-small cell ²	-	-	44	1.40	15	1.53	114	1.06	85	1.73	258	1.30	1.15-1.47
	-squamous cell ²	139	1.40	42	1.37	10	1.03	71	0.85	111	1.57	373	1.27	1.15-1.40
	-other ²	-	-	92	1.19	17	0.86	157	1.08	171	1.27	437	1.16	1.06-1.27
158, 162.2	Mesothelioma ²	10	1.32	7	0.97	[0.15]	0.00	4	0.59	8	1.15	29	1.01	0.68-1.45
170	Breast	1270	1.04	1213	0.92	145	0.99	2029	0.96	2165	0.92	6822	0.95	0.93-0.98
	-ductal ²	-	-	864	0.91	120	1.05	1353	0.94	573	0.91	2910	0.93	0.89-0.96
	-lobular ²	-	-	152	0.96	10	0.81	146	1.02	141	1.01	449	0.99	0.90-1.09
171	Cervix uteri	280	1.28	96	1.18	19	1.40	341	1.01	378	1.33	1114	1.19	1.12-1.26
172	Corpus uteri	298	0.97	262	0.92	27	1.01	447	0.90	512	1.00	1546	0.95	0.90-1.00
173	Choriocarcinoma	[0.20]	0.00	[0.56]	0.00	[0.07]	0.00	[0.90]	0.00	1	1.05	1	0.37	0.01-2.07
175.0	Ovary	271	1.04	192	0.96	21	0.97	468	0.97	576	1.10	1528	1.03	0.97-1.08
175.1	Fallopian tube	11	1.43	6	0.60	[0.59]	0.00	13	0.94	10	0.83	40	0.90	0.65-1.23
176.0	Vulva	28	1.12	21	0.82	2	0.90	87	1.16	64	1.18	202	1.11	0.97-1.28
176.1	Vagina	15	1.43	7	1.01	3	4.98	11	0.74	23	1.44	59	1.21	0.92-1.56
180	Kidney	100	1.08	134	1.07	17	1.13	195	0.97	221	1.05	667	1.04	0.96-1.12
180.1	-renal pelvis ²	41	1.21	11	1.72	1	0.74	22	1.00	18	0.86	93	1.10	0.89-1.35
181	Bladder	199	1.21	66	0.94	19	1.46	223	0.91	239	1.16	746	1.07	0.99-1.15
190	Melanoma	116	0.87	101	0.88	10	0.74	375	1.03	242	0.89	844	0.94	0.88-1.01
190.6	-upper limbs ²	20	0.82	24	1.17	[2.07]	0.00	55	0.92	42	0.79	141	0.88	0.75-1.04
192	Eye	17	1.46	12	1.00	1	1.80	20	0.81	20	0.91	70	0.99	0.77-1.25
	-melanoma ²	15	1.43	12	1.07	1	2.41	18	0.84	12	0.69	58	0.95	0.72-1.23
193	Brain	144	1.00	159	0.95	21	1.12	241	0.92	275	1.00	840	0.97	0.91-1.04
	-glioma ²	14	1.20	42	0.93	11	1.63	80	0.92	85	0.92	232	0.95	0.84-1.09
	-meningeoma ²	35	1.02	68	0.96	9	0.92	83	0.85	137	1.18	332	1.01	0.91-1.13
194	Thyroid	29	1.28	83	0.89	23	1.46	93	0.88	96	1.01	324	0.97	0.87-1.08
	-follicular ²	-	-	11	0.89	6	3.19	8	0.55	[4.31]	0.00	25	0.75	0.49-1.11
	-papillary ²	-	-	59	0.85	16	1.25	53	0.83	24	1.32	152	0.93	0.79-1.09
195.0	Glandula suprarenalis	3	1.13	4	0.98	[0.35]	0.00	5	1.05	7	1.55	19	1.16	0.70-1.81
195.1	Parathyreoidea	1	4.84	[0.13]	0.00	-	-	1	1.97	3	2.80	5	2.61	0.85-6.08
195.2	Thymus	1	0.83	2	1.30	-	-	2	1.24	1	0.56	6	0.98	0.36-2.13
195.3	Hypophysis	1	3.35	[0.13]	0.00	2	1.07	1	2.40	[0.49]	0.00	4	1.25	0.34-3.21
195.4	Corpus pineale	-	-	[0.44]	0.00	-	-	[0.28]	0.00	-	-	[0.72]	0.00	0.00-5.13
196	Bone	4	1.06	9	1.62	1	0.90	9	0.94	16	1.51	39	1.27	0.91-1.74
	-chondrosarcoma ²	-	-	5	1.94	1	1.42	2	0.73	9	1.90	17	1.58	0.92-2.53
197	Soft tissue	16	1.11	17	0.63	2	1.02	28	0.90	54	1.01	117	0.91	0.76-1.09
	-fibrosarcoma ²	-	-	4	0.49	[0.15]	0.00	1	0.49	9	1.21	14	0.79	0.43-1.32
	-liposarcoma ²	-	-	7	1.22	[0.44]	0.00	4	0.99	3	0.37	14	0.76	0.42-1.28
200,202	Non-Hodgkin lymphoma	108	0.97	158	1.04	11	0.91	201	0.93	231	1.06	709	1.00	0.93-1.08
201	Hodgkin lymphoma	16	1.38	21	1.36	[1.49]	0.00	22	0.97	35	1.22	94	1.18	0.95-1.44
203	Multiple myeloma	54	0.95	69	1.19	9	1.43	122	0.90	120	1.13	374	1.03	0.93-1.14
204	Leukaemia	107	0.99	82	1.00	7	0.69	159	0.96	156	1.06	511	0.99	0.91-1.08
	-chronic lymphatic ²	-	-	22	0.77	1	0.30	51	0.90	53	0.94	127	0.88	0.74-1.04
	-acute myeloid ²	34	0.92	34	1.22	1	0.25	61	0.92	50	1.15	180	1.01	0.87-1.16
	Mycosis fungoides ²	4	1.76	[2.22]	0.00	[0.27]	0.00	3	0.85	11	0.80	18	0.82	0.48-1.29
199	Other/unknown site	83	1.07	101	0.94	18	1.40	324	0.97	288	0.94	814	0.97	0.91-1.04
140-204	All sites	5010	1.10	4051	0.97	514	1.04	8244	0.97	8295	1.04	26114	1.02	1.00-1.03
Not included above														
	Ovary borderline ²	-	-	33	0.84	6	0.75	69	0.96	112	1.51	220	1.14	1.00-1.30
191	Other skin	-	-	106	0.90	8	0.60	291	0.95	221	0.88	626	0.91	0.84-0.99
191.6	-upper limbs ²	-	-	9	0.99	[1.70]	0.00	16	0.50	18	0.62	43	0.60	0.43-0.81

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Economically inactive persons. Men (N = 543 221). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI= 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	169	1.68	444	1.28	6	2.24	87	0.95	261	0.94	967	1.18	1.11-1.26
141	Tongue	49	1.84	111	1.46	2	1.39	55	1.69	184	1.59	401	1.59	1.44-1.75
142	Salivary glands	27	1.20	61	1.18	2	1.95	13	0.84	91	1.13	194	1.13	0.98-1.30
143-144	Oral cavity	82	1.42	130	1.72	2	1.20	71	1.55	312	1.90	597	1.73	1.60-1.87
145-148	Pharynx	99	1.42	191	1.77	2	0.94	110	2.01	509	2.00	911	1.86	1.74-1.99
145	-oropharynx ²	51	1.45	73	1.87	1	1.57	46	2.20	205	2.04	376	1.92	1.73-2.12
146	-nasopharynx ²	19	1.52	17	0.78	[0.64]	0.00	8	0.80	56	1.03	100	1.00	0.83-1.22
150	Oesophagus	191	1.14	461	1.54	9	1.08	154	1.62	659	1.60	1474	1.50	1.43-1.58
	-adenocarcinoma ²	72	1.27	73	1.46	2	0.64	15	1.04	117	1.11	279	1.22	1.08-1.37
151	Stomach	704	1.38	1837	1.10	22	0.84	664	1.03	1986	1.05	5213	1.10	1.07-1.13
151.1	-cardia ²	129	1.03	296	1.17	3	0.62	85	0.92	178	0.95	691	1.04	0.97-1.12
152	Small intestine	46	1.40	78	1.07	1	0.38	27	1.09	139	0.84	291	0.98	0.87-1.10
153	Colon	995	1.13	1007	0.98	38	1.13	561	0.87	2167	0.97	4768	0.99	0.96-1.02
154	Rectum, rectosigma	698	1.07	911	1.00	13	1.04	320	0.80	1419	0.91	3361	0.95	0.92-0.98
155.0	Primary liver	220	1.52	482	1.43	7	1.75	79	1.53	702	1.64	1490	1.54	1.46-1.62
	-hemangiosarcoma ²	-	-	1	1.35	-	-	[0.02]	0.00	5	2.86	6	2.39	0.88-5.20
155.1	Gall bladder	127	1.37	242	1.30	[1.94]	0.00	52	1.32	247	1.39	668	1.34	1.24-1.45
157	Pancreas	433	1.09	993	1.18	19	1.45	261	0.94	1067	1.07	2773	1.10	1.06-1.14
160	Nose	22	0.78	49	1.07	2	1.61	31	1.38	77	1.03	181	1.05	0.91-1.22
	-adenocarcinoma ²	-	-	[2.49]	0.00	[0.12]	0.00	2	0.66	7	0.63	9	0.53	0.24-1.01
161	Larynx	226	1.32	516	1.50	7	1.40	125	1.40	448	1.41	1322	1.42	1.35-1.50
162,163	Lung	3010	1.19	8195	1.47	70	1.19	1032	1.15	3761	1.23	16068	1.33	1.31-1.35
	-adenocarcinoma ²	391	1.00	748	1.29	15	0.90	164	1.11	661	1.21	1979	1.18	1.13-1.23
	-small cell ²	-	-	1024	1.31	13	1.11	146	1.09	283	1.34	1466	1.29	1.23-1.36
	-squamous cell ²	1086	1.17	2494	1.43	21	1.48	303	1.12	1407	1.25	5311	1.30	1.27-1.34
	-other ²	-	-	3929	1.59	20	1.32	225	1.11	1410	1.20	5584	1.44	1.41-1.48
158, 162.2	Mesothelioma ²	46	0.82	65	0.91	1	0.78	18	0.82	108	0.99	238	0.92	0.81-1.04
170	Breast	21	1.18	29	1.16	3	1.84	12	1.06	76	1.40	141	1.28	1.09-1.51
177	Prostate	1510	1.03	3673	0.81	97	0.85	1239	0.72	6175	0.78	12694	0.80	0.79-0.82
178	Testis	44	1.12	78	1.33	8	1.32	64	1.21	215	1.04	409	1.12	1.02-1.24
	-seminoma ²	20	1.16	55	1.39	5	1.14	44	1.21	158	1.08	282	1.15	1.03-1.30
	-non-seminoma ²	24	1.07	20	1.12	3	1.79	14	1.14	57	0.93	118	1.02	0.85-1.23
179.0	Penis	63	1.73	51	1.40	1	0.64	38	1.27	146	1.33	299	1.40	1.25-1.56
180	Kidney	304	1.13	785	1.01	23	1.03	239	0.98	1225	1.05	2576	1.04	1.00-1.08
180.1	-renal pelvis ²	120	1.20	65	1.16	2	1.71	24	0.96	124	1.06	335	1.12	1.01-1.25
181	Bladder	1189	1.14	1391	1.10	36	1.11	443	0.81	1934	0.90	4993	1.00	0.97-1.02
190	Melanoma	132	0.85	371	0.81	9	0.95	132	0.58	613	0.66	1257	0.70	0.67-0.74
190.6	-upper limbs ²	16	0.86	48	0.80	2	1.41	16	0.76	78	0.57	160	0.67	0.58-0.79
192	Eye	33	1.23	46	0.80	[1.02]	0.00	14	0.65	69	0.75	162	0.81	0.70-0.95
	-melanoma ²	27	1.12	43	0.83	[0.81]	0.00	10	0.53	59	0.79	139	0.81	0.69-0.96
193	Brain	236	1.01	488	1.00	11	0.78	159	0.92	883	0.98	1777	0.98	0.94-1.03
	-glioma ²	34	1.22	182	0.88	4	0.48	72	0.81	400	0.87	692	0.87	0.81-0.94
	-meningeoma ²	32	1.17	111	1.10	4	1.19	29	1.09	232	1.26	408	1.19	1.08-1.31
194	Thyroid	29	1.20	108	0.91	9	1.14	50	1.34	175	1.14	371	1.08	0.98-1.20
	-follicular ²	-	-	27	1.11	[1.19]	0.00	6	1.63	10	1.48	43	1.20	0.87-1.61
	-papillary ²	-	-	52	0.83	5	0.87	22	1.25	21	0.90	100	0.92	0.75-1.11
195.0	Glandula suprarenalis	6	0.77	29	1.08	[0.33]	0.00	3	0.76	13	0.78	51	0.92	0.68-1.21
195.1	Parathyreioeda	1	2.67	[0.40]	0.00	[0.05]	0.00	[0.11]	0.00	1	0.77	2	0.89	0.11-3.23
195.2	Thymus	5	1.67	3	0.58	[0.25]	0.00	1	0.69	6	0.94	15	0.92	0.52-1.52
195.3	Hypophysis	1	1.34	[0.35]	0.00	3	1.36	2	4.36	[1.89]	0.00	6	1.06	0.39-2.31
195.4	Corpus pineale	-	-	1	1.28	-	-	[0.11]	0.00	-	-	1	1.13	0.03-6.27
196	Bone	10	1.05	45	1.23	[1.16]	0.00	13	1.15	53	1.04	121	1.10	0.92-1.32
	-chondrosarcoma ²	-	-	27	1.50	[0.99]	0.00	2	0.56	21	0.94	50	1.11	0.83-1.47
197	Soft tissue	32	1.00	130	1.04	5	1.82	30	0.90	214	0.96	411	0.99	0.90-1.09
	-fibrosarcoma ²	-	-	47	1.05	-	-	3	0.90	34	0.92	84	0.99	0.79-1.22
	-liposarcoma ²	-	-	23	0.93	3	3.60	2	0.42	41	1.03	69	0.98	0.76-1.24
200,202	Non-Hodgkin lymphoma	285	1.22	721	1.08	9	0.60	111	0.73	935	1.00	2061	1.03	0.99-1.08
201	Hodgkin lymphoma	31	0.81	102	0.90	2	0.99	31	0.83	184	1.01	350	0.94	0.85-1.04
203	Multiple myeloma	143	0.96	280	0.97	8	1.24	118	0.85	409	0.84	958	0.90	0.84-0.96
204	Leukaemia	349	1.07	522	0.96	11	0.99	183	0.90	721	0.98	1786	0.98	0.94-1.03
	-chronic lymphatic ²	-	-	233	0.95	3	0.81	63	0.89	268	0.86	567	0.90	0.83-0.98
	-acute myeloid ²	84	0.86	127	0.87	6	1.60	59	0.84	123	0.86	399	0.87	0.79-0.96
	Mycosis fungoides ²	12	1.51	20	1.17	1	1.81	4	0.90	94	1.01	131	1.07	0.90-1.26
199	Other/unknown site	177	1.45	629	1.36	16	1.83	412	1.33	1107	1.20	2341	1.28	1.23-1.33
140-204	All sites	11625	1.17	25506	1.14	456	1.04	6968	0.94	29385	0.99	73940	1.06	1.05-1.07
	Not included above													
191	Other skin	-	-	611	0.96	11	0.86	259	0.85	1125	0.89	2006	0.91	0.87-0.95
191.6	-upper limbs ²	-	-	40	0.88	1	0.93	26	0.93	127	0.93	194	0.92	0.80-1.06

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Economically inactive persons. Women (N = 3 157 782). Observed number (Obs) of cancers and standardized incidence ratio (SIR)¹, 1961-2005, by country and cancer site (95% CI = 95% confidence interval)

ICD-7	Site	Denmark		Finland		Iceland		Norway		Sweden		Total		
		Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	Obs	SIR	95% CI
140	Lip	208	1.01	365	1.01	5	2.71	204	1.04	718	0.96	1500	0.99	0.94-1.04
141	Tongue	262	0.97	291	0.97	4	1.00	296	1.02	845	0.97	1698	0.98	0.94-1.03
142	Salivary glands	229	1.01	252	1.19	1	0.41	193	0.95	899	1.00	1574	1.02	0.97-1.07
143-144	Oral cavity	626	0.99	316	0.98	7	0.72	495	1.04	1310	0.96	2754	0.98	0.95-1.02
145-148	Pharynx	374	0.92	209	1.03	4	1.18	324	1.12	1079	0.99	1990	1.00	0.95-1.04
145	-oropharynx ²	208	0.89	62	0.98	1	0.60	120	1.17	364	0.89	755	0.93	0.87-1.00
146	-nasopharynx ²	60	0.89	50	0.90	3	1.75	67	1.01	304	1.03	484	0.99	0.91-1.09
150	Oesophagus	878	1.00	1137	1.09	17	1.32	606	1.07	1962	0.95	4600	1.01	0.98-1.04
	-adenocarcinoma ²	223	1.04	86	1.15	4	1.16	100	1.25	302	0.92	715	1.02	0.94-1.09
151	Stomach	3033	1.03	4853	1.04	49	0.91	6256	1.03	13464	1.01	27655	1.02	1.01-1.03
151.1	-cardia ²	441	0.97	470	1.04	6	1.32	652	1.01	761	0.96	2330	0.99	0.95-1.03
152	Small intestine	351	1.01	303	1.03	10	1.54	409	1.01	1696	0.98	2769	1.00	0.96-1.04
153	Colon	13154	1.00	6086	1.01	115	1.00	12539	0.99	31314	0.99	63208	0.99	0.99-1.00
154	Rectum, rectosigma	5759	0.99	3560	1.00	55	1.27	5292	0.99	15692	0.99	30358	0.99	0.98-1.00
155.0	Primary liver	1046	1.03	1050	1.03	9	1.07	580	1.08	3257	1.00	5942	1.02	0.99-1.04
	-hemangiosarcoma ²	-	-	6	1.11	[0.61]	0.00	1	0.97	22	1.10	29	1.07	0.72-1.54
155.1	Gall bladder	1712	1.05	2091	1.11	6	0.53	1174	1.06	6186	1.07	11169	1.07	1.05-1.09
157	Pancreas	4140	0.97	3970	1.03	37	0.87	4082	1.01	11294	0.98	23523	0.99	0.98-1.00
160	Nose	253	1.05	156	1.04	6	1.35	243	1.08	529	0.98	1187	1.02	0.97-1.08
	-adenocarcinoma ²	-	-	12	1.37	-	-	23	1.05	41	1.02	76	1.07	0.84-1.34
161	Larynx	486	0.97	134	1.08	4	1.11	169	1.01	462	0.93	1255	0.97	0.92-1.03
162,163	Lung	12141	0.94	4032	0.97	244	1.17	5086	1.01	14458	0.90	35961	0.94	0.93-0.95
	-adenocarcinoma ²	3608	0.93	1021	0.97	87	1.20	1427	0.95	4640	0.90	10783	0.93	0.91-0.94
	-small cell ²	-	-	614	0.95	38	1.11	887	0.99	1655	0.87	3194	0.92	0.89-0.95
	-squamous cell ²	2302	0.93	599	0.91	36	1.07	767	1.01	2801	0.88	6505	0.92	0.90-0.94
	-other ²	-	-	1798	0.99	83	1.21	1427	1.04	5362	0.92	8670	0.95	0.93-0.97
158, 162.2	Mesothelioma ²	204	0.98	132	0.86	[0.48]	0.00	58	0.90	276	0.87	670	0.90	0.84-0.97
170	Breast	30068	0.97	22004	0.96	491	0.98	25539	0.99	87868	0.96	165970	0.97	0.96-0.97
	-ductal ²	-	-	14772	0.94	375	0.96	15558	0.98	15503	0.94	46208	0.96	0.95-0.96
	-lobular ²	-	-	2245	0.96	37	0.88	1101	0.94	3643	0.94	7026	0.94	0.92-0.97
171	Cervix uteri	5446	0.99	1846	1.02	51	1.10	4944	1.05	11170	0.94	23457	0.98	0.97-0.99
172	Corpus uteri	7676	0.98	5807	0.99	111	1.19	5821	1.00	22847	0.99	42262	0.99	0.98-1.00
173	Choriocarcinoma	2	0.46	8	1.18	[0.19]	0.00	14	1.35	30	1.13	54	1.12	0.84-1.46
175.0	Ovary	6393	0.96	3765	0.94	79	1.03	6137	0.97	21361	0.97	37735	0.96	0.95-0.97
175.1	Fallopian tube	173	0.91	143	0.80	1	0.49	106	0.87	410	0.90	833	0.88	0.82-0.94
176.0	Vulva	709	1.01	641	1.02	13	1.73	1128	0.99	2667	1.01	5158	1.01	0.98-1.04
176.1	Vagina	287	1.01	137	0.88	1	0.42	215	1.05	714	0.92	1354	0.95	0.90-1.00
180	Kidney	2571	1.02	2893	1.04	51	0.96	2765	1.04	10324	1.01	18604	1.02	1.01-1.04
180.1	-renal pelvis ²	882	0.98	148	0.96	7	1.39	246	0.91	961	0.93	2244	0.95	0.91-0.99
181	Bladder	4292	0.96	1648	0.96	57	1.27	3190	0.98	9256	0.93	18443	0.95	0.94-0.96
190	Melanoma	3243	0.98	1986	0.95	48	1.06	3493	0.97	9337	0.97	18107	0.97	0.95-0.98
190.6	-upper limbs ²	581	0.97	339	0.95	10	1.29	567	0.93	1876	0.98	3373	0.97	0.94-1.00
192	Eye	293	0.99	245	1.00	4	1.70	309	1.00	956	1.00	1807	1.00	0.95-1.05
	-melanoma ²	271	1.01	225	0.99	2	1.18	269	0.99	805	1.01	1572	1.01	0.96-1.06
193	Brain	3579	0.99	3022	1.01	58	0.90	3009	1.04	10676	0.99	20344	1.00	0.98-1.01
	-glioma ²	285	0.95	742	1.00	13	0.55	1025	1.03	3570	0.98	5635	0.99	0.96-1.01
	-meningioma ²	859	1.01	1212	0.99	36	1.11	921	1.00	4391	0.98	7419	0.99	0.96-1.01
194	Thyroid	646	1.04	1530	1.02	51	0.97	1357	1.03	3919	1.03	7503	1.02	1.00-1.05
	-follicular ²	-	-	263	1.01	6	0.93	182	1.00	133	0.98	584	1.00	0.92-1.08
	-papillary ²	-	-	951	1.00	43	1.01	635	1.02	406	1.02	2035	1.01	0.97-1.05
195.0	Glandula suprarenalis	74	1.08	71	0.91	2	1.73	54	1.07	187	1.02	388	1.02	0.92-1.12
195.1	Parathyreoidea	6	1.04	2	0.98	-	-	8	1.34	47	0.96	63	1.00	0.77-1.28
195.2	Thymus	27	0.87	28	0.95	-	-	12	0.75	71	0.99	138	0.93	0.79-1.10
195.3	Hypophysis	9	1.21	5	1.50	7	1.21	6	1.25	25	1.02	52	1.13	0.85-1.49
195.4	Corpus pineale	-	-	7	1.01	-	-	3	1.06	-	-	10	1.03	0.49-1.89
196	Bone	101	1.04	119	1.07	[3.67]	0.00	114	0.96	471	1.05	805	1.03	0.96-1.11
	-chondrosarcoma ²	-	-	50	1.06	[2.19]	0.00	32	0.92	196	1.05	278	1.03	0.91-1.16
197	Soft tissue	397	1.06	550	1.00	8	1.19	485	1.06	2330	1.00	3770	1.01	0.98-1.05
	-fibrosarcoma ²	-	-	182	1.02	1	1.91	43	0.97	368	0.99	594	1.00	0.92-1.08
	-liposarcoma ²	-	-	108	1.00	4	2.31	67	1.21	352	1.02	531	1.04	0.96-1.13
200,202	Non-Hodgkin lymphoma	2937	0.99	3206	1.01	43	1.03	2208	1.00	9786	1.00	18180	1.00	0.98-1.01
201	Hodgkin lymphoma	280	0.91	331	1.05	9	2.12	424	0.99	1302	1.01	2346	1.02	0.98-1.06
203	Multiple myeloma	1602	1.03	1383	0.98	16	0.74	1926	0.98	5186	1.00	10113	1.00	0.98-1.02
204	Leukaemia	2992	1.00	1957	1.01	37	1.00	2572	1.03	6614	0.98	14172	1.00	0.98-1.02
	-chronic lymphatic ²	-	-	759	1.02	9	0.73	811	1.03	2633	0.98	4212	1.00	0.97-1.03
	-acute myeloid ²	1015	1.02	633	1.01	18	1.23	966	1.01	1852	0.98	4484	1.00	0.97-1.03
	Mycosis fungoides ²	58	0.99	31	0.70	1	1.15	43	1.05	789	1.04	922	1.02	0.96-1.09
199	Other/unknown site	2149	1.01	2875	1.08	43	0.91	5810	1.06	14918	1.02	25795	1.03	1.02-1.05
140-204	All sites	117999	0.99	86283	1.00	1767	1.03	109954	1.01	338703	0.98	654706	0.99	0.98-0.99
Not included above														
	Ovary borderline ²	-	-	584	0.95	26	1.00	595	0.97	2146	0.94	3351	0.95	0.92-0.98
191	Other skin	-	-	3216	1.04	54	1.17	4076	1.02	12269	0.99	19615	1.00	0.99-1.02
191.6	-upper limbs ²	-	-	238	1.10	8	1.38	413	1.06	1379	0.97	2038	1.00	0.96-1.05

¹ Statistically significant high values are printed in "red" color, significant low values are printed in "green" color

² Based on both primary site and codes for histology/morphology and/or behavioral code

Description of the occupational categories 1-13

No	Occupational category	Description
1	Technical, chemical, physical and biological workers	Includes engineers, physicists, architects, chemists, geologists, biologists, meteorologists and related professionals. Their main tasks require a high level of professional knowledge and experience.
2	Laboratory assistants	Includes life science technicians, pharmaceutical assistants, laboratory technicians, and other health professional assistants. Their main tasks involve preparing materials and equipment for experiments, tests and analyses. They collect and prepare specimens such as plant, animal, or human cells and tissues. They assist with and perform experiments and analyses. The pharmaceutical assistants handle medicaments.
3	Physicians	Includes medical doctors.
4	Dentists	Includes all types of specialists and researchers in the field of odontology.
5	Nurses	Includes nurses in somatic and psychiatric hospitals, and in the field of health prevention. They give first aid treatment and dispense medications to patients.
6	Assistant nurses	Includes workers assisting physicians, nurses and midwives in their practical application of preventive and curative measures. They provide caring services for the sick and injured.
7	"Other health and medical workers"	Includes veterinarians, pharmacists, physiotherapists, and other types of health professionals not included in the occupational categories 05 or 06. Some of them perform technical tasks related to research and practical application and operational methods in the field of medicine, veterinary medicine, dentistry, pharmacy, sanitation. Pharmacists prepare and handle medicaments.
8	Teachers	Includes teachers at pre-school, primary and secondary schools, college, university, and special educational professionals. The majority works at primary schools.
9	Religious, juridical and other social science related workers	Includes religious and legal professionals, archivists, librarians, economists, sociologists, psychologists and social work professionals. The tasks of religious professionals include ritual services, various administrative and social duties. Legal professionals advise clients on legal problems and plead cases or conduct prosecutions in courts of justice. Social science and related professionals conduct research, or apply knowledge relating to philosophy, politics and economics.
10	Artistic workers	Includes authors (excluding journalists, cf. occupational category 11), sculptors, painters and related artists, painting restorers, composers, singers, musicians, dancers and other types of artists.
11	Journalists	Includes all types of journalistic work. The tasks include collecting, reporting and commenting on news and current affairs for publication in newspapers and periodicals, or for broadcasting by radio or television.
12	Administrators and managers	Includes senior officials, managers and legislators working on behalf of governments, regional or local administrators, political parties, trade unions, and other organisations and enterprises.
13	Clerical workers	Includes secretaries and clerical workers in banks and insurance companies, accounting and bookkeeping clerks, keyboard-operating clerks, and other types of office workers.

Description of the occupational categories 14-26

No	Occupational category	Description
14	Sale and agents	Includes finance and sales associate professionals and business service agents and trade brokers. They sell insurances, real estate, travel services and other business services, and act as wholesale representatives.
15	Shop managers and assistants	Includes shop managers and shop sale persons, who sell goods in retail establishments and explain functions of these goods.
16	Farmers	Includes field crop and vegetable growers, market oriented animal producers and related workers. Tasks performed include purchasing seeds, fertiliser and other supplies; buildings and machinery; performing farm operation, sowing, cultivating and harvesting crops; breeding, raising and tending animals; maintaining farm buildings, machinery and equipment.
17	Gardeners and related workers	Includes gardeners, horticultural and nursery growers. They plan and carry out the necessary operations to grow vegetables, cultivate trees, shrubs, flowers and other plants, and to produce saplings, bulbs and seeds for sale.
18	Fishermen, whalers and sealers	Includes fishermen, whale and seal hunters. They catch fish and gather other forms of aquatic life for sale or delivery to wholesale buyers or at markets. Whale and seal hunters are present only in Iceland and in Norway. They catch animals for meat, skin and other products for sale.
19	Forestry workers	Includes forestry workers and loggers. Forestry workers cultivate, conserve and exploit forest for delivery of forestry products to wholesale buyers.
20	Miners and quarriers	Includes miners and quarry workers who extract coal and solid minerals from underground or surface mines and granite, limestone and other kinds of rocks from quarries. They set up and operate machines which cut channels or drill blasting holes into the open face of mines and quarries.
21	Seamen	Includes all types of seamen, both sailors working on deck and in engine rooms. Ship deck crews and related workers carry out deck duties on board ships. The ship deck officers command and navigate ships. Ship engineers control and participate in the operation, maintenance and repair of the mechanical and electrical machinery on board.
22	Transport workers	Includes railway staff, buss and train staff, except drivers, and aircraft pilots, traffic supervisors and other transport and communication workers.
23	Drivers	Includes car, taxi, van, bus, motor-cycle, tram, heavy truck and lorry drivers. Their tasks include driving and tending their vehicles in order to transport materials, goods, and passengers.
24	Post and communication workers	Includes postal workers such as mail carriers, sorting clerks and telephone switchboard operators. Communication workers include telegraph operators and other types of communication workers.
25	Textile workers	Includes textile work such as operators of fibre preparing, spinning, winding, weaving, knitting, sewing, bleaching, dyeing, and fur preparing machines.
26	Shoe and leather workers	Includes shoe and leather workers who produce and repair footwear, handbags, etc. Leather workers treat hides and skins in solutions and apply finishing product to convert them into leather.

Description of the occupational categories 27-40

No	Occupational category	Description
27	Smelters and metal foundry workers	Includes ore and metal furnace operators, metal smelters, casters and rolling mill operators, metal heat treating plant operators and metal drawers and extruders. Their tasks include operating and monitoring furnaces for ore smelting, refining, converting or reheating metal.
28	Mechanics, iron and metalware workers	Includes workers who make products of metal, and assemble and repair machines and motors. The Danish data include also welders in this category, cf occupational category 30.
29	Plumbers	Workers in this category assemble, fit, install and repair pipes and pipeline systems for drainage, heating, water supply, and sanitary systems.
30	Welders	Workers in this category join and cut metal parts using flame, electric arc and other sources of heat to melt and cut or fuse metal. The Danish welders are included in the mechanic workers (occupational category 28).
31	Electrical workers	Workers in this category fit, assemble, install, maintain and repair electrical and electronic equipment such as electrical motors, generators, instruments, signal transmitters and receivers, domestic appliances, switchgear, and control apparatus. They install and service electrical wiring systems in homes, industrial plants, ships, motor vehicles, and aircrafts, and install and service electrical power transmission cables, telephone and telegraph lines and related equipment.
32	Wood workers	Workers in this category prepare and treat wood, and make, assemble and repair constructions and products of wood.
33	Painters and wall paperhangers	Painters prepare structural surfaces for painting and apply decorative and protective coatings to buildings, ships, motor vehicles and articles of wood, metal, textile and other materials. Wall paperhangers cover interior walls and ceilings.
34	Other construction workers	Includes workers in the building and construction industry who do not constitute separate occupational categories in this study. Included here are reinforced concreters, cement finishers, terrazzo workers, insulators, glaziers, underwater workers, and other unspecified building and construction workers.
35	Bricklayers	Workers in this category erect and repair foundations, walls and complete structures of brick, stone and similar materials and cover and decorate walls, ceilings and floors of buildings with tiles and mosaic panels.
36	Printers and related workers	Workers in this category compose type, cast and engrave printing plates and operate printing presses to print text and illustrations. Includes type setters, printers (not textile printers) and book binders.
37	Chemical process workers	Workers in this category distil, refine, cook, roast and grind chemicals, prepare pulp for paper production, and make paper.
38	Food manufacture workers	Workers in this category prepare food products of all kind for human and animal consumption. Includes occupations such as grain millers, butchers and meat preparers, food preservers, dairy product processors, fish plant workers, bakers, pastry cooks and confectionery makers.
39	Beverage manufacture workers	Workers in this category produce liquor, wine, beer, soft drinks and mineral water.
40	Tobacco manufacture workers	Workers in this category prepare and treat tobacco leaves and make cigarettes, cigars, and other tobacco products.

Description of the occupational categories 41-54

No	Occupational category	Description
41	Glass, ceramic, and tile workers and others	Includes glass formers and cutters, potters, glass and ceramics kiln men, glass engravers and etchers, glass painters and decorators, rubber and plastic product makers, tanners, fellmongers and pelt dressers, musical instrument makers and tuners, stonecutters and carvers, paper and paperboard products makers, and other small categories.
42	Packers, loaders and warehouse workers	Workers in this category perform freight handling tasks, such as loading and unloading ship, aircraft and train cargoes and other freight, wrapping objects, packing liquids, materials and objects in containers, affixing labels on containers, rigging cables, wires and ropes for lifting, hauling and other purposes, and operating specialised vehicles to lift, move, dump and stack materials in warehouses.
43	Engine and motor operator workers	Includes stationary engine operators, crane and hoist operators, earth moving and related operators, truck drivers and motor vehicle operators.
44	Public safety and protection workers	Workers in this category protect individuals and property against hazards and enforce law and order. Fire-fighters, policemen and detectives, customs officers, guards, and watchmen are included.
45	Cooks and stewards	Workers in this category prepare and cook in hotels, restaurants, other public eating places, aboard ships, aeroplanes and on railway trains.
46	Domestic assistants	Domestic assistants clean rooms, wash dishes, do laundry and ironing, and perform additional domestic duties in private homes. They may also prepare food and serve meals.
47	Waiters	Includes waiters, bartenders and related workers who serve food and beverages in dining and drinking places, clubs, institutions and canteens, on board on ships and on railway trains.
48	Building caretakers and cleaners	Workers in this category take care of apartment houses, office buildings and other buildings and maintain them in an orderly and clean condition. Tasks may include operating furnaces or boilers to provide heat and hot water for tenants.
49	Chimney sweeps	Chimney sweeps remove soot from flues, chimneys and connecting pipes, and may also clean furnaces and boilers.
50	Hairdressers	Includes hairdressers, barbers, beauticians and others. Workers holding these occupations typically shampoo, cut and style hair and apply hair colorants, waving and straightening preparations and conditioners, or they give various beauty treatments to customers, apply make up to actors and other performers, and make wigs.
51	Launders and dry-cleaners	Workers in this category launder, dry clean and press clothing, textile fabrics and similar products.
52	Military personnel	Includes professional military personnel who lead, plan, organise and execute military work.
53	Other economically active persons	This category consists of all occupational titles not included in previous occupational categories (01-52) such as precision mechanic workers, athletes and sportsmen, photographers, bath attendants, and several subcategories of service workers.
54	Economically inactive persons	Includes housewives, early pensioners, students and persons on social support and was defined somewhat differently in the respective countries.